Presented by

.....

.....193

22500031471

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call Sc
No. WA

FIFTY-NINTH

ANNUAL REPORT

OF THE

REGISTRAR GENERAL

FOR

SCOTLAND.

1913.

Presented to Parliament by Command of His Majesty.

GLASGOW:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY JAMES HEDDERWICK & SONS LIMITED, ST. VINCENT PLACE.

To be purchased, either directly or through any Bookseller, from
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
WYMAN AND SONS, LIMITED, 29 BREAMS BUILDINGS, FETTER LANE, LONDON, E.C., and
28 ABINGDON STREET, LONDON, S.W., and 54 ST. MARY STREET, CARDIFF; or
E. PONSONBY, LIMITED, 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LONDON, W.C.

1915.

[Cd. 7893] *Price* 2*s*. 4*d*.

CONTENTS.

PAGE.

REPORT.

Introductory Letter, ... v
General Summary, ... vii
Population Estimates, ... vii
Births, ... viii
Marriages, ... xiii
Deaths, ... xiv
Ages of those Dying, ... xvii
Causes of Death, ... xxi

APPENDIX I.

Forty-Ninth Annual Report on Vaccination (1912), . . . xxxiv

APPENDIX II.

Additional Marriage Statistics for Year 1912, ... xxxvii

APPENDIX III.

Weather Report for Year 1913, ... xlii

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1913.

Table 1. Births, Deaths, and Marriages, 1855 to 1913, . . lvii
,, 2. Birth-, Death-, and Marriage-rates, 1855 to 1913, . . lviii
,, 3. Quarterly Returns of Births, Deaths, and Marriages, 1903 to 1913, ... lx
,, 4. Birth-, Death-, and Marriage-rates in Larger Burghs, . lxi
,, 5. Do. do. Smaller Burghs, . lxii
,, 6. Do. do. County Districts, . lxvi
,, 7. Do. do. Counties, . . lxix
,, 8. Birth-rate among Married and among Unmarried Women . lxx

MARRIAGES, 1912.

Table 9. Method of Celebration, etc., of Marriages, 1855–1912. Numbers, ... lxxi
,, 10. Method of Celebration, etc., of Marriages, 1855–1912. Percentages, ... lxxii
,, 11. Ages, Civil Conditions, etc., of Persons Marrying, 1855–1912. Numbers, ... lxxiv
,, 12. Ages, Civil Conditions, etc., of Persons Marrying, 1855–1912. Percentages, ... xxv
,, 13. Regular and Irregular Marriages, 1912, . . . lxxvii
,, 14. Church of Celebration of Regular Marriages, 1912, . . lxxviii
,, 15. Civil Condition of Persons Marrying, 1912, . . . lxxix

(3136) Wt. 41175/61. 750. 6/1915. H. & S. Ltd.

PAGE.

Table 16. Method of Signature of Marriage Registers, or Schedules, 1912, ... lxxx
,, 17. Ages of Men at Marriage, 1912, ... lxxxii
,, 18. Ages of Women at Marriage, 1912, ... lxxxiv
,, 19. Age Distribution of Men and Women at Marriage, 1912, . lxxxvi
,, 20. Age Distribution of Men and Women at Marriage, 1855–1912, lxxxvi
,, 21. Ages in Combination of Men and Women at Marriage, 1912, lxxxvii
,, 22. Ages in Combination of Bachelors and Spinsters at Marriage, 1912, ... lxxxviii
,, 23. Ages in Combination of Bachelors and Widows at Marriage, 1912, ... lxxxix
,, 24. Ages in Combination of Widowers and Spinsters at Marriage, 1912, ... xc
,, 25. Ages in Combination of Widowers and Widows at Marriage, 1912, ... xci

DEATHS, 1913.

Table 26. Ages at Death—Quinquennial Age-Groups, . . . xcii
,, 27. Death-rates—Quinquennial Age-Groups, . . . xcii
,, 28. Percentage of Deaths in Quinquennial Age-Groups, . . xcii
,, 29. Ages at Death, Single Years of Age, and Condition as to Marriage, ... xciv
,, 30. Deaths in Age-Groups in Larger Burghs, . . . xcvi
,, 31. Death-rates in Age-Groups in Larger Burghs, . . xcvi
,, 32. Deaths by Age and Cause, ... xcvii
,, 33. Death-rates by Age and Cause, ... xcviii
,, 34. Percentage of Deaths from various Causes in Age-Groups, . xcix
,, 35. Deaths from various Causes—Scotland and Groups of Public Health Districts, ... c
,, 36. Death-rates from various Causes—Scotland and Groups of Public Health Districts, ... ci
,, 37. Deaths from various Causes—Larger Burghs, . . cii
,, 38. Death-rates from various Causes—Larger Burghs, . . ciii
,, 39. Deaths from Principal Epidemic and certain other Diseases, 1855–1913. civ
,, 40. Death-rates from Principal Epidemic and certain other Diseases, 1855-1913, ... cv
,, 41. Deaths and Death-rate from Puerperal Conditions, . . cvii
,, 42. Deaths from Malignant Disease, ... cviii
,, 43. Deaths from Suicide, ... cx
,, 44. Deaths from Poison, ... cxii
,, 45. Deaths of Children of less than One Year from certain Causes, showing the Age in Completed Months, . . . cxiii
,, 46. Deaths of Children of less than One Year, showing the Month of Registration of Death, ... cxiii
,, 47. Certified and Uncertified Deaths, ... cxiv

OTHER TABLES.

Table 48. Meteorology of Scotland, ... cxv
,, 49. Weather, and Weekly Death-rates, ... cxv
,, 50. Vaccinations in Scotland, 1902–1912, ... cxvi
,, 51. Vaccinations in Scotland, deducting those dying before Vaccination, 1902–1912, ... cxvi
,, 52. Deaths from Small-pox in Scotland, 1855–1912, with Vaccination Particulars, 1864–1912, ... cxvii
,, 53. Age Distribution of Deaths from Small-pox, 1855–1912, cxviii

ABSTRACTS.

Summary for each Registration District, ... 1–41

CAUSES OF DEATH—FULL LIST.

Scotland—Both Sexes, ... 42
Scotland—Males, ... 46
Scotland—Females, ... 50
Counties of Scotland—Both Sexes, ... 54
Scotland, by Month of Registration—Both Sexes, . . . 70
Glasgow—Both Sexes, ... 74
Edinburgh do. 78
Dundee do. 82
Aberdeen do. 86
Paisley do. 90
Leith do. 94
Greenock do. 98
Middle District of Lanark—Both Sexes, ... 102

STATISTICS OF PUBLIC HEALTH DISTRICTS.

In County of Aberdeen, ... 106
Do. Argyll, ... 125
Do. Ayr, ... 138
Do. Banff, ... 158
Do. Berwick, ... 170
Do. Bute, ... 177
Do. Caithness, ... 182
Do. Clackmannan 185
Do. Dumbarton, ... 190
Do. Dumfries, ... 198
Do. Edinburgh (Midlothian), ... 210
Do. Elgin, ... 222
Do. Fife, ... 229
Do. Forfar, ... 261
Do. Haddington, ... 274
Do. Inverness, ... 283
Do. Kincardine, ... 294
Do. Kinross, ... 303
Do. Kirkcudbright, ... 305
Do. Lanark, ... 315
Do. Linlithgow, ... 327
Do. Nairn, ... 335
Do. Orkney, ... 337
Do. Peebles, ... 343
Do. Perth, ... 346
Do. Renfrew, ... 363
Do. Ross and Cromarty, ... 372
Do. Roxburgh, ... 384
Do. Selkirk, ... 393
Do. Shetland, ... 396
Do. Stirling, ... 399
Do. Sutherland, ... 408
Do. Wigtown, ... 410

METEOROLOGICAL ABSTRACTS, ... 416

REPORT.

TO THE RIGHT HONOURABLE

THOMAS M'KINNON WOOD, M.P.,

His Majesty's Secretary for Scotland.

General Registry Office of Births, &c.,
EDINBURGH, 28*th April*, 1915.

Sir,

In compliance with the requirements of the Scottish Registration Act, 17 and 18 Vict., cap. 80, I have now the honour to submit a Report on the Registration Statistics of Scotland during the year 1913, along with three Appendices, one on the Vaccination of Children born in Scotland during the year 1912, another a Supplementary Report on the Marriage Statistics of the same year, and the third a Report on the Meteorology of the year 1913,—with which year the principal statistics herein dealt with are concerned. The main Report and the first two Appendices have been prepared by Dr. James Craufurd Dunlop, Superintendent of the Statistical Branch of this Department. The third Appendix has been prepared by Mr. A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

When submitting this Report, I may point out that the period elapsing between the closing of the registers dealt with in the Report and its presentation is shorter than on any

previous occasion, and that I confidently expect that a further saving of time will be effected in the future. The arrears of work I referred to in the last Report have now all been overcome, and the preparation of the Report for 1914 is already far advanced.

I have the honour to be,

SIR,

Your most obedient Servant,

J. PATTEN MACDOUGALL,
Registrar-General.

REPORT ON THE BIRTHS, DEATHS, AND MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1913.

In this Report, which deals more especially with the vital statistics of Scotland during the year ending 31st December 1913, the following, among many other statistical facts, may be gathered :—

The estimated population of Scotland, which is based on the balance between the natural increase and the loss by emigration, is less than those of the two previous years, and less than the population ascertained by the census of 1911.

Births registered during the year are fewer than in all years since 1873. The birth-rate of the year—25·49 per 1000—is the smallest yet recorded, and that is since 1855.

The number of illegitimate children is less than in all years since 1903, and the illegitimate rate—illegitimate children per 100 children registered—is less than those of all years since 1908.

The number of marriages registered during the year is the greatest on record, and the marriage-rate, 7·13 per 1000, is higher than those of all years since 1907.

The number of deaths registered, though slightly more than in the previous three years, was less than average. The death-rate of the year was 15·45 per thousand, being slightly higher than those of 1910, 1911, and 1912.

The infantile mortality rate of the year, 109·6 per thousand births, was low. It is in some excess of those of the years 1909, 1910, and 1912, but is less than in all other previous years.

Deaths from typhus fever, measles, diphtheria, phthisis, bronchitis, and pneumonia were of less than average number, while those from scarlet fever, cancer, and diarrhœa are found to be in some excess of the numbers recorded in recent years. No deaths from small-pox were recorded during the year, a circumstance which has only occurred four times previously.

The deaths of 8 reputed centenarians were recorded during the year, and the result of investigation was to confirm the stated age as being over 100 in 5 of the 8 instances. During the last four years, an age of over 100 has been verified in 22 instances.

ESTIMATED POPULATION OF SCOTLAND, 1913.

The population of Scotland in the middle of the year 1912 was estimated at 4,741,077. The natural increase, the excess of births over deaths, between that date and the middle of 1913 amounted to

48,916, but during the same period there was a net loss by emigration of 61,861. The difference between these two figures, viz., 12,945, falls to be deducted from the estimated population of the year 1912 to obtain that of the year 1913, which is thus found to be 4,728,132. This estimated population is 32,772 less than the population of Scotland as ascertained by the census taken in April 1911.

The collective population of the larger burghs, those with populations exceeding 30,000, is estimated at 2,261,710; of the smaller burghs, those with populations of less than 30,000, at 946,518; and of the county, or extra-burghal, districts at 1,519,904. The collective estimate of the larger burghs is 93,703 more than that of 1912; but those of the smaller burghs and of the county districts are both lower, the former being 22,317, and the latter 84,331, less than in 1912. The estimates of these groups of burghs and of the county districts were made by the method described in the 57th Annual Report. In the compilation, allowances were made for alterations of burgh boundaries by extensions, and for the creation of one new burgh, viz., Portknockie. The extensions of burgh boundaries took place in Glasgow, Lochgelly, Burntisland, Peebles, and Bonnyrigg. By the extension of the boundaries of Glasgow, three burghs, viz., Govan, Partick, and Pollokshaws, came to be included within that city; accordingly these three no longer fall to be independently dealt with in this Report. By the change, the population of Pollokshaws falls to be included in the collective population of the larger burghs, and not in that of the smaller burghs as formerly. *(Table A.)*

Estimates of the population of the individual counties (including burghs) may be seen in Table 7, of the larger burghs in Table 4, of the smaller burghs in Table 5, and of the county, or extra-burghal, districts in Table 6.

BIRTH STATISTICS, 1913.

The births of 120,516 living children were registered in Scotland during the year. This figure is 2274 less than the number registered in 1912, 5230 less than the mean of the numbers registered in the preceding five years, 1908 to 1912, and 8195 less than the mean of the numbers registered in the preceding ten years, 1903 to 1912. The registered births of the year are less than those of all previous

TABLE A.—Population of Scotland and its Groups of Public Health Districts.

Groups of Districts.	Census 1901.			Census 1911.			Estimated to 30th June 1913.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Larger Burghs	1,011,898	1,083,583	2,095,481	1,070,605	1,163,779	2,234,384	1,083,991	1,177,719	2,261.710
Smaller Burghs	418,596	470,564	889,160	455,873	508,764	964,637	447,434	499,084	946,518
County Districts	743,261	744,201	1,487,462	782,361	779,522	1,561,883	761,521	758,383	1,519,904
SCOTLAND .	2,173,755	2,298,348	4,472,103	2,308,839	2,452,065	4,760,904	2,292,946	2,435,186	4,728,132

years since 1873. A maximum number of 133,525 births was registered in 1903, and compared with that figure this year's number is 13,009 less. *(Table 1.)*

Of the children registered, 61,464, or 51·0 per cent., were male, and 59,052, or 49·0 per cent., female. The male children are 1467 fewer than registered in the previous year, 2716 less than the mean of the numbers registered in the preceding five years, and 4225 less than the mean of those of the preceding ten years. The female children of the year are 807 fewer than those of the previous year, 2514 less than the mean of the numbers of the preceding five years, and 3970 less than the mean of those of the preceding ten years. The ratio of male to female children was 104·1 to 100, in 1912 this ratio was 105·1 to 100, and in 1911, 104·5. In 1910 it was 103·7 to 100. *(Tables 1 and 2.)*

The birth-rate of the year was 25·49 per thousand of the estimated population. This rate is 0·41 less than that of the previous year, 1·13 less than the mean of those of the five preceding years, and 2·16 less than the mean of those of the ten preceding years. It is the third successive Scottish annual birth-rate of less than 26 per thousand, and is the lowest yet recorded. In all years previous to 1894 the Scottish birth-rate exceeded 30 per thousand, it fell below 30 for the first time in 1894, below 29 for the first time in 1905, below 28 in 1907, below 27 in 1910, and below 26 in 1911. The maximum Scottish birth-rate is that of 1876, and compared with it the present rate is 10·13, or 28·4 per cent., less. *(Table 2.)*

The male birth-rate of the year was 26·81 per thousand of the estimated male population, and the female birth-rate 24·25 per thousand of the female estimated population. The former is 0·56, and the latter 0·26, less than in the previous year.

In the counties, burghs included, the birth-rate of the year ranged from 31·6 in Linlithgow, 29·2 in Lanark, 28·4 in Dumbarton, 27·7 in Stirling, and 27·3 in Renfrew, to 14·9 in Bute, 16·9 in Sutherland, 17·2 in Peebles, 17·5 in Shetland, 17·6 in Selkirk, and 17·7 in Roxburgh. In 1 county this rate was less than 15; in 13, it was more than 15 but less than 20; in 10, more than 20 but less than 25; in 8, more than 25 but less than 30; and in 1 it was more than 30. *(Table 7.)*

Births registered in the larger burghs, those with census populations of over 30,000, numbered 59,309, and constitute 49·2 per

---

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1913.

GROUPS OF DISTRICTS.	Births.			Birth-rate per 1000 of Estimated Population.			Illegitimate. Births per 100 Total Births.
	Total.	Legitimate	Illegitimate.	Total.	Legitimate	Illegitimate.	
Larger Burghs .	59,309	55,355	3,954	26·22	24·47	1·75	6·67
Smaller Burghs .	23,047	21,430	1,617	24·35	22·64	1·71	7·02
County Districts	38,160	35,183	2,977	25·10	23·15	1·96	7·80
SCOTLAND . .	120,516	111,968	8,548	25·49	23·68	1·81	7·09

cent. of the total births registered in Scotland. The collective birth-rate of these burghs is 26·22 per thousand, which is 0·51 less than that of the previous year. In these burghs taken individually the birth-rate of the year ranged from 34·0 in Clydebank, 32·9 in Motherwell, and 32·6 in Hamilton, to 19·5 in Edinburgh, 19·8 in Perth, and 23·9 in Aberdeen. In Coatbridge the birth-rate was 32·2; in Greenock, 31·0; in Glasgow, 27·9; in Leith, 26·6; in Falkirk, 26·5; in Paisley, 25·7; in Ayr, 25·5; in Kilmarnock, 25·1; in Dundee, 24·6; and in Kirkcaldy, 24·3. In 2 of these burghs the birth-rate was more than 15 but less than 20; in 3 more than 20 but less than 25; in 6 more than 25 but less than 30; and in 5 it was more than 30. *(Table 4.)*

In the smaller burghs, those with populations of less than 30,000, births registered during the year numbered 23,047, and constituted 19·1 per cent. of the total registered in Scotland. The collective birth-rate of this group of burghs was 24·35, which is 0·51 less than that of the previous year. Of these burghs, 167 have populations of more than 1000, and in them the birth-rate of the year ranged from 40·1 in Cockenzie and Port Seton, 37·7 in Tranent, 36·5 in Kilwinning, 36·4 in Port-Glasgow, 34·7 in Whitburn, 34·2 in Wishaw, and 34·0 in Buckie, to 8·9 in Auchtermuchty, 9·4 in Kingussie, 10·6 in Dollar, 11·7 in Largs, 11·9 in Anstruther-Easter, 12·0 in Kirriemuir, and 12·1 in Bridge of Allan. In 22 of the 167 burghs the birth-rate exceeded 30 per thousand; in 31 it was more than 25 but less than 30; in 41 it was more than 20 but less than 25; in 58 it was more than 15 but less than 20; in 13 more than 10 but less than 15; and in 2 it was less than 10. *(Table 5.)*

Births registered in the county, or extra-burghal, districts numbered 38,160, and constituted 31·7 per cent. of the total registered in Scotland. The collective birth-rate of these districts was 25·10 per thousand, which is 0·30 less than that of the previous year. In these districts taken individually the birth-rate of the year ranged from 34·7 in Bathgate District of Linlithgow, 34·5 in Middle Ward District of Lanark, 31·9 in Kirkcaldy District of Fife, 31·5 in Central District of Stirling, 31·4 in Dunfermline District of Fife, and 31·2 in Linlithgow District of Linlithgow, to 11·1 in Arran District of Bute, 13·1 in Mull District of Argyll, 13·4 in

---

TABLE C.—Birth-rate in Scotland and its Groups of Public Health Districts in 1913.

Groups of Districts.	Estimated Number of Women aged 15–45.	Births.		Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15–45.	
		Number.	Percent. of Total.	Rate.	Relative Quantity, Scotland being=100.	Rate.	Relative Quantity, Scotland being=100.
Larger Burghs .	576,246	59,309	49·2	26·22	102·9	102·9	97·2
Smaller Burghs .	230,467	23,047	19·1	24·35	95·5	100·0	94·4
County Districts	331,146	38,160	31·7	25·10	98·5	115·2	108·8
SCOTLAND . .	1,137,859	120,516	100·0	25·49	100·0	105·9	100·0

Black Isle District of Ross and Cromarty, 13·5 in Highland District of Perth, 13·5 in Western District of Ross and Cromarty, 14·0 in Hawick District of Roxburgh, and 14·7 in Mid-Argyll District of Argyll. In 7 of these districts the birth-rate of the year was more than 30; in 18, more than 25 but less than 30; in 37, more than 20 but less than 25; in 37, more than 15 but less than 20; and in 7, more than 10 but less than 15. *(Table 6.)*

The birth-rate of the year expressed as per thousand of the estimated number of women of child-bearing age, 15 to 45, was 105·9, which is 1·7 less than in the previous year. In the larger burghs this rate was 102·9; in the smaller burghs, 100·0; and in the county districts, 115·2. This rate in the larger burghs is 1·7 less than in the previous year; in the smaller burghs, 1·8 less; and in the county districts, 1·1 less. *(Table C.)*

Of the 120,516 children whose births were registered during the year, 111,968, or 92·91 per cent., were legitimate, while 8548, or 7·09 per cent., were illegitimate. The legitimate birth-rate per thousand of the estimated population was 23·68 per thousand, and the illegitimate birth-rate per thousand of the estimated population 1·81 per thousand. The legitimate children number 1833 less than those of the previous year, 4634 less than the mean of those of the previous five years, and 7723 less than the mean of those of the preceding ten years. The illegitimate children of the year number 441 less than those of the previous year, 596 less than the mean of those of the preceding five years, and 472 less than the mean of those of the preceding ten years. The illegitimate children of the year are fewer than those registered in any year since 1903. *(Tables 1 and 2.)*

In the counties the illegitimate rate per hundred births varied from 15·0 in Elgin, 14·1 in Wigtown, 13·9 in Caithness, and 13·7 in Aberdeen and in Banff, to 3·8 in Shetland, 4·4 in Dumbarton, 4·7 in Renfrew, and 5·0 in Linlithgow. In 1 county this rate was more than 15 per cent., in 11 more than 10 but less than 15, in 18 more than 5 but less than 10, and in 3 less than 5. *(Table 7.)*

In the larger burghs taken collectively the illegitimate rate per hundred births was 6·67, which is 0·38 less than the rate of the previous year. In these burghs taken individually this rate ranged from 10·6 in Aberdeen, 10·1 in Ayr, and 8·5 in Dundee, to 2·6 in Clydebank, 3·1 in Motherwell, and 4·8 in Hamilton. In Kilmarnock this rate was 7·6; in Edinburgh, 7·5; in Perth, 7·1; in Glasgow, 6·4; in Leith, 6·1; in Falkirk, 5·8; in Coatbridge, 5·6; in Paisley, 5·4; in Kirkcaldy, 5·4; and in Greenock, 5·3. *(Table 4.)*

In the smaller burghs taken collectively this illegitimate rate was 7·02 per cent., which is 0·35 less than the rate of the previous year. In the smaller burghs which have populations of more than 1000 taken individually this rate ranged from 32·3 per cent. in Old Meldrum, 31·9 in Thurso, 26·9 in Rothes, 25·0 in Inverbervie, 21·2 in Ellon, and 21·1 in Invergordon, to 0 in Kingussie, Markinch, Melrose, Millport, Portknockie, Biggar, Crail, and Ladybank. In 8 of these 167 burghs, with populations of more than 1000, this rate exceeded 20 per cent., in 19 it was more than 15 but less than 20 per cent., in 26 it was more than 10 but less than 15 per cent., in 60 it was more than 5 but less than 10 per cent., and in 54 it was less than 5 per cent. *(Table 5.)*

In the county districts, the collective illegitimate rate was 7·80 per hundred births, which is 0·13 more than in the previous year. In these districts taken individually the rate varied from 22·2 in Alford District of Aberdeen, 22·0 in Huntly District of Aberdeen, 21·9 in Turriff District of Aberdeen, 20·9 in Islay District of Argyll, and 20·7 in Ellon District of Aberdeen, to 0 in Walls District of Orkney, 1·8 in Northern District of Kirkcudbright, 2·3 in Lews District of Ross and Cromarty, 2·8 in North Isles District of Shetland, 3·8 in Mainland District of Shetland, and 4·0 in Mid-Argyll District of Argyll and in Lower Ward District of Lanark. In 5 of these districts the rate exceeded 20 per cent., in 13 it was more than 15 but less than 20, in 25 it was more than 10 but less than 15, in 48 it was more than 5 but less than 10, and in 15 it was less than 5. *(Table 6.)*

The legitimate birth-rate of the year expressed as per thousand married women of child-bearing age, 15 to 45, was 231·0, which is 3·2 less than that of the previous year. In the larger burghs taken collectively this rate was 224·1; in the smaller burghs, 225·9; and in the county districts, 246·4. The larger burgh rate is 2·7 less, the smaller burgh rate 3·3 less, and the county district rate 2·5 less, than in the previous year. *(Table 8.)*

In the counties the legitimate birth-rate per thousand married women of child-bearing age ranged from 272 in Ross and Cromarty, 269 in Linlithgow, 255 in Banff, 253 in Caithness, 251 in Inverness, and 250 in Dumbarton, to 163 in Peebles, 164 in Bute, 172 in Selkirk, and 177 in Roxburgh. In the larger burghs this rate ranged from 284 in Perth, 273 in Coatbridge, 268 in Greenock, 261 in Hamilton, and 260 in Clydebank, to 178 in Edinburgh, 202 in Aberdeen, and 205 in Kirkcaldy. *(Table 8.)*

The Scottish illegitimate birth-rate of the year expressed as per thousand unmarried and widowed women of child-bearing age was 13·1, which is 0·6 less than that of the previous year. In the larger burghs taken collectively this rate was 12·0; in the smaller burghs, 11·9; and in the county districts, 15·8. This rate in the larger burghs is 0·9 less than in the previous year, and in the smaller burghs 0·8 less, but in the county districts it is 0·1 more. *(Table 8.)*

In the counties the illegitimate rate per thousand unmarried women of child-bearing age ranged from 28·8 in Banff, 24·4 in Elgin, 23·9 in Kincardine, 23·7 in Aberdeen, 23·2 in Caithness, 23·2 in Wigtown, and 20·3 in Kinross, to 4·5 in Shetland, 7·1 in Bute, 8·6 in Orkney, 8·8 in Renfrew, and 9·0 in Clackmannan. In the larger burghs this rate ranged from 17·2 in Coatbridge, 17·1 in Aberdeen, 17·0 in Hamilton, 16·6 in Ayr, and 15·7 in Falkirk, to 8·1 in Edinburgh, 8·4 in Perth, 8·7 in Paisley, 9·4 in Clydebank, and 9·6 in Kirkcaldy. *(Table 8.)*

The birth registers only record multiple births when at least two children are born alive. Thus twin births shewn in the registers exclude those of which one or both children were still-born and include any triplet births of which one child was still-born while two were born alive, while triplet births include only those of which all three children were born alive. Twin births recorded in the birth registers during the year numbered 1527, and triplet births 21. The children of these twin births numbered 3054, and, though

6 more than those of the previous year, are fewer than those of other recent years. Triplet children of the year numbered 63, and are 24 more than in the previous year, and are more than average. Of the total registered births, 1·3 per cent. were plural births, while 98·7 per cent. were single births. Of the children registered 2·6 per cent. were twins or triplets, while 97·4 per cent. were single.

The average number of births registered daily throughout the year was 330. In April this average was 362; in May, 352; in June, 348; in January, 340; in July, 333; in December, 331; in February, 328; in October, 326; in March, 326; in September, 319; in August, 309; and in November, 288. *(Table 48.)*

The birth-rate of the year in England and Wales was 23·9, and in Ireland, 22·9. Compared with the Scottish birth-rate of the year the former is 1·6, and the latter 2·6, less.

MARRIAGE STATISTICS.

Under the revised scheme of these reports the marriage statistics of the year 1913 fall to be dealt with partly in this Report and partly in the next Report, relating to the birth and death statistics of the year 1914.

Marriages registered in Scotland during the year 1913 numbered 33,691. They are 1175 more than in 1912, 296 more than the mean of the numbers of the preceding five years, 1908 to 1912, and 1760 more than the mean of those of the preceding ten years, 1903 to 1912. It is the largest number of marriages registered in Scotland in any year since the introduction of national registration, the previous largest number being that of the year 1907, which was 33,298. *(Table 1.)*

The Scottish marriage-rate of the year was 7·13 per thousand of the estimated population, which is 0·27 more than that of the previous year, 0·48 more than the mean of those of the five preceding years, and 0·27 more than the mean of those of the ten preceding years. It is higher than the marriage-rates of the years 1912, 1911, 1910, 1909, 1908, 1905, and 1904, but is less than those of the years 1907, 1906, and 1903. *(Table 2.)*

In the counties, burghs included, the marriage-rate of the year ranged from 8·6 in Lanark, 8·1 in Midlothian, 7·4 in Clackmannan, 7·2 in Nairn, and 7·1 in Aberdeen, to 3·3 in Sutherland, 3·9 in Ross and Cromarty, 4·1 in Argyll, 4·2 in Caithness, 4·3 in Bute, 4·7 in Kinross, and 4·8 in Inverness and in Kincardine. *(Table 7.)*

In the larger burghs the marriage-rate of the year ranged from 9·5 in Glasgow, 9·2 in Edinburgh, 8·7 in Perth, and 8·4 in Aberdeen, to 5·5 in Coatbridge, 5·5 in Clydebank, 6·2 in Falkirk, and 6·3 in Motherwell. In Dundee the marriage-rate of the year was 7·9; in Ayr, 7·9; in Kilmarnock, 7·8; in Hamilton, 7·7; in Paisley, 7·6; in Greenock, 7·0; in Leith, 6·7; and in Kirkcaldy, 6·6. *(Table 4.)*

The marriage rates of the smaller burghs and of the county public health districts are shewn in Tables 5 and 6. It is, however, very doubtful how far these rates are significant of the frequency of marriage among the populations of these burghs and districts, and the same may also be said of the above quoted county and larger burgh marriage-rates. That this is so is due to a custom of the

inhabitants of the smaller burghs and county districts that leads them to remove into the larger burghs for the purpose of marriage, and therefore tends to raise the rates in the larger burghs and reduce them in the smaller and in the county districts. The marriage-rates of the smaller burghs and of the county districts give the number of marriages contracted there, but do not reliably indicate the number of marriages actually occurring among their populations. *(Tables 5 and 6.)*

The average number of marriages registered daily in the entire year was 92. In June this average was 150; in July, 133; in December, 127; in January, 118; in April, 96; in September, 95; in March, 81; in November, 74; in October, 70; in August, 66; in February, 59; and in May, 36. *(Table 48.)*

The marriage-rate of the year in England and Wales was 7·8, and in Ireland, 5·1. The former is 0·7 more than the Scottish rate, but the latter is 2·0 less.

DEATH STATISTICS.

Deaths registered in Scotland during the year 1913 numbered 73,069, 36,504 being of males, and 36,565 of females. Compared with the numbers of the previous year the deaths of males are 432 more, those of females 297 more, and those of the two sexes combined 729 more. Compared with the mean of the numbers of the preceding five years the deaths of males are 276 fewer, of females 417 fewer, and of the two sexes combined 693 fewer. Compared with the mean of the numbers of the preceding ten years, the male deaths are 902 fewer, the female deaths 1055 fewer, and the total deaths 1957 fewer. The total deaths of the year number more than those of any of the three preceding years, 1910 to 1912, but are fewer than those of all other preceding years since 1896. *(Table 1.)*

The death-rate of the year was 15·45 per thousand of the estimated population. This rate is 0·19 more than that of the previous year, but is 0·17 less than the mean of the death-rates of the preceding five years, and 0·66 less than that of the preceding ten years. It is slightly higher than the rates of the three years,

TABLE D.—Deaths in Scotland and its Groups of Public Health Districts in 1913.

Groups of Districts.	Estimated Population.	Deaths.	Death-rate per 1000 of Population.		
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
Larger Burghs . . .	2,261,710	37,009	16·46	16·36	17·47
Smaller Burghs . .	946,518	14,592	14·90	15·42	15·02
County Districts . .	1,519,904	21,468	14·30	14·12	13·21
SCOTLAND . . .	4,728,132	73,069	15·45	15·45	15·45

1910 to 1912, but is lower than those of all other years since 1855. *(Table 2.)*

The male death-rate of the year per thousand of the estimated male population was 15·92, and the female death-rate per thousand of the estimated female population was 15·02, the former being 0·90 more than the latter. The male death-rate is 0·23 more than that of the previous year, but is 0·13 less than the mean of those of the preceding five years, and 0·64 less than the mean of those of the preceding ten years. The female death-rate of the year is 0·17 more than that of the previous year, but is 0·18 less than the mean of those of the preceding five years, and 0·68 less than the mean of those of the preceding ten years. *(Table 2.)*

When dealing with the statistics of all sub-divisions of the country, this report gives three different death-rates. The first is the Uncorrected, or crude, death-rate, and is based on the number of deaths registered within the district, or group of districts. The second is the Corrected death-rate, which is based on the number of deaths occurring among the usual residents of the districts, *i.e.*, the crude number corrected for deaths of non-residents registered in the district and for deaths of residents registered elsewhere in Scotland. The third is the Corrected and Adjusted death-rate, it being based upon the corrected death-rate which is so adjusted by an arithmetical procedure as to make allowance for differences of age and sex distribution in the populations of the various burghs, county districts, etc. Of the three rates the third, the rate which is both corrected and adjusted, is the best for mutual comparison, but the second, the corrected rate, gives a better indication of the actual frequency of death in each population. *(Table E.)*

In the counties, burghs included, the corrected death-rate of the year ranged from 18·5 per thousand in Caithness, 17·2 in Dumfries, 17·0 in Shetland, 16·7 in Forfar, and 16·6 in Inverness, to 12·8 in

TABLE E.—Showing the Effect on the Death-rates of the Larger Burghs of Correction for Transfers and of Adjustment for Age and Sex Distribution in 1913.

	Death-rates.				
	Uncorrected.	Effect of Correction.	Corrected for Transfers.	Effect of Adjustment.	Adjusted for Age and Sex Distribution.
Glasgow	17·3	−0·1	17·2	+1·7	18·9
Greenock	18·9	−0·7	18·2	+0·3	18·5
Dundee	17·8	−0·2	17·6	+0·6	18·2
Coatbridge	16·4	+0·3	16·7	+1·4	18·1
Aberdeen	17·4	+0·3	17·7	+0·3	18·0
Paisley	15·0	+0·3	15·3	+1·6	16·9
Leith	14·1	+1·7	15·8	+0·7	16·5
Hamilton	14·0	+1·3	15·3	+1·2	16·5
Ayr	17·6	−2·1	15·5	+0·2	15·7
Motherwell	12·5	+1·3	13·8	+1·8	15·6
Falkirk	14·3	−0·3	14·0	+1·3	15·3
Kirkcaldy	13·2	+1·5	14·7	+0·3	15·0
Edinburgh	15·6	−1·2	14·4	+0·5	14·9
Perth	16·8	−1·7	15·1	−0·3	14·8
Clydebank	10·5	+2·2	12·7	+2·0	14·7
Kilmarnock	12·5	−0·3	12·2	+1·1	13·3

Linlithgow, 13·1 in Peebles, 13·3 in Selkirk, 13·5 in Nairn, and 13·6 in Haddington. In 3 counties this rate was more than 17 per thousand, in 7 it was between 16 and 17 per thousand, in 8 between 15 and 16, in 7 between 14 and 15, in 7 between 13 and 14, and 1 less than 13. The death-rates of 18 counties were higher than those of the previous year, those of 2 counties were of the same amount, and those of 13 counties were lower. *(Table 7.)*

In the larger burghs, the collective corrected death-rate was 16·36 per thousand, which is 0·89 more than the national death-rate, and is 0·12 more than in the previous year. In these burghs individually this rate ranged from 18·2 in Greenock, 17·7 in Aberdeen, 17·6 in Dundee, and 17·2 in Glasgow, to 12·2 in Kilmarnock, 12·7 in Clydebank, and 13·8 in Motherwell. In Coatbridge the corrected death-rate of the year was 16·7; in Leith, 15·8; in Ayr, 15·5; in Paisley, 15·3; in Hamilton, 15·3; in Perth, 15·1; in Kirkcaldy, 14·7; in Edinburgh, 14·4; and in Falkirk, 14·0. *(Table 14.)*

In the smaller burghs the collective corrected death-rate of the year was 15·42, which is 0·03 less than the national death-rate, 0·94 less than the collective rate in the larger burghs, and 0·06 less than the corresponding rate of the previous year. This death-rate in the smaller burghs which have populations of more than 1000 varied from 28·6 per thousand in Invergordon, 28·4 in Laurencekirk, 25·7 in Old Meldrum, 25·5 in Lochmaben, 24·4 in Burghead, 24·1 in Langholm, 23·4 in Tillicoultry, and 22·7 in Thurso, to 9·5 in Whitburn, 10·1 in Bonnyrigg, 10·3 in Troon, 10·6 in Newmilns and Greenholm, 10·9 in Anstruther Easter, and 10·9 in North Berwick. In 4 of these burghs the corrected death-rate exceeded 25 per thousand, in 16 it was more than 20 but less than 25, in 74 it was more than 15 but less than 20, in 72 it was more than 10 but less than 15, and in one only was it less than 10. *(Table 5.)*

In the county, or extra-burghal, districts the collective death-rate, corrected, was 14·12, which is 1·33 less than the national death-rate, 2·24 less than the rate in the larger burghs, and 1·30 less than that in the smaller burghs. It is 0·32 more than the corresponding rate of the previous year. In these districts taken individually this rate ranged from 28·1 in South Ronaldshay District of Orkney, 19·9 in South Uist District of Inverness, 19·8 in Langholm District of Dumfries, 18·7 in County District of Caithness, 18·4 in Easter Ross District of Ross and Cromarty, 18·3 in North Uist District of Inverness, and 18·3 in Mid-Ross District of Ross and Cromarty, to 9·1 in Walls District of Orkney, 10·4 in Bute District of Bute, 10·4 in Inverness District of Inverness, 10·9 in County District of Peebles, 11·1 in Black Isle District of Ross and Cromarty, 11·3 in Western District of Haddington, and 11·3 in County District of Selkirk. In only one of the districts did the corrected death-rate exceed 20 per thousand, and in only one was it less than 10 per thousand. In 69 it was more than 10 but less than 15, and in 35 it was more than 15 but less than 20. *(Table 6.)*

In the counties, burghs included, the corrected and adjusted death-rate—the corrected death-rate adjusted to allow for differences of age and sex constitution of local populations—ranged from 17·8 in Lanark, 16·6 in Renfrew, 16·2 in Forfar, 16·0 in Clackmannan, and 15·9 in Dumfries, to 11·0 in Orkney, 11·2 in Roxburgh, 11·6 in Sutherland, and 11·9 in Nairn. *(Table 7.)*

In the larger burghs the collective death-rate, corrected and adjusted, was 17·47, which is 2·02 more than the national death-rate. In these burghs taken individually this rate varied from 18·9 in Glasgow, 18·5 in Greenock, 18·2 in Dundee, 18·1 in Coatbridge, and 18·0 in Aberdeen, to 13·3 in Kilmarnock, 14·7 in Clydebank, 14·8 in Perth, and 14·9 in Edinburgh. *(Table 4.)*

In the smaller burghs taken collectively, this rate was 15·02 per thousand, which is 2·45 less than in the larger burghs, and 0·43 less than the national rate. In those of the smaller burghs which have populations of more than 1000, this rate ranged from 23·4 in Invergordon, 22·5 in Burghead, 22·0 in Port-Glasgow, 21·7 in Cromarty, 21·1 in Kinghorn, 21·1 in Tillicoultry, and 21·0 in Langholm, to 9·4 in Crail, 9·6 in Cullen, 10·0 in Bonnyrigg, 10·2 in Whitburn, and 10·3 in Anstruther Easter and in Carnoustie. *(Table 5.)*

In the county, or extra-burghal, districts taken collectively the death-rate of the year when corrected and adjusted was 13·21, which is 1·81 less than the rate in the smaller burghs, 4·26 less than in the larger burghs, and 2·24 less than the national death-rate. In the individual districts this death-rate is found to vary from 18·7 in South Ronaldshay District of Orkney, 16·8 in Langholm District of Dumfries, 16·0 in Middle Ward District of Lanark, 15·9 in South Uist District of Inverness, 15·6 in County District of Elgin, and 15·5 in Thornhill District of Dumfries and in Calder District of Midlothian, to 6·2 in Walls District of Orkney, 8·3 in North Isles District of Orkney, 8·9 in South-Western District of Ross and Cromarty, 9·0 in Bute District of Bute, 9·1 in Inverness District of Inverness, and 9·6 in Keith District of Banff. *(Table 6.)*

The average number of deaths registered in Scotland daily throughout the year was 200. This average varied from 245 in February, 236 in January, and 229 in March, to 167 in August, 173 in July, and 178 in October and in November. In April this average was 213; in December, 213; in May, 201; in September, 189; and in June, 185. *(Table 48.)*

The death-rate of the year in England and Wales was 13·7 per thousand, and in Ireland 17·1. The former is 1·8 less, but the latter is 1·6 more, than the Scottish death-rate.

AGES OF THOSE DYING.

Of the 73,069 persons whose deaths were registered during the year, 13,214, or 18·1 per cent., were children of less than 1 year old; 7133, or 9·8 per cent., were more than 1 year but less than 5 years old; 1833, or 2·5 per cent., were more than 5 but less than 10 years old; 1180, or 1·6 per cent., were more than 10 but less than 15 years old; 3371, or 4·6 per cent., were more than 15 but less than 25 years old; 3940, or 5·4 per cent., were more than 25 but less than 35 years old; 5092, or 7·0 per cent., were more than 35 but less than 45 years old; 6522, or 8·9 per cent., were more than 45 but less than 55 years old; 8762, or 12·0 per cent., were more than 55 but less than 65 years old; 11,113, or 15·2 per cent., were more than 65 but less than 75 years old; and 10,903, or 14·9 per cent., were more than 75 years old. In six instances the age at death was not recorded in the death registers. Comparison

with the corresponding figures of the previous year shews that deaths of children of less than 1 year, and of persons in all age groups over 35 were more numerous in this than in that year, but that deaths in age periods 1 to 5, and 15 to 35, were less numerous. The numbers dying at ages between 5 and 15 in the two years shew little difference. A similar increase in the number of deaths among persons of the older age groups was noted in the Report of the previous year, 1912. *(Tables 26 and 28.)*

Among the deaths of males during the year, there was a larger proportion of deaths of children, and a smaller proportion of those of elderly persons than was found among the deaths of females. Thus of the male deaths 20·5 per cent. were of children of less than 1 year, and 10·1 per cent. were of children of more than 1 but less than 5 years old, while the corresponding proportions among the deaths of female children were 15·7 and 9·5. Deaths at ages between 65 and 75 constituted 14·5, and at ages over 75, 11·8 per cent. of the deaths of males, while the corresponding proportions among females were 15·9 and 18·1 per cent. *(Table 28.)*

A computation based on the tabulation by single years of the ages of the registered deaths of the year shews that the average age at death of the males dying during the year was 38·2, of the females 43·4, and of the two sexes in combination 40·8. *(Table 29.)*

Deaths of children of less than 1 year old numbered 13,214, and as the births of the year numbered 120,516, these deaths are equal to an infantile mortality rate of 109·6 per thousand births. These deaths are 265 more than in the previous year. The infantile mortality rate of the year is 4·1 more than that of the previous year, but is 1·4 less than the mean of those of the preceding five years, and 4·0 less than the mean of those of the preceding ten years. It is more than the corresponding rates of the years 1912, 1910, 1909, 1879, and 1859, but is less than those of all other previous years. *(Tables 1 and 2.)*

Deaths of male children of less than 1 year old numbered 7474, and of female children of that age, 5740. The male infantile mortality rate of the year was 121·6 per thousand male children born, and the female infantile mortality rate 97·2 per thousand female children born. The former is 6·0, and the latter 2·5, more than in the previous year.

In the counties, burghs included, the infantile mortality rate of the year ranged from 131 per thousand births in Forfar, 126 in Aberdeen, 123 in Lanark, 119 in Nairn, 114 in Kincardine, and 113 in Caithness, to 53 in Sutherland, 56 in Ross and Cromarty, 59 in Peebles, 60 in Shetland, and 61 in Orkney. *(Table 7.)*

In the larger burghs taken collectively the infantile mortality rate of the year was 125·2; in the smaller burghs, 98·8; and in the county districts, 92·0. This collective rate in the larger burghs was 15·6 more than the national rate; in the smaller burghs it was 10·8 less than the national rate, and 26·4 less than in the larger burghs; in the county districts it was 17·6 less than the national rate, 33·2 less than that in the larger burghs, and 6·8 less than that in the smaller burghs. *(Table 4.)*

In the larger burghs taken individually—those with populations exceeding 30,000—this rate ranged from 162 in Dundee, 153 in

Aberdeen, 129 in Glasgow, and 126 in Coatbridge, to 79 in Kilmarnock, 95 in Falkirk, and 98 in Ayr. In Kirkcaldy this rate was 122; in Leith, 120; in Paisley, 118; in Greenock, 116; in Perth, 115; in Hamilton, 114; in Clydebank, 109; in Edinburgh, 101; and in Motherwell, 101. *(Table 4.)*

In the smaller burghs with populations of more than 1000 but less than 30,000 taken individually this rate ranged from 320 per thousand in Laurencekirk, 294 in Burghead, 258 in Old Meldrum, 186 in Maybole, 185 in Grantown-on-Spey, and 184 in Armadale, to 0 in Aberfeldy, Auchtermuchty, Biggar, Crail, Kingussie, and Whithorn. *(Table 5.)*

In the county, or extra-burghal, districts taken individually the infantile mortality rate varied from 167 in South Ronaldshay District of Orkney, 159 in Langholm District of Roxburgh, 143 in South Uist District of Inverness, 133 in Laurencekirk District of Kincardine, 129 in County District of Nairn, 124 in Huntly District of Aberdeen, and 124 in St. Cyrus District of Kincardine, to 0 in Walls District of Orkney, 15 in Mull District of Argyll, 20 in Arran District of Bute, 25 in Bute District of Bute, 26 in North Uist District of Inverness, 33 in Forfar District of Forfar, and 34 in County District of Peebles. *(Table 6.)*

Deaths of person aged 70 years and upwards numbered 17,257, 7136 being of males, and 10,121 of females. Male deaths at these ages are 178 more than in the previous year, and female deaths 184 more. The male death-rate at these ages is 121·7 per thousand of the estimated population of these ages, and the female death-rate 108·6 per thousand of the estimated female population of these ages. The corresponding death-rate of the two sexes combined is 113·6 per thousand. Compared with the rates of the previous year the male rate is 3·4 more, the female rate 2·3 more, and that of the two sexes taken together is 2·6 more. *(Table 29.)*

Deaths of reputed centenarians registered during the year numbered 8, all being females. Continuing the practice of previous years endeavours have been made in each of these instances to verify the age at death, and as a result the fact that the age was at least 100 has been verified in 5 instances, contradicted in 1, while in the remaining 2 satisfactory evidence of age could not

---

TABLE F.—Age-group Death-rates per 1000 in 1913 and 1912.

	1913.		1912.		Difference.	
	Male.	Female.	Male.	Female.	Male.	Female.
– 1	122·8	107·6	133·6	106·1	–10·8	+1·5
1– 4	16·9	16·5	17·8	17·1	–0·9	–0·6
5– 9	3·6	3·6	3·5	3·6	+0·1	...
10–14	2·4	2·6	2·3	2·4	+0·1	+0·2
15–24	3·8	3·8	4·0	3·9	–0·2	–0·1
25–34	5·4	5·3	5·6	5·3	–0·2	...
35–44	8·5	8·2	8·7	8·2	–0·2	...
45–54	14·7	13·1	15·8	12·6	–1·1	+0·5
55–64	29·8	26·5	32·8	25·9	–3·0	+0·6
65–74	60·5	54·9	67·0	53·6	–6·5	+1·3
75—	151·5	145·9	156·0	143·2	–4·5	+2·7

be found. During the four years in which this research has been made the deaths of 50 reputed centenarians have been registered, and satisfactory proof of correctness of age has been found in 22 instances, proof of incorrectness in 5 instances, while in the remaining 23 instances no satisfactory evidence was found.

The death-rate of selected age periods of Scotland, of the larger and smaller burghs taken collectively, of the county districts taken collectively, and of the larger burghs taken individually are given in Tables 27 and 31. Describing the figures there given in general terms, it may be stated that the Scottish age-group death-rates applicable to the two sexes taken together for ages of over 35 are all higher in this than in the previous year, while those for younger ages, age under 1 excepted, are little different from those of that year. The male age-group death-rates of the year are higher than the female for all ages over 35, while those for ages between 1 and 35 shew little difference. The age-group death-rates in the larger burghs taken collectively are all higher than those in the smaller burghs, and those in the smaller burghs are higher than those in the county districts, with two exceptions, viz.: (1) Age-group 15 to 24 is slightly higher in the smaller than in the larger burghs, and (2) age-group 25 to 34 is higher in the county districts than in the smaller burghs. *(Tables 27-31.)*

Age-group death-rates in the larger burghs taken individually vary widely. Taking, as examples, those of age-groups 5 to 9, 25 to 35, and 65 to 75, it is found that the first age-group, 5 to 9, varies from 5·3 in Aberdeen, and 4·6 in Leith and in Greenock, to 2·1 in Clydebank, 2·8 in Hamilton, and 3·0 in Edinburgh. The death-rate of age-group 25 to 34 in these towns varies from 7·5 in Perth, 7·2 in Coatbridge, and 7·0 in Greenock, to 4·2 in Clydebank and in Paisley, and 4·4 in Dundee. In age-group 65 to 74 the death-rates vary from 75·9 in Ayr, and 71·2 in Leith and Paisley, to 50·8 in Clydebank, 51·1 in Kirkcaldy, 56·2 in Kilmarnock, and 57·0 in Perth. *(Tables 27 and 31.)*

TABLE G.—Deaths from Uncertified Causes, 1881-1913.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881	7863	10·9	1898	2459	3·1
1882	7220	9·9	1899	2425	3·0
1883	7278	9·5	1900	2757	3·4
1884	6487	8·6	1901	2392	3·0
1885	6204	8·3	1902	2180	2·8
1886	5932	8·1	1903	2058	2·8
1887	5466	7·3	1904	1893	2·4
1888	5029	7·1	1905	1741	2·3
1889	4566	6·2	1906	1727	2·3
1890	4569	5·8	1907	1796	2·3
1891	4691	5·6	1908	1654	2·1
1892	4267	5·6	1909	1552	2·1
1893	3729	4·7	1910	1396	1·9
1894	3290	4·6	1911	1135	1·6
1895	3222	3·9	1912	1362	1·9
1896	2509	3·6	1913	1401	1·9
1897	3041	3·8			

CAUSES OF DEATH.

Of the 73,069 deaths registered in Scotland during the year, 71,668, or 98·1 per cent., were certified as to cause by a registered medical practitioner or by a procurator-fiscal, while 1401, or 1·9 per cent., are reported to have not been so certified. This number of uncertified deaths may be accepted as approximately correct, but as it is founded on periodic returns, and as late certification may have taken place in some instances, it is possible, and indeed even probable, that the number is somewhat in excess of the true fact. The figure, such as it is, shows the percentage of deaths uncertified as to cause to have been the same as in the previous year, and the same as the mean of the corresponding rates of the preceding five years. As in previous years, the proportion of deaths uncertified is found to be high in some of the Highland and insular counties. In Ross and Cromarty this proportion was 22·5 per cent.; in Shetland, 21·9; in Sutherland, 20·5; in Inverness, 15·3; in Orkney, 8·6; in Caithness, 6·1; and in Argyll, 5·4. In the county of Peebles all the deaths of the year were certified as to cause, and in each of the counties of Berwick, Kinross, Kirkcudbright, Linlithgow, Nairn, Selkirk, and Wigtown the uncertified deaths did not exceed 3 in number. *(Table 47.)*

The number of deaths registered during the year of which the cause was not specified or merely described as "natural causes" was 620, while in other 1382 instances the cause was only described by some ill-defined term. The latter include 872 deaths described as due to heart failure, 260 to syncope, 45 to sudden death, 29 to dropsy, and 11 to teething. *(Page 43.)*

Small-pox.—No deaths from small-pox were registered during the year. This is the fifth year in which this has been the case, the previous five years being 1890, 1891, 1909, and 1910. In 1912 these deaths numbered 17, and in 1911, 5. *(Table 39.)*

Typhus Fever.—Deaths from typhus fever numbered 7, a smaller number than in any previous year. In 1912 they numbered 14, and in 1911, 8. Of the seven deaths from this disease 6 were in Glasgow, and 1 in the Lews District of Ross and Cromarty. *(Tables 37 and 39.)*

Measles.—Deaths from measles numbered 1329, 700 being of males, and 629 of females. These deaths are 654 fewer than those of the previous year, 379 less than the mean of the numbers of the preceding five years, and 216 less than the mean of those of the preceding ten years. They are, however, 406 more than those of 1911, and 439 more than those of 1909. The death-rate from this cause was 28 per 100,000, which is 14 less than that of the previous year, 8 less than the mean of those of the preceding five years, and 5 less than the mean of those of the preceding ten years. The male death-rate from measles was 31 per 100,000, and the female death-rate 26. In the larger burghs taken collectively this death-rate was 45; in the smaller burghs, 13; and in the county districts, 13. In the larger burghs taken individually this rate ranged from 91 in Aberdeen, 56 in Glasgow, and 50 in Falkirk, to 0 in Kilmarnock, 3 in Perth, and 19 in Edinburgh. The largest numbers of these deaths were in the youngest age-groups. Of them, 335 were of children of less than one year old, 891 were of children of more than one but less than five years old, and 87 were of children of

more than five but less than fifteen years old. Only 16 deaths from this cause occurred among the population of more than fifteen years old. The death-rate per 100,000 from this cause among children of less than one year old was 311; among children of more than one but less than five years old, 211; and among children of more than five but less than ten, 15. Deaths from measles were most numerous in the months of December, June, May, and November. *(Tables 32 to 40.)*

Scarlet Fever.—Deaths from scarlet fever numbered 591, 279 being of males, and 312 of females. Those deaths are 152 more than in the previous year, 107 more than the mean of the numbers of the preceding five years, and 213 more than the mean of those of the ten preceding years. Although these deaths show some increase in number when compared with those of recent years, the reverse is the case when they are compared with those of prior date. From the institution of national registration, in 1855, until the year 1884, deaths from scarlet fever constantly numbered more than 1000 annually, and in some years—1869, 1870, and 1875—numbered more than 4000; in 1874 these deaths numbered 6321; compared with these figures those of this year—591—are few. The death-rate from this cause was 12 per 100,000, which is 3 more than that of the previous year, 2 more than the mean of those of the preceding five years, and 4 more than the mean of those of the preceding ten years. In the larger burghs taken collectively this death-rate was 13 per 100,000; in the smaller burghs, 11; and in the county districts, 13. In the larger burghs taken individually this death-rate ranged from 34 in Motherwell, 26 in Kilmarnock, 23 in Greenock, and 20 in Aberdeen, to 2 in Paisley, 3 in Perth, and 5 in Clydebank. In Glasgow this rate was 13, and in Edinburgh, 12. The highest age-group death-rates from this disease were in age-group 1 to 4, 66 per 100,000; in age-group 5 to 9, 33; in age-group 0 to 1, 23; and in age-group 10 to 15, 10. Deaths from this disease were most numerous in October, November, and December. *(Tables 32 to 40.)*

Whooping-cough.—Deaths from whooping-cough numbered 1819, 875 being of males, and 944 of females. These deaths are 392 more than in the previous year, but are 7 less than the mean of the numbers of the five preceding years, and 138 less than the mean of those of the ten preceding years. The death-rate from this cause was 38 per 100,000, which is 8 more than that of the previous year, but 1 less than the mean of those of the five preceding years, and 4 less than the mean of those of the preceding ten years. The collective death-rate from this cause in the larger burghs was 54 per 100,000; in the smaller burghs, 28; and in the county districts, 22. In the larger burghs taken individually this death-rate ranged from 117 in Motherwell, 85 in Hamilton, and 73 in Glasgow, to 3 in Ayr, 5 in Dundee, and 6 in Kilmarnock. In age-group 0 to 1 this death-rate was 777 per 100,000; in age-group 1 to 5, 219; and in age-group 5 to 10, 11. In all older age-groups this death-rate was less than 1 per 100,000. Deaths from whooping-cough were most numerous in the months of the first half of the year, January to June. *(Tables 32 to 40.)*

Diphtheria.—Deaths from this cause, including those certified as due to croup, numbered 794, 387 being of males, and 407 of

females. These deaths are 30 fewer than in the previous year, 78 less than the mean of the numbers of the preceding five years, and 20 less than the mean of those of the preceding ten years. The death-rate from this cause was 17 per 100,000, which is the same as that of the previous year, but is 2 less than the mean of those of the five preceding years, and 1 less than the mean of those of the ten preceding years. The collective death-rate from this cause in the larger burghs was 20 per 100,000; in the smaller burghs, 18; and in the county districts, 11. In the larger burghs taken individually this death-rate ranged from 69 per 100,000 in Aberdeen, 34 in Hamilton, and 23 in Perth, to 5 in Paisley, 6 in Leith, and 6 in Kilmarnock. The death-rate from this cause in age-group 1 to 5 was 104 per 100,000; in age-group 0 to 1, 94; in age-group 5 to 10, 36; in age-group 10 to 15, 9; and in all older age-groups less than 3. The months in which the deaths from diphtheria were most numerous were October, November, and December. *(Tables 32 to 40.)*

Other Infectious Diseases.—Deaths from infectious diseases other than the foregoing included 278 from influenza (uncomplicated by pneumonia or other serious disease), 4 from cholera nostras, 4 from dysentery, 179 from erysipelas, 3 from actinomycosis, 6 from chicken-pox, 1 from "continued tropical fever," 5 from German measles, 7 from mumps, and 1 each from paratyphoid fever, pellagra, and sprue.

Tuberculosis.—Deaths from all forms of tuberculous disease numbered 8005, 4122 being of males, and 3883 of females. These deaths are 144 fewer than in the previous year, 753 fewer than the mean of the numbers of the preceding five years, 1331 fewer than the mean of those of the ten preceding years, and are fewer than those of all years since 1855. In 1870 and 1871 deaths from tubercle in Scotland exceeded 13,000, and in 1869, 1872, 1875, 1876, 1877, 1878, and 1879 exceeded 12,000, and compared with such numbers this year's figure shews a great diminution. The decrease in the number of these deaths has been steady; since 1880 they have constantly been less than 12,000, since 1884 less than 11,000, since 1904, 1907 excepted, less than 10,000, and since 1909 less than 9000. The death-rate from this cause was 170 per 100,000, which is 2 less than that of the previous year, 16 less than the mean of those of the preceding five years, and 32 less than the mean of those of the preceding ten years. It is the lowest Scottish tuberculosis death-rate yet recorded and is in marked contrast with the corresponding rates of some years ago. Previous to 1883 this rate was constantly more than 300, a maximum of 404 occurring in the year 1870. From 1883 to 1908 it was more than 200 but less than 300; in 1909 it fell below 200, and has remained below that figure since. The male death-rate from this cause was 180, and the female, 160; the former is 1 more than in the previous year, but the latter is 6 less. *(Tables 39 and 40.)*

In the larger burghs taken collectively the tuberculosis death-rate of the year was 197 per 100,000; in the smaller burghs, 153; and in the county districts, 136. In the larger burghs taken singly this death-rate ranged from 234 per 100,000 in Greenock, 220 in Hamilton, 218 in Glasgow, and 211 in Coatbridge, to 153 in Clydebank, 156 in Kirkcaldy, 157 in Kilmarnock, and 161 in Motherwell.

In Leith this rate was 207; in Falkirk, 201; in Dundee, 193; in Paisley, 189; in Aberdeen, 171; in Perth, 170; in Edinburgh, 168; and in Ayr, 162. *(Tables 36 and 38.)*

Of the 8005 deaths from tuberculous disease, 4930 were attributed to phthisis, 173 to acute phthisis, 84 to miliary tuberculosis, 1093 to tuberculous meningitis, 885 to abdominal tuberculosis, 146 to tuberculosis of the spine, 61 to tuberculosis of the joints, and 633 to tuberculosis of other organs or to disseminated tuberculosis. Compared with the figures of the previous years the deaths from phthisis are 194 fewer, and those from acute phthisis and miliary tuberculosis are each 9 fewer, but those from tuberculous meningitis are 75 more, from tuberculosis of the spine 14 more, from abdominal tuberculosis 10 more, and from tuberculosis of the joints 4 more. *(Page 42.)*

Deaths from phthisis, including those certified as due to acute phthisis, numbered 5103. They are 203 fewer than in the previous year, 546 less than the mean of the numbers of the preceding five years, and 986 less than that of the preceding ten years. In 1870 and 1871 deaths from phthisis numbered more than 9000; in 1874 this number fell for the first time since then below 8000, in 1892 below 7000, and in 1910 below 6000. The phthisis death-rate of the year was 108 per 100,000, which is 4 less than that of the previous year, 12 less than the mean of those of the preceding five years, and 24 less than the mean of those of the preceding ten years. It is the lowest Scottish phthisis death-rate yet recorded. From 1857 to 1872, the national death-rate from phthisis was constantly over 250 per 100,000, but since then has been falling. It fell below 200 in 1887, below 150 in 1902, below 140 in 1907,

TABLE H.—Death-rate from Tuberculosis in 1913.

	Estimated Population	Death-rate per 100,000 from				
		All Tuberculosis.	Pulmon. Tuberc.	Tuberc. Meningitis	Abdom. Tuberc.	Other Tuberc.
SCOTLAND	4,728,132	170	108	23	19	20
Males	2,292,946	180	113	26	20	21
Females	2,435,186	160	103	21	17	19
Larger Burghs	2,261,710	197	126	28	21	22
Smaller Burghs	946,518	153	97	20	18	18
County Districts	1,519,904	136	87	17	16	16
Glasgow	1,029,478	218	143	30	21	24
Edinburgh	320,581	168	114	20	12	22
Dundee	164,975	193	116	28	27	22
Aberdeen	161,242	171	109	29	17	16
Paisley	85,439	189	111	25	28	25
Leith	80,028	207	134	41	15	17
Greenock	77,156	234	148	31	23	32
Coatbridge	43,189	211	116	30	37	28
Motherwell	41,109	161	95	27	17	22
Kirkcaldy	40,468	156	54	30	52	20
Hamilton	38,600	220	122	36	26	36
Clydebank	42,510	153	85	35	24	9
Perth	34,704	170	104	26	23	17
Kilmarnock	35,065	157	103	23	17	14
Falkirk	33,816	201	130	35	24	12
Ayr	33,350	162	99	21	15	27

below 130 in 1909, below 120 in 1910, and in this year, 1913, below 110. The male death-rate from phthisis was 113, and the female, 103, the former being 3 less, and the latter 5 less, than in the previous year. In the larger burghs taken collectively the phthisis death-rate of the year was 126 per 100,000; in the smaller burghs, 97; and in the county districts, 87; the larger burgh death-rate is 5 less, the smaller burgh 6 less, and the county district 4 less, than in the previous year. In the larger burghs taken singly the phthisis death-rate of the year ranged from 148 in Greenock, 143 in Glasgow, 134 in Leith, and 130 in Falkirk, to 54 in Kirkcaldy, 85 in Clydebank, 95 in Motherwell, and 99 in Ayr. In Hamilton this death-rate was 122; in Dundee, 116; in Coatbridge, 116; in Edinburgh, 114; in Paisley, 111; in Aberdeen, 109; in Perth, 104; and in Kilmarnock, 103. The highest age-group death-rates from this cause were in age-group 35 to 45, 173 per 100,000; in age-group 25 to 35, 169; in age-group 45 to 55, 156; and in age-group 15 to 25, 133. In age-group 55 to 65 this death-rate was 127; in age-group 65 to 75, 73; in age-group 10 to 15, 44; and less in age-groups under 5 and over 75. The months of the year in which deaths from phthisis were most frequent were January to May, the maximum being in January. *(Tables 32 to 40.)*

Deaths from tuberculous meningitis, which numbered 1093, are equal to a death-rate of 23 per 100,000, which is 2 more than that of the previous year. The collective death-rate from this cause in the larger burghs was 28 per 100,000; in the smaller burghs, 20; and in the county districts, 17. In the larger burghs taken individually relatively high death-rates from this cause occurred in Leith, 41; in Hamilton, 36; in Clydebank, 35; in Falkirk, 35; and in Greenock, 31. In Glasgow this death-rate was 30, and in Edinburgh 20. The death-rate from tuberculous meningitis is highest in the young age-groups, and diminishes with advancing age. In age-group 0 to 1 it was 232 per 100,000; in age-group 1 to 5, 116; in age-group 5 to 10, 34; in age-group 10 to 15, 16; and in older age-groups, 7 or less. *(Tables 32 to 38.)*

The death-rate from abdominal tuberculosis was 19 per 100,000. In the larger burghs taken collectively this death-rate was 21 per 100,000; in the smaller burghs, 18; and in the county districts, 16. In Kirkcaldy this death-rate was 52; in Coatbridge, 37; in Paisley, 28; and in Dundee, 27. In Glasgow this rate was 21, and in Edinburgh 12. In age-group 0 to 1 this death-rate was 171; in age-group 1 to 5, 76; in age-group 5 to 10, 22; in age-group 10 to 15, 11; and in age-groups over 15 it was 10 or less. *(Tables 32 to 38.)*

Malignant Disease.—Deaths from malignant disease numbered 5212. They are 17 more than in the previous year, 332 more than the mean of the numbers of the preceding five years, and 681 more than the mean of those of the preceding ten years. Previous to 1882 these deaths numbered less than 2000 annually, from 1882 to 1895 they numbered between 2000 and 3000, from 1896 to 1904 between 3000 and 4000, from 1905 to 1911 between 4000 and 5000, while in 1912 and in this year, 1913, they have exceeded 5000. Of these deaths 2137 were of males, and 3075 of females, the former being 62 more, but the latter 45 fewer, than in the previous year. The malignant disease death-rate of the year was 110 per 100,000,

which is the same as that of the previous year, but is 6 more than the mean of those of the preceding five years, and 12 more than that of the preceding ten years. Up to the year 1877 this death-rate was constantly under 50 per 100,000; in 1886 it rose for the first time over 60; in 1894 for the first time over 70; in 1898 for the first time over 80; in 1905 for the first time over 90; and in 1909 for the first time over 100. The male cancer death-rate of the year was 93 per 100,000, and the female death-rate from this cause, 126; the former being 3 more, but the latter 2 less, than in the previous year. In the larger burghs taken collectively the malignant disease death-rate was 107 per 100,000; in the smaller burghs, 124; and in the county districts, 107. In the larger burghs taken individually this death-rate ranged from 132 per 100,000 in Ayr, 127 in Dundee, 125 in Edinburgh, and 124 in Aberdeen, to 61 in Clydebank, 62 in Hamilton, 75 in Motherwell, and 76 in Coatbridge. *(Tables 35 to 40.)*

Of the 5212 deaths from malignant disease, 3017 were ascribed to carcinoma, 232 to sarcoma, and 1963 to other, or unspecified, forms of cancer. The deaths from carcinoma are 43 more than in the previous year, and the sarcoma deaths 2 more, but those from other or unspecified form of cancer are 28 fewer. *(Page 42.)*

High malignant disease death-rates are found in age-groups of over 45. In age-group over 75, this death-rate is 1041 per 100,000; in age-group 65 to 75, 813; in age-group 55 to 65, 493; and in age-group 45 to 55, 210. In age-groups under 25 this death-rate was less than 5 per 100,000. Comparison with the age-group death-rates of the previous year shews that those of the older groups are somewhat higher while those of the younger groups are somewhat lower. The over 75 death-rate is 26 more than in that year; the 65 to 75 death-rate, 25 more; and the 55 to 65 death-rate is 5 more; but the 45 to 55 death-rate is 8 less, and the 35 to 45 death-rate is 3 less. *(Table 33.)*

The most frequent locations of malignant disease causing death among males during the year, and the respective number of deaths, were:—Stomach, 556; Intestines, 285; Liver, 229; Rectum, 166; Tongue, 95; Oesophagus, 89; and Jaw, 77. The most frequent locations among females were:—Stomach, 644; Breast, 444; Uterus, 434; Intestines, 412; Liver, 309; and Rectum, 155. *(Table 42.)*

Syphilis.—Deaths attributed to this disease numbered 213, and for that number the equivalent death-rate is 5 per 100,000. These deaths are 5 fewer than in the previous year, 8 less than the mean of the numbers of the preceding five years, and 9 less than the mean of those of the ten preceding years. Of these deaths 166 were of children of less than one year old, and only 34 were of persons of over 10 years old. These 213 deaths do not include those from parasyphilitic diseases, among which there occurred during the year 88 from locomotor ataxia, 264 from general paralysis of the insane, and 137 from aneurism. Deaths from locomotor ataxia are 15 more than in the previous year; and from general paralysis of the insane, 28 more; but those from aneurism are 6 fewer. *(Tables 32, 39, and 40.)*

Other General Diseases.—The foregoing causes of death are of general rather than local anatomical distribution, and in addition

to them the following general diseases were the ascribed cause of death in the stated number of instances, namely :—Tumours (non-malignant and of undefined situation), 54; Rheumatic Fever, 234; Chronic Rheumatism, Osteoarthritis, and Gout, 200; Diabetes, 455; Exophthalmic Goitre, 46; Leucocythæmia, 46; Lymphadenoma, 36; Anæmia and Chlorosis, 437; and Alcoholism, 175. Compared with the figures of the previous year, these deaths from Tumour are 3 more; from Rheumatic Fever, 11 more; and from Lymphadenoma, 10 more; but those from Chronic Rheumatism and Gout are 4 fewer; from Diabetes, 49 fewer; from Exophthalmic Goitre, 20 fewer; from Leucocythæmia, 14 fewer; from Anæmia and Chlorosis, 4 fewer; and from Alcoholism, 1 fewer. *(Page 42.)*

Diseases of the Nervous System.—Deaths from diseases of the nervous system, including those of the eye and ear, numbered 9109, which is 225 more than in the previous year. They include 66 from cerebro-spinal meningitis, 970 from other forms of meningitis but exclusive of those stated to be tuberculous, 5133 from apoplexy or hemiplegia, 259 from epilepsy, 740 from convulsions, 189 from cerebral tumour, and 165 from disease of the ear or mastoid. Compared with the returns of the previous year deaths from cerebro-spinal meningitis are 2 fewer; and from convulsions, 9 fewer; but those from meningitis are 50 more; from apoplexy, 75 more; from epilepsy, 2 more; from cerebral tumour, 41 more; and from ear and mastoid disease, 10 more. *(Page 43.)*

Diseases of the Circulatory System.—Deaths attributed to diseases of the circulatory system numbered 7918, and are 198 more than in the previous year. They include 6634 from diseases of the heart, 1198 from diseases of arteries, 32 from diseases of veins, and 54 from other diseases of the circulatory system, including the lymphatic system. Compared with the figures of the previous year, deaths from diseases of the heart are 110 more; from diseases of arteries, 61 more; and from other circulatory diseases, 29 more; but those from diseases of veins are 2 fewer. Deaths from acute endocarditis numbered 143; from organic heart disease, 6192; from arterio-sclerosis, 493; from cerebral embolism and thrombosis, 477; and from embolism and thrombosis other than cerebral, 81. *(Page 43.)*

Diseases of the Respiratory System.—Deaths from these diseases numbered 11,294, and are 785 fewer than in the previous year. Deaths from bronchitis numbered 4662; from broncho-pneumonia, 2159; from other or unspecified form of pneumonia, 3392; from pulmonary congestion, 424; from pleurisy, 285; from diseases of the larynx, 124; from asthma, 70; and from other diseases of the respiratory system, 178. *(Page 43.)*

Bronchitis.—Deaths registered during the year as due to bronchitis numbered 4662. These deaths are 134 fewer than in the previous year, 244 fewer than the mean of the numbers of the five preceding years, and 375 fewer than the mean of those of the ten preceding years. The death-rate from this cause was 99 per 100,000, which is 2 less than that of the previous year, 5 less than that of the previous year, 5 less than the mean of those of the preceding five years, and 10 less than the mean of those of the preceding ten years. In the larger burghs taken collectively this

death-rate was 112; in the smaller burghs, 92; and in the county districts, 82. In the larger burghs taken individually this death-rate ranged from 135 in Dundee, 134 in Coatbridge, 125 in Paisley, and 123 in Glasgow, to 71 in Clydebank and in Falkirk, and 85 in Hamilton. High death-rates from this cause are found in the age-groups of the extremes of life, and low death-rates in the intermediate ones. In age-group 0 to 1 this rate is 753 per 100,000; in age-group over 75, 1566; in age-group 65 to 75, 602; and in age-group 55 to 65, 260; but that in age-group 10 to 15 is 3, in age-group 15 to 25, 4; in age-group 5 to 10, 6; and in age-group 25-35, 7. *(Tables 32 to 40.)*

Pneumonia.—Deaths from pneumonia, all forms, during the year numbered 5551, and included 2159 stated to be due to broncho-pneumonia. These deaths are 558 fewer than in the previous year, 904 less than the mean of the numbers of the preceding five years, and 1022 less than the mean of those of the preceding ten years. It is the smallest number of deaths from pneumonia registered in any year since 1896. The death-rate from this cause is 117 per 100,000, which is 12 less than that of the previous year, 20 less than the mean of those of the five preceding years, and 25 less than the mean of those of the ten preceding years. In the larger burghs taken collectively this death-rate was 148; in the smaller burghs, 91; and in the county districts, 89. In the larger burghs taken individually this rate ranged from 176 in Coatbridge, 173 in Glasgow, and 167 in Greenock, to 66 in Kilmarnock, 69 in Perth, and 84 in Kirkcaldy. Like bronchitis, this cause was more frequently fatal near the extremes of life than in the intermediate periods though the contrast is not so great. In age-group 0 to 1 the death-rate from pneumonia was 1215 per 100,000; in age-group over 75, 591; in age-group 65 to 75, 302; in age-group 55 to 65, 199; and in age-group 45 to 55, 107; while in age-group 10 to 15 it was 9; in age-group 15 to 25, 22; and in age-group 5 to 10, 24. *(Tables 32 to 40.)*

Diseases of the Digestive System.—Deaths from these numbered 5602; they are 931 more than in the previous year, but 169 fewer than those of 1911. In the previous year, 1912, deaths from diarrhœas were exceptionally few; hence the unfavourable result on a comparison of the number of deaths from diseases of the digestive system of this year with those of that year. Deaths from gastric ulcer numbered 351, or 39 more than in the previous year; from other diseases of the stomach, 576, or 4 fewer than in the previous year; from appendicitis, 438, or 37 more than in the previous year; from hernia and intestinal obstruction, 464, or 7 fewer than in the previous year; from cirrhosis of the liver, 256, or 20 fewer than in the previous year; and from gallstones and other diseases of the liver, 341, or 76 more than in the previous year. *(Page 44.)*

Deaths from diarrhœas, including those registered as due to enteritis, gastro-enteritis, dysentery, and cholera nostras, numbered 2648. This number is 797 more than that of the previous year, and 103 more than the mean of those of the five preceding years, but is 86 less than the mean of those of the preceding ten years. The corresponding death-rate is 56 per 100,000, which is 17 more than that of the previous year, and 2 more than the mean of those of the five preceding years, but 3 less than the mean of

those of the ten preceding years. Of these 2648 deaths, 2103 were of children of less than two years old registered as due to diarrhœa, enteritis or gastro-enteritis. These deaths are 734 more than in the previous year. Births during the year numbered 120,513, and deaths of children of under one year from diarrhœa numbered 1734, so that deaths from diarrhœa among children of less than one year old are equal to a death-rate of 14·4 per thousand births—a rate which is 5·1 more than in the previous year. In the larger burghs taken collectively this rate was 17·1; in smaller burghs, 12·6; and in the county districts, 11·3; each of these rates is fully 50 per cent. higher in this than in the previous year, when that of the larger burghs was 11·0, that of the smaller burghs 8·2, and that of the county districts 7·5. In the larger burghs taken individually this rate ranged from 35·0 in Dundee, 21·4 in Paisley, 18·3 in Hamilton, and 17·6 in Glasgow, to 8·9 in Falkirk, 9·1 in Kilmarnock, and 9·5 in Edinburgh. In Motherwell this rate was 16·3; in Greenock, 16·3; in Aberdeen, 15·8; in Kirkcaldy, 15·2; in Leith, 14·1; in Clydebank, 13·9; in Ayr, 11·8; in Perth, 11·6; and in Coatbridge, 11·5. *(Tables 32 to 40.)*

Diseases of the Genito-Urinary System.—Deaths from these diseases numbered 2854, and are 59 fewer than in the previous year. These deaths include 366 from acute nephritis, 1589 from Bright's disease, 130 from uræmia, and 91 from other diseases of the kidney. Deaths from diseases of the bladder and urethra numbered 270, and included 29 from urinary calculus; those from diseases of the prostate numbered 200; from diseases of the uterus, 105; and from other diseases of the female genital organs, 86. Compared with the returns of the previous year deaths from acute nephritis are 15 fewer; from Bright's disease, 53 fewer; and from diseases of the bladder and urethra, 23 fewer; but those from uræmia are 20 more; from diseases of the prostate, 9 more; and from diseases of the uterus, 13 more. *(Page 44.)*

Diseases and Accidents of Pregnancy and Parturition.—These deaths, including those from puerperal septic conditions, numbered 708, which is 33 more than in the previous year. They are equal to a death-rate of 5·9 per thousand registered births, which is 0·4 more than the corresponding rate of the previous year. In the larger burghs taken collectively this death-rate was 6·1; in the smaller burghs, 5·9; and in the county districts, 5·5. In the larger burghs taken individually this rate ranged from 8·8 in Greenock, 8·3 in Clydebank, 8·2 in Ayr, and 7·3 in Perth, to 3·3 in Falkirk, 3·4 in Kilmarnock, and 4·0 in Hamilton. In Glasgow this rate was 6·1; in Edinburgh, 6·2; in Dundee, 5·2; and in Aberdeen, 6·2. These deaths from diseases and accidents of pregnancy and parturition among others included 160 from puerperal septic conditions, 134 from albuminuria of pregnancy including those certified as due to eclampsia, 115 from puerperal hæmorrhage, and 45 from abortion. Compared with the returns of the previous year deaths from puerperal hæmorrhage are 15 more; from abortion, 5 more; and from the albuminuria of pregnancy, 3 more; but those from puerperal sepsis are 33 fewer. *(Table 41.)*

Diseases of Skin and Cellular Tissues, including those from Senile Gangrene.—These deaths numbered 567, and are 13 more than in the previous year. Deaths from senile gangrene numbered 251, and are 18 more than in the previous year; from

cancrum oris, 9, or 4 more than in the previous year; from other forms of gangrene, 53, or 8 more than in the previous year; from carbuncle, 34, or 12 more than in the previous year; from abscess, 133, or 44 fewer than in the previous year; and from ulcer or other disease of the skin, 87, or 15 more than in that year. *(Page 44.)*

Locomotor System.—These deaths numbered 132, and included 110 from disease of bones (other than of the mastoid), and 17 from diseases of joints. Compared with the figures of the previous year deaths from diseases of the bones are 6 fewer, but those from diseases of the joints are 3 more. *(Page 45.)*

Congenital Malformation.—Deaths due to congenital malformation numbered 599, and are 21 fewer than in the previous year. *(Page 45.)*

Diseases peculiar to Early Infancy.—These deaths numbered 4621, and included 2385 from premature birth, 2 from lack of care, and 2234 from other conditions peculiar to children of this age including, among others, those from congenital debility, icterus, and sclerema. Compared with the returns of the previous year the deaths due to premature birth are 19 fewer, and those attributed to lack of care are 2 fewer, but those from the other conditions included in this class are 226 more. *(Page 45.)*

Violence.—Deaths attributed to violent, or unnatural, causes during the year numbered 3124, and the equivalent death-rate is 66 per 100,000. These deaths are 193 more than in the previous year, 256 more than the mean of the numbers of the five preceding years, and 170 more than that of the preceding ten years. This death-rate is 3 per 100,000 more than that of the previous year, 5 more than the mean of those of the preceding five years, and 2 more than that of the preceding ten years. This death-rate in the male population was 98, and in the female, 36, the former being 5 more, and the latter 4 more, than in the previous year. In the larger burghs taken collectively this death-rate was 69 per 100,000; in the smaller burghs, 65; and in the county districts, 63. In the larger burghs taken individually it ranged from 95 in Coatbridge, 91 in Greenock, 87 in Kirkcaldy, and 83 in Leith, to 40 in Kilmarnock, 49 in Motherwell, 49 in Clydebank, and 54 in Edinburgh. In Dundee this rate was 72 per 100,000; in Glasgow, 72; in Aberdeen, 69; in Hamilton, 65; in Falkirk, 65; in Perth, 64; in Ayr, 60; and in Paisley, 56. *(Tables 35 to 40.)*

Of the deaths from violence, 2837 were ascribed to accident, 277 to suicide, and 9 to homicide, while one was a death by execution. Compared with the numbers of the previous year, deaths by accident are 199 more, but those by suicide are 5 fewer, and by homicide 2 fewer. Of the accidental deaths, 511 were of children of less than five years old, which is 18 more than in the preceding year; 215, or 21 fewer than in the preceding year, were of children of more than 5 but less than 15; 350, or 91 more than in the previous year, were of persons of more than 15 but less than 25; 328, or 32 more than in the previous year, were of persons of more than 25 but less than 35; 342, or 42 more than in the previous year, were of persons of more than 35 but less than 45; 347, or 9 fewer than in the previous year, were of persons of more than 45 but less than 55; 288, or 22 more than in the previous year, were of persons of more than 55 but less than 65; 245, or 33 more than in the previous year, were of persons of more than 65 but less than 75;

and 206, or 27 more than in the previous year, were of persons of over 75. *(Table 32.)*

Of the accidental deaths, 557 were due to drowning, 404 to burns and scalds, 134 to falls, and 81 to poisoning. Accidental deaths by drowning are 1 fewer than in the previous year; by burning, 35 more; by falling, 12 fewer; and by poisoning, 12 more. Fatal accidents in coal and other mines numbered 134; on railways, 158; with horses or horsed vehicles, 40; and with motor vehicles, 32. Mine accidents are 11 more than in the previous year; railway accidents, 43 more; horse accidents, 14 fewer; and motor vehicle accidents, 19 fewer. Deaths ascribed to weather agencies numbered 57, and are 9 more than in the previous year. Overlaying or other suffocation was the ascribed cause of 157 deaths of children of less than one year old, a number which is 5 more than in the previous year.

Of the 54 deaths from accidental poisoning, other than those due to poisonous vapours, 14 were by opium or by one of its preparations, 6 were by oxalic acid or by one of its salts, 5 by carbolic acid, 4 by A.B.C. liniment, 3 by alcohol (children only, such deaths at older ages are classed as due to alcoholism and not to poison), 2 by each of aconite and hydrocyanic acid, and 1 by each of sulphuric acid, ammonia, strychnine, arsenic, "embrocation," "nerve sedative," salicylic acid, acetic acid, "berries," naphtha, and saltpetre. In 7 instances the nature of the poison was not stated. *(Table 44.)*

Deaths from exposure to poisonous vapours numbered 26, and included 20 by coal gas, 4 by carbonic oxide, and 1 by each of fumes from limekiln and by an unspecified gas.

In addition to the foregoing deaths from accidental poisoning, there were 48 deaths during, or following on, the administration of anæsthetics, and of which the anæsthetic may or may not have been the immediate cause. These deaths are 7 fewer than in the previous year, 1912, but 6 more than in 1911. In 27 instances chloroform was the anæsthetic used; in 15 a mixture of chloroform and ether, and in 6 ether alone. *(Table 44.)*

Deaths attributed to suicide during the year numbered 277, 208 being of males, and 69 of females. These deaths are 5 fewer than in the previous year, the male suicides being 7 more, but the female suicides 12 fewer. Of the male deaths by suicide, 83 were by hanging, 64 by cutting or stabbing, 18 by drowning, 15 by gunshot, 14 by poison, 5 on railways, 3 by precipitation, and 6 by other or unstated means. Of the female deaths by suicide, 23 were by drowning, 19 by hanging, 13 by cutting or stabbing, 10 by poison, and 4 by precipitation. The 24 suicidal deaths by poison included 10 by coal gas, 2 by carbolic acid, 1 each by ammonia, chloroform, opium, strychnine, nicotine, oxalic acid, and mercuric chloride. In 5 instances the nature of the poison used was not stated. *(Tables 42 and 43.)*

Relative Frequency of Some Causes of Death.—The following list shows in order of relative frequency some of the more important of the causes of death, the figures stated indicating the percentage of the total deaths of the year attributed to the cause specified:—Tuberculosis, all forms, 10·95; Heart Disease, 9·08; Pneumonia, 7·60; Malignant Disease, 7·13; Congenital Debility, Premature Birth, or Malformation, 6·58; Violence, 4·28; Nephritis or Bright's

Disease, 2·85; Diarrhœas of childhood, 2·88; Whooping-cough, 2·49; Measles, 1·82; Meningitis, not tuberculous, 1·33; Diphtheria, 1·09; Diseases and Accidents of Pregnancy and Parturition, 0·97; Diseases of Liver, 0·82; Scarlet Fever, 0·81; and Appendicitis, 0·60. Of the deaths from tuberculosis, 63·75 per cent. were ascribed to phthisis, 13·65 per cent. to tuberculous meningitis, 11·06 per cent. to abdominal tuberculosis, and 11·54 to other forms of tuberculous disease. Deaths from phthisis constituted 6·98 per cent. of the total deaths of the year; those from tuberculous meningitis, 1·50 per cent.; and those from abdominal tuberculosis, 1·21 per cent. *(Table 34.)*

Detail regarding Infant Deaths.—Deaths of children of less than one year old numbered 13,214, 7474 being of males, and 5740 of females. Deaths of children of less than one month old numbered 5153, which is 3 fewer than in the previous year; of children of more than one but less than two months, 1209, or 41 fewer than in the previous year; of more than two but less than three months, 959, or 71 more than in the previous year; of more than three but less than four months, 930, or 87 more than in the previous year; of more than four but less than five months, 718, or 44 more than in the previous year; of more than five but less than six months, 637, or 25 fewer than in the previous year; of more than six but less than nine months, 1825, or 110 more than in the previous year; and of more than nine months, 1783, or 22 more than in the previous year. *(Table 45.)*

The causes to which the largest numbers of infant deaths were ascribed during the year, and the numbers ascribed to each, were:—Premature Birth, 2385; Congenital Debility, including Icterus and Sclerema, 1824; Diarrhœa, 1734; Pneumonia, including Broncho-pneumonia and Pulmonary Congestion, 1410; Whooping-cough, 836; Bronchitis, 811; Convulsions, 553; Tuberculosis, 550; Congenital Malformations, 523; Meningitis, not tuberculous or cerebro-spinal, 339; and Measles, 335. Compared with the

---

TABLE 1.—Monthly Mortality and Mean Temperature in Scotland during 1913, compared with the mean of the Ten Years 1901-1910.

MONTHS.	YEAR 1913.			1901-1910.	
	Mean Temperature.	Actual Deaths.	Proportion to 12,000 per annum or 1000 per month.	Monthly Proportion of Deaths.	Mean Temperature.
January	37°·3	7,311	1,201	1,177	38°·0
February	39·4	6,861	1,127	1,079	37·7
March	39·9	7,098	1,166	1,149	39·9
April	43·8	6,375	1,047	1,096	43·2
May	48·9	6,233	1,024	1,036	48·7
June	54·5	5,535	909	916	54·0
July	56·7	5,365	881	873	56·8
August	56·6	5,170	849	863	55·8
September	53·4	5,659	929	830	53·1
October	49·2	5,526	907	889	47·6
November	44·5	5,348	878	976	41·2
December	39·2	6,588	1,082	1,116	38·5
YEAR	47·0	73,069	12,000	12,000	46·2

returns of the previous year, these from the following shew the greatest increases, namely:—Diarrhœa, 596, or 52·4 per cent.; Whooping-cough, 190, or 29·4 per cent.; Congenital Debility, 186, or 11·4 per cent.; Tuberculosis, 79, or 16·8 per cent.; and Meningitis, not tuberculous or cerebro-spinal, 48, or 16·5 per cent.; while those shewing the greatest decreases are Pneumonia, 283, or 16·7 per cent.; and Measles, 231, or 40·8 per cent. *(Table 45.)*

The months of the year in which the largest numbers of infant deaths were registered were January, 1310; December, 1279; March, 1257; and September, 1227; and the months in which the smallest numbers of these deaths were registered were July, 844; June, 917; November, 972; and August, 997. Comparison with the figures of the previous year shews considerable excesses of these deaths in September, 472; in August, 193; and in March, 104; and considerable deficits in November, 314; in December, 204; and in February, 115. The excess of these deaths in August and September was due to a comparatively large number of deaths from diarrhœas occurring in these months, while that in March was due to a prevalence of whooping-cough, bronchitis, and pneumonia. The deficits in February, November, and December were associated with relatively small numbers of deaths from bronchitis and pneumonia. *(Table 46.)*

APPENDIX I.

FORTY-NINTH REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND.

This Report deals with the vaccination of children whose births were registered during the year 1912, and who in ordinary course should have been vaccinated in that year or in 1913.

Of the children whose births were registered, 69,179, or 56·3 per cent., were reported as being successfully vaccinated; 476, or 0·4 per cent., as being insusceptible to vaccination by reason of previous vaccination, such vaccination not having been reported to the registrars; 454, or 0·4 per cent., as being insusceptible to vaccination by reason of constitutional insusceptibility; 10,788, or 8·8 per cent., as having died before the time of compulsory vaccination; and 33,166, or 27·0 per cent., as being unvaccinated by reason of conscientious objections to vaccination on the part of the parents. In 2903 instances, the children were unvaccinated at the end of the year 1913 by reason of the postponement of vaccination on medical certificate of unfitness, while in 5910 instances no information is furnished, the children having been removed from the districts of their birth or having otherwise been lost sight of. *(Table 50.)*

The vaccinated children of the year numbered 69,179, or including those certified to be insusceptible by reason of previous vaccination, 69,655. This latter number constitutes 56·7 per cent. of the total children whose births were registered, and 62·1 per cent. of the total children surviving at the period when the compulsory provisions of the Acts came into force. It is 1465 less than that of the previous year, 28,501 less than the mean of those of the preceding ten years, and 42,273 less than that of the year 1905, which was the last year unaffected by the passing of the amending Act of 1907. The percentage these children constitute of those surviving at the time when compulsory vaccination became operative is 2·1 less than in the previous year, 21·1 less than the mean of those of the preceding ten years, and 31·7 less than that of the year 1905. In the year 1905, rather more than 6 children in a hundred remained unvaccinated at the time of compulsory vaccination, but in 1912 approximately 38 children did so. *(Table 51.)*

The unvaccinated children of the year—exclusive of those dying before the time of compulsory vaccination—numbered 42,433, and constituted 37·9 per cent of the total. These children number 2793 more than in 1911, 22,966 more than the mean of the numbers of the ten preceding years, 1902 to 1911, and 35,076 more than in the year 1905. They are now approximately six times as numerous as they were seven years previously. *(Table 51.)*

Cases of non-vaccination on account of constitutional insusceptibility numbered 454. They are fewer than those of all years since 1903. They are 689 fewer than those of 1911, 285 fewer than those of 1910, 330 fewer than those of 1909, and 342 fewer than those of 1908. The number of children unvaccinated on the

ground of insusceptibility in 1911 was exceptionally large. The only registration districts where these insusceptible children numbered at least three and constituted at least 2 per cent. of the total were Inverallan, Lochee, and Gourock, where they numbered 3, 8, and 4 respectively, and constituted 7·9, 2·6, and 2·2 per cent. of the total respectively. Nairn, Berwick, and Kirkcudbright are the only counties, Partick the only large burgh, in which these insusceptible children amounted to more than 1 per cent. of the total. No insusceptible children were reported from the burghs of Aberdeen, Hamilton, and Kilmarnock. The number of children reported as insusceptible in many districts shew a great diminution as compared with the figures of the previous year. In Glasgow, Edinburgh, Dundee, and Aberdeen this year's numbers are 81, 44, 15, and 2, while the previous year's figures were 205, 147, 35, and 14. In Coatbridge this number has fallen from 19 to 3, and in Clydebank from 24 to 4. Decided reductions in the number of insusceptibles have occurred in Lanark, 401 to 168; Midlothian, 201 to 54; Fife, 71 to 30; Renfrew, 66 to 22; Ayr, 66 to 19; Forfar, 58 to 25; and Dumbarton, 45 to 6. *(Table 50.)*

Children reported to be unvaccinated by reason of removal from the district of registration, or otherwise lost sight of, numbered 5910, and constituted 5·3 per cent. of the children surviving at the time of compulsory vaccination. The number of these children has markedly increased since the passing of the 1907 Act, but in this year, as well as in the previous year, they shew some reduction. In 1905 these children numbered 4014, in 1906 the number rose to 5766, and in 1907 to 7384; in 1908 the decline commenced, the number falling to 7159, and since then the fall has continued, the figure in 1909 being 6207, in 1910 being 5990, and in this year, 1912, being 5910. The figure of 1911, 6140, was slightly larger than that of 1910. Compared with that of the previous year this year's figure is 230 less, but compared with the mean of those of the preceding ten years it is 472 more, and compared with that of the year 1905 it is 1896 more. The percentage these children constitute of the total surviving at the time of compulsory vaccination is 0·2 less than that of the previous year, but is 0·7 more than the mean of those of the ten preceding years, and 1·9 more than that of the year 1905. *(Table 52.)*

The number of children reported to be unvaccinated by reason of the conscientious objection of their parents is 33,166, a number which constitutes 29·6 per cent. of the total children surviving at the time of compulsory vaccination. This is the largest number of such children yet reported. In 1907 these children numbered 7258; in 1908, 15,846; in 1909, 22,746; in 1910, 26,954; and in 1911, 29,582. Compared with the figure of 1907 that of 1912 is 25,908 more; with that of 1908, 17,320 more; with that of 1909, 10,420 more; with that of 1910, 6212 more; and with that of 1911, 3584 more. Of the children whose births were registered in the years 1906 to 1912, 135,805 were unvaccinated by reason of conscientious objections. In the registration districts of Fair Isle, Fetlar, North Yell, Whalsay Skerries, Whiteness and Weisdale, Papa Stour, and Papa Westray, no successful vaccinations were recorded, all the children being reported to be unvaccinated owing to conscientious objections. *(Table 52.)*

In the counties, burghs included, the proportion of children surviving at the time of compulsory vaccination but not vaccinated by reason of conscientious objection ranged from 77·4 per cent. in Shetland, 51·0 in Orkney, 48·3 in Dumbarton, 45·1 in Stirling, 44·7 in Selkirk, 42·2 in Banff, 42·0 in Forfar, 41·7 in Renfrew, and 40·3 in Clackmannan, to 9·9 in Wigtown, 10·9 in Bute, and 11·3 in Nairn. In Lanark this rate was 29·2 per cent., and in Midlothian, 15·8 per cent. In the large burghs this rate ranged from 66·9 in Falkirk, 57·6 in Clydebank, 53·4 in Greenock, 51·5 in Dundee, and 50·5 in Hamilton, to 12·3 in Edinburgh, 13·1 in Aberdeen, and 17·5 in Ayr.

The foregoing figures clearly demonstrate that the provisions of the 1907 Act are being largely taken advantage of in Scotland, and that the proportion of the younger population unprotected against small-pox by vaccination is being enormously increased every year.

APPENDIX II.

ADDITIONAL STATISTICS REGARDING THE MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1912.

A preliminary statement regarding the principal marriage statistics of the year 1912 was given in the Fifty-Eighth Annual Report, along with full information regarding the birth and death statistics of the year. But the statement then made was of necessity incomplete and provisional because full information regarding the registered marriages of the year was not available in the Department of the Registrar-General at the time when that report was written. In the provisional statement the number of marriages registered was given at 32,516, and the marriage-rate was stated to be 6·86 per thousand. The final examination and abstraction of the marriage registers of the year has shewn the correct number of marriages to be 32,506, and as the difference between it and the provisional figure is only 10, all marriage-rates in the preliminary statement may be accepted as correct.

The marriage-rates of Scotland, of the larger burghs, of the smaller burghs, of the county districts, and of the counties, for the year 1912 are given in Tables 2, 4, 5, 6, and 7 of the Fifty-Eighth Report.

Of the 32,506 marriages registered during the year, 29,951, or 92·1 per cent., were regular, *i.e.*, solemnised by a minister of some religious denomination after proclamation of banns, or after statutory notice at a registrar's office, while 2555, or 7·9 per cent., were irregular. The regular marriages of the year number 714 more than those of the previous year, 653 more than the mean of the numbers of the preceding five years, and 180 more than the mean of those of the preceding ten years. The irregular marriages of the year are 52 fewer than those of the previous year, but are 301 more than the mean of the numbers of the preceding five years, and 455 more than the mean of those of the preceding ten years. The irregular marriages of the year are more numerous than those of all previous years with the exception of those of 1911. From 1855 to 1871 irregular marriages numbered less than 100 annually; from 1871 to 1889 they numbered more than 100 but less than 1000; from 1890 to 1906, 1902 excepted, more than 1000 but less than 2000; but since 1907, as also in 1902, they numbered more than 2000. This is the second year in which they have numbered more than 2500. *(Table 9.)*

Of the 29,951 regular marriages, 14,168 were celebrated according to the rites of the Established Church of Scotland, 8440 according to those of the United Free Church, 3607 according to those of the Roman Catholic Church, 964 according to those of the Episcopal Church, and 2772 according to those of other religious denominations, the last including marriages celebrated according to the rites of the Free Church. Compared with the numbers in the previous year, Established Church marriages are 136 more; United Free Church marriages, 357 more; and Roman Catholic Church marriages, 203 more; but Episcopal Church marriages are 20

fewer. Marriages according to the rites of churches other than those specified are 38 more than in the previous year. *(Table 9.)*

Of the total marriages registered, regular and irregular, 43·6 per cent. were celebrated according to the rites of the Established Church of Scotland; 26·0 per cent. according to those of the United Free Church; 11·1 per cent. according to those of the Roman Catholic Church; 3·0 per cent. according to those of the Episcopal Church; and 8·5 per cent. according to those of churches of other religious denominations. The remaining 7·9 per cent. were irregular. Marriages according to the rites of one or other of the two principal Presbyterian churches, the Established Church and the United Free Church, numbered 22,608, and constituted 69·6 per cent. of the total marriages of the year, and 75·5 per cent. of the regular marriages. *(Table 10.)*

Established Church marriages were relatively most numerous in the counties of Peebles, 82·1 per cent.; Kirkcudbright, 74·6 per cent.; Kinross, 71·8 per cent.; and Wigtown, 69·4 per cent.; and relatively least numerous in the counties of Sutherland, 22·7 per cent.; Ross and Cromarty, 25·0 per cent.; Lanark, 33·0 per cent.; Renfrew, 38·2 per cent.; Inverness, 41·6 per cent.; Midlothian, 41·7 per cent.; and Selkirk, 42·8 per cent. United Free Church marriages were relatively most numerous in Orkney, 48·4 per cent.; Sutherland, 37·7 per cent.; Stirling, 35·7 per cent.; Caithness, 35·4 per cent.; Nairn, 34·4 per cent.; and Ross and Cromarty, 34·3 per cent.; and relatively least numerous in Peebles, 7·1 per cent.; Kincardine, 19·2 per cent.; and Kirkcudbright, 19·5 per cent. Roman Catholic marriages were relatively most numerous in the counties of Renfrew, 21·6 per cent.; Dumbarton, 20·8 per cent.; Lanark, 16·7 per cent.; and Linlithgow, 16·0 per cent. Episcopal Church marriages were relatively most numerous in Kincardine, 11·0 per cent.; Bute, 7·6 per cent.; Forfar, 6·6 per cent.; and Midlothian, 5·9 per cent. There were no Roman Catholic marriages during the year in the counties of Caithness, Kincardine, Kinross, Nairn, Orkney, Ross and Cromarty, Shetland, and Sutherland, and no Episcopal Church marriages in Kinross, Nairn, Shetland, and Sutherland. *(Table 14.)*

In the county of Kinross all the marriages registered during the year were celebrated according to the rites of one or other of the principal Presbyterian churches, the Established Church and the United Free Church, and over 90 per cent. were so celebrated in the

TABLE J.—Regular and Irregular Marriages in 1912.

	Number.			Percentage of Total Marriages.		
	SCOTLAND.	Larger Burghs.	Other Districts.	SCOTLAND.	Larger Burghs.	Other Districts.
Regular Marriages. Established Church	14,168	6,409	7,759	43·6	34·6	55·4
Regular Marriages. United Free Church	8,440	4,908	3,532	26·0	26·5	25·2
Regular Marriages. Roman Catholic Ch.	3,607	2,321	1,286	11·1	12·6	9·2
Regular Marriages. Episcopal Church	964	713	251	3·0	3·9	1·8
Regular Marriages. Other Denominations	2,772	1,696	1,076	8·5	9·2	7·7
Irregular Marriages	2,555	2,452	103	7·8	13·2	0·7
Total Marriages	32,506	18,499	14,007	100·0	100·0	100·0

counties of Berwick, Haddington, Kirkcudbright, Orkney, and Wigtown. *(Table 14.)*

In the larger burghs the highest frequency of Established Church marriages are found in Ayr, 58·8 per cent.; in Leith, 53·7 per cent.; in Kirkcaldy, 53·4 per cent.; in Govan, 47·5 per cent.; in Aberdeen, 46·1 per cent.; in Falkirk, 44·1 per cent.; and in Perth, 43·9 per cent. In these same burghs, United Free Church marriages were relatively most frequent in Kilmarnock, 39·7 per cent.; in Falkirk, 38·0 per cent.; and in Paisley, 35·3 per cent. Roman Catholic marriages were relatively most frequent in Coatbridge, 35·2 per cent.; in Hamilton, 24·8 per cent.; in Greenock, 24·3 per cent.; and in Clydebank, 21·9 per cent. Episcopal Church marriages were relatively most numerous in Dundee, 8·6 per cent.; in Ayr, 8·3 per cent.; and in Edinburgh, 7·2 per cent. *(Table 14.)*

Of the 29,951 regular marriages registered, 18,585 were celebrated after proclamation of banns, 10,610 after public notice at registrars' offices, and 756 after banns in respect of one spouse and public notice in respect of the other. Of the total marriages registered, irregular marriages included, 57·2 per cent. were celebrated after banns, 32·6 per cent. after public notice, and 2·3 per cent. after banns in respect of one spouse and public notice in respect of the other. Compared with the returns of the previous year marriages after banns were 356 more; after public notice, 298 more; and after banns in respect of one spouse and public notice in respect of the other, 60 more. *(Table 13.)*

Proclamation by banns was relatively most frequent in the counties of Kinross, 100·0 per cent.; in Shetland, 99·2 per cent.; in Berwick, 97·6 per cent.; in Kirkcudbright, 96·8 per cent.; in Wigtown, 96·7 per cent.; and in Peebles, 95·2 per cent. Proclamation by public notice was relatively most frequent in Renfrew, 47·9 per cent.; in Ross and Cromarty, 44·5 per cent.; in Lanark, 43·2 per cent.; and in Dumbarton, 42·0 per cent. In Lanark, marriages after proclamation by public notice were more numerous than those after proclamation by banns; in no other county was this the case. *(Table 13.)*

As above stated the irregular marriages of the year numbered 2555, and constituted 7·9 per cent. of the total registered. The great majority of these marriages, 2452, were registered in one or other of the larger burghs, while only a small minority, 103, were registered elsewhere in Scotland. Irregular marriages constituted 13·2 per cent. of the total marriages registered in the larger burghs, while the corresponding proportion in the remainder of Scotland was only 0·7. *(Table 13.)*

Of the 2555 irregular marriages, 2551 were registered by Sheriff's warrant, and 4 by production of decree of declarator in the Court of Session. *(Table 13.)*

The frequency of irregular marriages in Glasgow was 20·1 per cent.; in Edinburgh, 20·1 per cent.; in Aberdeen, 7·3 per cent.; in Govan, 6·2 per cent.; and in Dundee, 6·0 per cent. In Coatbridge and Clydebank no irregular marriages were registered during the year, and in Hamilton and in Kirkcaldy they constituted less than 1 per cent. *(Table 13.)*

Marriages between bachelors and spinsters numbered 29,212, and constituted 89·9 per cent. of the total; those between bachelors and widows, 752, or 2·3 per cent.; those between widowers and spinsters, 1773, or 5·5 per cent.; and those between widowers and

widows, 754, or 2·3 per cent. Fifteen marriages are excluded from this computation because the condition of one or other or both of the spouses was not stated in the register. The total number of bachelors married was 29,964, which is 854 more than in the previous year; of widowers, 2527, or 189 fewer than in the previous year; of spinsters, 30,985, or 716 more than in the previous year; and of widows, 1506, or 51 fewer than in that year. *(Table 15.)*

Marriages of widowers were relatively most numerous—and conversely those of bachelors least so—in the counties of Peebles, 13·1 per cent.; Orkney, 11·2 per cent.; Caithness, 11·0 per cent.; and Shetland, 10·9 per cent.; and relatively least numerous in Linlithgow, 5·0 per cent.; in Haddington, 5·3 per cent.; in Wigtown, 5·5 per cent.; and in Stirling, 5·7 per cent. Marriages of widows were relatively most numerous—and conversely those of spinsters relatively least numerous—in the counties of Kinross, 7·7 per cent.; Bute, 7·6 per cent.; Lanark, 5·9 per cent.; and Midlothian, 5·1 per cent.; and relatively least numerous in Nairn, where the marriages of no widows were registered during the year; Ayr, where marriages of widows constituted 1·7 per cent. of the total; in Shetland and Selkirk, 1·9 per cent. *(Table 15.)*

Of the 65,012 persons whose marriages were registered during the year, 64,474, or 99·2 per cent., signed their names to the marriage schedules, or marriage registers, and 538, or 0·8 per cent., signed by Mark. Of those using the Mark, 219 were men, and 319 women. Of the men whose marriages were registered, 0·7 per cent. used the Mark, and of the women, 1·0 per cent. The number of persons using the Mark—the number of males doing so, and the number of females doing so—were the smallest yet recorded in these reports. Males using the Mark were 19 fewer than in the previous year, 110 less than the mean of the numbers of the preceding five years, and 214 less than that of the preceding ten years. Females using the Mark are 78 fewer than those of the previous year, 150 less than the mean of their numbers during the preceding five years, and 279 less than the mean of those during the preceding ten years. *(Tables 11 and 12.)*

The numbers of men and women using the Mark are in great contrast to those of fifty, or even twenty, years ago. Fifty years ago, in 1862, 2062 men and 4192 women signed by Mark, and twenty years ago, in 1892, 927 men and 1426 women did so. Fifty years ago bridegrooms who could not sign their names by writing constituted 10·8 per cent. of the total, and brides unable to do so 20·4 per cent., which proportions are many times greater than those of this year, which are 0·7 and 1·0 per cent. *(Tables 11 and 12.)*

The relative frequency of the use of the Mark by men in the counties varied from 2·0 per cent. in Inverness, 1·6 in Wigtown, 1·3 in Linlithgow, 1·2 in Peebles, and 1·0 in Lanark, to 0 in thirteen counties. The frequency of women using the Mark varied from 8·2 per cent. in Sutherland, 3·8 in Inverness, 3·0 in Bute, and 2·2 in Wigtown, to 0 in five counties. In Kincardine, Kinross, Nairn, Orkney, and Shetland all persons married signed their names in the register by writing and none signed by Mark. Fifty years ago, in 1862, the proportion of males signing by Mark exceeded 30 per cent. in Inverness and in Ross and Cromarty, and the proportion of females so signing exceeded that limit in Shetland, Ross and

Cromarty, Inverness, Nairn, and Lanark. In that year there were 793 marriages registered in the counties of Inverness and Ross and Cromarty, and out of the 793 husbands, 258 signed by Mark, while out of the 793 wives, 393 did so. *(Table 16.)*

The average age of all persons married during the year was 28·1 years; of all men, 29·4; and of all women, 26·7. Compared with the corresponding figures of the previous year, these figures are found to be substantially the same. *(Tables 17 and 18.)*

The average age of bachelors marrying during the year was 28·1, which is 0·1 more than in the previous year; of bachelors marrying spinsters, 27·9, which is also the same as in the previous year; and of bachelors marrying widows, 35·9, which is 1·5 more than in the previous year. The average age of widowers marrying was 45·1, which is 0·9 more than in the previous year; of those marrying spinsters, 43·6, which is 1·1 more than in the previous year; and of those marrying widows, 48·8, which is 0·3 more than in that year. *(Tables 17, 21-25.)*

The average age of spinsters marrying was 26·1, which is the same as in the previous year; of those marrying bachelors, 25·5, which is the same as in the previous year; and of those marrying widowers, 35·1, which is 1·1 more than in that year. The average age of widows marrying was 40·5, which is 0·6 more than in the previous year; of those marrying bachelors, 37·0, or 1·5 more than in that year; and of those marrying widowers, 43·9, which is 0·4 less than in that year. *(Tables 18, 21-25.)*

In the counties the average age for men marrying varied from 34·9 in Sutherland, 34·2 in Nairn, 33·4 in Inverness, 33·0 in Ross and Cromarty, 32·2 in Peebles, and 31·7 in Argyll and in Caithness, to 27·3 in Haddington, 27·8 in Linlithgow, 28·0 in Kinross, 28·5 in Renfrew, 28·5 in Fife, and 28·7 in Ayr. In five counties the average was more than 32, in thirteen counties it was more than 30 but less than 32, in thirteen counties it was more than 28 but less than 30, and in two counties it was less than 28. *(Table 17.)*

In the counties the average age of women marrying varied from 30·7 in Sutherland, 29·4 in Kinross, 29·1 in Peebles, 29·1 in Ross and Cromarty, 28·7 in Inverness and in Roxburgh, and 28·4 in Argyll, to 24·8 in Linlithgow, 25·8 in Haddington, 26·0 in Stirling, 26·1 in Renfrew, and 26·2 in Dumbarton. In one county this average exceeded 30. In eleven counties it was more than 28 but less than 30, in nine counties it was more than 27 but less than 28, in ten counties it was more than 26 but less than 27, and in two counties it was less than 26. *(Table 18.)*

The ages of the men and women married during the year are shown in correlation in Tables 21 to 25. It may there be seen that the vast majority of the marriages of the year were between men and women nearly the same age, but, as is almost constantly found, there were some marriages in which the ages of the two parties were widely different. An examination of these tables shews that 8 youths of under 21 married women of over 30, while 11 men of under 25 married women of over 40, and 2 of under 40 married women of over 60. Marriages of girls of less than 20 with men of over 40 number 18, one of them being between a girl of 17 and a man of over 50. One woman of over 60 married a man of under 35, and 14 of over 50 married men below 40. Five men of over 70 married women of under 40, and three of over 80 married women of under 60. *(Tables 21-25.)*

APPENDIX III.

WEATHER OF THE YEAR 1913.

The following remarks on the weather of the year are the Notes made by Mr. A. Watt, M.A., F.R.S.E., under the direction of the Council of the Scottish Meteorological Society, which appear in the Registrar-General's Quarterly Reports :—

January was characterised by a very low mean pressure; a mean temperature equal to the normal, with a low mean daily range; a mean rainfall practically equal to the normal; and a very large excess of winds from between east and south.

The mean pressure was 29·636 ins., or 0·167 in. below the normal. Deep and extensive low-pressure systems over the Atlantic throughout the month, and the passage of some secondary systems across our Islands, caused very considerable fluctuations of pressure. The deepest depression occurred on 30th, with a fall very generally of nearly 1 in. within 24 hours, and a reading at Wick on 31st of 28·53 ins. At Leith, at sea-level, readings of 30 ins. or over were recorded only on 22nd, 26th, and 27th, the extremes there being 30·324 ins. on 26th and 28·780 ins. on 30th.

The mean temperature was 37°·3, being exactly the normal, and the days were 0°·6 below and the nights 0°·6 above their respective averages. On the whole, there was a general inclination towards a slight excess in the North, and towards a slight defect in the South, the differences at the individual stations ranging from an excess of 2°·1 at Stornoway to a defect of 1°·5 at Duns. The month opened with a very mild south-westerly type of weather, and a mean temperature for the first week or so more than 4° above the normal in many districts. Highest readings occurred very generally on 7th or 8th, the actual maximum being 56° at Gordon Castle and at Inverness on 7th. This mild spell was succeeded by frequent winds from a south-easterly quarter, and a good deal of cold weather, with lowest readings in most districts on 14th or 26th. In general, however, there were no readings abnormally low for a winter month, the lowest being 6° at Drumlanrig on 14th, and 10° at Carrbridge on 26th. Exposed thermometers registered ground frost on 27 days at Carrbridge, and on 23 days at Braemar, with a reading of 2° at Carrbridge on 26th.

The mean rainfall was 4·02 ins., or 4 per cent. above the normal. In North and North-West there was a well-marked deficiency, with only about one-fifth of the normal at Dunrobin, where rain was measurable on only five days; less than one-half at Glencarron and Nairn; and aggregates of less than half an inch at Dunrobin and Fortrose. In East, North-East, and South there was, as a rule, an excess, which exceeded 50 per cent. very generally towards the North-East, and also at Cally (Gatehouse). Leadhills had 1 in. on 3rd and 7th, and rather heavy falls occurred in North-West during the first few days; but, generally speaking, the month's totals were largely accounted for on 11th and 12th, around 22nd,

and from 28th onwards. Much of the precipitation consisted of snow, and on 11th "rainfall equivalents" of more than 1 in. were widely experienced, the two days' aggregate at Kettins for 11th and 12th exceeding 3 ins. On 23rd Lerwick had fully 1 in.; on 28th Crathes and Kettins about 1 in.; whilst on 30th and 31st very heavy falls of snow and rain were general—as much as 1·90 in. at Stronvar on 30th.

Wind force was high throughout the month, and the weather at times very stormy. Between 9th and 12th a south-easterly gale was general, and again from 14th to 16th, whilst from 28th to 31st gales were general in East and North. On 11th a very severe snowstorm set in generally, continuing without intermission in parts of Perthshire for practically two days, with serious drifting in many districts, and a level fall in places of 20 ins. or more. Other less serious falls occurred on 20th and 23rd, with another general storm on 30th and 31st. At Fortrose no snow fell until 31st. On 31st a thunderstorm was somewhat widely experienced in West and North. Sunshine amounts were deficient, Aberdeen having only two-fifths of the normal. A good deal of fog occurred in the Firth of Forth and in the extreme South-West. An aurora was observed at Deerness on 17th.

February was characterised by a very high mean pressure; a high mean temperature, with a normal mean daily range; a somewhat low mean rainfall; and a slight excess of winds from south-west and also from east.

The mean pressure was 30·027 ins., or 0·181 in. above the normal. Until 9th pressure was generally low and unsteady, with rapid fluctuations from 7th to 8th during the passage of a deep secondary depression across the North of Scotland; but from 9th onwards high and steady, except between 25th and 27th, when a depression off our Western coasts affected our area. At Leith, at sea-level, readings above 30 ins. were recorded from 9th to 23rd and on 28th, the extremes being 30·612 ins. on 12th and 28·960 ins. on the evening at 7th.

The mean temperature was 39°·4, or 1°·2 above the normal, the excess being well defined in nearly all districts, and equally well marked by day and by night. During the first two weeks the weather was of a south-westerly type with temperatures considerably above the normal, and in many districts highest readings for the month occurred on 3rd, 7th, 11th or 12th, though the actual highest was 58° at Crathes on 25th. During the latter half of the month conditions were mainly controlled by a high-pressure system which spread over our Islands from the Continent, and with winds frequently from some easterly point, moderately cold weather was experienced. From 25th to 27th, however, mild conditions prevailed, and in the South of Scotland, and here and there in the West, highest readings for the month were very generally registered at that time. Lowest readings occurred, as a rule, between 19th and 23rd, but at Wick on 1st, and in Orkney on 28th, the actual lowest being 18° at Eskdalemuir on 23rd. At Balmoral ground frost was registered on 21 days.

The mean rainfall was 2·53 ins., or 18 per cent. below the normal. In a few districts indicated by the returns for Nairn, Fort-Augustus,

and Kingussie, the rainfall was decidedly above the normal, and at Fort-William, Crieff, Stronvar, and elsewhere, the agreement with the normal was close. As a rule, however, there was a well-defined shortage, and in the East, Aberdeen, Dundee, Gullane, and other stations had aggregates of less than 1 in., and considerable areas only from one-third to one-half of the normal. Almost the entire rainfall of the month was registered during the first 10 days, and towards the North-West during the first eight days, and some heavy falls occurred. Kinlochquoich had 3½ ins. on 3rd, and an aggregate of more than 8 ins. for three consecutive days; Glencarron about 2½ ins., on 2nd; Fort-William more than 1 in. on 1st, 2nd, and 6th; and Stronvar more than 1 in. on 2nd and 7th. From 11th onwards almost rainless weather was experienced except for some unimportant falls from 24th to 26th. Within the very dry area in the East, Dundee had only one day with more than a tenth of an inch, and Perth and Aberdeen only three such days.

Early in the month the weather was of a stormy character, especially on 7th and 8th, when a strong south-westerly gale was general. Thereafter light easterly winds were largely in evidence and no gales occurred. The severe snowstorm which had marked the closing days of January continued in many districts on February 1st, and for some days thereafter rain and melted snow caused widespread and destructive flooding. Thunderstorms in Orkney on 1st; here and there in the West on 1st and 2nd; and at Fort-William on 6th. Sunshine amounts were much below the normal. A good deal of fog on most coasts between 11th and 15th—somewhat densely in the Firth of Forth—and again in the Firth of Forth between 21st and 25th. An aurora was observed at Baltasound on 5th.

March was characterised by an extremely low mean pressure; a slightly high mean temperature, with a slightly low mean daily range; a very high mean rainfall; and a large excess of south-westerly winds.

The mean pressure was 29·599 ins., or 0·210 in. below the normal. The weather was almost continuously controlled by depressions of various depths and following various tracks, and there were very considerable fluctuations of pressure. The deepest depression occurred on 18th to 19th, when a rapid fall of the barometer took place, exceeding 1 in. in 24 hours, followed by a rapid recovery. At Leith, at sea-level, readings above 30 ins. occurred only on 1st, from 8th to 10th, and from 24th to 26th, the extremes there being 30·279 ins. on 25th and 28·364 ins. on 19th. The range for the month was thus considerable.

The mean temperature was 39°·9, or 0°·3 above the normal, the days being 0°·2 and the nights 0°·5 about their respective averages. In most districts there was close agreement with the normal, and at only a few of the individual stations did the divergence amount to as much as 1°. A mild south-westerly type of weather was experienced during the first week or so, but thereafter there were various incursions of cold, and the mean temperature of the third week was much below the normal—at Crieff by as much as 5°. Lowest readings occurred almost everywhere on 18th, but at Balmoral and Braemar on 8th, the actual minimum being 12° at

Stronvar. Ground frost was registered on 24 days at Balmoral and on 23 days at Braemar. During the last three days of the month there was a return to milder weather, and highest readings were very generally recorded at that time, though here and there in the North they had occurred on 4th or 9th. The actual maximum of 58° was recorded on 30th at Helensburgh, Dumbarton, and Paisley.

The mean rainfall was 4·87 ins., or 67 per cent. above the normal. Glencarron had a slight shortage and Dunrobin hardly its normal amount; but over the greater part of the country there was an excess of at least 50 per cent., and in not a few districts an excess of at least 80 per cent. Some widely scattered stations, such as Poltalloch, Drumlanrig, Edinburgh, and Perth, had at least twice the normal, and Crieff about two and a half times the normal. At Perth the month was the wettest March for at least 50 years, and during the last 40 years the total at Poltalloch has been equalled there only in 1894, and that at Greenock of 8·86 ins. exceeded only in 1903, when the total there was more than 12 ins. The aggregates ranged up to 17 ins. at Achnacarry and 18 ins. at Loan (Glenquoich). In West and North-West precipitation occurred every day until 16th, and here and there every day until 23rd, with some heavy falls. Thus there were falls exceeding 1 in. at Kinlochquoich on 1st, 4th, 8th, 9th, 12th, 13th, and 18th; at Fort-William on 1st, 4th, 9th, 16th; at Greenock on 6th; and at Colmonell on 18th. On the other hand, during the first three weeks rainfall in the East was quite moderate, whilst thereafter much fine weather was experienced in the West, but in the East some heavy falls with easterly winds on 22nd, 28th, and 29th, largely accounted for by snow and sleet. On 22nd the yield of rain and melted snow exceeded 1 in. at Montrose, Arbroath, and Edinburgh, and 1½ in. at Colinsburgh; and on 28th Kettins had fully 1 in.

The weather was at times of a very stormy character, especially from 4th to 6th, when a strong south-westerly gale was general; on 9th and 10th; in the North from 12th to 14th; between 17th and 20th, when the wind was at times from the north and north-east; and in the East on 22nd and 23rd, when an easterly gale was experienced. Early in the month considerable damage was caused by flooding. Severe snowstorms occurred in various districts on 6th and 7th; between 15th and 18th; and in Eastern districts on 22nd and 23rd. Considerable interruption to traffic was caused in the Highlands and Southern Uplands. Thunderstorms in North and West between 4th and 7th; somewhat widely on 14th; and here and there on 15th, 16th, or 20th. Sunshine amounts were slightly above the normal in the East, and about the normal elsewhere. Fog in the Sound of Mull from 10th to 16th; and a little in East and North during the last few days. Auroras were not observed.

April was characterised by a low mean pressure; a slightly low mean temperature, with a slightly low mean daily range; a somewhat high mean rainfall; and a large excess of winds from between south-east and south-west.

The mean pressure was 29·770 ins., or 0·113 in. below the normal. The unsettled conditions of March were maintained during the first two days of the month, and there then followed a

rapid rise of the barometer with an easterly to northerly type of weather until 10th. On 11th a rather deep depression moved southwards over our Islands, and thereafter pressure was unstable, with very low readings on 26th. At Leith, at sea-level, the extremes were 30·469 ins. on 4th, and 28·892 ins. on the evening of 26th, and pressure there was above 30 ins. from 3rd to 10th, on 12th and 13th, and on 22nd and 23rd.

The mean temperature was 43°·8, or 0°·3 below the normal, the nights being of average temperature, but the days 0°·5 below the average. As in March, there was in most districts a close agreement with the normal, and at very few of the individual stations did the divergence amount to as much as 1°. In the South of Scotland, and here and there in the West, lowest reading for the month occurred on 1st; but on the whole temperature fluctuations during the first week or so were unimportant. On 11th there was an incursion of severe cold, with a maximum on that day at Glencarron, Aberdeen, and elsewhere of only 33° or 34°; and sharp frost very generally on the night of 12th to 13th, with readings in screen of 18° at Balmoral, 19° at Logie Coldstone, and 20° at Braemar. Rather cold weather continued until about 22nd, whilst during the last week or so temperature was above the normal, with highest readings for the month very generally on 23rd, 25th, 28th, or 30th. The actual maximum recorded, however, was 67° at Paisley on 8th.

The mean rainfall was 3·15 ins., or 39 per cent. above the normal. In the extreme North of Scotland and round the fringe of the Moray Firth, amounts were decidedly deficient, the small total of 0·87 in. at Gordon Castle representing barely half the normal rainfall for the month. Elsewhere there was an excess, moderate in many districts, but very large in West and South. Paisley, Drumlanrig, and Cargen had fully twice, and Poltalloch nearly twice, the normal. At Poltalloch April 1910 had a practically identical rainfall, but for a decidedly wetter April we must go back to 1867; at Greenock a wetter April has occurred during the last forty years only in 1904; and at Cargen the month's total of 6·02 ins. was more than 1 in. above any other April rainfall during the last fifty years. Even in wet districts, however, there were many rainless days, and but little rain fell anywhere from 3rd to 8th, and from 20th to 23rd. On 11th snow yielded fairly heavy "rainfall equivalents," and heavy or rather heavy rainfalls were more or less general from 15th to 18th. On 15th Stronvar, Leadhills, and Cargen had about 1½ in. Wet weather was again general from 24th to 29th, with 1 in. or more at Stronvar and Cargen on 26th, and at Greenock, Dumfries, and Cargen on 29th.

Wind force was, as a rule, moderate, but gales or high winds were experienced about 6th, 15th, and very generally on 26th and 27th. On 11th a snowstorm of exceptional severity for the time of year occurred very widely, with falls to a considerable depth in many districts. A severe thunderstorm occurred in some Eastern districts on the afternoon of 17th, with exceptionally heavy hail in East Lothian and elsewhere. Sunshine amounts were in general below the normal. Coast fog in the North from 3rd to 5th; in the East on 11th; and around Shetland, though not densely, from 23rd to 27th. Auroras were not observed.

May was characterised by a low mean pressure; a mean temperature practically equal to the normal, with a low mean daily range; a high mean rainfall; and an excess of winds from both south-east and south-west.

The mean pressure was 29·838 ins., or 0·106 in. below the normal. From about 6th to 12th an extensive low-pressure system moved about irregularly off the West of Ireland, but during that period pressure movements over Scotland were extremely slight, the only considerable fluctuations of the month occurring from 15th to 17th and during the last few days. At Leith, at sea-level, the extremes were 30·370 ins. on 14th and 29·460 ins. on 3rd, and pressure there was above 30 ins. from 12th to 16th and from 24th to 27th.

The mean temperature was 48°·9, or practically the normal, but the mean daily range was small, with the days 0°·9 below and the nights 0°·7 above their respective averages. The variations at the individual stations ranged from an excess of 1°·9 at Leadhills to a defect of 1°·6 at Crieff. For the first three weeks or so temperature was rather below the normal, except for a day or two about the middle of the month, but during the last week there was a decided recovery, and some fairly high readings were recorded both by day and by night. Lowest readings occurred here and there during the first two or three days, but, as a rule, about 16th or 20th, the actual minimum being 27° at Balmoral on 20th. At St. Andrews the extremes (69° and 35°) both occurred on 16th, and along part of the East Coast that was the warmest day of the month, but, as a rule, highest readings occurred on 30th, with a maximum of 75° at Glasgow (Belvidere) and at Comlongon Castle near Ruthwell.

The mean rainfall was 3·42 ins., or 49 per cent. above the normal. In Midlothian, the southern half of Fifeshire, and around the upper Moray Firth amounts were below the normal, the total at Fortrose being only about half an inch. Elsewhere there was, as a rule, an excess, moderate towards North-West and South-East, but very large in West and South, and abnormally large in the inland parts of the counties of Aberdeen, Kincardine, Forfar, and the northern half of Perthshire. Within these counties, Lednathie had three and a half times the normal, and considerable areas from two to three times the normal. From 3rd to 5th there were considerable falls in West and South, with more than 1 in. at Dumbarton and Gatehouse on 5th, and from 6th to 9th remarkable falls occurred in Perthshire and towards the North-East. On 6th Ardvorlich on Loch Earn had 3½ ins. and Aberfeldy 2½ ins., and on the 7th both these places fully 1 in.; on 8th Lednathie had 2¼ ins. and Crathes about 2 ins.; and on 9th Lednathie and Crathes about 2¾ ins. The four days' aggregate, from 6th to 9th, was about 7½ ins. at Lednathie and about 6½ ins. at Ardvorlich and Aberfeldy; there were many records of more than 1 in. on each of four consecutive days; and at Crathes a continuous rainfall of 36 hours gave a measurement of nearly 4½ ins. After this very wet period there were in the East many rainless days, with moderate falls about 22nd and on 30th, whilst between 17th and 22nd moderate falls occurred in West and South, and very heavy falls towards North-West.

From 6th to 10th strong winds or gales from east and south-east

were general, and the weather was again stormy between 15th and 19th. The great rains of 6th to 9th caused destructive flooding in Perthshire and Forfarshire. Thunderstorms occurred somewhat widely on 4th; about 10th, 11th, and 21st; and on the afternoon of 30th along the East Coast. Sunshine amounts were in general much below the normal, but Baltasound and Turnberry had an average of about 6 hours per day against only 4 hours per day at Edinburgh. Coast fog in East and North on 4th and 5th; in East from 10th to 14th; and somewhat widely on one or two days towards the end of the month. Auroras were not observed.

June was characterised by a mean pressure practically equal to the normal; a slightly low mean temperature, with a low mean daily range; a rather high mean rainfall; and an excess of winds from South and South-West.

The mean pressure was 29·950 ins., or 0·004 in. above the normal. Fluctuations were on the whole moderate, except from about 4th to 10th, when the centres of two low-pressure systems crossed our area. From about 15th to 23rd conditions were also unstable, but outside these two periods pressure was moderately high, with a very steady rise during the last few days of the month. At Leith, at sea-level, pressure was above 30 ins. on 4th, from 13th to 17th, from 20th to 22nd, and from 25th onwards, the extremes there being 30·357 ins. on 30th and 29·332 ins. on 10th.

The mean temperature was 54°·5, or 0°·4 below the normal, the slight deficiency being due entirely to a somewhat low mean day temperature. The variations at the individual stations ranged from an excess of 1°·7 at Strathpeffer to a deficiency of 1°·8 at Castlebay, Barra. Moderately high temperatures during the first two or three days were followed by decidedly cold weather, with a mean temperature for the second week below the normal in some districts by as much as 5°. Lowest readings occurred here and there between 2nd and 4th, but, as a rule, on 12th or 13th. About 16th there were one or two warm days, with highest readings in many districts at that time, but thereafter there was a recurrence of rather cold weather, which lasted in some western districts until the end of the month. In the East, however, and elsewhere temperature was again high during the last three or four days, with highest readings for the month on 28th or 29th. The extremes reported were 80° at Comlongon Castle, near Ruthwell, on 16th, and 33° at Eskdalemuir on 2nd and at Wick on 13th.

The mean rainfall was 2·83 ins., or 13 per cent. above the normal. Towards the North-West and in some Northern and Western districts there was a very large excess, Glencarron and Inverness having more than twice the normal. At Glencarron the month was the wettest June on record. In some Eastern districts, on the other hand, there was a deficiency—at Dundee of 36 per cent. On 2nd there were rather heavy falls in West and South, whilst from 4th to 10th conditions were extremely unsettled, though in the East there were during that period several rainless days. Some extremely heavy falls were registered on 7th, 8th, and 9th. On each of these days Glencarron had considerably more than 1 in., whilst Kinlochquoich had about 2 ins. on 7th and 8th and about 2½ ins. on 9th. The heaviest general fall was on 9th, when Greenock had

$1\frac{3}{4}$ in., and a considerable area in North-West more than 2 ins. From 13th to 17th practically no rain fell, but thereafter with rather frequent thunderstorms some heavy falls in short periods were somewhat widely experienced, especially on 18th, 19th, and 24th. The month ended with two or three rainless days.

Very stormy weather of a south-westerly type was experienced from about 6th to 10th, some of the Scottish lighthouses reporting a continuous gale for about three days. There was somewhat serious flooding at this time in Western and Central districts. Thunderstorms occurred here and there from 4th to 6th; in West and South on 17th; in East and North on 18th or 19th; and very widely, though apparently not in the North, on 24th. Serious flooding resulted from the accompanying rains at Buckie, Forres, and elsewhere in the Moray Firth area on the night of 18th; and in Lanarkshire on 24th. Sunshine amounts were in general below the normal, but slightly above it at Aberdeen and Marchmont. Coast fog occurred in East and North on 5th and 6th; and somewhat widely, but especially in the North, between 16th and 24th. Around the Orkneys and Shetlands there were several days of practically continuous fog. Auroras were not reported.

July was characterised by an abnormally high mean pressure; a slightly low mean temperature, with a slightly high mean daily range; an abnormally low mean rainfall; and a large excess of winds from a northerly quarter.

The mean pressure was 30·058 ins., or 0·166 in. above the normal, a level which has been appreciably exceeded in July during the last forty years only in 1885 and 1911. Conditions were controlled almost throughout by a high pressure system extending Eastwards from the Atlantic, but minor irregularities occurred about 6th, 17th, and 22nd. There was a well-marked gradient for northerly winds, the mean exceeding the normal by 0·24 in. at Stornoway, but by only 0·04 in. at Dover. The range for the month was very small, and at Leith, at sea-level, pressure was above 30 ins. from 1st to 4th, on 8th, and from 19th onwards, the extremes there being 30·395 ins. on 1st, and 29·789 ins. on 6th.

The mean temperature was 56°·7, or 0°·6 below the normal, the days being 0°·4 and the nights 0°·7 below their respective averages. In some inland and one or two Western districts there was a moderate excess, but, as a rule, there was a fairly well-marked deficiency, amounting to 1°·8 at Aberdeen and Nairn, and to 2°·0 at Wick. Temperature was at first above the normal, and along the Eastern fringe and in Central Scotland highest readings for the month occurred on 3rd, Buchlyvie, Crieff, and Stronvar reaching 80°. The second week was decidedly cold, with lowest readings for the month in many districts between 7th and 9th, and though there were thereafter some fairly warm days, light winds from north and east prevented any decided rise of temperature in Eastern districts. In West and South highest readings occurred on 23rd, or between 26th and 29th. The actual extremes were 82° at Comlongon Castle (Ruthwell) on 27th, and 31° at Balmoral and Braemar on 24th.

The mean rainfall was 0·82 in., or 74 per cent. below the normal. There was in all districts a remarkable shortage; only a few isolated

places had as much as one-half the normal; and a drier July has been experienced during the last fifty years only in 1868 and 1878. A large part of the country had less than 1 in.; considerable areas only about half an inch; and not a few places, such as Fort-William, Crieff, Edinburgh, and Dumfries, less than one-fifth of the normal. The total of half an inch at Stronvar was only about one-tenth of the normal, whilst at Braemar the trifling aggregate of one-quarter of an inch was the lowest July rainfall at that place for at least fifty years, and at Edinburgh during the last hundred years a smaller total for July than that of 0·46 in. has been recorded only in 1825 and 1868. The month's totals were largely accounted for about 6th, 13th, 16th, and 21st, but at Perth and elsewhere no rain fell after 13th, and at Edinburgh there were only two or three trifling falls after 6th. On 13th and 14th considerable falls were registered here and there in North and West with weather of a thunderstorm type, 1·06 in. at Dunrobin on 13th and 1·21 in. at Crathes on 14th. Perth had only four "rain days," Edinburgh only five, and Dundee only six.

Wind force was, as a rule, light, and no gales were reported. Thunderstorms were infrequent for a summer month, but occurred at a few places on 5th and 6th and towards North-East and North on 14th. Sunshine amounts were in general above the normal in the West, but deficient in the East. Coast fog occurred somewhat densely round the North from 1st to 3rd; and somewhat widely between 11th and 15th.

August was characterised by an abnormally high mean pressure; a mean temperature equal to the normal, with a high mean daily range; an abnormally low mean rainfall; and an excess of winds from a northerly quarter.

The mean pressure was 30·022 ins., or 0·166 in. above the normal, a level which has been exceeded in August during the last forty years only in 1880 and 1899. As in July, conditions over the Scottish area were largely controlled by an extensive high-pressure system spreading Westwards from the Atlantic; but from about 9th to 11th pressure was somewhat irregular, and from about 20th to 25th a large depression with its centre to the North of our Islands was associated with unsettled weather. During the last three days of the month conditions were again unsettled. At Leith, at sea-level, pressure was above 30 ins. from 1st to 7th, on 12th, from 14th to 20th, and from 25th to 28th, and the extremes there were 30·377 ins. on 18th and 29·600 ins. on 22nd.

The mean temperature was 56°·6, being the normal, but with the days 0°·8 above, and the nights 0°·8 below their respective averages, the mean daily range was decidedly above the normal. At the individual stations the variations from normal conditions ranged from an excess of 2°·6 at Strathpeffer to a defect of 1°·9 at Wick. The first three days were decidedly warm, the majority of the stations reporting their maxima for the month during that period. In several Eastern and Central districts, and at Cally (Gatehouse), in the South of Scotland, the thermometer reached 80° on one or more days, and a reading of 84° at Smeaton on 3rd was the highest anywhere reported during the month. There then followed a week or so of rather cold weather, with minima for the

month occurring very widely on 7th and 8th, and this cold weather was prolonged in Northern districts for some considerable time. Elsewhere temperature fluctuations were moderate during the second and third weeks, except for considerable cold from about 18th to 20th, whilst toward the close of the month there was in all districts a well-defined excess, with maxima at a number of stations on 29th and 30th. The lowest shade reading reported was 31° at Braemar on 18th.

The mean rainfall was 1·52 in., or 59 per cent. below the normal. As in July there was a well-defined deficiency in all districts, and though the aggregates were, as a rule, less than those for the dry Augusts of 1899 and 1911, here and there, as at Perth and Braemar, the month was unprecedentedly dry. Only a few scattered stations had as much as one-half of their normal amounts; the fringe of the Moray Firth and some inland districts less than 1 in.; a great part of the country less than 1½ in.; whilst at Crieff the total of 0·70 in. represented less than one-fifth of the normal. Trifling falls occurred in many districts on various days from 8th to 16th, though more than ½ in. in Mull on 12th and at Crathes on 16th; but there was no breakdown of the prolonged dry period until 20th, when a short wet spell, lasting in some districts until 25th, was more or less general. Here and there in the East, however, rain fell during this period on only one or two days and only in small amounts. On 20th Lochbuie had more than 1 in.; on 21st heavy falls were more or less general, fully 2 ins. at Glenquoich and 1½ in. at Inveraray; whilst there were somewhat heavy falls in the West on 23rd and 25th also. Thereafter Northern and Western districts were rainless or all but so, whilst elsewhere rain fell on 29th and 30th, very heavily at places during thunderstorms, the aggregate for these two days at Smeaton and Kelso exceeding 1 in. As illustrating the very dry conditions that prevailed over wide areas throughout July and August we may note, for example, that at Crieff the two months' aggregate was only 1·14 in.; that at Dumbarton no rain fell from 22nd July to 19th August; and that at Stronvar the total fall from 15th July to 19th August was only one-fifth of an inch.

As in July, wind force was, as a rule, extremely light, and many calm periods occurred. Thunder was reported in Aberdeenshire on 15th and 16th, and a thunderstorm of some severity occurred somewhat widely on 30th in Eastern and Northern districts, and also in the extreme South-West. Sunshine amounts were only here and there equal to the normal—considerably below it at Edinburgh. Coast fog was experienced somewhat densely in West between 14th and 16th; and in East and North from 28th to 30th.

September was characterised by a high mean pressure; a slightly high mean temperature, with a low mean daily range; a low mean rainfall; and an excess of winds from an easterly quarter.

The mean pressure was 29·983 ins., or 0·117 in. above the normal. The high-pressure conditions which had, in general, characterised the month of August continued during the first ten days of September, but on the 11th a disturbed type of weather, associated with an extensive low-pressure area to the South of Iceland, set in, lasting for several days, and conditions were again unsettled from

23rd to 25th. At Leith, at sea-level, pressure was above 30 ins. from 1st to 10th, on 21st and 22nd, and on 29th and 30th, the extremes there being 30·495 ins. on 7th and 29·254 ins. on 14th.

The mean temperature was 53°·4, or 0°·6 above the normal, this slight excess, which was indicated in most districts, being due entirely to a rather high mean night temperature. During the first three weeks or so, with winds, as a rule, from a north-easterly or easterly point, temperature was in general somewhat below the normal, with some decidedly cold days. At a few stations, however, maxima for the month occurred during this period, but in such cases the thermometer failed to reach any high level, and at Wick the highest reading was only 59°, on 10th. Minima for the month occurred in some inland districts on 2nd or 3rd, but very widely on 7th or 17th, when several readings in screen below the freezing point were reported. The actual lowest was 27° at Kingussie on 7th, and on that day the exposed thermometer at Braemar fell to 21°. From 22nd or 23rd onwards, on the other hand, an extremely mild south-westerly type of weather prevailed, the mean for the fourth week being at many stations fully 6° above the normal. Maxima for the month occurred very widely on 28th, though here and there on 24th or 26th; a good many stations exceeded 70°; and the actual highest was 75° at Comlongon Castle (Ruthwell) on 28th.

The mean rainfall was 2·45 ins., or 30 per cent. below the normal. In some Northern districts amounts were somewhat above the normal, and in parts of Midlothian there was a slight excess. As a rule, however, there was a shortage—very decided in some Western districts. Thus Greenock had less than half the normal and Fort-William little more than one-third. The first six days of the month were rainless in nearly all districts, and, though trifling falls were general on 8th, at Drumlanrig no rain fell until 12th. The month's totals were largely accounted for between 11th and 16th, when some very heavy falls occurred, and thereafter the only amounts of importance were registered between 22nd and 25th. On 11th Glenquoich had 2 ins., and Fort-William and Lochbuie more than 1 in.; on 13th Cawdor Castle, near Nairn, had nearly 1½ in., and Crathes, parts of the Edinburgh area, and Wolfelee fully 1 in.; on 15th considerable amounts were registered towards the North—more than 1 in. at Dunrobin and at Gordon Castle; and on 16th Montrose had 1·36 in. Between 22nd and 25th there were no such heavy falls, but at Cally (Gatehouse) the aggregate for 22nd and 23rd was nearly 1½ in., and amounts approaching 1 in. were registered at Crieff on 23rd and at Ardtornish on 25th.

The wet periods were accompanied by rather stormy weather, but the total wind movement of the month was much below the normal. Thunderstorms occurred somewhat widely in West and towards the North on the afternoon of 14th; at Crathes on 24th; and at Lerwick on 27th. Sunshine amounts differed little from the normal towards the North-West; but in most districts were very deficient. Edinburgh had only two-thirds of the normal and Paisley less than one-half. Considerable amounts of fog and mist were experienced towards the end of the month.

October was characterised by a slightly low mean pressure; a

very high mean temperature, with a rather low mean daily range; a low mean rainfall, and a large excess of easterly and also of southerly winds.

The mean pressure was 29·778 ins., or 0·036 in. below the normal. For the first ten days or so, with low-pressure areas to the South of England, the weather was of an easterly type, and then for a few days of a pronounced southerly type. During the second half of the month, conditions were chiefly cyclonic with southerly winds, though a rise in pressure of nearly 1 in. from 21st to 23rd was followed by the passage Eastwards over our area of an Atlantic anticyclone and cold weather for a day or two. At Leith, at sea-level, the extremes were 30·230 ins. on 23rd, and 29·118 ins. on 30th, and pressure there was above 30 ins. on 1st and 2nd, 10th, 12th and 13th, 15th and 16th, and on 23rd and 24th.

The mean temperature was 49°·2, or 2°·6 above the normal, the days being 2°·2 and the nights 3°·1 above their respective averages. The excess was well-marked in all districts, and the month in Scotland ranked as a very mild October, though much less mild than October 1908, when there was a mean excess of more than 6°. Temperature was at first somewhat variable, with highest readings for the month at Strathpeffer, and at some Western stations on 1st, and lowest readings here and there on 9th and 10th. Thereafter, with a preponderance of southerly winds, conditions were mild or very mild, except for a touch of wintry weather, with northerly winds on 23rd and 24th. Highest readings for the month occurred in most districts on 17th and 19th, and for the week ending 18th some stations towards the North-West had means above the normal by as much as 9°. On both 23rd and 24th, the minimum thermometer at Eskdalemuir fell to 20°, that being the lowest reading reported during the month, whilst the highest reading was 68° at Strathpeffer on 1st.

The mean rainfall was 2·76 ins., or 32 per cent. below the normal. In the extreme North-West there was a slight excess, but in most districts a well-defined shortage. Gordon Castle had only about one-quarter, and Dunrobin and Strathpeffer only one-third of their normals, whilst aggregates of less than 1 in. at Fortrose and Gordon Castle were in contrast with fully 10 ins. at Glencarron and 14 ins. at Kinlochquoich. Rather wet weather was experienced in Eastern districts between 4th and 8th, with nearly 1½ in. at Wolfelee on 7th. In many Western districts, on the other hand, no rain fell until 12th, whilst on 13th a severe rainstorm affected all except some sheltered Eastern districts, Kinlochquoich registering nearly 2½ ins., Stronvar fully 2 ins., and many Western stations more than 1 in. During the latter half of the month, rain was more or less general on 19th and 20th, and from 27th to 29th, whilst towards the North-West there were several days with extremely heavy falls. Thus on 19th, Ardtornish had fully 2 ins.; on 20th, Glenquoich 1½ in.; on 24th, Kinlochquoich 3·90 ins.; Glencarron 2·69 ins.; and Fort-William 1½ in.

The weather was in general somewhat stormy about 13th, and in the North about 16th, and from 20th to 23rd. On 23rd, snow and hail occurred in some exposed districts. Thunderstorms occurred here and there in the West on 21st, and one of considerable severity somewhat widely in Central, Eastern, and South-Eastern districts

on the evening of 29th. Sunshine amounts were, as a rule, slightly above the normal, though here and there hardly equal to it. But little coast fog was experienced.

November was characterised by an extremely low mean pressure; an abnormally high mean temperature, with a mean daily range practically equal to the normal; a somewhat high mean rainfall, and a very large excess of winds from S.W. and W.

The mean pressure was 29·616 ins., or 0·218 in. below the normal. There was an unusually steep gradient for south-westerly winds over our Islands, with pressure over the English Channel slightly above the normal, but at Lerwick nearly one-third of an inch below it. The weather over Scotland was almost continuously under the influence of extensive low-pressure areas, with centres following a north-easterly course towards Iceland, and from 12th to 14th a depression of considerable depth crossed the North of Scotland, with readings below 29 ins. During the last few days pressure reached a fairly high level. At Leith, at sea-level, the extremes were 30·163 ins. on 28th, and 29·034 ins. on 14th, and pressure there was above 30 ins. on 19th and 22nd, and from 27th to 30th.

The mean temperature was 44°·5, or 3°·6 above the normal, the excess being almost equally well-marked by day and by night, and well defined in all districts though rather more pronounced in the East than in the West. The month was almost uniformly mild; the mean temperature of the last week was above the average in many districts by as much as 6°: and on the whole, a milder November has been experienced in Scotland during the last fifty years only in 1894, 1897, and 1899. At Edinburgh (Blackford Hill), Oban, Dunrobin, and a few other stations, the thermometer in screen did not fall to the freezing point, but in most districts there was a touch of cold from 6th to 8th, and again about 22nd. Highest readings occurred about 17th, or from 27th to 29th, the actual extremes being 61° at Crathes on 27th, and 22° at Braemar, Balmoral, and Logie Coldstone on 6th.

The mean rainfall was 4·70 ins., or 24 per cent. above the normal. In Eastern districts there was a shortage, amounting to 40 per cent., in Aberdeenshire and Berwickshire, but elsewhere amounts were considerably above the normal, and towards the North-West the excess was extremely large, Glencarron having fully twice the normal. The aggregates ranged from less than 1 in. at Crathes, up to 18 ins. at Glencarron, 23 ins. at Glenquoich, and 29 ins. at Kinlochquoich. In the West Highlands the month was the wettest November on record, and at Glenquoich during the last forty years a heavier rainfall has been recorded in any single month only in the Decembers of 1898 and 1912. As regards daily distribution, there were in the East no very heavy falls, and many rainless or all but rainless days. At Edinburgh and elsewhere the month's totals were largely accounted for on two or three days, and at Crathes, on Deeside, the 2nd was the only day with more than one-tenth of an inch. Elsewhere wet weather was widely experienced from 1st to 5th, from 10th to 20th, and in West and North-West from 24th onwards. Towards the North-West there were some extremely heavy falls, especially on 2nd, from 15th

to 20th, and from 24th to 29th. Thus Kinlochquoich had 3 ins. or more on 2nd, 19th, and 28th, more than 2½ ins. on 16th and 29th; and amounts exceeding 1 in. on six other days; and Glencarron more than 2 ins. on 19th and 28th, and more than 1 in. on four other days.

Much windy weather was experienced, with gales here and there on 2nd and 3rd, in the West on 15th, and very widely from 17th to 19th, and towards the end of the month. Thunderstorms occurred in some Western districts on 15th and 16th, and here and there on 18th and 30th. Sunshine amounts were, as a rule, fully equal to the normal, but slightly deficient in the Hebrides and Orkney. Between 8th and 12th coast fog occurred in the East. An aurora was visible in Shetland on 2nd, and at Castlebay on 8th.

December was characterised by a high mean pressure; a rather high mean temperature, with a mean daily range equal to the normal; a slightly low mean rainfall, and a large excess of westerly winds.

The mean pressure was 29·904 ins., or 0·124 in. above the normal. A rapid fall of pressure on 2nd and 3rd was followed by moderate fluctuations until 16th, when a rapid rise took place to a somewhat high level. After moderate movements, pressure was again high at the end of the month. At Leith, at sea-level, the extremes were 30·618 ins. on 19th, and 29·123 ins. on 4th; and pressure there was above 30 ins. on 13th and 14th, from 17th to 22nd, and on 30th and 31st.

The mean temperature was 39°·2, or 1°·1 above the normal, the excess being equally well marked by day and by night. The mild weather of November continued during the first three or four days of December, but from 5th to 7th temperature was extremely low, with a minimum for the month in many districts on 6th. On that date the maximum at several stations failed to reach 30°, and at Braemar was as low as 23°, the minimum in screen there falling to 5°, with a reading from an exposed thermometer of 1° below zero. At Carrbridge even lower readings occurred, and the minimum in screen fell to 1° above zero. There was a very rapid recovery from this short spell of acute cold, with highest readings for the month on 8th and 9th, and generally mild weather until 25th. In several districts, the mean temperature of the week ending 20th exceeded the normal by fully 5°, the excess at Strathpeffer being as much as 8°. On 28th there was another interruption of cold weather, with winds from the north-west, and lowest readings for the month in many districts on 31st, when the minimum at Braemar was as low as 4°. At the reporting stations the extremes were 58° at Smeaton on 9th, and at Poltalloch on 10th and 11th, and the reading of 4° at Braemar on 31st.

The mean rainfall was 3·62 ins., or 0·51 in. below the normal. In Eastern and most Central and Southern districts there was a decided shortage, Dundee, Perth, and Crieff having less than half the normal, but in the North there was an excess, and here and there in the West amounts were practically equal to the normal or slightly above it. On 2nd heavy falls occurred in West and North-West, more than 2 ins. at Kinlochquoich, and on 3rd a severe rainstorm was general, with falls exceeding 1 in. at places as far apart

as Poltalloch, Kilmarnock, Cargen, and Colinsburgh. There followed a long spell of almost rainless weather in the East, whilst from 8th to 15th conditions were extremely unsettled towards the North-West and rather so in West, with as many as six days at Kinlochquoich during that period with falls of more than 1 in., and as much as 3 ins. on 15th. Considerable falls again occurred in West and North-West from 22nd to 28th, with very large amounts on 25th, whilst from 25th to 27th or 28th there were in many districts considerable "rainfall equivalents" derived from melted snow.

The weather was at times stormy, and from 4th to 7th, and during the last few days of the month, of a very wintry character, with widespread snowstorms of considerable severity. Thunderstorms occurred here and there in the West on 27th. Sunshine amounts were deficient in the North, North-West, and South-East, but elsewhere equal to or above the normal. Hardly any coast fog was reported.

TABLE 1.—Population of Scotland, estimated to the middle of each year, with the Numbers of Births, Deaths, and Marriages registered in each year, 1855-1913.

Year	Estimated Population.	Births.						Marriages.	Deaths.			Excess of Births over Deaths.	Year.
		Males.	Fem.	Total.	Illegit.	Twins.	Triplets.		Males.	Fem.	Total.		
1855	2,978,065	47804	45545	93349	7357	...	...	19680	30626	31378	62004	31345	1855
1856	2,995,771	52239	49582	101821	8695	1267	12	20740	29418	29111	58529	43292	1856
1857	3,012,310	53158	50257	103415	8859	1300	*16	21369	30937	30969	61906	41509	1857
1858	3,027,665	53694	50324	104018	9354	1262	17	19655	31652	31887	63539	40479	1858
1859	3,041,812	54628	51915	106543	9715	1335	11	21201	30588	31126	61714	44829	1859
1860	3,054,738	54409	51220	105629	9736	1247	23	21225	33610	34560	68170	37459	1860
1861	3,069,403	54606	52403	107009	9929	1249	18	20896	30890	31451	62341	44668	1861
1862	3,098,008	55257	51812	107069	10376	1279	18	20597	33179	34016	67195	39874	1862
1863	3,126,879	56226	53115	109341	10948	1267	6	22234	35631	35850	71481	37860	1863
1864	3,156,023	57374	54959	112333	11197	1332	12	22725	37010	37406	74416	37917	1864
1865	3,185,439	58220	54850	113070	11262	1364	9	23611	35190	35701	70891	42179	1865
1866	3,215,130	58360	55307	113667	11673	1366	12	23688	35355	35993	71348	42319	1866
1867	3,245,101	58517	55527	114044	11148	1365	*13	22618	34363	34705	69068	44976	1867
1868	3,275,353	59222	56292	115514	11354	1443	15	21855	34662	34754	69416	46098	1868
1869	3,305,889	58321	55033	113354	11066	1407	15	22144	37868	38007	75875	37479	1869
1870	3,336,712	58959	56431	115390	11108	1384	9	23854	36866	37299	74165	41225	1870
1871	3,368,926	60029	56099	116128	11077	1299	17	24019	36827	37885	74712	41416	1871
1872	3,404,799	61293	57472	118765	10927	1383	11	25641	37939	37855	75794	42971	1872
1873	3,441,057	61467	58233	119700	10925	1410	15	26748	39037	37909	76946	42754	1873
1874	3,477,704	63602	60109	123711	10991	1512	13	26390	40678	40042	80720	42991	1874
1875	3,514,744	63432	60146	123578	10786	1477	9	25974	40323	41444	81767	41811	1875
1876	3,552,182	64819	61715	126534	11029	1463	20	26579	37404	36725	74129	52405	1876
1877	3,590,021	65089	61733	126822	10568	1429	12	25817	37173	36764	73937	52885	1877
1878	3,628,268	65200	61573	126773	10641	1367	12	24358	38389	38404	76793	49980	1878
1879	3,666,923	64346	61384	125730	10727	1452	20	23519	36296	37051	73347	52383	1879
1880	3,705,994	63786	60784	124570	10589	1438	8	24505	38055	37748	75803	48767	1880
1881	3,742,564	64720	61451	126171	10484	1418	13	26004	36097	36228	72325	53846	1881
1882	3,770,656	64505	61653	126158	10546	1415	7	26596	36325	36664	72989	53169	1882
1883	3,798,961	63879	60579	124458	10114	1370	18	26869	38296	38595	76891	47567	1883
1884	3,827,476	66379	62778	129157	10439	1457	19	26106	37556	37612	75168	53989	1884
1885	3,856,207	64543	61557	126100	10680	1423	14	25304	36932	37675	74607	51493	1885
1886	3,885,154	65910	61980	127890	10506	1331	10	24515	36432	37208	73640	54250	1886
1887	3,914,318	63842	60576	124418	10380	1335	18	24876	36805	37741	74546	49872	1887
1888	3,943,701	63129	60140	123269	9968	1380	12	25305	34953	36221	71174	52095	1888
1889	3,973,304	63303	59480	122783	9770	1423	10	26344	36328	36910	73238	49545	1889
1890	4,003,131	62187	59339	121526	9241	1421	13	27469	39130	39874	79004	42522	1890
1891	4,036,245	64769	61217	125986	9647	1372	14	27969	41122	42451	83573	42413	1891
1892	4,078,910	64356	60687	125043	9248	1468	17	28670	37463	38082	75545	49498	1892
1893	4,122,029	65010	62100	127110	9467	1469	10	27145	39585	40085	79670	47440	1893
1894	4,165,606	63857	60510	124367	9064	1450	13	27604	35153	35960	71113	53254	1894
1895	4,209,645	64799	61695	126494	9204	1342	12	28422	40663	41189	81852	44642	1895
1896	4,254,153	66214	62958	129172	9393	1493	21	30270	35321	35356	70677	58495	1896
1897	4,299,132	65817	63060	128877	9068	1375	15	31050	39506	39638	79144	49733	1897
1898	4,344,589	66814	64047	130861	8870	1450	14	32112	39344	39053	78397	52464	1898
1899	4,390,530	66778	63955	130733	8486	1463	15	32978	39903	39690	79593	51140	1899
1900	4,436,958	67147	64254	131401	8534	1544	15	32444	41276	41020	82296	49105	1900

* Including one case of quadruplets.

TABLE 1—*continued.*

Year	Estimated Population.	Births.						Marriages.	Deaths.			Excess of Births over Deaths.	Year.
		Males.	Fem.	Total.	Illegit.	Twins.	Triplets.		Males.	Fem.	Total.		
1901	4,479,104	67753	64439	132192	8359	1547	13	31387	40213	39894	80107	52085	1901
1902	4,507,220	67442	64825	132267	8300	1620	25	31913	39183	38758	77941	54326	1902
1903	4,535,513	68087	65438	133525	8295	1604	*13	32351	38136	37866	76002	57523	1903
1904	4,563,985	67794	64809	132603	9010	1603	18	32271	38851	39130	77981	54622	1904
1905	4,592,636	66750	64660	131410	9082	1619	17	31270	37196	37340	74536	56874	1905
1906	4,621,466	67461	64544	132005	9306	1524	21	33142	37731	37904	75635	56370	1906
1907	4,650,478	65901	62939	128840	8791	1676	*14	33298	38240	39056	77296	51544	1907
1908	4,679,671	66826	64536	131362	9111	1675	15	31606	38864	38974	77838	53524	1908
1909	4,709,048	65725	62944	128669	9370	1627	12	30108	37094	37538	74632	54037	1909
1910	4,738,611	63144	60915	124059	9049	1541	8	30902	36049	36219	72268	51791	1910
1911	4,751,132	62274	59576	121850	9200	1552	11	31844	35823	35909	71732	50118	1911
1912	4,741,077	62931	59859	122790	8989	1524	13	32506	36072	36268	72340	50450	1912
1913	4,728,132	61464	59052	120516	8548	1527	21	33691	36504	36565	73069	47447	1913

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1913.

Year.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	Year
	Births.	Marriages.	Deaths.							
			Total.	Males.	Fem.					
1855	31·346	6·608	20·820	21·62	20·03	7·88	104·9	...	125·2	1855
1856	33·988	6·923	19·537	20·65	18·50	8·54	105·3	1·27	118·4	1856
1857	34·331	7·094	20·551	21·61	19·58	8·58	105·7	1·29	117·9	1857
1858	34·356	6·492	20·986	22·02	20·05	8·99	106·6	1·25	121·3	1858
1859	35·026	6·969	20·288	21·20	19·40	9·12	105·2	1·28	108·2	1859
1860	35·578	6·948	22·316	23·21	21·50	9·22	106·2	1·22	127·0	1860
1861	34·863	6·808	20·310	21·25	19·46	9·28	104·2	1·20	110·9	1861
1862	34·561	6·648	21·690	22·60	20·87	9·69	106·6	1·23	117·3	1862
1863	34·968	7·160	22·860	24·02	21·81	10·01	105·8	1·18	120·0	1863
1864	35·594	7·200	23·579	24·70	22·56	9·97	104·4	1·21	126·2	1864
1865	35·496	7·412	22·255	23·25	21·35	9·96	106·1	1·23	124·7	1865
1866	35·354	7·367	22·191	23·13	21·34	10·27	105·5	1·23	122·4	1866
1867	35·063	6·970	21·284	22·26	20·40	9·78	105·4	1·22	118·6	1867
1868	35·267	6·673	21·193	22·22	20·25	9·83	105·2	1·28	117·7	1868
1869	34·288	6·698	22·951	24·04	21·96	9·76	105·9	1·27	129·3	1869
1870	34·582	7·149	22·227	23·17	21·37	9·63	104·4	1·22	122·8	1870

TABLE 2—*continued.*

Year.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	Year
	Births.	Marriages.	Deaths.							
			Total.	Males.	Fem.					
1871	34·470	7·130	22·177	22·90	21·51	9·54	107·0	1·15	130·3	1871
1872	34·882	7·531	22·261	23·33	21·00	9·20	106·6	1·19	123·9	1872
1873	34·786	7·773	22·361	23·72	21·11	9·13	105·5	1·20	124·9	1873
1874	35·573	7·588	23·211	24·44	22·08	8·88	105·8	1·25	124·9	1874
1875	35·160	7·390	23·264	23·94	22·63	8·73	105·5	1·22	132·1	1875
1876	35·621	7·482	20·869	21·96	19·86	8·72	105·0	1·19	121·2	1876
1877	35·326	7·191	20·595	21·57	19·69	8·33	105·4	1·15	114·9	1877
1878	34·940	6·713	21·165	22·02	20·37	8·39	105·9	1·10	123·0	1878
1879	34·288	6·414	20·002	20·58	19·47	8·53	104·8	1·18	107·9	1879
1880	33·613	6·612	20·454	21·33	19·64	8·50	104·9	1·17	124·6	1880
1881	33·712	6·948	19·325	20·02	18·68	8·31	105·3	1·15	112·5	1881
1882	33·458	7·053	19·357	19·98	18·77	8·36	104·6	1·14	118·0	1882
1883	32·761	7·073	20·240	20·90	19·61	8·13	105·4	1·13	119·0	1883
1884	33·745	6·821	19·639	20·32	18·97	8·08	105·7	1·16	117·9	1884
1885	32·700	6·562	19·347	19·83	18·87	8·47	104·9	1·15	120·5	1885
1886	32·918	6·310	18·954	19·40	18·50	8·21	106·3	1·06	115·7	1886
1887	31·785	6·355	19·044	19·44	18·63	8·34	105·4	1·10	122·2	1887
1888	31·257	6·417	18·048	18·32	17·75	8·09	105·0	1·14	113·1	1888
1889	30·902	6·630	18·433	18·88	17·96	7·96	106·4	1·18	121·3	1889
1890	30·358	6·862	19·736	20·26	19·25	7·60	104·8	1·19	130·6	1890
1891	31·214	6·929	20·706	21·11	20·33	7·66	105·8	1·11	127·9	1891
1892	30·656	7·029	18·521	19·01	18·06	7·40	106·0	1·20	117·5	1892
1893	30·837	6·585	19·328	19·87	18·82	7·45	104·7	1·18	136·0	1893
1894	29·856	6·627	17·071	17·45	16·72	7·29	105·5	1·19	116·7	1894
1895	30·049	6·752	19·444	19·95	18·96	7·28	105·0	1·08	133·4	1895
1896	30·364	7·115	16·614	17·14	16·12	7·27	105·2	1·19	115·5	1896
1897	29·977	7·222	18·409	18·96	17·89	7·04	104·4	1·09	137·9	1897
1898	30·120	7·391	18·045	18·67	17·46	6·78	104·3	1·13	134·2	1898
1899	29·776	7·511	18·128	18·72	17·57	6·49	104·4	1·14	131·0	1899
1900	29·615	7·312	18·548	19·15	17·98	6·49	104·5	1·20	128·5	1900
1901	29·513	7·007	17·885	18·47	17·33	6·32	105·1	1·19	129·4	1901
1902	29·346	7·080	17·292	17·89	16·73	6·28	104·0	1·26	113·4	1902
1903	29·440	7·133	16·757	17·31	16·24	6·21	104·0	1·23	117·5	1903
1904	29·054	7·071	17·086	17·53	16·67	6·79	104·6	1·24	123·1	1904
1905	28·613	6·809	16·229	16·68	15·81	6·91	103·2	1·26	116·2	1905
1906	28·563	7·171	16·366	16·82	15·94	7·05	104·5	1·18	115·0	1906
1907	27·705	7·160	16·621	16·94	16·32	6·82	104·7	1·33	109·7	1907
1908	28·071	6·754	16·633	17·11	16·18	6·94	103·5	1·30	121·0	1908
1909	27·324	6·394	15·849	16·24	15·48	7·28	104·4	1·29	107·7	1909
1910	26·180	6·521	15·251	15·68	14·84	7·29	103·7	1·26	108·3	1910
1911	25·647	6·702	15·098	15·55	14·67	7·55	104·5	1·30	112·5	1911
1912	25·899	6·856	15·258	15·69	14·85	7·32	105·1	1·27	105·5	1912
1913	25·489	7·126	15·454	15·92	15·02	7·09	104·1	1·30	109·6	1913

TABLE 3.—Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each Year, during each Quarter of the Years 1903 to 1913 inclusive.

	1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.		1912.		Mean for Ten Years.	1913.	
	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.		No.	Per 1000 of Pop.
FIRST QUARTER.																							
Births,	32109	28·7	32894	28·9	32004	28·3	32976	29·0	31508	27·5	32503	27·9	32373	27·9	30422	26·1	30710	26·1	30272	25·6	*27·6*	29825	25·6
Deaths,	20931	18·7	22240	19·6	20820	18·4	20488	18·0	22635	19·8	23997	20·6	21469	18·5	20605	17·7	19794	16·9	20671	17·5	*18·6*	21270	18·2
Marriages,	7727	6·9	7619	6·7	6867	6·1	7302	6·4	7268	6·3	7591	6·5	7111	6·1	7317	6·3	6758	5·8	6994	5·9	*6·3*	7841	6·7
Mean Temp.	39°·9		37°·9		40°·2		37°·9		39°·0		38°·8		37°·9		38°·7		39°·4		39°·4		*38°·9*	38°·9	
SECOND QUARTER.																							
Births,	36377	32·2	35082	30·9	35476	31·0	34960	30·4	34511	29·8	35611	30·5	34671	29·6	33812	28·6	32935	27·7	32221	27·3	*29·8*	32198	27·3
Deaths,	19020	16·8	19519	17·2	18763	16·4	19306	16·8	20119	17·4	19499	16·7	18478	15·8	18593	15·8	18029	15·2	17728	15·0	*16·3*	18143	15·4
Marriages,	8515	7·5	8347	7·3	8153	7·1	8699	7·6	8864	7·7	8813	7·6	8171	7·0	7928	6·7	8567	7·2	8209	7·0	*7·3*	8503	7·2
Mean Temp.	47°·9		49°·3		49°·2		48°·7		47°·4		48°·9		48°·6		48°·7		50°·3		49°·8		*48°·9*	49°·1	
THIRD QUARTER.																							
Births,	32928	28·8	32967	28·7	33044	28·6	32109	27·6	31427	26·8	32612	27·7	31186	26·3	30061	25·2	29653	24·7	30166	25·3	*27·0*	29487	24·7
Deaths,	16609	14·5	16882	14·7	16412	14·2	16439	14·1	15721	13·4	16325	13·9	14964	12·6	15331	12·8	16149	13·4	15219	12·8	*13·6*	16194	13·6
Marriages,	8235	7·2	8118	7·1	8178	7·1	8576	7·4	8994	7·7	8044	6·8	7777	6·6	7975	6·7	8434	7·0	8778	7·4	*7·1*	9037	7·6
Mean Temp.	54°·2		55°·4		55°·6		56°·0		54°·2		55°·2		54°·5		55°·1		57°·1		53°·1		*55°·0*	55°·6	
FOURTH QUARTER.																							
Births,	32085	28·1	31627	27·5	30857	26·7	31875	27·4	31343	26·8	30611	26·0	30352	25·6	29705	24·9	28513	23·7	30057	25·2	*26·2*	29006	24·3
Deaths,	19413	17·0	19320	16·8	18531	16·0	19352	16·6	18792	16·0	18018	15·3	19683	16·6	17716	14·8	17760	14·8	18719	15·7	*16·0*	17462	14·6
Marriages,	7843	6·9	8169	7·1	8045	7·0	8546	7·3	8134	6·9	7135	6·1	7033	5·9	7646	6·4	8052	6·7	8529	7·1	*6·7*	8310	7·0
Mean Temp.	41°·7		42°·5		41°·9		43°·2		42°·5		45°·3		40°·7		42°·3		42°·3		42°·4		*42°·5*	44°·3	
YEAR.																							
Population,	4535513		4563985		4592636		4621466		4650478		4679671		4709048		4738611		4751132		4741077			4728132	
Births,	133499	29·4	132570	29·0	131381	28·6	131920	28·5	128789	27·7	131337	28·1	128582	27·3	124000	26·2	121811	25·6	122716	25·9	*27·6*	120516	25·5
Deaths,	75973	16·8	77961	17·1	74526	16·2	75585	16·4	77267	16·6	77839	16·6	74594	15·8	72245	15·3	71732	15·1	72337	15·3	*16·1*	73069	15·5
Marriages,	32320	7·1	32253	7·1	31243	6·8	33123	7·2	33260	7·2	31583	6·8	30092	6·4	30866	6·5	31811	6·7	32516	6·9	*6·9*	33691	7·1

Figures in this Table are mainly compiled from the Quarterly Returns, and totals do not exactly correspond with those given elsewhere in this Report.

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Groups of Districts and Larger Burghs, in 1913.

	Estimated Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution		
SCOTLAND . .	**4,728,132**	**25·49**	**7·13**	**15·45**	**15·45**	**15·45**	**7·09**	**109·6**
LARGER BURGHS* .	2,261,710	26·22	8·60	16·46	16·36	17·47	6·67	125·2
SMALLER BURGHS*	946,518	24·35	7·16	14·90	15·42	15·02	7·02	98·8
COUNTY DISTRICTS	1,519,904	25·10	4·92	14·30	14·12	13·21	7·80	92·0
Glasgow . .	1,029,478	27·9	9·5	17·3	17·2	18·9	6·4	129
Edinburgh . .	320,581	19·5	9·2	15·6	14·4	14·9	7·5	101
Dundee . . .	164,975	24·6	7·9	17·8	17·6	18·2	8·5	162
Aberdeen . .	161,242	23·9	8·4	17·4	17·7	18·0	10·6	153
Paisley . . .	85,439	25·7	7·6	15·0	15·3	16·9	5·4	118
Leith . . .	80,028	26·6	6·7	14·1	15·8	16·5	6·1	120
Greenock . .	77,156	31·0	7·0	18·9	18·2	18·5	5·3	116
Coatbridge . .	43,189	32·2	5·5	16·4	16·7	18·1	5·6	126
Motherwell . .	41,109	32·9	6·3	12·5	13·8	15·6	3·1	101
Kirkcaldy . .	40.468	24·3	6·6	13·2	14·7	15·0	5·4	122
Hamilton . .	38,600	32·6	7·7	14·0	15·3	16·5	4·8	114
Clydebank . .	42,510	34·0	5·5	10·5	12·7	14·7	2·6	109
Perth . . .	34,704	19·8	8·7	16·8	15·1	14·8	7·1	115
Kilmarnock . .	35,065	25·1	7·8	12·5	12·2	13·3	7·6	79
Falkirk . . .	33,816	26·5	6·2	14·3	14·0	15·3	5·8	95
Ayr . . .	33,350	25·5	7·9	17·6	15·5	15·7	10·1	98

* The term "Larger Burghs" in this and other Tables means Burghs with censal populations exceeding 30,000, and "Smaller Burghs" means Burghs with censal populations of less than that amount.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Smaller Burghs of Scotland in 1913.

Burghs.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
Aberchirder	991	36·3	2·0	36·3	37·3	28·6	27·8	278
Aberfeldy	1,554	16·1	5·1	12·9	14·8	12·8	4·0	0
Aberlour (*vide* Charlestown of Aberlour)								
Abernethy	565	14·2	17·7	8·8	10·6	8·1	0·0	0
Airdrie	23,981	31·7	9·1	12·8	14·3	15·8	5·1	82
Alloa	11,544	25·3	7·7	12·2	13·7	14·7	5·8	86
Alva	4,116	21·9	8·7	16·5	18·7	17·3	8·9	67
Alyth	1,771	16·9	10·2	18·1	20·9	17·2	16·7	100
Annan	4,050	20·5	6·9	17·5	18·8	18·1	14·5	96
Anstruther-Easter	1,097	11·9	6·4	10·0	10·9	10·3	7·7	77
Anstruther-Wester	543	12·9	1·8	5·5	7·4	6·2	0·0	143
Arbroath	19,536	20·3	6·1	18·8	19·2	17·5	7·1	88
Ardrossan	5,488	27·5	5·6	13·7	15·3	16·1	5·4	126
Armadale	4,749	33·3	5·5	12·6	15·0	16·3	4·4	184
Auchterarder	2,210	17·6	5·4	14·0	14·9	12·4	12·8	128
Auchtermuchty	1,349	8·9	5·2	14·8	15·6	11·1	8·3	0
Ballater	1,195	21·8	4·2	13·4	14·2	12·7	15·4	115
Banchory	1,610	16·1	6·8	10·6	14·3	12·9	11·5	38
Banff	3,705	22·1	13·0	18·1	15·1	13·1	9·8	73
Barrhead	11,316	28·5	6·7	13·7	15·1	16·9	4·3	108
Bathgate	8,247	31·0	8·2	12·5	14·9	16·2	2·7	129
Biggar	1,270	12·6	6·3	15·0	13·4	10·8	0·0	0
Blairgowrie	3,106	18·0	7·1	23·2	22·2	18·0	17·9	143
Bonnyrigg	2,858	22·4	3·8	8·0	10·1	10·0	3·1	31
Borrowstounness	10,815	28·8	4·6	11·9	12·9	14·2	3·8	93
Brechin	8,031	17·8	7·5	14·2	15·1	13·4	11·9	77
Bridge-of-Allan	2,985	12·1	6·7	12·7	13·1	11·7	2·8	28
Broughty-Ferry	10,791	17·5	5·0	10·7	12·5	12·2	4·8	90
Buckhaven, Methil, and Innerleven	16,030	32·0	4·8	12·2	13·2	14·7	6·0	115
Buckie	8,889	34·0	6·4	10·8	12·0	11·9	9·6	79
Burghead	1,539	22·1	3·9	22·1	24·7	22·5	2·9	294
Burntisland	4,729	19·9	4·0	12·3	14·0	13·9	5·3	96
Callander	1,460	12·3	6·2	13·7	16·4	14·5	5·6	56
Campbeltown	7,211	24·1	6·0	15·4	15·0	13·8	13·2	92
Carnoustie	5,202	17·9	4·6	10·4	12·1	10·3	7·5	22
Castle-Douglas	2,909	15·8	3·8	14·8	14·1	12·9	13·0	43
Charlestown of Aberlour	1,247	16·0	8·0	16·8	17·6	19·0	10·0	50
Cockenzie and Port-Seton	2,470	40·1	6·1	14·2	17·0	16·7	1·0	81
Coldstream	1,303	18·4	9·2	20·7	22·3	18·1	12·5	125
Coupar-Angus	2,028	25·1	4·9	15·3	15·3	12·3	17·6	39
Cove and Kilcreggan	813	12·3	3·7	20·9	18·5	15·0	10·0	0
Cowdenbeath	14,769	31·9	6·0	10·7	13·0	14·5	2·8	117
Crail	1,020	15·7	15·7	11·8	11·8	9·4	0·0	0
Crieff	5,453	14·9	6·1	13·4	14·3	12·6	8·6	111
Cromarty	1,831	16·4	4·9	18·6	18·6	21·7	3·3	67
Cullen	1,933	22·8	6·7	11·9	11·4	9·6	9·1	91
Culross	464	40·9	17·2	8·6	19·4	13·4	5·3	53
Cumnock and Holmhead	3,367	31·2	9·8	13·7	13·4	12·4	2·9	57
Cupar	4,197	15·5	9·5	15·5	15·7	12·4	12·3	77
Dalbeattie	3,214	20·5	5·9	12·4	13·1	11·9	16·7	76
Dalkeith	6,819	26·8	9·8	16·7	18·0	17·2	7·1	153
Darvel	3,576	23·2	8·1	11·7	13·4	14·9	3·6	84
Denny and Dunipace	4,954	31·9	6·9	13·1	12·9	14·0	6·3	82
Dingwall	2,572	18·3	12·4	18·7	15·2	13·6	10·6	106

TABLE 5—*continued.*

Burghs.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
Dollar	1,418	10·6	8·5	18·3	18·3	16·0	6·7	67
Dornoch	740	18·9	1·4	16·2	14·9	13·5	14·3	0
Doune	854	15·2	12·9	14·1	14·1	13·0	7·7	0
Dufftown	1,526	19·7	8·5	15·1	15·1	11·1	20·0	67
Dumbarton	21,646	29·2	5·2	15·2	14·4	15·4	6·6	85
Dumfries	15,554	21·2	9·1	22·3	19·0	19·6	8·5	167
Dunbar	3,176	18·6	8·2	10·1	12·9	12·2	8·5	85
Dunblane	2,973	18·5	6·7	13·5	14·8	13·7	14·5	109
Dunfermline	28,861	23·3	7·8	16·4	13·6	13·9	3·9	85
Dunipace (*vide* Denny and Dunipace)								
Dunoon	6,634	16·7	4·5	20·2	17·5	14·4	9·9	99
Duns	1,967	12·2	5·1	15·8	17·3	14·0	8·3	42
Dysart	4,186	32·5	8·8	16·2	17·9	17·5	8·8	81
Earlsferry	312	9·6	0·0	12·8	16·0	13·8	0·0	0
East Linton	838	10·7	2·4	25·1	14·3	10·8	11·1	111
Elgin	8,404	22·1	11·3	16·5	14·6	12·7	18·3	97
Elie, Liberty, and Williamsburgh	668	15·0	1·5	22·5	22·5	18·5	0·0	0
Ellon	1,213	27·2	35·4	16·5	18·1	14·9	21·2	121
Eyemouth	2,381	24·8	5·5	15·1	15·5	15·2	3·4	68
Falkland	805	16·1	7·5	12·4	14·9	11·3	0·0	0
Forfar	10,345	18·8	6·8	16·0	15·9	14·8	11·3	67
Forres	4,212	18·0	10·0	14·2	15·0	12·5	15·8	105
Fortrose	915	15·3	2·2	28·4	21·9	15·6	7·1	0
Fort-William	1,913	20·9	5·2	18·3	18·3	16·7	7·5	50
Fraserburgh	10,518	32·7	7·3	13·1	13·8	14·3	9·9	108
Galashiels	14,216	18·3	5·9	14·3	14·4	14·7	11·2	100
Galston	5,199	25·6	10·6	13·3	13·7	15·1	6·8	83
Gatehouse	999	17·0	2·0	22·0	22·0	15·6	5·9	0
Girvan	4,412	21·5	4·3	14·3	14·5	12·6	5·3	116
Gourock	7,652	24·0	4·1	11·0	13·1	13·3	3·3	92
Grangemouth	10,123	27·3	5·3	12·4	14·1	15·7	4·3	91
Grantown-on-Spey	1,375	19·6	10·9	16·7	16·7	15·2	14·8	185
Greenholm (*vide* Newmilns and Greenholm)								
Haddington	4,025	15·7	4·5	21·4	17·9	16·6	6·3	159
Hawick	16,188	17·7	6·1	15·4	15·6	15·7	8·0	94
Helensburgh	8,221	19·1	4·9	14·6	15·3	14·1	5·1	76
Holmhead (*vide* Cumnock and Holmhead)								
Huntly	4,100	27·6	15·4	18·0	18·5	15·8	15·0	106
Innerleithen	2,536	15·0	6·7	11·8	14·6	14·1	5·3	79
Innerleven (*vide* Buckhaven, Methil, and Innerleven)								
Inveraray	482	6·2	10·4	24·9	24·9	17·7	0·0	333
Inverbervie	1,124	17·8	8·0	15·1	16·9	14·8	25·0	150
Invergordon	1,015	18·7	11·8	28·6	28·6	23·4	21·1	53
Inverkeithing	3,462	30·3	4·6	10·1	15·0	15·1	5·7	95
Inverness	21,243	21·8	11·3	19·2	18·9	17·5	10·4	106
Inverurie	4,016	21·2	12·0	14·2	14·2	12·7	15·3	106
Irvine	9,940	28·5	6·4	16·0	17·6	17·8	4·9	124
Jedburgh	2,571	14·8	6·2	21·0	21·4	20·3	13·1	79
Johnstone	11,812	28·2	8·0	13·8	15·8	17·5	3·9	114

TABLE 5—*continued.*

Burghs.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
Keith	4,285	19·1	6·8	14·7	16·1	13·7	15·9	110
Kelso	3,835	20·6	6·8	20·9	19·6	17·0	1·3	101
Kilcreggan and Cove (*vide* Cove and Kilcreggan)								
Kilrenny	2,469	20·3	4·9	14·6	15·8	14·4	2·0	120
Kilsyth	7,996	31·8	7·3	12·9	13·8	14·6	2·8	138
Kilwinning	4,852	36·5	7·4	14·8	17·3	18·0	4·5	90
Kinghorn	1,494	26·1	7·4	19·4	22·1	21·1	5·1	103
Kingussie	1,169	9·4	4·3	14·5	13·7	13·6	0·0	0
Kinross	2,621	23·7	6·9	14·9	16·4	14·4	10·9	78
Kintore	796	20·1	7·5	5·0	7·5	6·2	18·7	0
Kirkcudbright	2,087	16·3	8·1	19·2	21·6	18·1	20·6	147
Kirkintilloch	11,820	32·4	5·0	17·8	17·1	17·6	4·2	117
Kirkwall	3,696	17·6	7·8	14·9	14·3	11·6	10·8	77
Kirriemuir	3,573	12·0	6·2	17·4	20·7	17·6	9·3	116
Ladybank and Monkston	1,205	20·7	3·3	15·8	20·7	17·1	0·0	80
Lanark	5,809	19·1	7·2	16·7	16·0	15·6	5·4	99
Langholm	2,781	17·3	5·0	23·4	24·1	21·0	16·7	42
Largs	3,674	11·7	3·5	13·6	13·6	11·8	4·7	93
Lasswade	851	17·6	4·7	17·6	18·8	19·3	26·7	333
Lauder	621	16·1	3·2	24·2	24·2	19·3	0·0	200
Laurencekirk	1,371	18·2	6·6	26·3	28·4	18·7	16·0	320
Lerwick	4,583	18·5	19·0	16·6	17·5	14·4	4·7	71
Leslie	2,084	25·9	10·6	11·5	13·4	11·6	3·7	74
Leven	6,540	27·2	9·0	11·6	14·1	15·0	5·6	62
Liberty (*vide* Elie, Liberty, and Williamsburgh)								
Linlithgow	3,801	24·2	8·4	11·0	13·2	13·0	5·4	76
Loanhead	3,462	28·6	7·8	11·0	11·6	12·4	2·0	141
Lochgelly	10,526	32·7	7·9	10·5	12·4	13·4	4·1	90
Lochgilphead	804	13·7	7·5	13·7	17·4	13·0	27·3	91
Lochmaben	1,020	17·6	8·8	26·5	25·5	20·6	16·7	111
Lockerbie	2,388	21·4	7·1	15·5	15·9	14·2	3·9	59
Lossiemouth	4,125	29·8	5·1	12·8	14·1	13·5	8·1	65
Macduff	3,286	29·8	6·4	14·9	16·4	13·2	15·3	112
Markinch	1,614	20·4	13·6	13·6	16·1	13·9	0·0	61
Maybole	4,498	19·1	6·9	19·1	20·0	19·4	4·7	186
Maxwelltown	6,068	19 3	5·9	10·9	13·2	13·5	6·8	103
Melrose	2,083	12·5	5·8	22·6	14·4	12·2	0·0	38
Methil (*vide* Buckhaven, Methil, and Innerleven)								
Millport	1,545	16·2	3·9	14·2	12·9	10·6	0·0	120
Milngavie	4,553	21·3	4·6	13·0	14·1	14·8	3·1	62
Moffat	1,989	12·6	6·0	15·1	18·6	15·8	8·0	80
Monifieth	3,198	21·9	5·0	11·6	12·8	12·1	7·1	29
Monkston (*vide* Ladybank and Monkston)								
Montrose	10,270	18·5	7·3	18·7	17·7	14·8	7·9	79
Musselburgh	16,258	31·0	7·4	14·8	16·4	17·4	6·7	123
Nairn	4,535	18·5	11·2	13·0	14·3	12·9	9·5	107
Newburgh	1,923	16·6	1·0	14·0	16·6	12·7	6·3	31
New Galloway	334	29·9	3·0	18·0	21·0	17·4	20·0	0
Newmilns and Greenholm	4,709	20·8	7·4	10·0	10·6	11·2	4·1	61

TABLE 5—*continued.*

Burghs.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
Newport	3,468	12·7	4·0	11·8	14·1	12·1	2·3	45
Newton-Stewart	1,959	23·0	9·7	13·8	12·8	11·3	15·6	22
North Berwick	3,206	17·8	5·0	10·3	10·9	11·3	5·3	53
Oban	5,388	19·7	9·8	23·8	20·6	19·9	10·4	113
Old Meldrum	1,052	29·5	9·5	24·7	25·7	18·8	32·3	258
Peebles	5,451	18·2	5·3	14·9	15·2	14·9	17·2	81
Penicuik	2,625	25·1	15·2	10·3	11·4	11·3	4·5	15
Peterhead	13,526	29·7	7·1	14·6	14·4	14·3	8·2	117
Pittenweem	1,827	26·3	5·5	15·3	15·9	14·3	14·6	125
Port-Glasgow	17,314	36·4	9·5	18·7	20·2	22·0	2·5	116
Portknockie	1,717	24·5	2·9	14·0	14·6	15·4	0·0	119
Port-Seton (*vide* Cockenzie and Port-Seton)								
Portsoy	1,898	26·3	11·6	17·4	15·3	12·2	16·0	58
Prestonpans	1,898	29·5	2·6	14·2	19·5	18·9	1·8	125
Prestwick	5,069	16·2	3·0	9·9	11·6	11·0	4·9	85
Queensferry	3,419	18·1	2·9	9·1	11·1	16·3	3·2	145
Rattray	1,606	24·3	4·4	14·3	18·1	14·9	17·9	77
Renfrew	12,830	29·1	4·3	10·9	13·4	15·1	3·2	88
Rosehearty	1,289	27·2	7·0	13·2	15·5	13·0	5·7	143
Rothes	1,243	20·9	9·7	20·1	22·5	17·9	26·9	77
Rothesay	8,951	16·0	4·1	18·1	16·2	14·5	9·8	126
Rutherglen	24,701	27·2	8·3	10·8	13·4	14·8	4·3	89
St. Andrews	7,623	16·3	4·3	11·4	11·5	11·6	8·9	89
Saltcoats	8,382	28·6	7·9	13·7	15·9	15·6	4·2	104
Sanquhar	1,484	33·0	10·1	10·8	11·5	11·3	6·1	82
Selkirk	5,728	16·2	5·9	10·5	12·0	11·7	5·4	22
Stewarton	2,723	23·9	8·8	12·5	15·4	14·7	7·7	31
Stirling	21,057	26·6	9·5	16·1	14·5	14·7	7·8	93
Stonehaven	4,048	19·0	7·2	20·5	18·5	13·8	15·6	26
Stornoway	3,654	15·9	4·1	14·8	15·1	14·2	10·3	69
Stranraer	6,305	24·6	4·8	17·9	16·3	14·6	11·6	90
Stromness	1,562	16·6	7·7	15·4	16·0	12·9	11·5	38
Tain	1,533	21·5	20·2	15·7	17·0	13·5	6·1	30
Tayport	3,145	16·9	5·7	17·8	19·1	16·6	13·2	132
Thurso.	3,132	22·0	8·0	22·3	22·7	17·8	31·9	145
Tillicoultry	2,944	21·7	7·8	20·4	23·4	21·1	4·7	109
Tobermory	913	17·5	2·2	19·7	21·9	16·3	6·2	0
Tranent	4.563	37·7	9·2	14·5	17·5	18·3	3·5	140
Troon	6,799	19·3	4·3	9·3	10·3	11·2	8·4	69
Turriff	2,279	23·7	20·2	15·8	15·4	11·9	14·8	74
Whitburn	1,904	34·7	5·8	8·4	9·5	10·2	1·5	76
Whithorn	1,125	15·1	6·2	16·9	18·7	13·9	5·9	0
Wick	8,956	27·6	5·2	15·7	16·5	15·1	8·5	138
Wigtown	1,318	22·8	2·3	15·2	16·7	14·0	13·3	133
Williamsburgh (*vide* Elie, Liberty, and Williamsburgh)								
Wishaw	25,322	34·2	6·2	13·0	14·2	15·4	5·4	120

TABLE 6.—Birth-, Death-, and Marriage-rates in the County Districts of Scotland in 1913.

County Districts.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Marriage.	Death.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
ABERDEEN COUNTY—								
Aberdeen	22,318	20·3	3·3	22·7	13·6	12·0	11·9	95
Alford	8,988	24·6	3·9	11·2	12·9	11·2	22·2	86
Deer	27,127	25·3	5·1	14·4	14·7	12·5	17·6	95
Deeside	11,684	18·4	3·5	11·6	12·7	10·7	16·3	74
Ellon	13,207	27·8	3·1	11·1	12·2	10·7	20·7	93
Garioch	13,327	25·4	4·4	12·8	14·1	12·3	18·6	103
Huntly	6,562	28·3	1·8	16·2	16·8	14·2	22·0	124
Turriff	10,733	26·4	5·2	12·7	13·5	11·7	21·9	85
ARGYLL COUNTY—								
Ardnamurchan	2,633	15·6	2·3	15·6	16·7	12·2	12·2	49
Cowal	7,024	17·2	3·1	16·9	17·8	15·1	7·4	91
Islay	6,731	16·3	2·1	16·8	17·8	14·2	20·9	55
Kintyre	6,321	22·0	3·6	11·7	13·8	12·3	15·1	65
Lorn	9,692	19·9	3·7	12·9	14·5	12·2	5·7	47
Mid-Argyll	6,751	14·7	2·2	20·1	15·1	12·3	4·0	51
Mull	5,042	13·1	2·0	15·9	16·9	12·1	10·6	15
AYR COUNTY—								
Ayr	41,383	30·9	6·1	13·9	13·9	14·4	8·2	99
Carrick	12,629	24·4	4·4	11·6	13·2	12·6	14·3	68
Kilmarnock	23,040	26·0	5·4	13·5	14·5	14·8	5·8	93
Northern	45,738	26·6	6·2	14·6	14·0	14·1	5·6	89
BANFF COUNTY—								
Banff	18,001	25·6	4·9	12·3	12·7	11·5	13·7	111
Keith	11,733	25·9	3·0	10·8	11·5	9·6	17·8	36
BERWICK COUNTY—								
East	8,621	19·3	5·6	13·3	14·2	12·5	7·8	96
Middle	8,007	18·4	5·9	11·5	13·2	11·8	8·2	68
West	5,437	19·5	6·4	11·4	12·9	11·8	14·2	66
BUTE COUNTY—								
Arran	4,419	11·1	3·6	17·9	17·7	13·9	6·1	20
Bute	2,408	16·6	6·6	9·6	10·4	9·0	10·0	25
Cumbrae*	8 9	—	—	—	—	—	—	—
CAITHNESS COUNTY—								
Caithness	18,386	19·9	3·0	18·6	18·7	13·2	14·2	90
CLACKMANNAN COUNTY—								
Clackmannan	9,800	25·7	6·1	14·9	14·9	15·0	5·2	91
DUMBARTON COUNTY—								
Eastern	22,560	25·7	5·4	18·0	13·5	14·0	5·2	102
Western	27,347	23·9	6·9	12·7	14·2	14·9	5·5	92
DUMFRIES COUNTY—								
Annan	10,076	23·0	5·4	14·9	15·9	14·5	13·8	82
Dumfries	8,316	20·7	5·4	20·1	13·8	11·6	11·6	99
Langholm	3,086	20·4	5·5	17·8	19·8	16·8	11·1	159
Lockerbie	8,167	22·5	7·0	15·1	14·7	13·3	12·5	109
Thornhill	11,392	21·7	5·4	15·8	17·1	15·5	9·7	97
EDINBURGH COUNTY—								
Calder	18,273	29·7	5·9	12·7	14·9	15·5	5·5	107
Gala-Water	6,632	24·7	7·1	13·4	15·7	14·9	4·9	98
Lasswade	24.129	29·8	4·6	14·7	14·0	14·1	5·3	121
Suburban	23,986	19·0	4·1	17·8	12·4	12·3	6·4	105

* The population of this District is too small for the calculation of significant rates.

TABLE 6—*continued.*

County Districts.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Marriage.	Death.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
Elgin County—								
Elgin	20,694	23·0	3·8	14·7	14·8	12·7	15·6	101
Fife County—								
Cupar	15,087	18·6	4·7	17·3	15·2	12·4	8·2	61
Dunfermline	30,616	31·4	6·5	12·9	14·4	15·0	4·2	81
Kirkcaldy	42,393	31·9	5·9	13·0	12·0	12·5	4·8	98
St. Andrews	14,974	18·8	5·1	12·2	13·4	12·6	6·4	89
Forfar County—								
Arbroath	8,028	23·9	3·5	14·6	15·2	13·4	11·5	57
Brechin	12,252	20·9	3·5	16·0	13·1	11·5	11·7	94
Dundee	9,437	19·2	3·5	17·8	12·0	11·1	9·4	94
Forfar	10,612	19·9	3·7	14·5	15·2	12·5	10·9	33
Haddington County—								
Eastern	5,911	21·0	4·9	11·5	12·4	12·1	16·1	56
Western	16,633	24·0	4·6	10·2	11·3	11·7	4·3	100
Inverness County—								
Inverness	8,791	19·9	1·3	15·0	10·4	9·1	5·1	74
Aird	8,419	17·5	1·8	11·8	12·8	10·0	6·8	61
Badenoch	6,263	17·1	3·2	17·6	17·9	14·3	18·7	75
Lochaber	6,703	17·8	2·8	13·3	14·6	11·8	7·6	67
Skye	12,565	18·1	2·7	16·9	17·3	12·1	5·3	70
Harris	5,295	20·8	3·8	16·1	16·2	12·7	6·4	100
North Uist	3,501	21·7	2·9	16·9	18·3	13·4	7·9	26
South Uist	7,707	20·9	2·6	19·5	19·9	15·9	12·4	143
Kincardine County—								
Laurencekirk	4,451	27·0	3·8	13·3	13·5	11·5	8·3	133
Lower Deeside	3,736	18·2	4·8	14·2	15·0	14·1	16·2	88
St. Cyrus	4,533	21·4	5·7	15·9	17·0	14·7	12·4	124
Stonehaven	4,279	27·8	4·9	13·6	14·0	12·2	16·0	59
Upper Deeside	2,958	22·7	3·0	16·2	17·6	15·3	14·9	104
Kinross County—								
Kinross	4,758	22·1	3·6	14·5	14·9	12·8	12·4	57
Kirkcudbright C'nty.								
Eastern	7,183	18·5	4·0	13·6	15·2	13·3	6·8	60
Northern	2,690	20·8	8·9	15·2	16·4	13·9	1·8	107
Southern	7,945	23·3	7·3	13·3	14·7	13·5	14·6	76
Western	3,360	19·0	3·9	10·1	12·2	11·6	9·4	78
Lanark County—								
Upper Ward	29,127	24·6	4·1	14·7	12·3	13·1	4·0	85
Middle Ward	200,706	34·5	6·6	14·6	15·0	16·0	4·6	123
Lower Ward	42,072	27·3	5·8	12·4	12·6	12·7	6·8	73
Linlithgow County—								
Bathgate	32,014	34·7	5·3	10·6	12·6	13·4	5·3	88
Linlithgow	15,177	31·2	4·3	19·4	12·1	12·4	7·0	97
Nairn County—								
Nairn	4,461	20·8	3·1	12·3	12·6	11·0	7·5	129
Orkney County—								
Mainland	8,792	15·9	5·8	15·0	15·5	11·4	4·3	50
North Isles	6,681	21·6	5·4	11·1	11·8	8·3	6·9	42
South Ronaldshay	2,243	24·1	6·7	27·6	28·1	18·7	5·6	167
Walls	1,539	19·5	2·6	9·1	9·1	6·2	0·0	0

TABLE 6—*continued.*

County Districts.	Population.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Birth.	Marriage.	Death.				
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.		
PEEBLES COUNTY—								
Peebles . . .	6,773	17·3	4·3	10·2	10·9	10·4	9·4	34
PERTH COUNTY—								
Blairgowrie . .	9,453	18·2	3·6	11·3	13·4	11·8	5·2	81
Central . . .	9,901	21·7	4·1	15·0	16·1	13·8	13·5	56
Highland . . .	12,337	13·5	2·1	14·3	12·8	10·6	7·2	42
Perth . . .	20,151	21·7	4·9	13·8	15·1	13·2	10·5	69
Western . . .	9,762	18·4	4·8	11·2	12·1	11·6	8·9	89
RENFREW COUNTY—								
Upper Ward . .	35,341	22·5	4·8	18·1	11·7	12·6	4·4	82
Lower Ward . .	23,286	20·0	4·6	11·9	11·9	12·5	4·3	73
ROSS & CROMARTY C'NTY.								
Black Isle . .	8,479	13·4	1·7	9·9	11·1	12·3	7·9	35
Easter Ross . .	9,845	18·7	2·7	17·8	18·4	14·0	8·7	87
Lews . . .	25,041	24·5	3·6	13·4	13·6	11·4	2·3	47
Mid-Ross . . .	11,235	17·4	3·0	17·3	18·3	13·3	12·2	61
South-Western . .	3,389	20·1	4·4	13·0	13·6	8·9	8·8	44
Western . . .	4,448	13·5	1·6	14·6	16·6	10·5	6·7	67
ROXBURGH COUNTY—								
Hawick . . .	3,142	14·0	9·2	12·4	12·1	11·8	18·2	91
Jedburgh . . .	4,596	16·8	4·8	11·1	11·5	11·2	15·6	91
Kelso . . .	6,026	18·1	7·3	13·1	14·1	13·8	13·8	73
Liddesdale . .	1,879	16·5	6·4	13·3	13·3	10·7	9·7	65
Melrose . . .	4,853	22·0	5·4	12·8	13·0	11·3	7·5	75
SELKIRK COUNTY—								
Selkirk . . .	4,057	17·3	3·0	10·8	11·3	11·3	8·6	57
SHETLAND COUNTY—								
Mainland . . .	17,763	17·6	2·2	16·9	17·7	12·2	3·8	58
North Isles . .	4,522	15·9	2·4	12·6	13·7	10·1	2·8	56
STIRLING COUNTY—								
Central . . .	26,792	31·5	5·0	12·9	13·9	14·1	5·0	98
Eastern . . .	40,761	28·8	5·6	14·9	13·5	14·4	5·5	104
Western . . .	11,368	20·8	4·4	15·1	15·0	13·8	5·9	68
SUTHERLAND COUNTY—								
Sutherland . .	18,451	16·8	3·4	15·8	16·3	11·6	7·1	55
WIGTOWN COUNTY—								
Machars . . .	8,467	22·8	5·4	12·4	13·0	11·3	13·5	62
Rhins . . .	11,543	25·1	5·5	12·4	13·4	12·2	16·2	59

TABLE 7.—Births, Deaths, and Marriages in the Counties* in 1913.

COUNTIES.	Estimated Population.	Births.		Marriages.	Deaths.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Total.	Illegitimate.			Birth.	Marriage.	Death.				
								Uncorrected.	Corrected for Transfers.	Corrected for Transfers and Age and Sex Distribution.		
SCOTLAND	**4,728,132**	**120,516**	**8,548**	**33,691**	**73,069**	**25·49**	**7·13**	**15·45**	**15·45**	**15·45**	**7·09**	**109·6**
Aberdeen	303,607	7,363	1,010	2,164	4,880	24·25	7·13	16·33	16·07	15·08	13·72	125·8
Argyll	65,626	1,190	129	267	1,085	18·13	4·07	16·79	16·53	14·00	10·84	70·6
Ayr	263,894	6,906	495	1,731	3,729	26·17	6·56	14·00	14·13	14·40	7·17	92·5
Banff	59,211	1,550	212	344	808	26·18	5·81	13·24	13·65	12·05	13·68	89·0
Berwick	28,337	537	47	165	413	18·95	5·82	13·34	14·57	12·92	8·75	80·1
Bute	17,412	259	21	75	268	14·87	4·31	16·48	15·39	13·13	8·11	88·8
Caithness	30,474	682	95	128	563	22·38	4·20	18·15	18·47	14·09	13·93	112·9
Clackmannan	29,822	713	42	220	476	23·91	7·38	14·79	15·96	15·95	5·89	87·0
Dumbarton	139,470	3,956	173	778	1,949	28·36	5·58	13·87	13·97	14·87	4·37	99·3
Dumfries	70,303	1,502	164	472	1,207	21·36	6·71	18·04	17·17	15·90	10·92	110·5
Edinburgh (Midlothian)	506,502	11,189	758	4,118	7,412	22·09	8·13	15·20	14·63	15·11	6·77	107·9
Elgin	41,592	947	142	270	639	22·77	6·49	15·34	15·36	13·36	14·99	104·5
Fife	269,948	7,034	360	1,707	3,749	26·06	6·32	13·37	13·89	13·77	5·12	95·1
Forfar	276,250	6,219	544	1,891	4,611	22·51	6·85	16·92	16·69	16·17	8·75	131·2
Haddington	42,720	1,039	58	229	580	24·32	5·36	12·57	13·58	13·50	5·58	101·1
Inverness	83,569	1,636	144	404	1,383	19·58	4·83	16·70	16·55	13·52	8·80	86·2
Kincardine	39,675	995	116	190	603	25·08	4·79	14·42	15·20	13·74	11·66	113·6
Kinross	7,379	169	20	35	114	22·90	4·74	14·64	15·45	13·38	11·83	65·1
Kirkcudbright	36,789	728	78	210	548	19·79	5·71	13·48	14·90	13·52	10·71	78·3
Lanark	1,505,327	43,900	2,566	12,918	24,612	29·16	8·58	16·24	16 35	17·80	5·85	122·8
Linlithgow	80,126	2,532	126	431	1,024	31·60	5·38	12·68	12·78	13·71	4·98	101·1
Nairn	8,996	177	15	65	121	19·68	7·23	12·67	13·45	11·94	8·47	118·6
Orkney	24,513	459	29	147	370	18·72	6·00	14·73	15·09	11·01	6·32	61·0
Peebles	14,760	254	30	75	194	17·21	5·08	12·20	13·14	12·70	11·81	59·1
Perth	119,888	2,273	215	708	1,777	18·96	5·91	14·70	14·82	13·31	9·46	85·8
Renfrew	282,183	7,692	360	1,892	4,383	27·26	6·70	16·02	15·53	16·61	4·68	108·4
Ross and Cromarty	73,957	1,436	92	287	1,145	19·42	3·88	15·02	15·48	12·59	6·41	56·4
Roxburgh	45,173	798	75	286	676	17·67	6·33	15·19	14·96	11·18	9·40	85·2
Selkirk	24,001	423	40	130	319	17·62	5·42	12·79	13·29	13·38	9·46	75·7
Shetland	26,868	470	18	137	456	17·49	5·10	16·12	16·97	12·15	3·83	59·6
Stirling	159,852	4,434	247	985	2,228	27·74	6·16	14·26	13·94	14·55	5·57	97·4
Sutherland	19,191	324	24	64	311	16·88	3·33	15·79	16·21	11·61	7·41	52·5
Wigtown	30.717	730	103	168	436	23·77	5·47	13·90	14·19	12·56	14·11	65·8

* Burghs included.

TABLE 8.—Birth-rate among Married and among Unmarried Women in 1913.

	Estimated Number of Married Women aged 15–45.	Number of Legitimate Children born.	Legitimate Births per 1000 Married Women aged 15–45.	Estimated Number of Unmarried Women and of Widows aged 15–45.	Number of Illegitimate Children born.	Illegitimate Births per 1000 Unmarried Women and Widows aged 15–45.
SCOTLAND	**484,676**	**111,968**	**231·0**	**653,183**	**8,548**	**13·1**
LARGER BURGHS	247,050	55,355	224·1	329,196	3,954	12·0
SMALLER BURGHS	94,847	21,430	225·9	135,620	1,617	11·9
COUNTY DISTRICTS	142,779	35,183	246·4	188,367	2,977	15·8
Counties.						
Aberdeen	29,102	6,353	218·3	42,530	1,010	23·7
Argyll	4,813	1,061	220·4	9,652	129	13·4
Ayr	26,710	6,411	240·0	35,668	495	13·9
Banff	5,250	1,338	254·9	7,367	212	28·8
Berwick	2,599	490	188·5	4,288	47	11·0
Bute	1,455	238	163·6	2,960	21	7·1
Caithness	2,324	587	252·6	4,099	95	23·2
Clackmannan	2,900	671	231·4	4,674	42	9·0
Dumbarton	15,107	3,783	250·4	18,191	173	9·5
Dumfries	6,218	1,338	215·2	10,305	164	15·9
Edinburgh (Midlothian)	52,855	10,431	197·4	81,823	758	9·3
Elgin	3,494	805	230·4	5,832	142	24·4
Fife	29,556	6,674	225·8	32,920	360	11·0
Forfar	27,561	5,675	205·9	44,083	544	12·4
Haddington	4,303	981	228·0	5,615	58	10·3
Inverness	5,940	1,492	251·2	12,009	144	12·0
Kincardine	3,903	879	225·2	4,871	116	23·9
Kinross	688	149	216·6	987	20	20·3
Kirkcudbright	3,190	650	203·8	5,549	78	14·1
Lanark	168,695	41,334	245·0	193,830	2,566	13·3
Linlithgow	8,943	2,406	269·0	7,131	126	17·7
Nairn	715	162	226·6	1,458	15	10·3
Orkney	1,904	430	225·8	3,366	29	8·6
Peebles	1,374	224	163·0	2,608	30	11·5
Perth	10,587	2,058	194·4	18,776	215	11·5
Renfrew	30,218	7,332	242·6	41,201	360	8·8
Ross and Cromarty	4,948	1,344	271·6	10,150	92	9·1
Roxburgh	4,090	723	176·8	7,918	75	9·5
Selkirk	2,224	383	172·2	4,335	40	9·2
Shetland	1,971	452	229·3	4,022	18	4·5
Stirling	17,124	4,187	244·5	17,971	247	13·8
Sutherland	1,231	300	243·7	2,549	24	9·4
Wigtown	2,684	627	233·6	4,445	103	23·2
Larger Burghs.						
Glasgow	114,135	26,845	235·2	147,903	1,846	12·5
Edinburgh	32,507	5,777	177·7	57,501	466	8·1
Dundee	17,648	3,716	210·6	26,804	345	12·9
Aberdeen	17,033	3,442	201·5	23,869	409	17·1
Paisley	8,863	2,075	234·1	13,562	118	8·7
Leith	9,330	2,003	214·7	10,231	129	12·6
Greenock	8,469	2,269	267·9	9,641	126	13·1
Coatbridge	4,849	1,324	273·0	3,953	68	17·2
Motherwell	5,067	1,309	258·3	3,511	42	12·0
Kirkcaldy	4,541	931	205·0	5,523	53	9·6
Hamilton	4,588	1,197	260·9	3,584	61	17·0
Clydebank	5,414	1,407	259·9	3,956	37	9·4
Perth	3,474	638	283·6	5,809	49	8·4
Kilmarnock	3,752	814	217·0	4,871	67	13·8
Falkirk	3,882	845	217·7	3,302	52	15·7
Ayr	3,448	763	221·3	5,176	86	16·6

TABLE 9.—Method of Celebration etc., of Marriages in Scotland, 1855–1912. Numbers.

Year.	Total Marriages.		Regular Marriages according to Rites of the							Irregular Marriages.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	19680	6·608	8879	4665	2952	1826	350	923	76	9
1856	20740	6·923	9863	4645	2875	1953	360	984	24	36
1857	21369	7·094	10194	4789	2926	1919	416	1017	101	7
1858	19655	6·492	9104	4650	2707	1697	379	1034	57	27
1859	21201	6·969	9769	4861	2936	1822	378	1175	243	17
1860	21225	6·948	9705	4870	2837	1857	414	1217	309	16
1861	20896	6·808	9332	4969	2925	1806	386	1290	163	25
1862	20597	6·651	9307	4930	2846	1778	371	990	348	27
1863	22234	7·160	9929	5242	3249	2119	487	1113	76	19
1864	22725	7·200	9907	5507	3198	2276	459	1231	115	22
1865	23611	7·412	10177	5636	3345	2399	476	1516	30	32
1866	23688	7·367	10392	5570	3385	2259	516	1483	41	42
1867	22618	6·970	10066	5347	3247	2039	488	1323	65	43
1868	21855	6·673	9736	5015	3244	1872	467	1403	58	60
1869	22144	6·698	9761	5095	3277	2043	450	1393	56	69
1870	23854	7·149	10678	5465	3422	2121	538	1496	60	74
1871	24019	7·130	10985	5404	3325	2087	551	1498	64	105
1872	25641	7·531	11794	5661	3312	2461	579	1681	5	148
1873	26748	7·773	12187	5806	3596	2451	618	1853	10	197
1874	26390	7·588	11820	5922	3586	2267	643	1923	13	216
1875	25974	7·390	11587	5889	3443	2254	658	1899	9	235
1876	26579	7·482	11996	5944	3603	2279	719	1703	37	298
1877	25817	7·191	11773	5833	3313	2368	651	1477	47	355
1878	24358	6·713	11330	5431	3013	2181	653	1350	12	388
1879	23519	6·416	10744	5314	2878	2171	653	1415	18	326
1880	24505	6·612	11275	5287	2981	2337	700	1529	33	363
1881	26004	6·948	12179	5402	3088	2537	695	1638	46	419
1882	26596	7·053	12356	5481	3128	2697	746	1678	59	451
1883	26869	7·073	12384	5478	3252	2726	728	1699	11	591
1884	26106	6·821	12000	5499	3001	2606	705	1678	0	617
1885	25304	6·562	11692	5344	2915	2443	700	1642	0	568
1886	24515	6·310	11507	5036	2821	2241	723	1597	0	590
1887	24876	6·355	11689	4866	2928	2422	685	1655	2	629
1888	25305	6·417	11647	5052	2876	2464	783	1724	0	759
1889	26344	6·630	11846	5263	3004	2653	791	1943	3	841
1890	27469	6·862	12408	5347	3097	2791	768	2025	0	1033
1891	27969	6·929	12698	5415	3207	2692	788	2050	0	1119
1892	28670	7·029	12865	5677	3284	2850	809	1981	0	1204
1893	27145	6·585	12371	5259	3048	2489	813	1920	0	1245
1894	27604	6·627	12650	5313	3074	2608	801	1992	0	1166
1895	28422	6·752	12832	5496	3051	2855	870	2075	0	1243
1896	30270	7·115	13694	5552	3316	2991	981	2268	0	1468
1897	31050	7·222	14002	5729	3467	3026	980	2316	0	1530
1898	32112	7·391	14567	6033	3486	3091	949	2418	0	1568
1899	32978	7·511	14687	6080	3567	3419	1033	2372	0	1820
1900	32444	7·312	14600	4705 Un. Free Ch.* 1768	2769	3322	964	2402	0	1914

*The Free Church and the United Presbyterian Church were united on 31st October 1900, under the name of the United Free Church.

TABLE **9**—*continued.*

Year.	Total Marriages.		Regular Marriages according to the Rites of							Irregular Marriages.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
				Un. Free Ch.*						
1901	31387	7·000	14167	8669		3184	942	2473	0	1952
1902	31913	7·043	14267	8803		3337	969	2446	0	2091
1903	32351	7·065	14692	8778		3487	876	2592	0	1926
1904	32271	6·974	14803	8776		3328	925	2577	0	1862
1905	31270	6·686	14245	8240		3376	946	2601	0	1862
1906	33142	7·013	14983	8634		3644	983	2913	0	1985
1907	33298	6·972	15116	8667		3536	1005	2750	0	2224
1908	31606	6·548	14238	8271		3272	934	2645	0	2246
1909	30108	6·395	13753	7821		2975	908	2636	0	2015
1910	30902	6·523	13871	8110		3171	867	2703	0	2180
1911	31844	6·702	14032	8083		3404	984	2734	0	2607
1912	32506	6·856	14168	8440		3607	964	2772	0	2555

*See Note on previous page.

TABLE **10.**—Method of Celebration, etc., of Marriages in Scotland, 1855–1912. Percentages.

Year.	Percentage of Marriages according to the Rites of the							Irregular Marriages.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·64	1·85	6·17	0·78	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31

TABLE **10**—*continued.*

YEAR.	PERCENTAGE of MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57
1873	45·56	21·71	13·44	9·16	2·42	6·93	0·04	0·74
1874	44·79	22·44	13·59	8·59	2·44	7·29	0·05	0·81
1875	44·61	22·67	13·26	8·68	2·53	7·31	0·03	0·91
1876	45 13	22·36	13·56	8·57	2·71	6·41	0·14	1·12
1877	45·60	22·59	12·83	9·17	2·53	5·72	0·18	1·33
1878	46·51	22·30	12·37	8·96	2·68	5·54	0·05	1·59
1879	45·68	22·59	12·24	9·23	2·78	6·02	0·08	1·38
1880	46·02	21·58	12·17	9·53	2·85	6·24	0·13	1·48
1881	46·83	20·77	11·88	9·76	2·67	6·30	0·18	1·61
1882	46·46	20·61	11·76	10·14	2·80	6·31	0·22	1·70
1883	46·09	20·39	12·10	10·15	2·71	6·32	0·04	2·20
1884	45·97	21·06	11·50	9·98	2·70	6·43	0·00	2·36
1885	46·21	21·12	11·52	9·65	2·77	6·49	0·00	2·24
1886	46·94	20·54	11·51	9·14	2·95	6·51	0·00	2·41
1887	46·99	19·56	11·77	9·74	2·75	6·65	0·01	2·53
1888	46·03	19·96	11·37	9·74	3·09	6·81	0·00	3·00
1889	44·97	19·98	11·40	10·07	3·00	7·38	0·01	3·19
1890	45·17	19·47	11·27	10·16	2·80	7·37	0·00	3·76
1891	45·40	19·36	11·47	9·62	2·82	7·33	0·00	4·00
1892	44·87	19·80	11·46	9·94	2·82	6·91	0·00	4·20
1893	45·57	19·38	11·23	9·17	2·99	7·07	0·00	4·59
1894	45·82	19·25	11·14	9·45	2·90	7·22	0·00	4·22
1895	45·15	19·34	10·73	10·05	3·06	7·30	0·00	4·37
1896	45·24	18·34	10·96	9·88	3·24	7·49	0·00	4·85
1897	45·09	18·45	11·16	9·75	3·16	7·46	0·00	4·93
1898	45·36	18·79	10·86	9·63	2·95	7·53	0·00	4·88
1899	44·53	18·44	10·82	10·37	3·13	7·19	0·00	5·52
1900	45·00	14·50 United Free Ch.* 5·45	8·54	10·24	2·97	7·40	0·00	5·90
1901	45·14	27·62		10·14	3·00	7·88	0·00	6·22
1902	44·71	27·58		10·46	3·04	7·66	0·00	6·55
1903	45·42	27·13		10·78	2·71	8·01	0·00	5·95
1904	45·87	27·19		10·31	2·87	7·99	0·00	5·77
1905	45·55	26·35		10·80	3·03	8·32	0·00	5·95
1906	45·21	26·05		10·99	2·97	8·79	0·00	5·99
1907	45·39	26·03		10·62	3·02	8·26	0·00	6·68
1908	45·05	26·17		10·35	2·95	8·37	0·00	7·11
1909	45·68	25·98		9·88	3·02	8·75	0·00	6·69
1910	44·89	26·24		10·26	2·81	8·75	0·00	7·05
1911	44·06	25·38		10·69	3·09	8·59	0·00	8·19
1912	43·59	25·96		11·10	2·96	8·53	0·00	7·86

* See Note on page lxxi.

TABLE **11.**—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1912. Numbers.

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11955	8561	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18285	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8974	12453	12395	8916	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11559	8163	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12475	8776	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12559	8766	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12346	8661	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11934	8392	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	9731	13304	12503	8930	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13063	9178	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13752	9747	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13765	9845	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13438	9627	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13187	9416	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14197	10131	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896
1877	2060	5767	11118	15349	14699	10468	23865	21839	1952	3978	21945	795	2285	778
1878	1877	5436	10418	14555	13940	9803	22684	20839	1674	3519	20809	691	2083	752
1879	1797	5188	9905	13877	13614	9642	21725	19919	1794	3600	19915	782	2083	725
1880	1769	5393	10220	14628	14285	9877	22696	20777	1809	3728	20848	764	2122	750
1881	1815	5792	10818	15522	15186	10482	24168	22380	1836	3924	22320	700	2151	826
1882	2052	5994	11131	15987	15465	10609	24774	23097	1822	3499	22984	684	2134	791
1883	2026	5935	11137	16010	15732	10859	25159	23617	1710	3252	23112	757	2224	765
1884	1925	5821	10631	15376	15475	10730	24498	23149	1608	2957	22354	745	2186	808
1885	1825	5430	10183	14782	15121	10522	23936	22854	1368	2450	21761	681	2063	794
1886	1687	5039	9505	14182	15010	10333	23374	22485	1141	2030	20917	659	2178	758
1887	1661	5063	9555	14137	15321	10739	23758	22836	1118	2040	21271	677	2166	758
1888	1664	5168	9708	14536	15597	10769	24305	23437	1000	1868	21807	672	2078	741
1889	1632	5154	10009	14869	16335	11475	25211	24401	1133	1943	22621	724	2176	808
1890	1713	5428	10520	15641	16949	11828	26391	25706	1078	1763	23715	747	2178	816
1891	1734	5450	10565	15683	17404	12286	27014	26385	955	1584	24183	740	2248	782
1892	1785	5641	10761	16036	17909	12634	27743	27244	927	1426	24873	769	2234	790
1893	1702	5224	10023	14948	17122	12197	26411	25940	734	1205	23575	705	2066	799
1894	1680	5185	10150	15130	17454	12474	26638	26360	766	1244	23964	721	2118	796
1895	1672	5293	10385	15721	18037	12701	27675	27211	747	1211	24745	769	2118	780
1896	1886	5669	11030	16490	19240	13780	29585	29125	685	1145	26460	775	2186	839
1897	1917	5801	11530	17284	19520	13766	30380	30036	670	1014	27329	844	2087	785
1898	1917	5916	11832	17810	20280	14302	31528	31146	584	966	28371	761	2153	819
1899	2009	6019	12214	18224	20764	14754	32349	32046	629	932	29198	863	2097	814
1900	2006	6039	12040	11763	20404	14681	31744	31547	700	897	28685	908	2044	801

TABLE **11.**—*continued.*

Years.	Number who Married—Aged						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1901	1927	5788	11429	16842	19958	14545	30769	30548	618	839	27702	892	1998	794
1902	1917	5608	11399	16801	20514	15112	31337	31099	576	814	28186	921	1988	805
1903	1983	5902	11747	17341	20604	15010	31787	31607	564	744	28602	920	2039	772
1904	1937	5922	11328	17191	20943	15080	31717	31529	554	742	28949	794	2055	752
1905	1895	5846	10901	16614	20369	14656	30765	30592	505	678	27669	820	1996	761
1906	2022	6107	11425	17643	21717	15497	32661	32189	481	653	29557	807	1986	773
1907	1902	5905	11396	17460	21899	15835	32860	32716	438	582	29684	805	2042	735
1908	1872	5604	10915	16475	20691	15131	31284	31099	322	507	28233	752	1962	638
1909	1693	5168	10097	15299	20011	14709	29761	29662	347	446	29846	722	1884	632
1910	1690	5267	10164	15443	20738	15459	30600	30489	302	413	27529	712	1910	743
1911	1723	5489	10388	15824	21456	16020	31606	31447	238	397	28325	785	1944	772
1912	1846	5766	10771	16348	21735	16158	32287	32187	219	319	29212	752	1773	754

TABLE **12.**—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1912. Percentages.

Years.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1855	?	?	39·25	56·50	60·75	43·50	86·60	77·10	11·40	22·90	83·38	3·05	10·19	3·38
1856	?	?	40·66	58·02	59·34	41·98	88·16	76·05	11·84	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·00	58·28	58·00	41·72	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·19	58·47	58 81	41·53	88·16	75·95	11·84	24·05	85·95	2·61	8 62	2·82
1859	7·42	21·60	41·16	58·61	58·84	41·39	89·11	77·80	10·89	22·20	85·25	2·76	9 06	2·93
1860	7·37	21·78	40·83	58·70	59·17	41·30	89·69	78·29	10·31	21·71	86·62	2·42	8 29	2·67
1861	7·09	21·13	40·92	58·55	59 08	41·45	89·39	77·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·06	59·26	57·94	40·74	89·99	79·65	10·81	20·35	86·51	2 31	8·69	2·49
1863	7·91	22·06	43·77	59·84	56·23	40·16	89·14	77 90	10·86	22·10	87·29	1·59	8·46	2·66
1864	7·47	22·00	42·52	59 61	57·48	40·39	88·54	76·13	11·46	23·87	86·41	2 21	8·57	2·81
1865	7·16	21·26	41·76	58·72	58·24	41·28	88·58	77·78	11·42	22·22	85·97	2·53	0·77	2·73
1866	7·20	20·69	41·89	58·44	58·11	41·56	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·59	57·44	59·41	42·56	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·66	56·92	60·34	43·08	90 19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·35	60·30	42·65	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·48	57·53	59·52	42·47	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19

TABLE **12.**—*continued.*

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·95	80·42	9·95	19·58	85·10	2·54	8·74	3·24
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·85	3·47
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18
1874	8·25	22·73	43·29	59·40	56·71	40·60	90·90	82·01	9·10	17·99	84·47	3·18	8·83	3·24
1875	8·10	22·44	42·58	58·72	57·42	41·28	91·40	83·09	8·60	16·91	84·23	3·31	9·06	3·22
1876	8·18	22·63	43·16	59·26	56·84	40·74	92·50	83·87	7·50	16·13	84·42	2·99	9·15	3·37
1877	7·98	22·34	43·06	59·46	56·94	40·54	92·44	84·59	7·56	15·41	85·00	3·08	8·89	3·01
1878	7·71	22·32	42·77	59·75	57·23	40·25	93·13	85·55	6·87	14·45	85·43	2·84	8·55	3·09
1879	7·64	22·06	42·11	59·00	57·89	41·00	92·37	84·69	7·63	15·31	84·68	3·32	8·86	3·08
1880	7·22	22·01	41·71	59·69	58·29	40·31	92·62	84·79	7·38	15·21	85·07	3·12	8·66	3·06
1881	6·98	22·27	41·60	59·69	58·40	40·31	92·94	86·06	7·06	13·94	85·83	2·69	8·27	3·18
1882	7·75	22·54	41·85	60·11	58·15	39·89	93·15	86·84	6·85	13·16	86·42	2·57	8·02	2·97
1883	7·54	22·09	41·45	59·59	58·55	40·41	93·64	87·90	6·36	12·10	86·02	2·82	8·28	2·85
1884	7·37	22·30	40·72	58·90	59·28	41·10	93·84	88·67	6·16	11·33	85·63	2·85	8·37	3·10
1885	7·21	21·46	40·24	58·42	59·76	41·58	94·59	90·32	5·41	9·68	86·08	2·69	8·15	3·14
1886	6·88	20·55	38·77	57·85	61·21	42·12	95·35	91·72	4·65	8·28	85·32	2·69	8·88	3·09
1887	6·68	20·35	38·41	56·83	61·59	43·17	95·91	91·80	4·49	8·20	85·51	2·72	8·71	3·06
1888	6·58	20·42	38·36	57·44	61·64	42·56	96·05	92·62	3·95	7·38	86·18	2·66	8·21	2·93
1889	6·19	19·56	34·20	56·44	65·80	43·56	95·70	92·62	4·30	7·38	85·87	2·75	8·26	3·06
1890	6·24	19·76	38·30	56·94	61·70	43·06	96·08	93·58	3·92	6·42	86·33	2·72	7·93	2·97
1891	6·19	19·49	37·77	56·07	62·23	43·93	96·59	94·34	3·41	5·66	86·46	2·65	8·94	2·80
1892	6·23	19·68	37·53	55·93	62·47	44·07	96·77	95·03	3·23	4·97	86·76	2·68	7·79	2·76
1893	6·27	19·24	36·92	55·07	63·08	44·93	97·30	95·56	2·70	4·44	86·85	2·60	7·61	2·94
1894	6·09	18·78	36·31	54·15	63·23	45·19	97·23	95·49	2·77	4·51	86·81	2·61	7·67	2·88
1895	5·88	18·62	39·54	55·31	63·46	44·69	97·37	95·74	2·63	4·26	87·06	2·71	7·45	2·74
1896	6·23	18·72	36·44	54·48	63·56	45·52	97·74	96·22	2·26	3·78	87·41	2·56	7·22	2·77
1897	6·17	18·68	37·13	53·11	62·87	44·33	97·84	96·73	2·16	3·27	88·01	2·72	6·72	2·53
1898	5·97	18·42	36·85	55·46	63·15	44·54	98·18	96·99	1·82	3·01	88·35	2·37	6·70	2·55
1899	6·09	18·25	37·04	55·26	62·96	44·74	98·09	97·17	1·91	2·83	88·54	2·62	6·36	2·47
1900	6·18	18·61	37·11	54·75	62·89	45·25	97·84	97·24	2·16	2·76	88·41	2·80	6·30	2·47
1901	6·14	18·44	36·41	53·66	63·59	46·34	98·03	97·33	1·97	2·67	88·26	2·84	6·37	2·53
1902	6·01	17·57	35·72	52·65	64·28	47·35	98·20	97·45	1·80	2·55	88·36	2·89	6·23	2·52
1903	6·13	18·24	36·31	53·60	63·69	46·40	98·26	97·70	1·74	2·30	88·46	2·84	6·31	2·39
1904	6·00	18·35	35·10	53·27	64·90	46·73	98·28	97·70	1·72	2·30	88·84	2·46	6·37	2·33
1905	6·06	18·70	34·86	53·13	65·14	48·87	98·39	97·83	1·61	2·17	88·55	2·62	6·39	2·44
1906	6·10	18·43	34·47	53·24	65·53	46·76	98·55	98·03	1·45	1·97	89·23	2·44	6·00	2·33
1907	5·71	17·73	34·23	52·44	65·77	47·57	98·68	98·25	1·32	1·75	89·23	2·42	6·14	2·21
1908	5·92	17·73	34·53	52·13	65·47	47·87	98·98	98·40	1·02	1·60	89·39	2·38	6·21	2·02
1909	5·62	17·16	33·54	51·15	66·46	48·85	98·85	98·52	1·15	1·48	89·24	2·40	6·26	2·10
1910	5·47	17·04	32·89	49·97	67·11	50·03	99·02	98·66	0·98	1·34	89·11	2·30	6·18	2·41
1911	5·42	17·26	32·66	49·75	67·34	50·25	99·25	98·75	0·75	1·25	89·00	2·47	6·11	2·42
1912	5·68	17·74	33·14	50·29	66·86	49·71	99·33	99·02	0·67	0·98	89·91	2·31	5·46	2·32

TABLE **13.**—Regular and Irregular Marriages in Scotland, 1912.

	Total Marriages.	Numbers.					Percentage of Total Marriages.				
		Regular Marriages.			Irregular Marriages.		Regular Marriages.			Irregular Marriages.	
		Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.	Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.
SCOTLAND	**32,506**	**18,585**	**10,610**	**756**	**2,551**	**4**	**57·2**	**32·6**	**2·3**	**7·9**	**0·0**
LARGER BURGHS	18,499	7,913	7,792	342	2,448	4	42·8	42·1	1·9	13·2	0·0
OTHER DISTRICTS	14,007	10,672	2,818	414	103	–	76·2	20·1	3·0	0·7	–
Counties.											
Aberdeen	2,111	1,315	642	55	99	–	62·3	30·4	2·6	4·7	–
Argyll	243	222	11	5	5	–	91·3	4·5	2·1	2·1	–
Ayr	1,775	1,303	390	58	24	–	73·4	22·0	3·3	1·3	–
Banff	342	320	10	4	8	–	93·6	2·9	1·2	2·3	–
Berwick	169	165	2	2	–	–	97·6	1·2	1·2	–	–
Bute	66	61	3	2	–	–	92·4	4·5	3·1	–	–
Caithness	164	152	8	3	1	–	92·7	4·9	1·8	0·6	–
Clackmannan	189	157	24	8	–	–	83·1	12·7	4·2	–	–
Dumbarton	801	438	336	26	1	–	54·7	42·0	3·2	0·1	–
Dumfries	474	415	35	13	11	–	87·6	7·4	2·7	2·3	–
Edinburgh (Midlothian)	4,010	2,091	1,240	92	585	2	52·1	30·9	2·3	14·6	0·1
Elgin	241	207	25	–	9	–	85·9	10·4	–	3·7	–
Fife	1,677	1,241	370	49	17	–	74·0	22·1	2·9	1·0	–
Forfar	1,886	1,000	750	53	83	–	53·0	39·8	2·8	4·4	–
Haddington	228	215	6	7	–	–	94·3	2·6	3·1	–	–
Inverness	392	312	50	11	19	–	79·6	12·8	2·8	4·8	–
Kincardine	182	143	30	8	1	–	78·6	16·5	4·4	0·5	–
Kinross	39	39	–	–	–	–	100·0	–	–	–	–
Kirkcudbright	185	179	2	4	–	–	96·8	1·1	2·1	–	–
Lanark	11,750	4,800	5,072	251	1,625	2	40·9	43·2	2·1	13·8	–
Linlithgow	457	369	70	17	1	–	80·8	15·3	3·7	0·2	–
Nairn	32	29	1	1	1	–	90·7	3·1	3·1	3·1	–
Orkney	161	146	10	2	3	–	90·7	6·2	1·2	1·9	–
Peebles	84	80	2	2	–	–	95·2	2·4	2·4	–	–
Perth	706	529	137	23	17	–	74·9	19·4	3·3	2·4	–
Renfrew	2,126	1,052	1,017	35	22	–	49·5	47·9	1·6	1·0	–
Ross and Cromarty	283	153	126	4	–	–	54·1	44·5	1·4	–	–
Roxburgh	269	235	28	6	–	–	87·4	10·4	2·2	–	–
Selkirk	159	130	23	5	1	–	81·8	14·5	3·1	0·6	–
Shetland	119	118	1	–	–	–	99·2	0·8	–	–	–
Stirling	950	746	180	9	15	–	78·5	19·0	0·9	1·6	–
Sutherland	53	46	7	–	–	–	86·8	13·2	–	–	–
Wigtown	183	177	2	1	3	–	96·7	1·1	0·6	1·6	–
Larger Burghs.											
Glasgow	7,746	2,719	3,340	128	1,557	2	35·1	43·1	1·7	20·1	0·0
Edinburgh	2,856	1,338	889	56	573	–	46·8	31·1	2·0	20·1	–
Dundee	1,242	473	664	30	75	–	38·1	53·5	2·4	6·0	–
Aberdeen	1,348	577	632	40	99	–	42·8	46·9	3·0	7·3	–
Govan	644	425	167	12	40	–	66·0	25·9	1·9	6·2	–
Paisley	727	293	422	4	8	–	40·3	58·0	0·6	1·1	–
Leith	546	257	262	13	12	2	47·0	48·0	2·4	2·2	0·4
Greenock	596	313	265	5	13	–	52·5	44·5	0·8	2·2	–
Partick	482	180	276	10	16	–	37·3	57·3	2·1	3·3	–
Coatbridge	244	93	147	4	–	–	38·1	60·3	1·6	–	–
Motherwell	218	109	98	8	3	–	50·0	44·9	3·7	1·4	–
Kirkcaldy	292	226	61	3	2	–	77·4	20·9	1·0	0·7	–
Hamilton	222	127	86	7	2	–	57·2	38·7	3·2	0·9	–
Clydebank	288	159	127	2	–	–	55·2	44·1	0·7	–	–
Perth	289	143	119	10	17	–	49·4	41·2	3·5	5·9	–
Kilmarnock	290	123	151	6	10	–	42·4	52·1	2·1	3·4	–
Falkirk	229	178	40	2	9	–	77·7	17·5	0·9	3·9	–
Ayr	240	180	46	2	12	–	75·0	19·2	0·8	5·0	–

TABLE **14.**—Church of Celebration of Regular Marriages in Scotland, 1912.

	Total Marriages.	Marriages According to each Denomination.					Percentage to Total Marriages.				
		Established Church.	United Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.	Established Church.	United Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.
SCOTLAND	**32,506**	**14,168**	**8,440**	**3,607**	**964**	**2,772**	**43·6**	**26·0**	**11·1**	**3·0**	**8·5**
LARGER BURGHS	18,499	6,409	4,908	2,321	713	1,696	34·6	26·5	12·6	3·9	9·2
OTHER DISTRICTS	14,007	7,759	3,532	1,286	251	1,076	55·4	25·2	9·2	1·8	7·7
Counties.											
Aberdeen	2,111	1,187	558	40	64	163	56·2	26·5	1·9	3·0	7·7
Argyll	243	136	59	14	10	19	56·0	24·3	5·7	4·1	7·8
Ayr	1,775	988	463	131	45	124	55·7	26·1	7·4	2·5	7·0
Banff	342	198	91	18	4	23	57·9	26·6	5·3	1·2	6·7
Berwick	169	110	46	3	1	9	65·1	27·2	1·8	0·6	5·3
Bute	66	33	15	7	5	6	50·0	22·7	10·6	7·6	9·1
Caithness	164	79	58	–	1	25	48·2	35·4	–	0·6	15·2
Clackmannan	189	122	42	7	4	14	64·6	22·2	3·7	2·1	7·4
Dumbarton	801	348	191	167	22	72	43·4	23·8	20·8	2·7	9·0
Dumfries	474	285	112	22	13	31	60·1	23·6	4·6	2·8	6·6
Edinburgh (Midlothian)	4,010	1,672	1,045	259	238	209	41·7	26·1	6·5	5·9	5·2
Elgin	241	135	77	5	1	14	56·0	32·0	2·1	0·4	5·8
Fife	1,677	963	472	72	38	115	57·4	28·1	4·3	2·3	6·9
Forfar	1,886	850	480	191	125	157	45·1	25·5	10·1	6·6	8·3
Haddington	228	153	56	11	4	4	67·1	24·5	4·8	1·8	1·8
Inverness	392	163	94	37	8	71	41·6	24·0	9·4	2·1	18·1
Kincardine	182	124	35	–	20	2	68·2	19·2	–	11·0	1·1
Kinross	39	28	11	–	–	–	71·8	28·2	–	–	–
Kirkcudbright	185	138	36	8	1	2	74·6	19·5	4·3	0·5	1·1
Lanark	11,750	3,874	2,869	1,955	239	1,186	33·0	24·4	16·7	2·0	10·1
Linlithgow	457	255	112	73	3	13	55·8	24·5	16·0	0·7	2·8
Nairn	32	17	11	–	–	3	53·1	34·4	–	–	9·4
Orkney	161	74	78	–	1	5	46·0	48·4	–	0·6	3·1
Peebles	84	69	6	3	4	2	82·1	7·1	3·6	4·8	2·4
Perth	706	416	197	24	30	22	58·9	27·9	3·4	4·3	3·1
Renfrew	2,126	812	569	458	54	211	38·2	26·8	21·6	2·5	9·9
Ross and Cromarty	283	71	97	–	1	114	25·0	34·3	–	0·4	40·3
Roxburgh	269	162	72	3	11	21	60·3	26·7	1·1	4·1	7·8
Selkirk	159	68	49	13	5	23	42·8	30·8	8·2	3·1	14·5
Shetland	119	57	39	–	–	23	47·9	32·8	–	–	19·3
Stirling	950	442	339	82	11	61	46·5	35·7	8·6	1·2	6·4
Sutherland	53	12	20	–	–	21	22·7	37·7	–	–	39·6
Wigtown	183	127	41	4	1	7	69·4	22·4	2·2	0·6	3·8
Larger Burghs.											
Glasgow	7,746	2,150	1,954	1,111	187	785	27·8	25·2	14·4	2·4	10·1
Edinburgh	2,856	986	796	154	207	140	34·5	27·9	5·4	7·2	4·9
Dundee	1,242	435	305	184	106	137	35·0	24·6	14·8	8·6	11·0
Aberdeen	1,348	621	420	32	61	115	46·1	31·2	2·4	4·5	8·5
Govan	644	306	120	104	13	61	47·5	18·6	16·2	2·0	9·5
Paisley	727	236	257	138	16	72	32·5	35·3	19·0	2·2	9·9
Leith	546	293	142	44	14	39	53·7	26·0	8·0	2·6	7·1
Greenock	596	232	115	145	19	72	38·9	19·3	24·3	3·2	12·1
Partick	482	181	135	88	4	58	37·6	28·0	18·3	0·8	12·0
Coatbridge	244	61	63	86	8	26	25·0	25·8	35·2	3·3	10·7
Motherwell	218	83	65	36	4	27	38·1	29·8	16·5	1·8	12·4
Kirkcaldy	292	156	85	9	12	28	53·4	29·1	3·1	4·1	9·6
Hamilton	222	81	63	55	1	20	36·5	28·4	24·8	0·4	9·0
Clydebank	288	111	67	63	7	40	38·5	23·3	21·9	2·4	13·9
Perth	289	127	93	19	19	14	43·9	32·2	6·6	6·6	4·8
Kilmarnock	290	108	115	28	13	16	37·2	39·7	9·7	4·5	5·5
Falkirk	229	101	87	10	2	20	44·1	38·0	4·4	0·9	8·7
Ayr	240	141	26	15	20	26	58·8	10·8	6·3	8·3	10·8

TABLE **15.**—Civil Condition of Persons Marrying in Scotland, 1912.

	Total.	No. of Marriages between				Condition not Stated.	Percentage of Marriages between				Percentage Condition not Stated.
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	
SCOTLAND . .	**32,506**	**29,212**	**752**	**1,773**	**754**	**15**	**89·9**	**2·3**	**5·5**	**2·3**	**0·0**
LARGER BURGHS .	18,499	16,392	529	1,057	511	10	88·6	2·9	5·7	2·8	0·0
OTHER DISTRICTS .	14,007	12,820	223	716	243	5	91·5	1·6	5·1	1·8	0·0
Counties.											
Aberdeen . .	2,111	1,895	46	136	34	-	89·8	2·2	6·4	1·6	-
Argyll . . .	243	226	3	10	4	-	93·0	1·2	4·1	1·7	-
Ayr	1,775	1,643	20	87	25	-	92·6	1·1	4·9	1·4	-
Banff . . .	342	308	2	27	5	-	90·0	0·6	7·9	1·5	-
Berwick . . .	169	154	5	10	-	-	91·1	3·0	5·9	-	-
Bute . . .	66	57	4	4	1	-	86·3	6·1	6·1	1·5	-
Caithness . . .	164	143	3	15	3	-	87·2	1·8	9·2	1·8	-
Clackmannan . .	189	175	3	8	3	-	92·6	1·6	4·2	1·6	-
Dumbarton . .	801	729	17	40	15	-	91·0	2·1	5·0	1·9	-
Dumfries . . .	474	415	12	36	11	-	87·6	2·5	7·6	2·3	-
Edinburgh (Midlothian) . .	4,010	3,559	119	242	85	5	88·8	3·0	6·0	2·1	0·1
Elgin	241	223	3	10	5	-	92·5	1·2	4·2	2·1	-
Fife . . .	1,677	1,546	20	73	38	-	92·2	1·2	4·3	2·3	-
Forfar . . .	1,886	1,662	39	137	48	-	88·1	2·1	7·3	2·5	-
Haddington . .	228	208	8	9	3	-	91·2	3·5	4·0	1·3	-
Inverness . .	392	352	7	24	9	-	89·8	1·8	6·1	2·3	-
Kincardine . .	182	161	13	15	3	-	88·5	1·6	8·3	1·6	-
Kinross . . .	39	32	3	4	-	-	82·0	7·7	10·3	-	-
Kirkcudbright . .	185	168	2	12	3	-	90·8	1·1	6·5	1·6	-
Lanark . . .	11,750	10,456	344	586	355	9	89·0	2·9	5·0	3·0	0·1
Linlithgow . . .	457	426	8	19	4	-	93·2	1·8	4·2	0·8	-
Nairn . . .	32	29	-	3	-	-	90·6	-	9·4	-	-
Orkney . . .	161	142	1	13	5	-	88·2	0·6	8·1	3·1	-
Peebles . . .	84	73	-	8	3	-	86·9	-	9·5	3·6	-
Perth . . .	706	641	13	45	7	-	90·8	1·8	6·4	1·0	-
Renfrew . . .	2,126	1,942	34	97	52	1	91·3	1·6	4·6	2·5	0·0
Ross and Cromarty .	283	255	5	20	3	-	90·1	1·7	7·1	1·1	-
Roxburgh . .	269	246	3	17	3	-	91·5	1·1	6·3	1·1	-
Selkirk . . .	159	148	-	8	3	-	93·1	-	5·0	1·9	-
Shetland . . .	119	104	2	13	-	-	87·4	1·7	10·9	-	-
Stirling . . .	950	880	16	32	22	-	92·6	1·7	3·4	2·3	-
Sutherland . .	53	47	1	4	1	-	88·7	1·9	7·5	1·9	-
Wigtown . . .	183	167	6	9	1	-	91·2	3·3	4·9	0·6	-

TABLE **16.**—Method of Signature of Marriage Registers, or Schedules, in Scotland, 1912.

	Total.	Number of				Percentage of			
		Men.		Women.		Men.		Women.	
		Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.
SCOTLAND . .	**32,506**	**32,287**	**219**	**32,187**	**319**	**99·3**	**0·7**	**99·0**	**1·0**
LARGER BURGHS .	18,499	18,365	134	18,296	203	99·3	0·7	98·9	1·1
OTHER DISTRICTS .	14,007	13,922	85	13,891	116	99·4	0·6	99·2	0·8
Counties.									
Aberdeen . .	2,111	2,107	4	2,102	9	99·8	0·2	99·6	0·4
Argyll . . .	243	242	1	242	1	99·5	0·5	99·5	0·5
Ayr	1,775	1,769	6	1,762	13	99·7	0·3	99·3	0·7
Banff . . .	342	342	–	340	2	100·0	0·0	99·3	0·7
Berwick . . .	169	169	–	168	1	100·0	0·0	99·4	0·6
Bute . . .	66	66	–	64	2	100 0	0·0	97·0	3·0
Caithness . .	164	163	1	161	3	99·4	0·6	98·2	1·8
Clackmannan . .	189	189	–	188	1	100·0	0·0	99·5	0·5
Dumbarton . .	801	796	5	796	5	99·4	0·6	99·4	0·6
Dumfries . . .	474	472	2	472	2	99·6	0·4	99·6	0·4
Edinburgh (Midlothian) . .	4,010	3,991	19	3,983	27	99·5	0·5	99·3	0·7
Elgin . . .	241	239	2	239	2	99·2	0·8	99·2	0·8
Fife . . .	1,677	1,675	2	1,674	3	99·9	0·1	99·8	0·2
Forfar . . .	1,886	1,875	11	1,877	9	99·4	0·6	99·5	0·5
Haddington . .	228	227	1	227	1	99·6	0·4	99·6	0·4
Inverness . .	392	384	8	377	15	98·0	2·0	96·2	3·8
Kincardine . .	182	182	–	182	–	100·0	0·0	100·0	0·0
Kinross . . .	39	39	–	39	–	100·0	0·0	100·0	0·0
Kirkcudbright . .	185	185	–	184	1	100·0	0·0	99·5	0·5
Lanark . . .	11,750	11,629	121	11,578	172	99·0	1·0	98·5	1·5
Linlithgow . .	457	451	6	450	7	98·7	1·3	98·5	1·5
Nairn . . .	32	32	–	32	–	100·0	0·0	100·0	0·0
Orkney . . .	161	161	–	161	–	100·0	0·0	100·0	0·0
Peebles . . .	84	83	1	83	1	98·8	1·2	98·8	1·2
Perth . . .	706	703	3	702	4	99·6	0·4	99·4	0·6
Renfrew . . .	2,126	2,114	12	2,114	12	99·4	0·6	99·4	0·6
Ross and Cromarty .	283	274	9	270	13	99·7	0·3	99·5	0·5
Roxburgh . .	269	269	–	268	1	100·0	0·0	99·6	0·4
Selkirk . . .	159	159	–	158	1	100·0	0·0	99·4	0·6
Shetland . . .	119	119	–	119	–	100·0	0·0	100·0	0·0
Stirling . . .	950	948	2	947	3	99·8	0·2	99·7	0·3
Sutherland . .	53	53	–	49	4	100·0	0·0	91·8	8·2
Wigtown . . .	183	180	3	179	4	98·4	1·6	97·8	2·2
Larger Burghs.									
Glasgow . . .	7,746	7,677	69	7,625	121	99·1	0·9	98·4	1·6
Edinburgh . .	2,856	2,842	14	2,841	15	99·5	0·5	99·5	0·5
Dundee . . .	1,242	1,233	9	1,233	9	99·3	0·7	99·3	0·7
Aberdeen . .	1,348	1,344	4	1,342	6	99·7	0·3	99·6	0·4
Govan . . .	644	639	5	639	5	99·2	0·8	99·2	0·8
Paisley . . .	727	722	5	723	4	99·3	0·7	99·4	0·6
Leith . . .	546	546	–	543	3	100·0	0·0	99·5	0·5
Greenock . .	596	592	4	591	5	99·3	0·7	99·2	0·8
Partick . . .	482	477	5	479	3	99·0	1·0	99·4	0·6
Coatbridge . .	244	241	3	236	8	98·8	1·2	96·7	3·3
Motherwell . .	218	210	8	207	11	96·3	3·7	95·0	5·0
Kirkcaldy . .	292	292	–	292	–	100·0	0·0	100·0	0·0
Hamilton . .	222	218	4	212	10	98·2	1·8	95·0	5·0
Clydebank . .	288	285	3	288	–	99·0	1·0	100·0	0·0
Perth . . .	289	288	1	289	–	99·7	0·3	100·0	0·0
Kilmarnock . .	290	290	–	290	–	100·0	0·0	100·0	0·0
Falkirk . . .	229	229	–	228	1	100·0	0·0	99·6	0·4
Ayr	240	240	–	238	2	100·0	0·0	99·2	0·8

TABLE 17.—AGES OF MEN AT MARRIAGE IN SCOTLAND, 1912.

TABLE 17.—AGES of MEN at Marriage in Scotland, 1912.

	All Ages.	Average Age.	Under 15	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and over.	Not stated.
SCOTLAND	32,506	29·4	–	–	–	24	180	556	1,086	8,925	10,806	5,278	2,644	1,260	737	446	298	134	83	35	11	3
Counties.																						
Aberdeen	2,111	30·0	–	–	–	3	8	32	79	558	700	304	183	91	60	41	22	15	10	5	–	–
Argyll	243	31·7	–	–	–	–	–	1	3	42	82	50	30	19	8	5	1	–	1	1	–	–
Ayr	1,775	28·7	–	–	–	–	13	35	65	513	626	270	128	54	31	14	13	8	4	–	1	–
Banff	342	29·2	–	–	–	–	2	1	10	88	147	38	27	9	11	5	3	–	1	–	–	–
Berwick	169	30·4	–	–	–	–	–	–	2	40	63	34	13	6	6	2	–	–	2	1	–	–
Bute	66	31·2	–	–	–	–	1	–	3	13	19	14	9	–	4	1	1	1	–	–	–	–
Caithness	164	31·7	–	–	–	–	–	1	3	42	48	26	14	12	7	6	2	3	–	–	–	–
Clackmannan	189	28·8	–	–	–	–	–	1	8	45	81	31	9	9	2	2	–	–	1	–	–	–
Dumbarton	801	28·8	–	–	–	–	3	8	18	229	319	121	43	26	17	8	6	1	1	1	–	–
Dumfries	474	30·4	–	–	–	–	1	8	18	120	141	83	47	25	12	6	6	2	1	4	–	–
Edinburgh (Midlothian)	4,010	29·9	–	–	–	5	24	57	106	1,000	1,331	722	361	169	96	71	33	21	12	1	1	–
Elgin	241	31·2	–	–	–	–	1	2	3	48	81	60	16	7	10	6	4	1	1	1	–	–

AGES of MEN at Marriage in Scotland, 1912.

Fife . . .	1,677	28·5	–	–	–	–	11	35	74	523	549	256	99	56	32	26	9	6	–	1	–	–
Forfar . .	1,886	29·4	–	–	–	1	6	38	66	528	635	291	152	59	41	24	23	10	7	2	3	–
Haddington .	228	27·3	–	–	–	–	4	1	10	77	89	27	10	5	2	3	–	–	–	–	–	–
Inverness . .	392	33·4	–	–	–	–	–	1	4	58	107	92	59	25	15	19	7	2	1	2	–	–
Kincardine .	182	30·3	–	–	–	–	1	3	5	41	62	30	18	14	–	5	3	–	–	–	–	–
Kinross . .	39	28·0	–	–	–	–	–	–	4	12	14	3	4	–	1	1	–	–	–	–	–	–
Kirkcudbright .	185	30·8	–	–	–	–	–	1	2	33	73	36	19	11	4	2	4	–	–	–	–	–
Lanark . .	11,750	29·1	–	–	–	14	76	239	459	3,441	3,735	1,778	964	430	270	133	115	47	31	11	5	2
Linlithgow .	457	27·8		–	–	–	6	6	16	164	142	76	23	13	3	2	3	2	1	–	–	–
Nairn . .	32	34·2	–	–	–	–	–	–	–	5	9	6	3	5	1	2	1	–	–	–	–	–
Orkney . .	161	30·8	–	–	–	1	2	5	3	34	50	32	13	6	7	2	3	2	1	–	–	–
Peebles . .	84	32·2	–	–	–	–	–	–	1	13	23	27	10	4	1	3	1	–	1	–	–	–
Perth . .	706	30·3	–	–	–	–	–	4	15	139	254	162	61	39	12	10	5	2	1	1	–	1
Renfrew . .	2,126	28·5	–	–	–	–	14	48	72	643	727	342	143	67	28	22	11	5	3	–	1	–
Ross & Cromarty	283	33·0	–	–	–	–	–	1	4	26	86	79	46	19	13	2	4	–	1	2	–	–
Roxburgh .	269	30·6	–	–	–	–	1	4	1	72	84	49	23	18	5	5	4	1	1	1	–	–
Selkirk . .	159	29·8	–	–	–	–	1	1	1	35	69	27	8	8	3	5	1	–	–	–	–	–
Shetland . .	119	31·5	–	–	–	–	1	1	3	17	45	23	15	7	5	1	1	–	–	–	–	–
Stirling . .	950	29·0	–	–	–	–	4	16	26	275	345	140	64	36	19	12	9	3	–	1	–	–
Sutherland .	53	34·9	–	–	–	–	–	–	–	4	14	14	9	4	6	–	1	–	1	–	–	–
Wigtown . .	183	29·9	–	–	–	–	–	6	2	47	56	35	21	7	5	–	2	2	–	–	–	–

TABLE 18.—Ages of WOMEN at Marriage in Scotland, 1912.

	All Ages.	Average age.	Under 15	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and over.	Not stated.
SCOTLAND .	32,506	26·7	–	7	69	411	1138	1859	2,282	10,583	8,959	3,861	1,682	786	492	209	91	47	18	9	–	3
Counties.																						
Aberdeen . .	2,111	27·2	–	3	1	26	77	110	141	660	566	271	129	62	38	13	7	3	3	1	–	–
Argyll . .	243	28·4	–	–	–	3	6	6	14	60	74	46	19	9	3	–	1	2	–	–	–	–
Ayr . . .	1,775	26·5	–	–	2	24	64	130	115	620	478	195	77	33	21	12	2	2	–	–	–	–
Banff . .	342	26·6	–	–	1	2	9	12	25	120	106	42	19	4	–	2	–	–	–	–	–	–
Berwick . .	169	28·2	–	–	–	1	2	4	6	53	53	32	8	5	2	2	–	1	–	–	–	–
Bute . .	66	28·1	–	–	–	–	3	5	5	16	21	7	4	2	3	–	–	–	–	–	–	–
Caithness . .	164	27·4	–	–	1	–	6	7	13	57	36	18	14	5	6	1	–	–	–	–	–	–
Clackmannan .	189	26·5	–	–	1	2	4	10	8	55	75	20	8	3	1	1	–	1	–	–	–	–
Dumbarton .	801	26·2	–	–	1	8	22	39	49	309	221	91	34	18	7	–	2	–	–	–	–	–
Dumfries . .	474	26·7	–	–	–	2	12	17	30	143	139	71	33	10	11	5	–	–	–	1	–	–
Edinburgh (Midlothian) .	4,010	27·2	–	–	8	32	120	188	259	1,236	1,174	530	243	106	74	21	11	7	1	–	–	–
Elgin . .	241	28·2	–	–	1	2	3	5	10	81	83	20	16	10	3	3	2	1	1	–	–	–

AGES of WOMEN at Marriage in Scotland, 1912.

Fife . . .	1,677	26·5	–	–	8	35	47	103	131	579	418	191	68	50	23	13	7	3	1	–	–	–
Forfar . .	1,886	27·5	–	–	4	19	35	93	115	610	574	227	83	65	31	17	5	5	2	1	–	–
Haddington .	228	25·8	–	1	–	–	10	19	18	78	63	27	4	3	3	1	1	–	–	–	–	–
Inverness .	392	28·7	–	–	–	2	6	9	12	114	114	78	28	17	4	6	2	–	–	–	–	–
Kincardine .	182	27·3	–	–	–	–	4	6	10	58	61	23	12	5	2	1	–	–	–	–	–	–
Kinross . .	39	29·4	–	–	–	–	–	5	–	11	13	6	2	–	1	1	–	–	–	–	–	–
Kirkcudbright .	185	28·1	–	–	–	3	1	5	4	57	63	30	13	3	2	3	1	–	–	–	–	–
Lanark . .	11,750	26·3	–	3	30	187	530	789	942	3,892	2,929	1,286	584	257	173	83	34	17	8	4	–	2
Linlithgow .	457	24·8	–	–	1	10	28	42	38	169	118	33	7	6	1	1	1	1	–	1	–	–
Nairn . .	32	27·5	–	–	–	1	–	2	2	10	8	6	1	1	–	–	1	–	–	–	–	–
Orkney . .	161	28·3	–	–	–	2	6	4	7	54	39	24	11	5	6	–	1	1	1	–	–	–
Peebles . .	84	29·1	–	–	–	1	–	1	2	19	30	17	11	–	3	–	–	–	–	–	–	–
Perth . .	706	27·5	–	–	4	–	11	23	27	212	235	109	52	15	11	5	1	–	–	–	–	1
Renfrew . .	2,126	26·1	–	–	4	23	76	133	174	716	625	213	76	43	30	9	2	1	–	1	–	–
Ross & Cromarty	283	29·1	–	–	1	–	2	3	8	59	123	45	25	7	4	3	2	1	–	–	–	–
Roxburgh	269	28·7	–	–	–	2	2	8	9	60	108	39	24	9	5	–	3	–	–	–	–	–
Selkirk . .	159	27·7	–	–	–	1	1	2	10	44	65	19	7	5	5	–	–	–	–	–	–	–
Shetland . .	119	27·8	–	–	–	1	1	4	3	41	35	19	9	3	3	–	–	–	–	–	–	–
Stirling . .	950	26·0	–	–	–	19	43	64	76	331	240	92	46	16	13	5	3	1	1	–	–	–
Sutherland .	53	30·7	–	–	–	1	1	1	3	7	17	10	4	6	2	–	1	–	–	–	–	–
Wigtown . .	183	26·6	–	–	1	2	6	10	16	52	55	24	11	3	1	1	1	–	–	–	–	–

TABLE **19.**—Age Distribution of Persons at Marriage in Scotland, 1912.

AGES.	MEN.			WOMEN.		
	Scotland.	Larger Burghs.	Other Districts.	Scotland.	Larger Burghs.	Other Districts.
15—19 years	2·34	2·61	1·98	10·72	11·02	10·32
20—24	30·80	30·89	30·67	39·57	39·01	40·32
25—29	33·24	32·57	34·13	27·56	26·88	28·47
30—34	16·23	15·95	16·61	11·88	11·74	12·05
35—39	8·14	8·40	7·80	5·18	5·26	5·07
40—44	3·87	3·91	3·83	2·42	2·82	1·89
45—49	2·27	2·43	2·05	1·51	1·81	1·12
50 and above	3·10	3·23	2·92	1·15	1·45	0·75
Not stated	0·01	0·01	0·01	0·01	0·01	0·01
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00

TABLE **20.**—Age Distribution of Persons at Marriage in Scotland, 1855–1912.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—19 years	41,957	2·72	182,728	11·85
20—24	554,735	35·97	685,535	44·45
25—29	492,293	31·92	392,260	25·43
30—34	211,265	13·70	143,391	9·30
35—39	103,551	6·71	69,954	4·54
40—44	56,671	3·67	35,294	2·29
45—49	34,909	2·26	18,565	1·20
50 and above	46,131	2·99	13,272	0·86
Not stated	780	0·05	1,293	0·08
TOTAL	1,542,292	100·00	1,542,292	100·00

TABLE **21.**—AGES in Combination of **MEN** and **WOMEN** at Marriage in Scotland, 1912.

Ages of Husbands	Ages of Wives: 14–	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	Not Stated	Total Husbands.	Ages of Husbands
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	1	1	7	10	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	24	17–
18–	–	2	3	26	60	27	22	34	4	2	–	–	–	–	–	–	–	–	–	–	180	18–
19–	–	1	10	46	122	140	89	123	22	3	–	–	–	–	–	–	–	–	–	–	556	19–
20–	–	1	10	66	172	251	198	337	48	2	1	–	–	–	–	–	–	–	–	–	1,086	20–
21–	–	2	36	199	556	1,018	1,285	4,488	1,197	117	16	8	3	–	–	–	–	–	–	–	8,925	21–
25–	–	–	6	53	177	323	537	4,125	4,576	837	139	28	4	1	–	–	–	–	–	–	10,806	25–
30–	–	–	3	11	27	69	112	1,074	2,068	1,522	330	52	7	2	–	1	–	–	–	–	5,278	30–
35–	–	–	–	1	9	20	23	280	713	857	550	145	34	7	4	–	1	–	–	–	2,644	35–
40–	–	–	–	1	3	10	10	77	208	332	321	209	76	10	3	–	–	–	–	–	1,260	40–
45–	–	–	–	–	2	1	4	28	87	118	167	143	145	37	3	2	–	–	–	–	737	45–
50–	–	–	–	1	–	–	–	6	23	45	91	99	98	57	17	9	–	–	–	–	446	50–
55–	–	–	–	–	–	–	–	8	9	17	41	61	66	53	31	7	4	1	–	–	298	55–
60–	–	–	–	–	–	–	–	–	3	7	14	22	32	27	17	9	3	–	–	–	134	60–
65–	–	–	–	–	–	–	–	1	–	1	8	11	21	8	11	12	7	3	–	–	83	65–
70–	–	–	–	–	–	–	–	–	–	1	4	6	5	4	4	6	3	2	–	–	35	70–
75–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–	1	1	–	7	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	4	80–
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	Not stated
Total Wives	–	7	69	411	1,138	1,859	2,282	10,583	8,959	3,861	1,682	786	492	209	91	47	18	8	1	3	32,506	Tl. Husbands and Wives.

Average age—Husbands, 29·4; Wives, 26·7.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at Marriage :—Thus, of 1,859 Wives at the age of 19, *twenty-seven* married Husbands aged 18, *one hundred and forty* married Husbands aged 19, etc.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives at Marriage :—Thus, of 8925 Husbands whose ages ranged from 21 to 24, *two* married Wives aged 15, *thirty-six* married Wives aged 16, etc.

TABLE 22.—AGES in Combination of BACHELORS and SPINSTERS at Marriage in Scotland, 1912.

Ages of Bachelors.	Ages of Spinsters. 14-	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	Not stated	Total Bachelors.	Ages of Bachelors.
16-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16-
17-	–	1	1	7	10	–	2	2	1	–	–	–	–	–	–	–	–	–	–	24	17-
18-	–	2	3	26	60	27	22	34	4	1	–	–	–	–	–	–	–	–	–	179	18-
19-	–	1	10	46	122	140	89	123	21	3	–	–	–	–	–	–	–	–	–	555	19-
20-	–	1	10	66	172	250	198	337	47	2	1	–	–	–	–	–	–	–	–	1,084	20-
21-	–	2	36	199	554	1,016	1,281	4,472	1,168	107	10	2	–	–	–	–	–	–	–	8,847	21-
25-	–	–	6	52	177	320	530	4,086	4,485	782	104	14	2	–	–	–	–	–	–	10,558	25-
30-	–	–	3	11	27	64	105	1,004	1,950	1,381	239	27	1	1	–	1	–	–	–	4,814	30-
35-	–	–	–	1	7	17	21	223	583	683	358	71	13	2	1	–	–	–	–	1,980	35-
40-	–	–	–	1	2	7	8	49	140	197	182	84	20	2	1	–	–	–	–	693	40-
45-	–	–	–	–	2	1	3	18	43	64	68	47	41	6	–	1	–	–	–	294	45-
50-	–	–	–	1	–	–	–	1	7	20	24	24	18	7	2	2	–	–	–	106	50-
55-	–	–	–	–	–	–	–	2	3	5	11	11	6	8	2	1	–	–	–	49	55-
60-	–	–	–	–	–	–	–	–	–	1	2	4	3	2	–	–	–	–	–	12	60-
65-	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	1	–	1	–	10	65-
70-	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	1	–	–	5	70-
75-	–	–	–	–	–	–	–	–	–	–	–	–	–	*1	–	–	–	–	–	1	75-
Not stated.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	Not stated.
Total Spinsters	–	7	69	410	1,133	1,842	2,259	10,351	8,452	3,246	1,002	286	107	31	7	7	1	1	1	29,212	Total Bachelors and Spinsters.

* Husband aged 81.

Average age—Husbands, 27·9; Wives, 25·5.

TABLE **23**.—Ages in Combination of **BACHELORS** and **WIDOWS** at Marriage in Scotland, 1912.

Ages of BACHELORS.	Ages of WIDOWS. 19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	Not stated	Total Bachelors.	Ages of BACHELORS.
18–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	18–
19–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	19–
20–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	20–
21–	–	2	11	26	10	6	6	3	–	–	–	–	–	–	64	21–
25–	–	1	10	44	43	31	12	2	1	–	–	–	–	–	144	25–
30–	–	–	3	26	52	57	12	5	1	–	–	–	–	–	156	30–
35–	–	–	–	18	40	69	34	12	3	2	–	1	–	–	179	35–
40–	–	–	–	3	14	29	33	12	2	1	–	–	–	–	94	40–
45–	–	–	–	–	4	19	13	19	6	3	–	–	–	–	64	45–
50–	–	–	–	1	–	2	6	7	6	2	2	–	–	–	26	50–
55–	–	–	–	–	–	2	2	4	2	1	1	2	1	–	15	55–
60–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	60–
65–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	4	65–
70–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75–
Not stated.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated.
Total Widows.	–	3	24	120	164	216	118	65	21	11	4	4	2	–	752	Total Bachelors and Widows.

Average age—Husbands, 35·9; Wives, 37·0

TABLE 24.—AGES in Combination of the WIDOWERS and SPINSTERS at Marriage in Scotland, 1912.

Ages of Widowers	Ages of Spinsters: 16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	Not stated	Total Widowers.	Ages of Widowers
18-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18-
19-	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	19-
20-	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	20-
21-	–	–	2	2	2	4	2	–	–	–	–	–	–	–	–	–	–	12	21-
25-	–	1	–	3	6	28	43	10	2	2	–	–	–	–	–	–	–	95	25-
30-	–	–	–	5	7	63	78	74	26	8	–	–	–	–	–	–	–	261	30-
35-	–	–	2	3	2	54	102	102	87	20	5	1	1	–	–	–	–	379	35-
40-	–	–	1	3	2	28	58	100	76	54	20	3	1	–	–	–	–	346	40-
45-	–	–	–	–	1	9	39	43	56	44	30	9	–	1	–	–	–	232	45-
50-	–	–	–	–	–	5	14	22	42	41	43	13	2	1	–	–	–	183	50
55-	–	–	–	–	–	6	6	11	20	29	27	25	7	2	–	–	–	133	55-
60-	–	–	–	–	–	–	2	6	8	13	16	12	8	3	1	–	–	69	60-
65-	–	–	–	–	–	1	–	1	5	8	9	4	6	3	–	1	–	38	65-
70-	–	–	–	–	–	–	–	1	2	5	4	3	2	2	–	1	–	20	70-
75-	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	3	75-
80-	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	80-
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	–	1	5	17	20	198	344	370	324	226	155	70	27	13	1	2	–	1,773	Total Widowers and Spinsters.

Average age—Husbands, 43·6; Wives, 35·1

TABLE **25.**—AGES in Combination of the **WIDOWS** and **WIDOWERS** at Marriage in Scotland, 1912.

Ages of Widowers.	Ages of Widows. 19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	Not stated	Total Widowers.	Ages of Widowers.
18-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18-
19-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19-
20-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20-
21-	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	21-
25-	–	–	–	4	2	2	–	–	–	–	–	–	–	–	8	25-
30-	–	–	3	13	13	8	5	1	–	–	–	–	–	–	43	30-
35-	–	–	3	10	32	33	20	4	1	–	–	–	–	–	103	35-
40-	–	–	–	7	20	34	38	24	3	–	–	–	–	–	126	40-
45-	–	–	1	4	7	24	39	55	16	–	–	–	–	–	146	45-
50-	–	–	–	1	3	23	27	30	31	11	4	–	–	–	130	50-
55-	–	–	–	–	1	8	19	29	18	21	3	2	–	–	101	55-
60-	–	–	–	1	–	4	5	13	12	8	5	2	–	–	50	60-
65-	–	–	–	–	–	1	2	8	2	4	8	6	–	–	31	65-
70-	–	–	–	–	–	–	–	1	1	1	3	2	1	–	9	70-
75-	–	–	–	–	–	–	–	–	2	–	–	–	*2	–	4	75-
80-	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	80-
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	7	41	78	137	155	165	86	46	23	12	4	–	754	Total Widowers and Widows.

*Widows, age 76.

Average age—Husbands, 48·8; Wives, 43·9.

Note:—32,491 Marriages are accounted for in Tables 22–25, the condition of one or both of the contracting parties in the remaining 15 cases not having been specified in the Marriage Register.

TABLE **26**.—Ages at Death in 1913.

Age Groups.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both sexes.
0– – – –	13,214	7,474	5,740	7,426	2,276	3,512
1– – – –	7,133	3,677	3,456	4,558	1,114	1,461
5– – – –	1,833	916	917	973	348	512
10– – – –	1,180	561	619	585	236	359
15– – – –	3,371	1,689	1,682	1,706	661	1,004
25– – – –	3,940	1,892	2,048	2,134	717	1,089
35– – – –	5,092	2,564	2,528	2,815	980	1,297
45– – – –	6,522	3,488	3,034	3,634	1,265	1,623
55– – – –	8,762	4,642	4,120	4,578	1,763	2,421
65– – – –	11,113	5,296	5,817	4,968	2,535	3,610
75– – – –	10,903	4,299	6,604	3,631	2,697	4,575
Not stated – –	6	6	—	1	—	5
ALL AGES –	73,069	36,504	36,565	37,009	14,592	21,468

TABLE **27**.—Death-rate per 1000 in each Age-group in 1913.

Age Groups.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
0– – – –	137·7	122·8	107·6	141·9	111·0	100·8
1– – – –	17·3	16·9	16·5	22·8	13·7	10·4
5– – – –	3·6	3·6	3·6	4·1	3·5	3·0
10– – – –	2·3	2·4	2·6	2·6	2·4	2·2
15– – – –	3·9	3·8	3·8	3·9	4·0	3·7
25– – – –	5·4	5·4	5·3	5·8	4·7	5·0
35– – – –	8·9	8·5	8·2	9·5	8·3	7·1
45– – – –	16·5	14·7	13·1	17·0	14·1	11·6
55– – – –	33·6	29·8	26·5	34·2	28·4	24·8
65– – – –	68·1	60·5	54·9	67·0	62·0	53·4
75– – – –	161·1	151·5	145·9	159·2	159·1	146·8
Not stated – –	—	—	—	—	—	—
ALL AGES –	15·45	15·92	15·02	16·36	15·42	14·12

TABLE **28**.—Percentage of Deaths in each Age-group in 1913.

Age Groups.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
0– – – –	18·08	20·47	15·70	20·06	15·60	16·36
1– – – –	9·76	10·07	9·45	12·32	7·63	6·81
5– – – –	2·51	2·51	2·51	2·63	2·39	2·38
10– – – –	1·62	1·54	1·69	1·58	1·62	1·67
15– – – –	4·61	4·63	4·60	4·61	4·53	4·68
25– – – –	5·39	5·18	5·60	5·77	4·91	5·07
35– – – –	6·97	7·02	6·91	7·61	6·72	6·04
45– – – –	8·93	9·55	8·30	9·82	8·67	7·56
55– – – –	11·99	12·72	11·27	12·37	12·08	11·28
65– – – –	15·21	14·51	15·91	13·42	17·37	16·82
75– – – –	14·92	11·78	18·06	9·81	18·48	21·31
Not stated – –	0·01	0·02	0·00	0·00	0·00	0·02
ALL AGES –	100·00	100·00	100·00	100·00	100·00	100·00

TABLE 29.—DEATHS, MALE AND FEMALE, AT EACH YEAR OF AGE, AND BY CONDITION AS TO MARRIAGE, IN SCOTLAND, 1913.

TABLE **29**.—Deaths, Male and Female, at each year of Age,

MALES.

Ages.	Total.	Single.	Married.	Widowed.	Not Stated.	Ages.	Total.	Single.	Married.	Widowed.	Not Stated.
0	7474	7474	–	–	–	52	394	86	249	54	5
1	2036	2036	–	–	–	53	374	85	236	53	–
2	830	830	–	–	–	54	426	70	301	55	–
3	471	471	–	–	–						
4	340	340	–	–	–	55	406	88	257	55	6
						56	447	71	301	71	4
5	275	275	–	–	–	57	461	67	322	72	–
6	209	209	–	–	–	58	475	75	293	104	3
7	159	159	–	–	–	59	444	76	289	79	–
8	155	155	–	–	–						
9	118	118	–	–	–	60	490	82	301	103	4
						61	448	66	281	100	1
10	118	118	–	–	–	62	515	70	319	124	2
11	124	124	–	–	–	63	470	59	272	138	1
12	93	93	–	–	–	64	486	83	282	121	–
13	115	115	–	–	–						
14	111	111	–	–	–	65	510	86	292	129	3
						66	449	53	277	116	3
15	139	139	–	–	–	67	457	70	270	116	1
16	141	141	–	–	–	68	535	71	279	185	–
17	178	174	4	–	–	69	508	71	278	158	1
18	167	166	1	–	–						
19	187	182	5	–	–	70	531	77	279	171	4
						71	510	72	266	172	–
20	181	177	3	–	1	72	635	68	310	255	2
21	183	174	7	–	2	73	575	60	286	228	1
22	182	170	12	–	–	74	586	55	273	257	1
23	156	136	18	1	1						
24	175	154	20	1	–	75	533	62	223	245	3
						76	484	53	202	228	1
25	168	125	41	1	1	77	442	51	194	196	1
26	176	130	45	1	–	78	364	42	137	185	–
27	162	114	46	2	–	79	313	27	120	166	–
28	203	123	76	2	2						
29	194	133	61	–	–	80	333	35	118	179	1
						81	269	23	100	146	–
30	177	102	69	5	1	82	280	30	95	155	–
31	180	97	80	3	–	83	243	23	84	136	–
32	221	111	101	7	2	84	214	31	60	123	–
33	183	77	98	7	1						
34	228	99	122	6	1	85	183	21	54	108	–
						86	152	13	44	95	–
35	227	95	123	6	3	87	135	10	46	78	1
36	255	106	134	10	5	88	96	17	20	59	–
37	236	88	138	10	–	89	64	7	20	37	–
38	271	84	171	16	–						
39	273	104	156	10	3	90	57	7	12	38	–
						91	38	2	9	27	–
40	276	100	151	10	15	92	31	7	8	16	–
41	241	79	152	10	–	93	22	1	6	15	–
42	279	82	179	17	1	94	20	–	7	13	–
43	268	72	175	18	3						
44	238	67	152	18	1	95	9	–	2	7	–
						96	4	–	1	3	–
45	312	94	195	17	6	97	3	1	1	1	
46	308	80	206	22	–	98	8	–	1	7	–
47	296	75	193	28	–	99	2	–	–	2	–
48	315	74	205	34	2						
49	319	59	218	39	3	100 and over	–	–	–	–	–
						Not Stated	6	–	–	–	6
50	393	95	238	45	15						
51	351	74	230	45	2	Total ...	36,504	18,904	11,902	5,572	126

and by Condition as to Marriage, in Scotland, 1913.

FEMALES.

Ages.	Total.	Single.	Married.	Widowed.	Not Stated.	Ages.	Total.	Single.	Married.	Widowed.	Not Stated.
0	5740	5740	–	–	–	52	353	79	205	69	–
1	1874	1874	–	–	–	53	357	66	213	78	–
2	766	766	–	–	–	54	319	62	186	71	–
3	467	467	–	–	–						
4	349	349	–	–	–	55	328	63	198	66	1
						56	390	69	215	106	–
5	273	273	–	–	–	57	383	63	211	109	–
6	200	200	–	–	–	58	425	83	216	126	–
7	166	166	–	–	–	59	396	78	181	137	–
8	139	139	–	–	–						
9	139	139	–	–	–	60	461	90	211	160	–
						61	379	75	159	145	–
10	119	119	–	–	–	62	443	78	203	162	–
11	126	126	–	–	–	63	468	90	199	179	–
12	125	125	–	–	–	64	447	70	181	195	1
13	132	132	–	–	–						
14	117	117	–	–	–	65	449	88	164	196	1
						66	409	77	164	168	–
15	126	126	–	–	–	67	452	98	153	201	–
16	169	169	–	–	–	68	501	90	154	257	–
17	154	154	–	–	–	69	489	110	139	240	–
18	149	147	2	–	–						
19	177	164	12	1	–	70	619	104	160	355	–
						71	592	102	153	335	2
20	205	170	35	–	–	72	815	150	191	474	–
21	151	111	40	–	–	73	716	140	131	445	–
22	165	116	49	–	–	74	775	146	133	496	–
23	206	146	59	–	1						
24	180	95	85	–	–	75	750	125	135	490	–
						76	675	112	117	446	–
25	193	103	89	1	–	77	527	120	59	348	–
26	209	90	119	–	–	78	557	110	81	365	1
27	203	97	104	2	–	79	493	90	61	342	–
28	217	82	132	3	–						
29	193	65	125	3	–	80	512	114	60	338	–
						81	373	76	42	255	–
30	187	68	115	3	1	82	439	79	34	326	–
31	193	61	128	4	–	83	352	80	27	244	1
32	204	64	135	5	–	84	351	86	29	236	–
33	214	50	154	9	1						
34	235	55	171	9	–	85	293	65	26	202	–
						86	281	60	16	205	–
35	244	57	180	6	1	87	205	31	6	168	–
36	240	56	177	7	–	88	162	35	7	120	–
37	239	50	180	9	–	89	134	31	5	98	–
38	242	52	175	15	–						
39	249	47	188	14	–	90	129	35	8	86	–
						91	81	25	1	55	–
40	234	45	172	16	1	92	71	19	2	50	–
41	252	53	176	23	–	93	60	17	1	42	–
42	304	50	217	37	–	94	49	11	2	36	–
43	237	59	155	23	–						
44	287	56	198	33	–	95	33	10	–	23	–
						96	24	6	–	18	–
45	268	60	177	30	1	97	18	2	2	14	–
46	255	57	179	19	–	98	20	1	–	19	–
47	272	66	182	24	–	99	10	2	–	8	–
48	300	52	203	45	–						
49	316	60	205	51	–	100 and over	5	1	–	4	–
						Not stated	–	–	–	–	–
50	323	78	183	62	–						
51	271	56	155	60	–	Total ...	36,565	17,233	9,497	9,822	13

TABLE **30**.—Deaths at various Age-periods in the Larger Burghs in 1913.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Under 1 Year	3707	631	657	588	259	255	279	176	136	120	144	157	79	70	85	83
1—	2426	352	297	403	143	121	222	94	91	67	100	82	26	29	54	51
5—	485	88	58	95	33	41	37	21	18	19	14	11	11	14	16	12
10—	294	52	43	43	21	14	29	14	6	12	12	11	7	11	6	10
15—	810	192	119	144	71	48	65	28	26	24	29	36	31	24	28	31
25—	1101	248	112	141	59	72	91	51	41	33	33	31	42	24	25	30
35—	1387	358	196	162	114	120	103	53	46	37	49	39	40	35	38	38
45—	1788	508	293	201	132	122	131	75	59	54	42	55	50	46	45	33
55—	2145	709	337	300	160	157	149	87	57	74	58	57	57	62	58	61
65—	2167	805	433	378	193	198	173	78	57	77	64	37	86	63	65	94
75 and over	1382	688	304	398	121	115	127	46	31	79	44	24	95	51	52	74
Not stated	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All Ages	17693	4631	2899	2853	1306	1263	1406	723	568	596	589	540	524	429	472	517

TABLE **31**.—Death-rate per 1000 of Population in the Larger Burghs at various Age-periods in 1913.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Under 1 Year	153·1	108·6	177·1	163·3	137·4	129·0	132·4	143·0	113·1	131·0	122·7	123·9	114·0	94·3	103·5	104·8
1—	26·5	15·2	21·8	27·7	19·2	16·3	30·9	20·6	19·7	18·5	23·3	17·0	10·0	9·4	16·0	16·8
5—	4·5	3·0	3·5	5·3	3·6	4·6	4·6	4·0	3·6	4·4	2·8	2·1	3·5	3·6	4·0	3·3
10—	2·9	1·8	2·6	2·4	2·4	1·7	3·8	3·0	1·3	2·9	2·8	2·4	2·2	2·8	1·6	3·0
15—	4·1	3·1	3·8	4·7	4·1	3·3	4·5	3·6	3·4	3·2	4·1	4·5	4·7	3·5	4·7	4·8
25—	6·2	4·5	4·4	6·0	4·2	5·6	7·0	7·2	5·9	5·1	5·3	4·2	7·5	4·6	4·5	5·8
35—	10·2	8·0	9·1	8·2	10·9	11·6	10·6	9·6	9·0	7·1	10·3	6·9	8·5	8·0	8·8	9·3
45—	18·4	15·2	17·6	13·7	16·4	16·2	19·1	20·3	18·3	14·2	14·6	16·8	14·0	13·9	14·7	11·0
55—	36·3	31·9	35·7	30·1	32·4	32·8	33·1	42·2	34·2	28·5	33·8	36·9	23·2	29·3	32·1	29·6
65—	70·7	62·6	67·9	61·0	71·2	71·2	62·5	70·1	70·2	51·1	69·1	50·8	57·0	56·2	69·4	75·9
75 and over	167·9	148·7	155·0	165·5	166·2	144·5	155·4	163·1	153·5	148·5	165·4	146·3	157·8	136·7	194·8	159·8
All Ages	17·2	14·4	17·6	17·7	15·3	15·8	18·2	16·7	13·8	14·7	15·3	12·7	15·1	12·2	14·0	15·5

TABLE **32**.—Deaths in each Age-group from various Diseases in Scotland in 1913. (Both Sexes.)

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever	171	1	4	13	12	41	47	31	9	8	4	1
Typhus Fever	7	–	–	–	–	1	1	3	1	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1329	335	891	77	10	7	5	3	–	1	–	–
Scarlet Fever	591	25	280	169	49	37	15	12	3	1	–	–
Whooping-cough	1819	836	922	56	2	2	–	1	–	–	–	–
Diphtheria and Croup	794	101	438	184	42	18	5	2	3	1	–	–
Influenza	278	11	6	–	4	6	11	7	19	24	81	109
Erysipelas	179	28	2	2	1	5	13	19	22	39	26	22
Phthisis, Pulmonary Tuberculosis	5103	31	102	87	213	1167	1246	1033	694	374	134	22
Tuberculous Meningitis	1093	250	491	176	77	59	19	14	5	1	1	–
Abdominal Tuberculosis	885	184	319	112	54	89	42	46	18	13	6	2
Other Tuberculous Diseases	924	85	156	82	81	177	118	77	59	47	37	5
Cancer, Malignant Disease	5212	3	9	12	9	33	120	402	933	1449	1493	749
Rheumatic Fever	234	–	8	18	31	66	35	24	19	18	12	3
Meningitis	970	339	335	91	48	48	30	22	29	17	9	2
Organic Heart Disease	6634	26	13	48	89	204	255	519	845	1340	1892	1403
Bronchitis	4662	811	268	29	13	31	48	131	343	755	1106	1127
Pneumonia (all forms)	5551	1308	1162	120	45	190	271	418	473	585	554	425
Other Diseases of Respiratory Organs	1081	167	137	23	15	30	38	77	102	146	173	173
Diarrhœa and Enteritis (under 2 years)	2103	1734	369	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	438	2	21	59	70	98	57	43	44	32	11	1
All Liver Diseases (not Malignant)	597	7	12	3	5	6	17	50	135	159	122	81
Other Diseases of Digestive System (under 2 years)	412	362	50	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2085	18	56	41	23	96	148	239	405	444	429	186
Puerperal Sepsis	160	–	–	–	–	33	82	45	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	548	–	–	–	–	108	247	186	7	–	–	–
Congenital Debility and Malformation, including Premature Birth	4808	4732	44	15	5	7	3	2	–	–	–	–
Violent Deaths, excluding Suicide	*2847	198	316	139	79	352	328	344	347	288	245	206
Suicide	277	–	–	–	2	26	34	62	68	36	43	6
Other Defined Diseases	19275	1400	575	263	185	413	645	1158	1723	2671	4293	5949
Diseases Ill-defined or Unknown	†2002	220	147	14	16	21	60	122	216	312	442	431
Total	‡73069	13214	7133	1833	1180	3371	3940	5092	6522	8762	11113	10903

* Including 5 of unspecified age.
† Including 1 of unspecified age.
‡ Including 6 of unspecified age.

TABLE **33**.—Death-rate per 100,000 of Population in each Age-group from various Causes in Scotland in 1913.

Causes of Death.	All Ages	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
Enteric Fever	4	1	1	3	2	5	6	5	2	3	2	-
Typhus Fever	0	-	-	-	-	0	0	1	0	0	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	28	311	211	15	2	1	1	1	-	0	-	-
Scarlet Fever	12	23	66	33	10	4	2	2	1	0	-	-
Whooping-cough	38	777	219	11	0	0	-	0	-	-	-	-
Diphtheria and Croup	17	94	104	36	9	2	1	0	1	0	-	-
Influenza	6	10	1	-	1	1	1	1	4	8	44	152
Erysipelas	4	26	0	0	0	1	2	3	5	13	14	31
Phthisis, Pulmonary Tuberculosis	108	29	24	17	44	133	169	173	156	127	73	31
Tuberculous Meningitis	23	232	116	34	16	7	3	2	1	0	-	-
Abdominal Tuberculosis	19	171	76	22	11	10	6	8	4	4	3	3
Other Tuberculous Diseases	20	79	37	16	17	20	16	13	13	16	20	7
Cancer, Malignant Disease	110	3	2	2	2	4	16	67	210	493	813	1041
Rheumatic Fever	5	-	2	4	6	8	5	4	4	6	7	4
Meningitis	21	315	79	18	10	5	4	4	7	6	5	3
Organic Heart Disease	140	24	3	9	18	23	35	87	190	456	1030	1950
Bronchitis	99	753	64	6	3	4	7	22	77	260	602	1566
Pneumonia (all forms)	117	1215	276	24	9	22	37	70	107	199	302	591
Other Diseases of Respiratory Organs	23	155	33	5	3	3	5	13	23	50	94	240
Diarrhœa and Enteritis (under 2 years)	44	1611	88	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	9	2	5	12	14	11	8	7	10	11	6	1
All Liver Diseases (not Malignant)	13	7	3	1	1	1	2	8	30	54	66	113
Other Diseases of Digestive System (under 2 years)	9	336	12	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	44	17	13	8	5	11	20	40	91	151	233	259
Puerperal Sepsis	3	-	-	-	-	4	11	8	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	12	-	-	-	-	12	34	31	2	-	-	-
Congenital Debility and Malformation, including Premature Birth	102	4396	10	3	1	1	0	0	-	-	-	-
Violent Deaths, excluding Suicide	60	184	75	27	16	40	45	58	78	98	133	286
Suicide	6	-	-	-	0	3	5	10	15	12	23	8
Other Defined Diseases	408	1301	136	52	38	47	88	194	388	909	2337	8269
Diseases Ill-defined or Unknown	42	204	35	3	3	2	8	20	49	106	241	599
Total	1546	12276	1692	359	242	385	535	854	1470	2982	6049	15155

TABLE **34**.—Percentage of Deaths from various Causes in 1913.

Causes of Death.	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever	0·23	0·01	0·07	0·71	1·02	1·22	1·19	0·61	0·14	0·09	0·04	0·01
Typhus Fever	0·01	—	—	—	—	0·03	0·03	0·06	0·02	0·01	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
Measles	1·82	2·54	12·49	4·20	0·85	0·21	0·13	0·06	—	0·01	—	—
Scarlet Fever	0·81	0·19	3·93	9·22	4·15	1·10	0·38	0·24	0·05	0·01	—	—
Whooping-cough	2·49	6·33	12·93	3·06	0·17	0·06	—	0·02	—	—	—	—
Diphtheria and Croup	1·09	0·76	6·14	10·04	3·56	0·53	0·13	0·04	0·05	0·01	—	—
Influenza	0·38	0·08	0·08	—	0·34	0·18	0·28	0·14	0·29	0·27	0·73	1·00
Erysipelas	0·24	0·21	0·03	0·11	0·08	0·15	0·33	0·37	0·34	0·45	0·23	0·20
Phthisis, Pulmonary Tuberculosis	6·98	0·23	1·43	4·75	18·05	34·62	31·62	20·29	10·64	4·27	1·21	0·20
Tuberculous Meningitis	1·50	1·89	6·88	9·60	6·53	1·75	0·49	0·27	0·08	0·01	0·01	—
Abdominal Tuberculosis	1·21	1·39	4·47	6·11	4·58	2·64	1·07	0·90	0·28	0·15	0·05	0·02
Other Tuberculous Diseases	1·26	0·64	2·19	4·47	6·86	5·25	2·99	1·51	0·90	0·54	0·33	0·05
Cancer, Malignant Disease	7·13	0·02	0·13	0·65	0·76	0·98	3·05	7·89	14·31	16·53	13·43	6·87
Rheumatic Fever	0·32	—	0·11	0·98	2·63	1·96	0·89	0·47	0·29	0·21	0·11	0·03
Meningitis	1·33	2·57	4·70	4·96	4·07	1·42	0·76	0·43	0·44	0·19	0·08	0·02
Organic Heart Disease	9·08	0·20	0·18	2·62	7·54	6·05	6·47	10·19	12·96	15·29	17·03	12·87
Bronchitis	6·38	6·14	3·76	1·58	1·10	0·92	1·22	2·57	5·26	8·62	9·95	10·34
Pneumonia (all forms)	7·60	9·90	16·29	6·55	3·81	5·64	6·88	8·23	7·25	6·68	4·99	3·90
Other Diseases of Respiratory Organs	1·48	1·26	1·92	1·25	1·27	0·89	0·96	1·51	1·56	1·67	1·56	1·59
Diarrhœa and Enteritis (under 2 years)	2·88	13·12	5·17	—	—	—	—	—	—	—	—	—
Appendicitis and Typhlitis	0·60	0·02	0·29	3·22	5·93	2·91	1·45	0·84	0·67	0·37	0·10	0·01
All Liver Diseases (not Malignant)	0·82	0·05	0·17	0·16	0·42	0·18	0·43	0·98	2·07	1·81	1·10	0·74
Other Diseases of Digestive System (under 2 years)	0·56	2·74	0·70	—	—	—	—	—	—	—	—	—
Nephritis and Bright's Disease	2·85	0·14	0·79	2·24	1·95	2·85	3·76	4·69	6·21	5·07	3·86	1·71
Puerperal Sepsis	0·22	—	—	—	—	0·98	2·08	0·89	—	—	—	—
Other Diseases and Accidents of Pregnancy and Parturition	0·75	—	—	—	—	3·20	6·27	3·65	0·11	—	—	—
Congenital Debility and Malformation, including Premature Birth	6·58	35·81	0·62	0·82	0·42	0·21	0·08	0·04	—	—	—	—
Violent Deaths, excluding Suicide	3·90	1·50	4·43	7·58	6·69	10·44	8·32	6·76	5·32	3·29	2·20	1·89
Suicide	0·38	—	—	—	0·17	0·77	0·86	1·22	1·04	0·41	0·39	0·06
Other Defined Diseases	26·38	10·60	8·04	14·36	15·69	12·24	16·36	22·73	26·41	30·48	38·62	54·54
Diseases Ill-defined or Unknown	2·74	1·66	2·06	0·76	1·36	0·62	1·52	2·40	3·31	3·56	3·98	3·95
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE 35.—Deaths from various Causes in Scotland and its Groups of Public Health Districts, in 1913.

Causes of Death.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever	171	95	76	94	30	47
Typhus Fever	7	2	5	6	–	1
Small-pox	–	–	–	–	–	–
Measles	1,329	700	629	1,013	119	197
Scarlet Fever	591	279	312	291	107	193
Whooping-cough	1,819	875	944	1,220	264	335
Diphtheria and Croup	794	387	407	453	167	174
Influenza	278	108	170	85	62	131
Erysipelas	179	88	91	98	36	45
Phthisis, Pulmonary Tuberculosis	5,103	2,597	2,506	2,861	915	1,327
Tuberculous Meningitis	1,093	591	502	643	186	264
Abdominal Tuberculosis	885	462	423	468	175	242
Other Tuberculous Diseases	924	472	452	508	172	244
Cancer, Malignant Disease	5,212	2,137	3,075	2,414	1,176	1,622
Rheumatic Fever	234	105	129	120	50	64
Meningitis	970	526	444	469	201	300
Organic Heart Disease	6,634	3,030	3,604	2,998	1,519	2,117
Bronchitis	4,662	2,243	2,419	2,543	867	1,252
Pneumonia (all forms)	5,551	3,208	2,343	3,345	858	1,348
Other Diseases of Respiratory Organs	1,081	556	525	534	236	311
Diarrhœa and Enteritis (under 2 years)	2,103	1,148	955	1,236	355	512
Appendicitis and Typhlitis	438	230	208	181	111	146
All Liver Diseases (not Malignant)	597	299	298	280	133	184
Other Diseases of Digestive System (under 2 years)	412	242	170	211	66	135
Nephritis and Bright's Disease	2,085	1,115	970	1,118	417	550
Puerperal Sepsis	160	–	160	99	25	36
Other Diseases and Accidents of Pregnancy and Parturition	548	–	548	263	111	174
Congenital Debility and Malformation, including Premature Birth	4,808	2,722	2,086	2,475	925	1,408
Violent Deaths, excluding Suicide	2,847	2,033	814	1,414	556	877
Suicide	277	208	69	136	61	80
Other Defined Diseases	19,275	9,018	10,257	8,624	4,255	6,396
Diseases Ill-defined or Unknown	2,002	1,028	974	809	437	756
Total	73,069	36,504	36,565	37,009	14,592	21,468

TABLE 36.—Death-rate from various Causes per 100,000 of the Population in Scotland and its Groups of Public Health Districts in 1913.

Causes of Death.	Scotland.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever	4	4	3	4	3	3
Typhus Fever	0	0	0	0	–	0
Small-pox	–	–	–	–	–	–
Measles	28	31	26	45	13	13
Scarlet Fever	12	12	13	13	11	13
Whooping-cough	38	38	39	54	28	22
Diphtheria and Croup	17	17	17	20	18	11
Influenza	6	5	7	4	7	9
Erysipelas	4	4	4	4	4	3
Phthisis, Pulmonary Tuberculosis	108	113	103	126	97	87
Tuberculous Meningitis	23	26	21	28	20	17
Abdominal Tuberculosis	19	20	17	21	18	16
Other Tuberculous Diseases	20	21	19	22	18	16
Cancer, Malignant Disease	110	93	126	107	124	107
Rheumatic Fever	5	5	5	5	5	4
Meningitis	21	23	18	21	21	20
Organic Heart Disease	140	132	148	133	160	139
Bronchitis	99	98	99	112	92	82
Pneumonia (all forms)	117	140	96	148	91	89
Other Diseases of Respiratory Organs	23	24	22	24	25	20
Diarrhœa and Enteritis (under 2 years)	44	50	39	55	38	34
Appendicitis and Typhlitis	9	10	9	8	12	10
All Liver Diseases (not Malignant)	13	13	12	12	14	12
Other Diseases of Digestive System (under 2 years)	9	11	7	9	7	9
Nephritis and Bright's Disease	44	49	40	49	44	36
Puerperal Sepsis	3	–	7	4	3	2
Other Diseases and Accidents of Pregnancy and Parturition	12	–	23	12	12	11
Congenital Debility and Malformation, including Premature Birth	102	119	86	109	98	93
Violent Deaths, excluding Suicide	60	89	33	63	59	58
Suicide	6	9	3	6	6	5
Other Defined Diseases	408	393	421	381	450	421
Diseases Ill-defined or Unknown	42	45	40	36	46	50
Total	1545	1592	1502	1636	1542	1412

TABLE 37.—Deaths from various Causes in the Larger Burghs, 1913.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever	36	10	7	9	1	2	6	1	–	–	–	5	7	2	6	2
Typhus Fever	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	578	61	41	147	26	25	34	11	19	13	17	15	1	–	17	8
Scarlet Fever	136	38	14	32	2	10	18	3	14	3	3	2	1	9	2	4
Whooping-cough	749	121	8	45	34	56	49	18	48	16	33	18	6	2	16	1
Diphtheria and Croup	195	32	34	111	4	5	12	6	7	8	13	9	8	2	4	3
Influenza	32	18	3	8	3	2	1	1	3	3	2	2	1	–	3	3
Erysipelas	62	6	4	5	6	3	4	2	–	–	1	2	1	1	1	–
Phthisis, Pulmonary Tuberculosis	1,470	365	191	176	95	107	114	50	39	22	47	36	36	36	44	33
Tuberculous Meningitis	307	64	47	46	21	33	24	13	11	12	14	15	9	8	12	7
Abdominal Tuberculosis	213	39	44	27	24	12	18	16	7	21	10	10	8	6	8	5
Other Tuberculous Diseases	243	72	37	25	21	14	25	12	9	8	14	4	6	5	4	9
Cancer, Malignant Disease	1,056	401	210	200	85	90	71	33	31	41	24	26	34	35	33	44
Rheumatic Fever	52	11	7	9	12	8	3	3	4	3	3	–	1	1	2	1
Meningitis	236	32	28	19	32	12	32	13	9	6	7	23	7	5	2	6
Organic Heart Disease	1,171	523	287	271	110	135	113	56	18	71	37	30	54	31	45	46
Bronchitis	1,267	281	223	160	107	85	88	58	37	43	33	30	40	31	24	36
Pneumonia (all forms)	1,777	369	245	246	82	108	129	76	48	34	49	57	24	23	36	42
Other Diseases of Respiratory Organs	260	88	41	27	13	13	15	12	12	4	9	13	5	6	6	10
Diarrhœa and Enteritis (under 2 years)	637	68	166	73	56	35	49	17	24	20	29	22	9	9	9	13
Appendicitis and Typhlitis	85	26	16	15	9	2	6	1	3	2	3	1	2	1	2	7
All Liver Diseases (not Malignant)	124	46	15	22	15	8	15	5	6	5	–	–	7	1	4	7
Other Diseases of Digestive System (under 2 years)	97	16	23	16	11	9	3	2	6	4	9	2	5	4	2	2
Nephritis and Bright's Disease	572	173	75	77	29	32	29	15	18	9	13	12	11	20	14	19
Puerperal Sepsis	54	11	7	6	1	2	3	2	2	–	–	4	1	1	3	2
Other Diseases and Accidents of Pregnancy and Parturition	120	28	14	18	11	11	18	5	7	7	5	8	4	2	–	5
Congenital Debility and Malformation, including Premature Birth	1,164	230	227	179	86	72	101	67	44	56	56	50	42	31	37	33
Violent Deaths, excluding Suicide	693	155	102	101	38	59	68	40	16	29	25	20	18	12	21	17
Suicide	50	20	16	9	10	7	2	1	4	6	–	1	4	2	1	3
Other Defined Diseases	3,809	1,283	702	736	332	281	316	162	117	139	118	104	158	130	107	130
Diseases Ill-defined or Unknown	442	44	65	38	30	25	40	22	5	11	15	19	14	13	7	19
Total	17,693	4,631	2,899	2,853	1,306	1,263	1,406	723	568	596	589	540	524	429	472	517

TABLE 38.—Death-rate per 100,000 from various Causes in the Larger Burghs in 1913.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever	3	3	4	6	1	2	8	2	–	–	–	12	20	6	18	6
Typhus Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	56	19	25	91	30	31	44	25	46	32	44	35	3	–	50	24
Scarlet Fever	13	12	8	20	2	12	23	7	34	7	8	5	3	26	6	12
Whooping-cough	73	38	5	28	40	70	64	42	117	40	85	42	17	6	47	3
Diphtheria and Croup	19	10	21	69	5	6	16	14	17	20	34	21	23	6	12	9
Influenza	3	6	2	5	4	2	1	2	7	7	5	5	3	–	9	9
Erysipelas	6	2	2	3	7	4	5	5	–	–	3	5	3	3	3	–
Phthisis, Pulmonary Tuberculosis	143	114	116	109	111	134	148	116	95	54	122	85	104	103	130	99
Tuberculous Meningitis	30	20	28	29	25	41	31	30	27	30	36	35	26	23	35	21
Abdominal Tuberculosis	21	12	27	17	28	15	23	37	17	52	26	24	23	17	24	15
Other Tuberculous Diseases	24	22	22	16	25	17	32	28	22	20	36	9	17	14	12	27
Cancer, Malignant Disease	103	125	127	124	99	112	92	76	75	101	62	61	98	100	98	132
Rheumatic Fever	5	3	4	6	14	10	4	7	10	7	8	–	3	3	6	3
Meningitis	23	10	17	12	37	15	41	30	22	15	18	54	20	14	6	18
Organic Heart Disease	114	163	174	168	129	169	146	130	44	175	96	71	156	88	133	138
Bronchitis	123	88	135	99	125	106	114	134	90	106	85	71	115	88	71	108
Pneumonia (all forms)	173	115	149	153	96	135	167	176	117	84	127	134	69	66	106	126
Other Diseases of Respiratory Organs	25	27	25	17	15	16	19	28	29	10	23	31	14	17	18	30
Diarrhœa and Enteritis (under 2 years)	62	21	101	45	66	44	64	39	58	49	75	52	26	26	27	39
Appendicitis and Typhlitis	8	8	10	9	11	2	8	2	7	5	8	2	6	3	6	21
All Liver Diseases (not Malignant)	12	14	9	14	18	10	19	12	15	12	–	–	20	3	12	21
Other Diseases of Digestive System (under 2 years)	9	5	14	10	13	11	4	5	15	10	23	5	14	11	6	6
Nephritis and Bright's Disease	56	53	45	48	34	40	38	35	44	23	34	28	32	57	41	57
Puerperal Sepsis	5	3	4	4	1	2	4	5	5	–	–	9	3	3	9	6
Other Diseases and Accidents of Pregnancy and Parturition	12	9	8	11	13	14	23	12	17	18	13	19	12	6	–	15
Congenital Debility and Malformation, including Premature Birth	113	72	138	111	101	90	131	155	107	139	145	118	121	88	109	99
Violent Deaths, excluding Suicide	67	48	62	63	44	74	88	93	39	72	65	47	52	34	62	51
Suicide	5	6	10	6	12	9	3	2	10	15	–	2	12	6	3	9
Other Defined Diseases	370	400	426	456	389	351	410	375	285	343	306	245	455	371	316	390
Diseases Ill-defined or Unknown	43	14	39	21	35	31	52	51	12	27	39	45	40	37	21	57
Total	1720	1442	1757	1770	1530	1575	1822	1675	1383	1473	1526	1272	1510	1225	1396	1551

TABLE **39**.—DEATHS in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES in each of the Years 1855-1913.

Year	Number of Deaths from														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhœal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis	Pneumonia.	Bronchitis.	Violence.
1855	1309	1180	2138	873	1903	3017	2419		79	871	10,007	7129	2094	3036	1913
1856	1306	1033	3011	1020	2331	2425	2363		81	908	9,077	6247	1970	2762	2003
1857	845	1028	2235	1148	1539	4132	3087		90	960	10,326	7184	1890	2867	2068
1858	332	1538	2671	1494	1963	3169	2790		86	963	10,265	7264	2355	3935	1980
1859	682	972	3614	1336	2660	2736	2436		90	1004	9,951	7172	1900	3228	2054
1860	1495	1587	2927	1485	1812	2379	2344		96	1014	11,212	8165	2416	5400	2186
1861	766	971	1764	1571	2204	2416	2579		122	1165	10,582	7571	1974	5017	2089
1862	426	1404	1281	2393	2799	2350	3021		126	1152	11,429	8211	1932	5764	2057
1863	1646	2212	3413	3615	1649	2493	3441		139	1162	10,981	7614	2212	5484	2260
1864	1741	1102	3411	3156	1993	2581	4804		125	1300	11,445	8083	2268	6383	2291
1865	383	1195	2244	2010	2318	3180	3272	1048	158	1257	11,417	8089	1969	6194	2382
1866	200	1038	2706	1588	1860	3954	2172	1404	156	1327	11,653	8283	2207	6629	2245
1867	100	1341	2253	1535	1728	2811	1745	1378	156	1288	11,668	8248	2070	6777	2196
1868	15	1149	3141	1688	2490	3267	1561	1404	185	1327	11,487	8154	2098	6261	2247
1869	64	1670	4680	1639	2461	2880	2059	1335	215	1426	12,079	8525	2630	8030	2313
1870	114	834	4356	1487	1783	3150	1460	1207	186	1373	13,027	9148	2415	7777	2363
1871	1442	2057	2586	1850	1504	2839	1129	1234	227	1432	13,011	9102	2655	8663	2361
1872	2448	925	2101	2190	2850	2732	795	1223	193	1559	12,596	8715	2570	7897	2571
1873	1126	1450	2227	2335	1598	3491	628	1495	180	1537	11,952	8286	3012	8308	2839
1874	1246	1103	6321	2234	1690	3343	726	1455	193	1646	11,303	7873	3440	8667	3103
1875	76	1022	4720	1842	2431	3604	615	1625	212	1672	12,450	8699	3685	9864	2908
1876	39	1241	2364	1672	2250	3321	471	1448	210	1695	12,219	8491	3296	8194	2990
1877	38	1019	1374	1871	1571	2665	265	1427	222	1732	12,193	8342	3144	9182	2906
1878	4	1372	1870	1892	2788	3576	263	1477	207	1829	12,567	8445	2964	8689	2595
1879	8	769	1592	1590	2483	2374	210	1013	225	1830	12,098	8336	3067	9185	2400
1880	10	1427	2165	1639	2641	3367	170	1338	228	1873	11,989	8074	3203	8562	2537
1881	19	1012	1573	1615	1620	2552	229	1004	225	1914	11,275	7739	3237	8765	2955
1882	3	1289	1583	1867	2108	3119	180	1204	244	2056	11,608	8012	3342	7715	2566
1883	11	1629	1336	1699	2968	2528	152	998	240	2037	11,092	8401	4824	7983	2882
1884	14	1440	1266	1775	2511	3147	138	1050	276	2110	10,795	7915	4539	7220	2743
1885	39	1426	944	1445	2157	2485	111	889	243	2173	10,724	7922	4432	7899	2477
1886	24	681	1058	1251	1882	2846	80	755	248	2313	10,942	7959	4040	7908	2444
1887	17	1598	1179	1605	3212	2863	126	835	244	2373	10,275	7418	4220	7409	2587
1888	3	1406	732	1614	1722	2190	102	665	229	2450	9,725	7044	4171	7140	2455
1889	8	1948	701	1882	2268	3028	69	795	226	2643	9,722	7098	3994	7033	2794
1890	–	2509	739	1762	3039	2743	77	777	196	2428	10,294	7660	4923	8057	2859
1891	–	1775	736	1450	2437	2989	107	799	214	2703	10,141	7361	5642	9309	2940
1892	11	2280	871	1347	1792	2504	59	644	204	2715	9,318	6765	4901	7260	2776
1893	68	3639	832	1679	2026	4312	51	932	181	2816	9,801	6921	5446	7119	2756
1894	129	791	834	1828	2552	2272	36	702	164	2928	9,729	7108	4551	6111	2775
1895	47	2063	782	1260	1948	4000	34	730	208	2993	10,688	7688	5606	8202	2963
1896	2	1515	669	1126	1970	2854	38	662	217	3013	9,685	6893	4745	5579	2811
1897	10	2056	716	812	2877	3849	29	655	200	3212	10,085	7200	5942	6768	3019
1898	2	2290	909	850	2476	4351	63	814	229	3453	10,140	7090	5613	5789	3186
1899	1	1599	831	856	1894	4771	29	803	202	3572	10,497	7275	5712	6140	3204
1900	53	1825	654	961	1812	3301	35	644	215	3503	10,336	7299	6270	6914	3422

TABLE **39**—*continued.*

Year.	Number of Deaths from														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-Cough.	All Diarrhœal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1901	278	1655	595	878	2751	4336	35	717	206	3662	9,911	6776	5784	5818	3242
1902	80	1388	524	787	1765	2396	18	552	180	3711	9,536	6572	6976	6092	3167
1903	41	1133	407	715	1946	2996	13	552	213	3798	9,726	6630	6475	5421	3114
1904	185	1512	277	750	2405	3158	14	410	184	3920	10,158	6738	6984	5698	2949
1905	4	1662	211	721	2243	2945	44	373	248	4132	9,619	6374	6672	4821	2949
1906	1	1445	230	862	1363	3345	10	400	245	4509	9,999	6491	6392	4730	3060
1907	1	1153	233	729	2485	2177	14	367	226	4551	10,070	6415	6934	5187	3123
1908	6	2503	381	748	2144	3081	8	282	230	4611	9,462	6079	6928	5177	3067
1909	–	890	555	917	2215	2171	26	296	246	4782	9,274	6000	7003	5307	2730
1910	–	2243	595	939	999	2711	10	264	199	4863	8,517	5409	6329	4704	2725
1911	5	923	451	931	2347	2909	8	272	210	4948	8,387	5451	5905	4546	2888
1912	17	1983	439	824	1427	1851	14	196	218	5195	8,149	5306	6109	4796	2931
1913	–	1329	591	794	1819	2648	7	171	213	5212	8,005	5103	5551	4662	3124

TABLE **40.**—DEATH-RATE per 100,000 in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1913.

Year.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhœal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1855	49	44	79	32	71	112	90		3	32	372	265	78	113	71
1856	47	37	108	37	83	87	85		3	33	325	224	71	99	72
1857	30	37	79	41	55	147	110		3	34	367	255	67	102	73
1858	12	54	94	52	69	111	98		3	34	360	255	83	138	69
1859	24	34	126	47	93	96	85		3	35	347	250	66	113	72
1860	52	55	101	51	63	82	81		3	35	389	283	84	187	76
Mean 1855–1860	*35*	*43*	*98*	*44*	*72*	*106*	*91*		*3*	*34*	*360*	*255*	*75*	*126*	*72*
1861	26	33	60	54	75	83	88		4	40	362	259	68	172	72
1862	15	48	44	81	95	80	103		4	39	389	279	66	196	70
1863	55	74	115	121	55	84	116		5	39	369	256	74	184	76
1864	58	37	113	105	66	86	160		4	43	380	268	75	212	76
1865	13	39	74	66	76	105	108	35	5	41	376	266	65	204	78
1866	7	34	88	52	61	129	71	46	5	43	380	270	72	216	73
1867	3	43	73	50	56	91	56	45	5	42	377	267	67	219	71
1868	–	37	100	54	80	104	50	45	6	42	367	261	67	200	72
1869	2	52	147	51	77	90	65	42	7	45	380	268	83	252	73
1870	4	26	135	46	56	98	45	37	6	43	404	283	75	241	73
Mean 1861–1870	*18*	*42*	*96*	*68*	*70*	*95*	*†65*	*†42*	*5*	*42*	*379*	*268*	*71*	*210*	*73*

† Mean 1865-1870.

TABLE **40**—*continued.*

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhœal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1871	44	63	79	57	46	87	35	38	7	44	398	278	81	265	72
1872	74	28	64	66	86	83	24	37	6	47	381	264	78	239	78
1873	33	43	66	69	47	104	19	44	5	46	355	246	89	247	84
1874	37	32	186	66	50	98	21	43	6	48	332	231	101	254	91
1875	2	30	137	53	70	104	18	47	6	48	361	252	107	286	84
1876	1	36	68	48	64	95	13	41	6	49	350	243	94	235	86
1877	1	29	39	53	45	76	8	41	6	49	347	237	89	261	83
1878	–	39	52	53	78	100	7	41	6	51	353	237	83	244	73
1879	–	21	44	44	69	66	6	28	6	51	336	231	85	255	67
1880	–	39	59	45	72	92	5	37	6	51	329	221	88	235	70
Mean 1871–1880	*19*	*36*	*79*	*55*	*63*	*90*	*15*	*40*	*6*	*49*	*354*	*244*	*90*	*252*	*76*
1881	1	27	43	44	44	69	6	27	6	52	306	210	88	238	80
1882	–	35	42	50	57	84	5	32	7	55	311	215	90	207	69
1883	–	43	36	45	79	67	4	27	6	54	296	224	129	213	77
1884	–	38	33	47	66	83	4	28	7	56	285	199	120	191	73
1885	1	37	25	38	57	65	3	23	6	57	282	208	116	207	65
1886	1	18	28	33	49	74	2	20	6	60	285	207	105	206	64
1887	–	41	30	41	83	74	3	22	6	61	265	191	109	191	67
1888	–	36	19	41	44	56	3	17	6	63	249	181	107	183	63
1889	–	49	18	48	58	77	2	20	6	67	247	180	101	179	71
1890	–	63	19	44	77	69	2	20	5	61	260	193	124	203	72
Mean 1881–1890	–	*39*	*29*	*43*	*61*	*72*	*3*	*23*	*6*	*59*	*278*	*202*	*109*	*201*	*70*
1891	–	44	18	36	61	75	3	20	5	68	254	184	141	233	74
1892	–	56	22	33	44	62	1	16	5	67	231	168	121	180	69
1893	2	89	20	41	50	105	1	23	4	69	240	169	133	174	67
1894	3	19	20	44	62	55	1	17	4	71	235	172	110	148	67
1895	1	49	19	30	47	96	1	17	5	72	256	184	134	196	71
1896	–	36	16	27	47	68	1	16	5	71	229	163	112	132	67
1897	–	48	17	19	67	90	1	15	5	75	237	169	139	159	71
1898	–	53	21	20	57	101	1	19	5	80	235	164	130	134	74
1899	–	37	19	20	44	110	1	18	5	82	241	167	131	141	74
1900	1	42	15	22	41	75	1	15	5	80	235	166	143	157	78
Mean 1891–1900	*1*	*47*	*19*	*29*	*52*	*84*	*1*	*18*	*5*	*74*	*239*	*171*	*130*	*165*	*71*
1901	6	37	13	20	62	98	1	16	5	83	223	153	130	131	73
1902	2	31	12	18	40	54	–	12	4	83	214	147	156	136	71
1903	1	25	9	16	43	67	–	12	5	84	216	147	144	121	69
1904	4	33	6	17	53	70	–	9	4	87	224	151	154	126	65
1905	–	36	5	16	49	65	1	8	5	91	211	140	146	106	65
1906	–	31	5	19	30	73	–	9	5	98	218	141	139	103	67
1907	–	25	5	16	54	47	–	8	5	99	218	139	150	112	68
1908	–	54	8	16	46	66	–	6	5	99	204	131	149	111	66
1909	–	19	12	20	47	46	1	6	5	102	198	128	150	113	58
1910	–	48	13	20	21	58	–	6	4	103	181	115	134	100	58
Mean 1901–1910	*1*	*34*	*9*	*18*	*44*	*64*	–	*9*	*5*	*93*	*211*	*139*	*145*	*116*	*66*
1911	–	19	9	20	49	61	–	6	4	104	177	115	124	96	61
1912	–	42	9	17	30	39	–	4	5	110	172	112	129	101	63
1913	–	28	12	17	38	56	–	4	5	110	170	108	117	99	66

TABLE 41.—Deaths and Death-rate from Puerperal Conditions, 1913.

	Births.	Deaths from Puerperal Conditions.	Death-rate per 1000 Births.
SCOTLAND . . .	**120,513**	**708**	**5·9**
LARGER BURGHS .	59,309	362	6·1
SMALLER BURGHS .	23,042	136	5·9
COUNTY DISTRICTS .	38,162	210	5·5
Glasgow . . .	28,691	174	6·1
Edinburgh . .	6,243	39	6·2
Dundee . . .	4,061	21	5·2
Aberdeen . . .	3,851	24	6·2
Paisley . . .	2,193	12	5·5
Leith	2,132	13	6·1
Greenock . . .	2,395	21	8·8
Coatbridge . .	1,392	7	5·0
Motherwell . .	1,351	9	6·7
Kirkcaldy . . .	984	7	7·1
Hamilton . . .	1,258	5	4·0
Clydebank . .	1,444	12	8·3
Perth . . .	687	5	7·3
Kilmarnock . .	881	3	3·4
Falkirk . . .	897	3	3·3
Ayr	849	7	8·2

TABLE 42.—Deaths from Malignant Disease in 1913.

LOCATION.	MALES.								FEMALES.							
	All Ages.	Under 25	25–	35–	45–	55–	65–	75 and over	All Ages.	Under 25	25–	35–	45–	55–	65–	75 and over
Lip	32	–	–	1	1	9	7	14	9	–	–	–	1	–	2	6
Mouth	47	–	–	4	12	12	16	3	6	1	1	–	–	1	1	2
Tongue	95	–	1	3	20	32	31	8	15	–	2	1	3	2	6	1
Jaw	77	1	3	5	7	25	27	9	23	–	1	1	2	5	9	5
Pharynx, Throat	50	–	–	3	8	15	12	12	12	1	–	1	4	3	2	1
Œsophagus	89	–	1	4	16	26	35	7	54	–	2	9	13	15	8	7
Stomach	556	2	10	33	117	178	165	51	644	3	9	33	97	184	219	99
Intestine	285	5	3	20	39	84	89	45	412	1	10	19	51	105	139	87
Rectum	166	1	8	5	23	55	52	22	155	1	5	11	23	47	39	29
Salivary Glands	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver	229	4	3	14	37	62	80	29	309	1	4	10	44	95	98	57
Pancreas	26	–	–	4	3	11	6	2	33	–	1	2	8	13	8	1
Peritoneum, Mesentery	11	–	1	2	1	4	2	1	34	–	3	2	9	9	5	6
Abdomen	41	–	1	6	5	11	11	7	92	4	2	6	9	28	26	17
Larynx	38	–	1	2	9	10	13	3	20	–	3	1	5	4	5	2
Lung	36	2	2	3	5	14	8	2	35	1	2	7	9	6	8	2
Pleura	3	–	–	–	1	1	–	1	1	–	–	–	–	–	1	–
Heart	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Mediastinum	21	–	–	7	2	8	3	1	13	1	–	5	1	4	–	2
Thorax	6	1	–	1	–	2	1	1	1	–	–	–	–	–	1	–
Kidney	17	2	–	1	5	4	3	2	23	1	–	2	2	8	8	2
Bladder, Urethra	54	–	1	1	7	13	24	8	35	–	–	1	4	9	16	5
Testis, Penis, Scrotum	23	2	1	5	3	2	9	1	–	–	–	–	–	–	–	–
Prostate	42	–	–	–	1	8	23	10	–	–	–	–	–	–	–	–
Breast	6	–	–	–	–	2	4	–	444	–	6	67	120	105	92	54
Ovary	–	–	–	–	–	–	–	–	43	–	3	4	16	13	3	4
Uterus	–	–	–	–	–	–	–	–	434	1	19	68	119	124	79	24
Vagina, Vulva	–	–	–	–	–	–	–	–	47	–	1	1	11	8	11	15
Pelvis	14	3	1	2	2	4	2	–	12	3	–	1	1	6	–	1
Brain	2	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Spinal Cord	2	–	–	–	1	–	–	1	2	–	–	–	1	–	1	–
Eye and Orbit	6	3	–	–	–	1	–	2	2	–	–	–	–	–	1	1
Ear	5	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–
Nose	4	–	–	–	1	–	2	1	4	–	–	1	1	–	–	2
Skull and Spinal Column	5	1	1	1	1	–	1	–	9	1	–	2	4	1	1	–
Spleen	2	–	–	–	–	–	2	–	5	–	–	–	–	3	2	–
Thyroid	1	–	–	–	–	–	1	–	11	1	1	2	1	4	1	1
Lymphatic Glands	70	6	1	4	14	19	18	8	31	1	1	1	5	4	10	9
Ribs and Sternum	3	–	–	1	–	1	–	1	2	–	–	–	1	–	–	1
Arm and Leg	27	4	–	1	2	7	8	5	34	4	3	3	8	7	3	6
Scalp and Face	36	–	–	2	3	6	14	11	46	1	–	1	7	1	15	21
Skin	4	–	1	–	1	–	1	1	2	–	1	–	1	–	–	–
Other Locations	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Not stated	5	–	–	–	2	–	–	3	18	–	–	3	3	7	1	4
TOTAL	2137	38	40	136	349	627	672	275	3075	28	80	266	584	822	821	474

TABLE 43.—DEATHS FROM SUICIDE IN 1913.

TABLE **43**.—Deaths from

	Total.		Cut; Stab.		Drowning.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.
SCOTLAND	208	69	64	13	18	23
COUNTIES.						
Aberdeen	13	8	2	–	1	4
Argyll	3	–	2	–	–	–
Ayr	10	4	4	2	2	1
Banff	4	–	1	–	1	–
Berwick	2	–	–	–	–	–
Bute	1	–	–	–	–	–
Caithness	2	1	–	–	–	1
Clackmannan	–	–	–	–	–	–
Dumbarton	5	1	3	–	1	1
Dumfries	6	3	3	–	–	2
Edinburgh (Midlothian)	24	9	5	1	1	3
Elgin	–	1	–	–	–	–
Fife	14	6	5	2	3	3
Forfar	20	8	8	–	1	5
Haddington	4	–	2	–	–	–
Inverness	4	–	2	–	–	–
Kincardine	1	2	–	–	–	1
Kinross	–	–	–	–	–	–
Kirkcudbright	1	–	1	–	–	–
Lanark	49	15	15	5	3	–
Linlithgow	2	–	–	–	–	–
Nairn	–	–	–	–	–	–
Orkney	5	–	2	–	–	–
Peebles	1	–	1	–	–	–
Perth	10	3	1	–	1	–
Renfrew	13	5	6	2	2	1
Ross and Cromarty	1	–	–	–	–	–
Roxburgh	3	1	1	1	–	–
Selkirk	–	–	–	–	–	–
Shetland	3	–	–	–	1	–
Stirling	5	2	–	–	–	1
Sutherland	1	–	–	–	1	–
Wigtown	1	–	–	–	–	–
PRINCIPAL TOWNS.						
Glasgow	42	8	11	1	1	–
Edinburgh	15	5	5	1	1	2
Dundee	11	5	5	–	–	2
Aberdeen	6	3	2	–	–	2
Paisley	8	2	4	1	2	–
Leith	6	1	–	–	–	–
Greenock	1	1	1	–	–	1
Perth	3	1	–	–	–	–
Coatbridge	1	–	–	–	1	–
Motherwell	1	3	1	1	–	–
Kirkcaldy	5	1	1	1	1	–
Hamilton	–	–	–	–	–	–
Clydebank	1	–	–	–	1	–
Kilmarnock	1	1	–	–	1	–
Falkirk	1	–	–	–	–	–
Ayr	2	1	–	1	1	–
TOTAL, Principal Towns	104	32	30	6	9	7

SUICIDE in 1913.

Gunshot Wounds.		Hanging.		Poison.		Precipitation.		Railways.		Otherwise or Not Stated.	
Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
15	–	83	19	14	10	3	4	5	–	6	–
1	–	6	3	1	–	–	1	1	–	1	–
–	–	1	–	–	–	–	–	–	–	–	–
–	–	2	1	2	–	–	–	–	–	–	–
1	–	1	–	–	–	–	–	–	–	–	–
1	–	1	–	–	–	–	–	–	–	–	–
–	–	–	–	1	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	1	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
–	–	3	1	–	–	–	–	–	–	–	–
4	–	13	2	–	2	–	1	1	–	–	–
–	–	–	1	–	–	–	–	–	–	–	–
–	–	4	1	1	–	–	–	–	–	1	–
2	–	4	–	4	3	–	–	1	–	–	–
–	–	2	–	–	–	–	–	–	–	–	–
1	–	–	–	–	–	–	–	–	–	1	–
–	–	1	–	–	1	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
2	–	22	7	2	2	2	1	2	–	1	–
–	–	2	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
1	–	1	–	1	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
1	–	4	1	2	2	1	–	–	–	–	–
–	–	5	2	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
–	–	2	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
1	–	1	–	–	–	–	–	–	–	–	–
–	–	5	–	–	–	–	1	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	1	–
2	–	22	5	2	2	2	–	1	–	1	–
3	–	6	–	–	1	–	1	–	–	–	–
–	–	2	–	3	3	–	–	1	–	–	–
–	–	4	1	–	–	–	–	–	–	–	–
–	–	2	1	–	–	–	–	–	–	–	–
1	–	5	–	–	1	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	3	–	–	1	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	2	–	–	–	–	–	–	–	–
–	–	3	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	1	–	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–
–	–	–	–	1	–	–	–	–	–	–	–
6	–	48	10	6	8	2	1	2	–	1	–

TABLE 44.—Deaths from Poison in Scotland in 1913.

ACCIDENTAL POISONING.

	Males.	Females.	TOTAL
Opium,	10	4	14
Oxalic Acid,	4	2	6
Carbolic Acid,	1	4	5
A.B.C. Liniment,	2	2	4
Alcohol,	1	2	3
Aconite,	2	–	2
Sulphuric Acid,	-	1	1
Ammonia,	–	1	1
Strychnine,	1	–	1
Prussic Acid,	1	1	2
Arsenic,	1	–	1
Embrocation,	1	–	1
Nerve Sedative,	1	–	1
Salicylate,	1	–	1
Acetic Acid,	–	1	1
Berries,	–	1	1
Naphtha,	–	1	1
Saltpetre,	–	1	1
Not stated,	5	2	7
Total,	32	24	56

SUICIDAL POISONING.

Coal Gas,	4	6	10
Carbolic Acid,	1	1	2
Ammonia,	1	–	1
Chloroform,	1	–	1
Opium	1	–	1
Strychnine,	–	1	1
Nicotine,	1	–	1
Salts of Sorrel,	1	–	1
Mercuric Perchloride	–	1	1
Not stated,	4	1	5
Total,	14	10	24

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

Chloroform,	17	10	27
Chloroform and Ether,	7	8	15
Ether,	6	–	6
Total,	30	18	48

TABLE **45.**—Deaths of Children under one year of age, from Selected Causes, at each age month.

Causes of Death.	Sexes.		Under 1 Month.	Age in Completed Months.										
	Males.	Females.		1	2	3	4	5	6	7	8	9	10	11
Measles	194	141	2	6	5	4	7	15	18	25	40	68	68	77
Whooping-cough	417	419	36	75	76	71	45	53	75	73	80	84	80	88
Diphtheria (including Croup)	59	42	–	6	–	1	3	5	6	10	6	23	25	16
Tuberculous Meningitis	144	106	1	9	12	12	21	27	41	24	34	21	25	23
Abdominal Tuberculosis	116	68	3	5	8	13	21	12	21	29	12	22	17	21
Other Tuberculous Diseases	75	41	5	4	3	11	10	10	5	6	18	14	12	18
Syphilis	99	67	49	38	21	26	10	8	6	3	3	1	–	1
Cerebro-spinal Meningitis	14	2	1	–	1	2	–	3	3	2	2	1	1	–
Basal Meningitis	182	157	27	28	23	34	26	26	30	25	31	31	29	29
Convulsions	310	243	196	69	47	41	48	31	28	16	27	22	14	14
Bronchitis	455	356	151	110	92	80	71	52	53	58	55	31	31	27
Broncho-pneumonia	527	390	69	76	74	99	61	67	53	64	80	79	90	105
Pneumonia	223	168	29	29	29	34	33	26	31	29	36	43	42	30
Pulmonary Congestion	57	45	20	13	6	12	5	6	11	5	5	4	9	6
Other Diseases of Stomach, Gastritis	127	80	34	34	22	23	17	19	11	10	11	8	8	10
Diarrhœa,	971	763	165	199	215	220	178	156	143	114	97	95	74	78
Congenital Malformations	277	246	364	37	31	26	19	9	5	8	5	7	7	5
Premature Birth	1344	1041	2246	98	26	9	..	4	–	–	–	1	1	–
Congenital Debility, Icterus, Sclerema	1059	765	1080	221	159	125	72	42	38	21	25	25	10	6
Other Infantile Diseases	237	173	384	12	7	3	1	1	1	–	1	–	–	–
Overlaying	50	38	20	29	19	6	8	4	1	1	–	–	–	–
Suffocation (otherwise)	29	41	19	17	8	10	6	5	3	–	2	–	–	–
All Other Causes	508	348	252	94	75	68	56	56	57	46	46	47	25	34
Total	7474	5740	5153	1209	959	930	718	637	640	569	616	627	568	588
Males	7474	–	2966	705	565	524	393	349	345	328	320	343	319	317
Females	–	5740	2187	504	394	406	325	288	295	241	296	284	249	271

TABLE **46.**—Deaths of Children under one year of age from Selected Causes, according to months of Registration.

Causes of Death.	Total.	Month of Registration of Death.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept	Oct.	Nov.	Dec.
Measles	335	18	20	11	27	43	35	31	19	17	18	37	59
Whooping-cough	836	94	116	129	120	118	84	42	33	26	18	21	35
Diphtheria	101	9	7	7	9	5	4	6	7	6	13	12	16
Tuberculous Meningitis	250	31	17	21	18	24	21	19	17	31	15	14	22
Abdominal Tuberculosis	184	15	14	20	12	12	11	8	13	21	25	20	13
Other Tuberculous Diseases	116	14	11	10	12	9	9	5	7	8	9	10	12
Syphilis	166	15	14	7	20	14	13	15	12	17	13	13	13
Cerebro-spinal Meningitis	16	2	3	–	2	2	–	–	–	2	1	2	2
Basal Meningitis	339	27	25	28	30	27	18	21	34	43	33	23	30
Convulsions	553	58	66	68	51	39	44	35	28	29	43	38	54
Bronchitis	811	135	112	94	61	44	28	30	26	31	38	70	142
Broncho-pneumonia	917	153	91	111	63	67	50	32	27	32	60	68	163
Pneumonia	391	51	47	44	30	32	22	13	22	23	28	36	43
Pulmonary Congestion	102	14	11	8	6	8	7	4	8	8	3	11	14
Other Diseases of Stomach, Gastritis	207	19	9	22	11	16	13	21	14	28	19	14	21
Diarrhœa, Enteritis	1734	82	64	96	88	97	64	132	282	409	202	109	109
Congenital Malformations	523	58	46	44	53	39	55	35	33	31	44	43	42
Premature Birth	2385	226	206	223	202	215	192	170	193	191	184	177	206
Congenital Debility, Icterus, Sclerema	1824	156	162	181	163	145	138	126	122	179	172	142	138
Other Infantile Diseases	410	39	47	43	35	32	36	32	29	30	29	26	32
Overlaying	88	14	9	4	10	11	6	4	5	1	5	9	10
Suffocation (otherwise)	70	7	10	5	8	8	6	2	3	3	5	5	8
All Other Causes	856	73	77	81	78	72	61	61	63	61	62	72	95
Total	13214	1310	1184	1257	1109	1079	917	844	997	1227	1039	972	1279

TABLE **47**.—Deaths (uncorrected for Transfers) from Certified and Uncertified Causes in 1913.

	Total Deaths (Uncorrected).	Deaths from Certified Causes.	Deaths from Uncertified Causes.	Percentage of Uncertified to Total Deaths.		
				1913.	1912.	Mean of Five Years 1908–1912.
SCOTLAND,	73,069	71,668	1,401	1·9	1·9	*1·9*
NORTHERN DIVISION,	1,650	1,428	222	13·5	12·1	*13·5*
NORTH-WESTERN Do.	2,507	2,043	464	18·5	18·4	*19·3*
NORTH-EASTERN Do.	7,067	6,986	81	1·1	0·9	*0·7*
EAST-MIDLAND Do.	10,592	10,512	80	0·8	0·5	*0·6*
WEST-MIDLAND Do.	5,603	5,493	110	2·0	2·0	*2·0*
SOUTH-WESTERN Do.	32,657	32,390	267	0·8	0·8	*0·9*
SOUTH-EASTERN Do.	10,116	9,961	155	1·5	2·0	*1·9*
SOUTHERN Do.	2,877	2,855	22	0·8	0·4	*0·5*
Counties.						
Aberdeen,	4,959	4,908	51	1·0	0·5	*0·5*
Argyll,	1,102	1,042	60	5·4	6·6	*7·6*
Ayr,	3,694	3,674	20	0·5	0·4	*0·3*
Banff,	784	771	13	1·7	1·4	*1·4*
Berwick,	378	376	2	0·5	0·0	*0·5*
Bute,	287	283	4	1·4	1·7	*1·9*
Caithness,	553	519	34	6·1	5·5	*5·3*
Clackmannan,	441	436	5	1·1	0·4	*0·4*
Dumbarton,	1,935	1,901	34	1·8	0·9	*0·6*
Dumfries,	1,268	1,254	14	1·1	0·5	*0·8*
Edinburgh (Midlothian).	7,698	7,560	138	1·8	2·4	*2·3*
Elgin,	638	631	7	1·1	1·3	*0·8*
Fife,	3,608	3,562	46	1·3	0·8	*0·7*
Forfar,	4,673	4,662	11	0·2	0·4	*0·4*
Haddington,	537	525	12	2·2	3·1	*1·8*
Inverness,	1,396	1,182	214	15·3	14·9	*16·5*
Kincardine,	572	565	7	1·2	2·0	*0·7*
Kinross,	108	107	1	0·9	0·0	*1·2*
Kirkcudbright,	496	493	3	0·6	0·4	*0·4*
Lanark,	24,443	24,267	176	0·7	0·7	*0·8*
Linlithgow,	1,016	1,014	2	0·2	0·4	*0·3*
Nairn,	114	111	3	2·6	3·1	*2·7*
Orkney,	361	330	31	8·6	9·7	*10·7*
Peebles,	180	180	0	0·0	0·0	*0·2*
Perth,	1,762	1,745	17	1·0	0·3	*0·8*
Renfrew,	4,520	4,449	71	1·6	1·5	*1·5*
Ross and Cromarty,	1,111	861	250	22·5	22·6	*22·8*
Roxburgh,	686	682	4	0·6	0·1	*0·2*
Selkirk,	307	306	1	0·3	0·0	*0·0*
Shetland,	433	338	95	21·9	17·9	*19·8*
Stirling,	2,279	2,267	12	0·5	0·6	*0·3*
Sutherland,	303	241	62	20·5	19·2	*22·2*
Wigtown,	427	426	1	0·2	0·2	*0·6*
Larger Burghs.						
Glasgow,	17,777	17,627	150	0·8	0·8	*1·0*
Edinburgh,	5,010	4,904	106	2·1	3·2	*3·0*
Dundee,	2,929	2,925	4	0·1	0·4	*0·4*
Aberdeen,	2,809	2,788	21	0·7	0·4	*0·3*
Paisley,	1,284	1,246	38	3·0	3·2	*3·2*
Leith,	1,130	1,124	6	0·5	1·2	*1·2*
Greenock,	1,455	1,447	8	0·5	0·8	*0·9*
Coatbridge,	708	707	1	0·1	0·0	*0·0*
Motherwell,	515	515	0	0·0	0·4	*0·1*
Kirkcaldy,	535	521	14	2·6	0·4	*0·4*
Hamilton,	541	537	4	0·7	0·9	*0·7*
Clydebank,	445	426	19	4·3	3·0	—
Perth,	583	582	1	0·2	0·0	*0·1*
Kilmarnock	439	438	1	0·2	0·4	*0·2*
Falkirk,	483	481	2	0·4	0·4	—
Ayr,	586	586	0	0·0	0·4	—

TABLE **48**.—Meteorology of Scotland for 1913; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1913.

1913.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer (inch)	29·936	30·027	29·599	29·770	29·838	29·950	30·058	30·022	29·983	29·778	29·616	29·904	29·873
Mean of Max. Temp.	41°·3	44°·5	45°·8	50°·8	55°·8	61°·8	64°·3	64°·6	59°·9	54°·8	49°·6	43°·9	53°·1
,, ,, Min. ,,	33°·3	34°·3	34°·0	36°·7	41°·9	47°·2	49°·1	48°·5	46°·9	43°·6	39°·4	34°·5	40°·8
Mean Temperature.	**37°·3**	**39°·4**	**39°·9**	**43°·8**	**48°·9**	**54°·5**	**56°·7**	**56°·6**	**53°·4**	**49°·2**	**44°·5**	**39°·2**	**47°·0**
Absolute Maximum.	56°·0	58°·0	58°·0	67°·0	75°·0	80°·0	82°·0	84°·0	75°·0	68°·0	61°·0	58°·0	84°·0
Absolute Minimum .	6°·0	16°·0	12°·0	18°·0	27°·0	33°·0	31°·0	31°·0	27°·0	20°·0	22°·0	4°·0	4°·0
Number of Rainy Days	17	14	22	16	18	16	8	11	13	17	22	17	191
Amount of Rain (inch)	**4·02**	**2·53**	**4·87**	**3·15**	**3·42**	**2·83**	**0·82**	**1·52**	**2·45**	**2·76**	**4·70**	**3·62**	**36·69**
Births	10541	9188	10096	10862	10900	10436	10329	9587	9571	10118	8626	10262	120516
Deaths	7311	6861	7098	6375	6233	5535	5365	5170	5659	5526	5348	6588	73069
Marriages	3671	1655	2515	2881	1123	4499	4123	2056	2858	2170	2206	3934	33691
Daily Births . . .	340	328	326	362	352	348	333	309	310	326	288	331	330
Daily Deaths . . .	236	245	229	213	201	185	173	167	189	178	178	213	200
Daily Marriages . .	118	59	81	96	36	150	133	66	95	70	74	127	92

TABLE **49**.—Deaths, Temperature, and Fall of Rain in Eight of the Larger Burghs of Scotland during each Week of 1913.

No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE. Maximum.	Minimum	Mean.	RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population	TEMPERATURE. Maximum.	Minimum.	Mean.	RAIN, in inches
				°	°	°						°	°	°	
1	January 4	674	18·0	52·0	31·0	42·5	0·74	27	July 5	523	14·0	78·5	48·0	59·9	0·17
2	11	667	17·9	53·5	29·5	42·0	0·85	28	12	516	13·8	77·0	38·0	55·6	0·39
3	18	695	18·6	43·0	19·7	33·7	0·69	29	19	498	13·3	76·2	45·1	59·8	0·31
4	25	780	20·9	43·0	23·5	35·0	0·90	30	26	500	13·4	75·9	39·0	56·6	0·10
5	February 1	760	20·3	47·9	15·5	36·5	1·48	31	August 2	563	15·1	80·4	37·7	60·4	0·00
6	8	788	21·1	53·0	31·0	42·4	1·48	32	9	532	14·2	79·0	39·0	56·4	0·11
7	15	758	20·3	52·1	29·5	41·1	0·30	33	16	499	13·4	79·0	41·0	57·9	0·15
8	22	704	18·8	50·8	25·0	37·5	0·04	34	23	554	14·8	76·0	37·0	57·2	0·54
9	March 1	787	21·1	52·0	28·0	40·3	0·29	35	30	540	14·5	79·2	38·0	59·1	0·41
10	8	763	20·4	53·6	29·0	42·0	1·43	36	September 6	631	16·9	70·5	35·5	54·4	0·11
11	15	718	19·2	52·0	29·5	41·2	0·87	37	13	634	17·0	67·0	37·5	53·5	1·02
12	22	716	19·2	53·1	23·5	38·5	1·42	38	20	556	14·9	65·0	37·5	51·5	0·67
13	29	655	17·5	56·9	29·0	41·4	0·65	39	27	574	15·4	74·4	43·3	57·1	0·54
14	April 5	666	17·8	59·0	27·0	44·2	0·10	40	October 4	553	14·8	72·4	42·8	54·5	0·18
15	12	657	17·6	66·9	28·0	41·7	0·45	41	11	549	14·7	58·0	30·0	47·5	0·37
16	19	671	18·0	53·0	28·0	42·9	1·08	42	18	531	14·2	65·0	39·0	53·6	0·51
17	26	666	17·8	65·0	33·5	48·0	0·48	43	25	529	14·2	65·6	30·5	47·0	0·35
18	May 3	659	17·6	62·4	33·0	48·0	1·12	44	November 1	566	15·2	60·0	33·0	50·0	0·66
19	10	338	17·1	61·9	39·0	46·9	1·83	45	8	548	14·7	56·0	26·5	44·5	0·97
20	17	621	16·6	67·8	34·5	48·6	0·19	46	15	620	16·6	55·0	32·0	44·6	1·01
21	24	628	16·8	66·7	35·7	50·0	0·53	47	22	618	16·5	60·0	30·5	44·4	1·00
22	31	652	17·5	75·0	39·0	55·0	0·24	48	29	652	17·5	59·0	34·5	47·2	0·44
23	June 7	615	16·5	73·5	40·5	55·1	0·81	49	December 6	589	15·8	59·1	17·0	39·4	1·23
24	14	532	14·2	68·8	38·0	51·7	0·72	50	13	644	17·2	56·0	20·5	43·4	0·29
25	21	552	14·8	77·1	44·0	57·8	0·33	51	20	646	17·3	52·2	28·0	42·1	0·19
26	28	557	14·9	71·0	47·0	56·7	0·54	52	27	670	17·9	49·5	23·5	39·4	0·84
								53	(1914) Jan. 3	779	20·9	51·0	13·5	35·6	0·11

This Table is compiled from Weekly Returns for 1913. Deaths and Death-rates have been corrected by allocation to place of usual residence.

TABLE **50**.—VACCINATIONS in SCOTLAND, 1902–1912.

Years.		Successfully Vaccinated.	Insusceptible of Vaccination.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
			From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox					
1902	Numbers .	112,321	545	512	0	12,239	—	2,858	3,976	132,360
1903	Numbers .	113,599	547	375	10	12,699	—	2,557	3,806	133,593
1904	Numbers .	111,575	808	550	2	12,951	—	2,842	3,935	132,663
1905	Numbers .	111,164	764	511	1	12,168	—	2,831	4,014	131,453
1906	Numbers .	109,246	563	531	0	12,592	253	3,105	5,766	132,056
1907	Numbers .	96,842	611	744	1	12,187	7,258	3,864	7,384	128,891
1908	Numbers .	90,374	820	796	0	12,689	15,846	3,722	7,159	131,406
1909	Numbers .	83,289	746	784	0	11,594	22,746	3,354	6,207	128,710
1910	Numbers .	76,068	647	739	0	10,662	26,954	3,054	5,990	124,114
1911	Numbers .	70,472	648	1143	0	11,137	29,582	2,775	6,140	121,897
10 Years	*Average .*	*97,495*	*661*	*668*	*1*	*12,092*	—	*3,096*	*5,438*	*129,714*
1912	**Numbers**	**69,179**	**476**	**454**	**0**	**10,788**	**33,166**	**2,903**	**5,910**	**122,876**
1902	Percentage	84·860	0·343	0·387	0·000	9·247	—	2·159	3·004	100·000
1903	Percentage	85·034	0·409	0·281	0·007	9·506	—	1·914	2·849	100·000
1904	Percentage	84·104	0·609	0·415	0·002	9·762	—	2·142	2·966	100·000
1905	Percentage	84·566	0·581	0·389	0·001	9·256	—	2·154	3·053	100·000
1906	Percentage	82·727	0·426	0·402	0·000	9·536	0·192	2·351	4·366	100·000
1907	Percentage	75·135	0·474	0·577	0·001	0·455	5·631	2·998	5·729	100·000
1908	Percentage	68·775	0·624	8·606	0·000	9·656	12·059	2·832	5·448	100·000
1909	Percentage	64·706	0·579	0·609	0·000	9·007	17·671	2·606	4·822	100·000
1910	Percentage	61·289	0·521	0·595	0·000	8·591	21·717	2·461	4·826	100·000
1911	Percentage	57·813	0·531	0·938	0·000	9·136	24·268	2·277	5·037	100·000
10 Years	*Percentage*	*74·901*	*0·510*	*0·520*	*0·001*	*9·315*	—	*2·389*	*4·210*	*100·000*
1912	**Percentage**	**56·300**	**0·387**	**0·369**	**0·000**	**8·780**	**26·991**	**2·363**	**4·810**	**100·000**

TABLE **51**.—VACCINATIONS in SCOTLAND, 1902–1912, deducting from the Births those who died before they could be Vaccinated.

Years.		Successfully Vaccinated.	Insusceptible of Vaccination.			Statutory Declaration of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
			From Previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox				
1902	Numbers .	112,321	454	512	0	—	2,858	3,976	120,121
1903	Numbers .	113,599	547	375	10	—	2,557	3,806	120,894
1904	Numbers .	111,575	808	550	2	—	2,842	3,935	119,712
1905	Numbers .	111,164	764	511	1	—	2,831	4,014	119,285
1906	Numbers .	109,246	563	531	0	253	3,015	5,766	119,464
1907	Numbers .	96,842	611	744	1	7,258	3,864	7,384	116,704
1908	Numbers .	90,374	820	796	0	15,846	3,722	7,159	118,717
1909	Numbers	83,289	746	784	0	22,746	3,354	6,207	117,126
1910	Numbers .	76,068	647	739	0	26,954	3,054	5,990	113,452
1911	Numbers .	70,472	648	1,143	0	29,582	2,775	6,140	110,760
10 Years	*Average .*	*97,495*	*661*	*668*	*1*	—	*3,096*	*5,438*	*117,623*
1912	**Numbers**	**69,179**	**476**	**454**	**0**	**33,166**	**2,903**	**5,910**	**112,088**
1902	Percentage	93·507	0·378	0·426	0·000	—	2·379	3·310	100·000
1903	Percentage	93·966	0·453	0·310	0·008	—	2·115	3·148	100·000
1904	Percentage	93·203	0·675	0·459	0·002	—	2·374	3·287	100·000
1905	Percentage	93·192	0·641	0·428	0·001	—	2·373	3·365	100·000
1906	Percentage	91·447	0·471	0·444	0·000	0·212	2·599	4·827	100·000
1907	Percentage	82·981	0·524	0·637	0·001	6·219	3·311	6·327	100·000
1908	Percentage	76·126	0·691	0·670	0·000	13·348	3·135	6·030	100·000
1909	Percentage	71·111	0·637	0·669	0·000	19·420	2·864	5·299	100·000
1910	Percentage	67·049	0·570	0·651	0·000	23·758	2·092	5·280	100·000
1911	Percentage	63·626	0·585	1·032	0·000	26·708	2·505	5·544	100·000
10 Years	*Percentage*	*82·621*	*0·562*	*0·573*	*0·001*	—	*2·575*	*4·642*	*100·000*
1912	**Percentage**	**61·718**	**0·425**	**0·405**	**0·000**	**29·589**	**2·590**	**5·273**	**100·000**

TABLE **52.**—Deaths from Small-pox in Scotland, 1855-1912, with Vaccination Particulars, 1864-1912.

State of Vaccination of Children whose Births were Registered in each Year from 1864 to 1912: Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox in each Year from 1855 to 1912.					Deaths from Cow-pox and Effects of Vaccination, 1883–1912.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total.	0–5 Years.	5–24 Years.	25–64 Years.	65 Years and upwards.	
1855						‡1,309	983	224	99	2	
1856						§1,306	982	218	99	5	
1857						845	657	123	65	..	
1858						332	249	53	28	2	
1859						682	473	130	78	1	
1860						‖1,495	991	301	194	6	
1861						‡766	535	139	89	2	
1862						426	305	79	41	1	
1863						‡1,646	1,036	377	227	5	
1864	95·8	0·7	0·8		2·7	‡1,741	983	435	313	9	
1865	96·3	0·7	0·5		2·5	383	199	107	73	4	
1866	96·5	0·6	0·3		2·6	200	128	45	27	..	
1867	96·8	0·6	0·2		2·4	100	62	25	13	..	
1868	96·5	0·9	0·3		2·3	15	12	2	1	..	
1869	96·2	0·9	0·2		2·7	64	33	16	15	..	
1870	96·6	0·8	0·2		2·4	114	46	39	29	..	
1871	96·4	0·8	0·4		2·4	1,442	307	659	462	14	
1872	96·9	0·7	0·2		2·2	‡2,448	552	1,005	864	26	
1873	96·4	1·0	0·2		2·4	‡1,126	263	486	367	9	
1874	96·2	1·1	0·2		2·5	‡1,246	291	551	395	8	
1875	96·4	1·1	0·2		2·3	76	17	33	23	3	
1876	96·7	0·9	0·2		2·2	39	7	13	18	1	
1877	96·7	1·1	0·2		2·0	38	4	22	12	..	
1878	96·7	1·0	0·2		2·1	4	1	2	1	..	
1879	96·6	1·1	0·2		2·1	8	1	1	6	..	
1880	96·6	1·2	0·1		2·1	10	2	6	2	..	
1881	96·3	1·4	0·1		2·2	19	2	10	6	1	
1882	96·0	1·5	0·2		2·3	3	..	..	3	..	
1883	96·0	1·6	0·2		2·2	11	2	3	6	..	
1884	95·7	1·7	0·2		2·4	14	2	6	5	1	1
1885	95·5	1·8	0·2		2·5	39	3	13	23	..	3
1886	95·2	2·0	0·2		2·6	24	4	10	9	1	3
1887	94·9	2·2	0·2		2·7	17	..	6	11	..	6
1888	95·0	2·1	0·2		2·7	3	1	1	1	..	2
1889	94·5	2·4	0·2		2·9	8	1	1	6	..	3
1890	94·6	2·5	0·2		2·7	..	..	..	..	..	4
1891	94·8	2·3	0·2		2·7	..	..	..	..	..	5
1892	94·8	2·2	0·3		2·7	11	2	2	7	..	3
1893	94·8	2·2	0·4		2·6	68	11	13	43	1	1
1894	94·9	2·3	0·4		2·4	129	19	31	75	4	3
1895	64·9	2·3	0·4		2·4	47	4	8	35	..	1
1896	94·2	2·4	0·5		2·9	2	1	..	1	..	1
1897	94·1	2·5	0·5		2·9	10	3	1	5	1	3
1898	93·4	2·7	0·5		3·4	2	..	1	1	..	1
1899	93·6	2·5	0·5		3·4	1	..	..	1	..	..
1900	94·5	2·0	0·4		3·1	53	10	7	36	..	1
1901	93·5	2·4	0·8		3·2	278	36	32	205	5	..
1902	93·9	2·4	0·4		3·3	80	11	13	53	3	..
1903	94·5	2·1	0·3		3·1	41	6	5	29	1	1
1904	93·9	2·4	0·4		3·3	185	35	18	128	4	..
1905	93·8	2·4	0·4		3·4	4	2	..	2	..	1
1906	91·9	2·6	0·5	0·2	4·8	1	..	..	1	..	1
1907	83·5	3·3	0·7	6·2	6·3	1	..	..	1	..	..
1908	76·8	3·1	0·7	13·4	6·0	6	..	1	5	..	..
1909	71·7	2·9	0·7	19·4	5·3	..	..	..	..	..	1
1910	67·6	2·7	0·6	23·8	5·3	..	..	..	..	..	2
1911	64·2	2·5	1·0	26·7	5·6	5	..	2	3	..	..
1912	62·1	2·6	0·4	29·6	5·3	17	1	3	12	1	..

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.
† At the end of the year following that of registration of birth. ‡ Including 1 of unstated age.
§ Including 2 of unstated age. ‖ Including 3 of unstated age.

TABLE **53.**—Deaths from Small-pox in Scotland in Decennial Periods since 1855.

AGES.	SMALL-POX DEATHS, 1905–1912.		SMALL-POX DEATHS, 1895–1904.		SMALL-POX DEATHS, 1885–1894.		SMALL-POX DEATHS, 1875–1884.		SMALL-POX DEATHS, 1865–1874.		SMALL-POX DEATHS, 1855–1864.	
	Number.	Percentage at each age.	Number.	Percentage at each age.	Number.	Percentage at each age.	Number.	Percentage at each age.	Number.	Percentage at each age.	Number.	Percentage at each age.
0–5	3	8·8	106	15·2	* 41	13·7	38	17·1	1893	26·5	7194	68·3
5–24	6	17·7	85	12·1	77	25·8	96	43·3	2935	41·1	2079	19·7
25–64	24	70·6	494	70·7	175	58·5	82	36·9	2246	31·5	1233	11·7
65 and above	1	2·9	14	2·0	6	2·0	6	2·7	61	0·9	33	0·3
Total .	34	100·0	699	100·0	299	100·0	222	100·0	*7138	100·0	†10548	100·0

* Including 3 of unstated age. † Including 9 of unstated age.

GENERAL REGISTRATION SUMMARY.

. EVENTS REGISTERED IN 1913. 2. VACCINATIONS OF CHILDREN REGISTERED IN 1912.

(Figures in this Table show actual numbers as registered, and are not "Corrected for Transfers.")

No. of District.	Registration Districts.	Population at Census.		Births, Deaths, and Marriages, 1913.				Vaccinations, 1912.								
				Births.		Deaths	Marriages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
		1901	1911	Total.	Illegitimate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the children having already had Small-pox.					
	1. SHETLAND.															
1	Bressay,	686	641	7	0	7	3	6	0	0	0	1	4	1	0	12
2	Delting,	1389	1338	30	3	24	3	1	0	0	0	1	17	2	1	22
3	Dunrossness, etc.—															
	(1) Dunrossness,	1375	1381	19	0	26	0	5	0	0	0	0	12	0	2	19
	(2) Sandwick and Cunningsburgh,	2116	2241	36	0	31	6	6	0	0	0	3	27	0	0	36
	(3) Fair Isle,	147	139	3	0	3	0	0	0	0	0	0	2	0	0	2
4	Fetlar,	347	279	1	0	5	0	0	0	0	0	0	1	0	0	1
5	Lerwick—(1) Lerwick,	5661	6402	138	8	114	98	6	0	0	0	4	108	4	0	122
	(2) Burra Isles,	858	894	29	0	15	2	7	0	2	0	1	13	0	1	24
6	Yell—(1) Mid and South Yell,	1792	1690	30	2	17	4	2	0	0	0	2	20	0	6	30
	(2) North Yell,	691	658	17	0	6	0	0	0	0	0	0	10	0	0	10
7	Nesting, etc.—(1) Nesting,	726	605	7	0	15	1	0	0	0	0	1	5	0	0	6
	(2) Lunnasting,	655	559	13	0	8	1	0	0	0	0	2	13	0	0	15
	(3) Whalsay,	975	1042	23	1	17	1	3	0	0	0	1	12	0	1	17
	(4) Whalsay Skerries,	124	144	1	0	1	0	0	0	0	0	0	1	0	0	1
8	Northmavine,	2014	1866	21	2	16	4	6	0	0	0	0	24	2	0	32
9	Sandsting and Aithsting,	2396	2100	35	1	34	2	9	0	0	0	2	18	0	6	35
10	Tingwall, etc.—(1) Tingwall,	1502	1406	14	1	27	5	2	0	0	0	1	12	0	2	17
	(2) Whiteness and Weisdale,	771	704	8	1	7	0	0	0	0	0	0	13	0	0	13
11	Unst,	1946	2077	24	0	29	7	2	0	0	0	1	26	0	8	37
12	Walls, etc.—(1) Walls,	990	852	5	0	17	0	0	0	0	0	2	9	0	0	11
	(2) Sandness,	503	497	8	0	11	0	8	0	0	0	0	4	0	1	13
	(3) Papa-Stour,	272	212	1	0	0	0	0	0	0	0	0	2	0	0	2
	(4) Foula,	230	184	1	0	3	0	0	0	0	0	0	0	0	1	1
	Total,	28166	27911	471	19	433	137	63	0	2	0	22	353	9	29	478

No. of District.	Registration Districts.	Population at Census.		Births, Deaths, and Marriages. 1913.				Vaccinations, 1912.								
				Births.		Deaths	Marriages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Birth for 1912.
		1901	1911	Total.	Illegitimate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
	2. ORKNEY.															
13	Birsay,	1329	1164	9	0	24	8	8	0	0	0	0	4	0	1	13
14	Deerness,	742	642	8	0	13	4	2	0	0	0	0	2	0	2	6
15	Eday and Pharay,	643	559	12	0	4	1	8	0	0	0	0	6	0	0	14
16	Evie and Rendall,	1084	955	15	1	11	7	2	0	0	0	0	11	0	0	13
17	Firth and Stennes—(1) Firth,	700	693	7	0	8	4	11	0	0	0	2	5	0	0	18
	(2) Stennes,	570	517	7	0	3	4	7	0	0	0	0	0	0	0	7
18	Harray,	675	608	12	0	8	8	2	0	0	0	1	8	0	0	11
19	Holm and Paplay,	818	763	13	2	12	1	3	0	1	0	1	9	1	0	15
20	Hoy and Græmsay,	485	393	5	0	4	1	6	0	0	0	0	1	0	0	7
21	Kirkwall and St. Ola,	4522	4595	88	7	64	33	26	0	1	0	5	44	3	0	79
22	North Ronaldshay,	442	436	2	0	4	2	1	0	0	0	0	3	0	0	4
23	Orphir,	877	798	15	0	8	2	6	0	0	0	0	5	0	0	11
24	Rousay and Egilshay,	829	710	17	0	6	3	6	0	0	0	1	6	0	0	13
25	St. Andrews,	737	698	6	0	10	1	2	0	0	0	0	8	0	0	10
26	Sanday,	1727	1529	30	3	21	7	6	0	0	0	2	21	0	0	29
27	Sandwick,	1071	986	14	2	14	7	11	0	0	0	0	5	0	0	16
28	Shapinshay,	769	718	10	0	11	4	3	0	0	0	0	13	0	0	16
29	South Ronaldshay and Burray,	2707	2395	54	3	62	15	25	0	0	0	8	7	20	0	60
30	Stromness,	3180	2348	41	4	36	13	21	0	1	0	1	14	2	0	39
31	Stronsay,	1184	1217	35	5	6	10	13	0	0	0	0	21	0	0	34
32	Walls, etc.—(1) Walls,	926	843	15	0	7	1	3	0	0	0	0	11	1	0	15
	(2) Flotta,	431	404	8	0	3	2	4	0	0	0	0	2	0	0	6
33	Westray, etc.—(1) Westray,	1956	1668	30	1	16	8	12	0	0	0	1	23	0	0	36
	(2) Papa-Westray,	295	258	5	0	6	1	0	0	0	0	0	1	0	0	1
	Total,	28669	25897	458	28	361	147	188	0	3	0	22	230	27	3	473

	3. CAITHNESS.															
34	Bower,	1453	1393	31	5	18	6	12	0	0	0	2	7	3	3	27
35	Canisbay,	2006	1866	29	3	38	2	32	0	0	0	5	2	5	0	44
36	Dunnet,	1232	1147	18	3	17	7	16	0	0	0	1	7	8	0	32
37*a*	Halkirk,	2355	2160	32	5	32	4	35	0	0	0	2	14	0	2	53
37*b*	Keiss,	1110	1001	18	3	20	2	6	0	0	0	1	3	5	0	15
38	Latheron,	5223	4514	72	7	77	15	42	0	0	0	6	32	0	14	94
39	Olrig,	1555	1450	31	3	33	4	9	0	0	0	5	4	8	0	26
40	Reay,	974	920	21	4	12	1	13	0	0	0	1	4	2	0	20
41	Thurso,	5406	4709	86	22	86	25	51	0	0	0	19	27	5	2	104
42	Watten,	1230	1079	29	5	15	4	10	0	0	0	4	5	1	0	20
43	Wick,	11326	11771	307	28	205	58	117	1	0	0	37	84	33	66	338
	Total,	33870	32010	674	88	553	128	343	1	0	0	83	189	70	87	773
	4. SUTHERLAND.															
44	Assynt—(1) Kirkton,	338	306	5	1	4	2	4	0	0	0	0	4	0	0	8
	(2) Stoer,	2048	1805	24	0	26	2	11	0	0	0	2	6	3	0	22
45	Clyne,	1724	1749	29	1	29	7	29	0	0	0	2	1	0	9	41
46	Creich—(1) Bonar,	1355	1282	20	2	18	8	12	0	0	0	0	10	0	3	25
	(2) Rosehall,	481	431	4	1	9	2	5	0	0	0	1	3	0	0	9
47	Dornoch,	2794	2670	54	1	27	7	40	0	0	0	4	1	1	1	47
48	Durness,	870	830	13	1	10	5	16	0	0	0	0	0	0	0	16
49	Eddrachillis—(1) Scourie,	541	441	10	0	0	1	3	0	0	0	0	5	0	0	8
	(2) Kinlochbervie,	877	809	14	1	7	1	3	0	0	0	1	10	0	0	14
50	Farr—(1) Kirkton,	1025	1062	13	1	15	1	2	0	0	0	0	21	0	0	23
	(2) Strathy,	1532	1406	21	0	30	3	4	0	0	0	1	13	2	0	20
51	Golspie,	1665	1685	26	3	21	4	22	0	0	0	2	0	1	0	25
52	Kildonan,	1772	1786	27	3	21	10	15	0	0	0	1	13	0	7	36
53	Lairg,	1081	995	16	0	24	2	7	0	0	0	0	6	1	1	15
54	Loth,	449	367	8	1	8	1	4	0	0	0	0	0	1	1	6
55	Rogart,	1105	946	6	0	22	4	8	0	0	0	0	2	0	0	10
56	Tongue,	1783	1609	30	5	32	4	13	0	0	0	1	8	0	0	22
	Total,	21440	20179	320	21	303	64	198	0	0	0	15	103	9	22	347

No. of District.	Registration Districts.	Population at Census.		Births, Deaths, and Marriages, 1913.				Vaccinations, 1912.								
				Births.		Deaths	Marriages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
		1901	1911	Total.	Illegitimate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
	5. ROSS AND CROMARTY. *Mainland.*															
57	Alness,	956	898	22	3	16	3	9	0	0	0	1	10	1	2	23
58	Applecross—(1) Applecross,	813	703	8	1	10	0	8	0	0	0	1	1	1	0	11
	(2) Shieldaig,	864	801	8	0	9	1	3	0	0	0	1	2	0	4	10
59*a*	Avoch,	1852	1782	42	2	29	9	29	0	1	0	2	9	4	1	46
59*b*	Carnoch,	235	224	6	1	2	1	3	0	0	0	1	1	1	0	6
60	Contin—(1) Contin,	516	445	3	0	1	0	2	0	0	0	0	0	0	2	4
	(2) Kinlochluichart,	589	512	6	0	9	2	4	0	0	0	0	0	2	0	6
61	Cromarty,	1848	5637	39	1	36	10	16	0	0	0	5	0	7	2	30
62	Dingwall,	2758	2898	52	2	53	32	23	1	0	0	2	17	9	4	56
63	Edderton,	577	545	7	1	5	1	5	0	0	0	1	4	0	2	12
64	Fearn,	1761	1785	39	2	35	6	44	0	0	0	3	3	0	6	56
65	Fodderty,	1787	1692	31	2	25	8	17	0	1	0	3	6	0	0	27
66	Gairloch—(1) Northern,	1118	944	19	1	11	1	0	0	0	0	0	12	1	1	14
	(2) Southern,	2617	2310	23	1	34	5	23	0	0	0	1	6	0	5	35
67	Glenshiel,	343	339	5	1	5	0	1	0	0	0	1	3	0	0	5
68	Killearnan,	933	782	14	1	11	1	9	0	0	0	0	10	1	0	20
69	Kilmuir-Easter,	985	887	16	2	11	1	11	0	0	0	2	3	0	0	16
70	Kiltearn,	1258	1138	26	5	20	1	21	0	0	0	4	3	0	1	29
71	Kincardine—(1) Kincardine,	1005	971	13	1	14	2	7	0	0	0	1	4	1	0	13
	(2) Strathoykel,	260	227	3	0	2	0	1	0	0	0	0	1	0	0	2
72	Kintail,	491	414	9	0	2	0	1	0	0	0	2	4	0	0	7
73	Knockbain,	1504	1356	17	0	23	2	14	0	0	0	4	3	0	2	23
74	Lochalsh,	1830	1761	31	2	20	12	10	0	0	0	0	11	2	0	23
75	Lochbroom—(1) Lochbroom,	2322	2042	25	0	41	6	16	0	0	0	2	4	1	2	25
	(2) Coigach,	885	752	10	0	19	1	10	0	0	0	0	0	0	0	10
76	Lochcarron,	1442	1108	21	1	17	3	1	0	0	0	1	13	0	0	15
77	Logie-Easter,	819	700	15	1	8	1	14	0	0	0	0	0	2	0	16

78	Nigg,	892	827	17	3	11	1	15	0	0	0	1	0	0	4	20
79	Resolis,	1036	954	20	3	14	1	10	0	0	0	0	1	0	0	11
80	Rosemarkie,	1465	1309	24	4	31	2	22	0	1	0	1	1	2	1	28
81	Rosskeen,	3460	3362	53	6	69	18	42	0	1	0	7	11	3	0	64
82	Tain,	2756	2507	50	3	47	32	30	0	0	0	2	3	2	7	44
83	Tarbat,	1358	1224	21	2	26	8	10	0	0	0	1	5	5	0	21
84	Urquhart and Logie-Wester,	2102	2006	24	5	31	6	9	0	2	0	1	12	0	5	29
85	Urray,	2064	1919	29	3	25	6	16	0	0	0	3	5	0	3	27
	Insular.															
86*a*	Barvas,	5915	6040	147	5	72	19	46	0	1	0	5	85	0	9	146
86*b*	Carloway,	3076	3022	73	2	36	8	45	0	0	0	6	20	0	17	88
87	Lochs,	4768	4774	116	2	65	6	78	0	0	0	6	4	0	19	107
88	Stornoway,	12983	13438	289	9	185	64	240	0	0	0	11	11	0	19	281
89	Uig,	2207	2329	45	0	31	7	9	0	0	0	4	14	0	11	38
	Total,	76450	77364	1418	78	1111	287	874	1	7	0	86	302	45	129	1444
	6. INVERNESS.															
	Mainland.															
90*a*	Abernethy and Kincardine,	1279	1228	17	3	27	5	15	0	0	0	0	1	3	1	20
90*b*	Alvie,	533	590	5	0	6	1	10	0	0	0	0	2	0	0	12
91*a*	Ardersier,	1594	1913	45	0	20	5	36	0	0	0	3	2	0	3	44
91*b*	Arisaig,	1079	1009	19	0	17	1	8	0	0	0	1	1	1	1	12
91*c*	Ballachulish and Onich,	466	481	5	0	6	1	1	0	0	0	0	0	0	0	1
92*a*	Boleskine, etc.—															
	(1) Boleskine,	838	1013	23	1	4	2	20	0	0	0	1	1	0	0	22
	(2) Fort-Augustus or Abertarff,	1005	883	11	0	16	1	7	0	0	0	0	1	1	0	9
92*b*	Cannich,	484	442	0	0	9	1	6	0	0	0	0	1	0	1	8
	(93 *Cromdale and Inverallan.—Now* 128 *infra.*)															
94	Croy and Dalcross—*Inverness portion,*	579	542	7	0	3	0	8	0	0	0	1	0	1	0	10
95	Daviot and Dunlichty,	999	907	10	0	6	1	10	0	0	0	2	4	0	1	17
96*a*	Dores,	835	781	11	0	10	0	10	0	0	0	0	1	0	0	11
96*b*	Duthil, etc.—(1) Duthil,	1788	1700	23	3	33	5	16	0	0	0	1	9	2	0	28
	(2) Rothiemurchus,	207	243	8	2	3	4	8	0	0	0	0	0	1	0	9
97	Glenelg—(1) Glenelg,	543	481	8	3	6	1	0	0	0	0	0	0	0	2	2
	(2) Knoydart,	309	308	4	1	6	0	1	0	0	0	0	0	0	0	1
	(3) North Morar,	651	881	17	0	7	4	2	0	0	0	0	17	0	1	20

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	Insusceptible of Vaccine Disease. On the ground of Constitutional Insusceptibility.	Insusceptible of Vaccine Disease. In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Inverness—*continued.*															
98*a*	Inverness,	27046	25952	535	57	485	242	262	2	1	0	58	180	12	41	556
98*b*	Kilmallie—*Inverness portion,*	3331	3223	57	3	48	13	15	0	0	0	1	31	4	0	51
99	Kilmonivaig—(1) Glengarry,	617	466	5	0	9	1	4	0	0	0	0	2	1	0	7
	(2) Lochaber,	1435	1234	19	1	11	2	16	0	1	0	1	2	0	1	21
100	Kilmorack,	1814	1881	38	1	16	4	27	0	0	0	0	4	4	6	41
101	Kiltarlity,	1628	1627	22	2	12	2	21	0	0	0	1	3	0	0	25
102	Kingussie and Insh,	2194	2464	34	3	32	9	24	0	0	0	5	10	1	1	41
103	Kirkhill,	1296	1237	31	2	22	2	11	0	0	0	3	1	3	5	23
104	Laggan,	738	754	14	2	12	0	10	0	0	0	0	4	0	1	15
105	Moy and Dalarossie,	761	688	9	1	13	1	3	0	0	0	1	3	0	1	8
106	Petty,	1291	1263	27	0	16	3	22	0	0	0	0	5	1	3	31
107	Urquhart, etc.—(1) Urquhart,	1499	1382	18	1	18	3	17	0	0	0	1	1	0	2	21
	(2) Glenmoriston,	329	293	1	0	2	0	1	0	0	0	0	0	0	0	1
505	Aharacle—*Inverness portion, Insular.*	599	562	11	1	9	5	9	0	2	0	1	0	0	0	12
108	Barra,	2545	2620	51	5	52	7	41	0	0	0	3	11	1	0	56
109	Bracadale—(1) Bracadale,	384	346	8	0	6	1	2	0	0	0	0	0	0	6	8
	(2) Minginish,	488	459	9	0	11	1	9	0	0	0	1	1	0	0	11
110	Duirinish—(1) Duirinish,	2610	2385	46	1	40	6	25	0	0	0	2	2	0	23	52
	(2) Waternish,	757	708	9	0	16	2	13	0	0	0	0	0	0	8	21
111	Harris—(1) North Harris,	3191	3223	71	4	50	13	18	0	0	0	7	4	0	34	63
	(2) South Harris,	1476	1641	29	2	25	5	15	0	0	0	3	20	0	10	48
	(3) Bernera,	527	505	10	1	10	2	1	0	0	0	0	11	0	1	13
	(4) St. Kilda,	77	80	1	0	0	0	0	0	0	0	0	0	0	1	1
112	Kilmuir—(1) Kilmuir,	948	887	15	2	15	3	9	0	0	0	1	2	0	2	14
	(2) Stenscholl,	1185	1077	24	1	13	5	21	0	0	0	1	1	1	2	26
113	North Uist,	3891	3677	74	5	59	10	58	0	0	0	2	0	0	3	63
114	Portree—(1) Portree,	2152	1923	35	3	33	5	12	0	0	0	3	15	0	3	33
	(2) Raasay,	629	508	10	0	6	1	1	0	0	0	1	2	0	4	8

115	Sleat,	1665	1373	13	0	18	2	20	0	0	0	1	2	1	1	25
116	Small Isles,	495	396	3	0	6	1	2	0	0	0	0	0	2	0	4
117	Snizort—(1) North,	614	634	11	2	17	1	5	0	0	0	1	4	0	0	10
	(2) South,	1035	1060	19	0	8	2	3	0	0	0	0	8	0	2	13
118	South Uist—(1) Benbecula,	1497	1384	25	9	20	3	8	0	0	0	1	9	0	1	19
	(2) Howmore,	1726	1639	38	2	33	6	15	0	0	0	2	0	0	10	27
	(3) Boisdale,	2293	2360	45	2	45	4	26	0	0	0	5	3	0	14	48
119	Strath,	2152	1959	33	3	29	5	15	3	0	0	0	12	1	5	36
	Total,	90104	87272	1613	129	1396	404	919	5	4	0	115	393	41	201	1678
	7. NAIRN.															
120	Ardclach,	772	759	11	1	9	4	10	0	1	0	1	2	1	0	15
121	Auldearn,	1292	1248	39	3	19	3	21	0	0	0	3	1	1	1	27
122	Cawdor,	925	847	13	0	6	3	15	0	0	0	0	5	2	0	22
123	Nairn,	5732	5906	110	12	72	55	98	0	2	0	10	11	11	3	135
94	Croy and Dalcross—*Nairn portion*,	570	559	7	1	8	0	5	0	0	0	1	3	0	1	10
	Total,	9291	9319	180	17	114	65	149	0	3	0	15	22	15	5	209
	8. ELGIN (OR MORAY). (124 *Abernethy and Kincardine.—Now* 90*a supra.*)															
125	Alves,	1025	1109	40	1	9	5	21	0	0	0	4	6	2	1	34
126	Bellie,	1801	1749	34	5	27	4	30	0	0	0	1	6	0	0	37
127	Birnie,	356	363	9	2	8	3	8	0	0	0	2	1	0	0	11
128	Cromdale, etc.—															
	(1) Cromdale & Advie	1048	898	13	1	9	3	10	0	0	0	0	0	0	0	10
	(2) Inverallan,	2181	1989	39	8	39	16	27	0	3	0	4	0	3	1	38
129	Dallas,	738	656	13	2	13	4	11	0	0	0	0	0	0	0	11
130	Drainie,	4380	4700	141	11	59	25	84	2	0	0	15	18	1	10	130
131	Duffus—(1) Burghead,	2125	2056	48	2	36	8	8	0	0	0	4	42	2	0	56
	(2) Duffus,	1940	1949	27	4	18	10	36	0	0	0	3	0	4	0	43
	(132 *Duthil, etc.—Now* 96*b supra.*)															
133	Dyke,	1049	1020	23	1	17	1	21	0	0	0	0	2	0	1	24
134	Edinkillie,	869	832	16	1	7	1	14	0	0	0	1	0	0	1	16
135	Elgin,	11560	11692	250	43	177	108	174	4	1	0	37	16	10	25	267

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations. 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Elgin (or Moray)—*continued.*															
136	New Spynie,	661	612	21	12	23	3	26	0	0	0	6	1	1	0	34
137	Forres,	5241	4932	90	14	70	43	78	0	2	0	10	13	0	14	117
138	Kinloss,	929	851	11	0	9	3	21	0	0	0	2	0	1	0	24
139	Knockando,	1756	1488	33	9	22	8	27	0	0	0	6	2	0	0	35
140	Rafford,	934	895	25	2	7	0	13	0	0	0	3	3	0	2	21
141	Rothes,	2361	2016	38	10	38	14	45	0	1	0	0	11	0	1	58
142	St. Andrews-Lhanbryde,	1209	1155	19	1	9	1	21	0	0	0	3	2	0	1	27
143	Speymouth,	619	595	15	2	11	0	17	0	0	0	1	0	0	0	18
144	Urquhart—(1) Urquhart,	977	899	26	6	11	5	6	0	0	0	1	1	0	0	8
	(2) Garmouth,	740	690	12	2	16	3	18	0	0	0	1	0	0	0	19
152	Enzie—*Elgin portion,*	301	281	12	2	3	2	4	0	0	0	1	2	0	0	7
	Total,	44800	43427	955	141	638	270	720	6	7	0	105	126	24	57	1045
	9. BANFF.															
145	Aberlour,	2538	2569	56	8	37	13	26	0	0	0	3	18	1	0	48
146	Alvah,	1281	1200	30	1	9	4	26	0	0	0	2	4	1	0	33
147*a*	Banff,	4546	4570	95	13	74	50	60	0	1	0	7	31	3	2	104
147*b*	Boharm,	1128	990	22	8	7	5	12	0	0	0	1	2	1	0	16
148	Botriphnie,	754	732	21	2	7	0	9	0	0	0	3	4	1	0	17
149*a*	Boyndie,	2005	2178	69	13	43	13	33	0	0	0	1	10	1	0	45
149*b*	Cabrach,	581	534	13	6	3	1	10	0	0	0	0	0	0	2	12
150	Cullen,	1936	1992	43	3	23	13	23	0	0	0	6	19	0	2	50
151	Deskford,	714	695	8	1	6	1	6	0	1	0	0	3	0	1	11
152	Enzie—*Banff portion,*	1976	2154	51	4	34	15	16	0	0	0	4	48	0	0	68
153	Fordyce—(1) Fordyce,	1850	1808	48	9	20	5	30	0	0	0	5	7	5	1	48
	(2) Portsoy,	2091	2172	58	7	36	22	32	0	0	0	2	18	1	1	54
154	Forglen,	653	620	16	3	4	5	13	0	0	0	1	1	0	0	15

155a	Gamrie—(1) Gamrie,	2557	2462	51	3	26	14	35	0	1	0	2	14	0	7	59
	(2) Macduff,	3852	3798	102	12	53	21	66	0	0	0	9	34	5	0	114
155b	Glenrinnes,	337	280	8	1	1	0	5	0	0	0	0	0	1	0	6
156	Grange,	1673	1461	42	4	12	6	24	0	0	0	6	6	2	0	38
157	Inveravon—(1) Inveravon,	760	754	19	0	5	1	11	0	0	0	1	0	0	0	12
	(2) Glenlivat,	1441	1263	23	3	13	4	16	0	0	0	2	17	0	2	37
158	Inverkeithny,	769	725	26	7	6	1	18	0	0	0	2	0	0	0	20
159	Keith,	6828	6359	135	18	87	35	80	0	0	0	20	43	1	0	144
160	Kirkmichael, etc.—															
	(1) Kirkmichael,	353	312	6	4	5	1	2	0	0	0	0	3	0	0	5
	(2) Tomintoul,	682	637	14	1	11	5	1	0	0	0	1	7	2	0	11
161	Marnoch,	2851	2532	73	20	48	6	66	0	0	0	6	1	0	2	75
162	Mortlach,	3170	2816	49	8	35	13	33	0	0	0	5	5	0	10	53
163	Ordiquhill,	642	644	13	1	6	4	10	0	0	0	1	1	0	0	12
164	Rathven,	10133	11767	373	32	134	77	49	0	0	0	38	267	1	1	356
165	Rothiemay,	1252	1143	23	6	11	3	16	0	0	0	2	0	0	0	18
	(166 *St. Fergus.—Now* 237c *infra.*)															
167	Seafield,	2135	2235	48	0	28	6	23	0	0	0	6	30	2	0	61
	Total,	61488	61402	1535	198	784	344	751	0	3	0	136	593	28	31	1542
	10. ABERDEEN.															
168	Aberdeen—(1) St. Nicholas,	52053	50424	1510	244	1304	700	985	80	1	0	226	168	62	82	1604
	(2) St. Machar,	80911	90129	1705	122	1221	548	1285	40	1	0	196	242	26	113	1903
	(3) Woodside,	8115	8714	203	32	113	36	149	5	0	0	28	26	7	4	219
	(4) Old Aberdeen,	2949	3070	83	7	42	24	51	2	0	0	12	6	1	0	72
169	Aberdour,	1496	1431	36	5	13	10	26	0	1	0	6	7	1	7	48
170	Aboyne,	1477	1525	20	0	18	5	24	0	0	0	1	2	1	1	29
171a	Alford,	1486	1464	38	9	20	6	34	0	0	0	2	4	1	0	41
171b	Ardallie,	1080	896	21	5	10	2	19	0	0	0	2	3	4	0	28
172	Auchindoir,	1216	1058	34	9	12	5	14	0	0	0	4	1	1	0	20
173	Auchterless,	1623	1469	45	5	20	8	41	0	0	0	0	4	0	1	46
174	Belhelvie,	1614	1491	44	9	16	10	33	0	0	0	1	6	2	0	42
175	Birse,	1085	1047	7	0	16	5	15	0	0	0	2	2	0	0	19
176	Bourtie,	408	413	12	1	3	0	6	0	0	0	1	1	1	0	9
	(177 *Cabrach.—Now* 149b *supra.*)															
178	Cairney,	1283	1212	39	10	15	1	29	0	1	0	1	0	1	0	32
179	Chapel of Garioch,	1559	1492	32	4	20	3	29	0	0	0	1	2	1	2	35

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	Insusceptible of Vaccine Disease. On the ground of Constitutional Insusceptibility.	Insusceptible of Vaccine Disease. In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Aberdeen—*continued.*															
180	Clatt,	425	434	11	0	3	1	10	0	0	0	0	0	0	0	10
181	Cluny,	1207	1132	22	2	14	3	16	0	0	0	4	1	0	0	21
182	Coull,	684	606	15	4	5	2	9	0	0	0	0	2	0	0	11
183	Crathie, etc.—(1) Braemar,	846	780	8	3	8	2	11	0	0	0	0	0	0	0	11
	(2) Crathie,	606	621	14	0	7	5	5	0	1	0	0	0	1	0	7
184	Crimond,	719	671	16	3	10	5	13	0	0	0	1	1	0	0	15
185	Cruden,	3060	2860	73	12	28	12	43	0	0	0	4	8	2	2	59
186	Culsamond,	683	607	15	5	10	0	12	0	0	0	1	1	1	0	15
187	Daviot,	568	581	15	1	7	3	7	0	0	0	1	0	0	0	8
188	Drumblade,	948	883	23	6	15	1	17	0	0	0	2	1	1	0	21
189	Drumoak,	865	843	14	2	10	1	13	0	0	0	1	1	0	0	15
190	Dyce,	1482	1319	33	2	19	7	22	0	1	0	1	1	0	2	27
191	Echt,	1249	1222	22	3	15	5	28	0	0	0	1	1	0	1	31
192	Ellon,	3395	3088	93	17	40	46	60	0	0	0	4	11	4	0	79
193	Fintray,	866	872	21	1	14	3	9	0	0	0	1	1	2	0	13
194	Forgue,	1107	1079	30	6	16	1	24	0	1	0	3	0	0	1	29
195	Foveran,	1793	1649	33	2	20	6	30	0	0	0	5	13	0	0	48
196	Fraserburgh,	9715	11151	353	36	143	79	160	9	1	0	29	131	19	9	358
197	Fyvie,	2774	2786	63	13	30	12	46	0	0	0	5	4	1	2	58
198	Gartly,	862	758	22	1	13	0	19	0	0	0	3	0	0	0	22
199	Glass,	809	703	15	2	11	2	11	0	0	0	0	3	0	0	14
200	Glenbuchat,	403	340	9	3	2	1	2	0	0	0	0	6	0	0	8
201	Glenmuick, Tullich, and Glengairn,	2347	2210	39	3	22	8	31	0	0	0	5	1	0	0	37
202	Huntly,	4899	4937	135	30	83	64	107	0	0	0	6	12	11	0	136
203	Insch,	1408	1340	27	4	15	5	25	0	0	0	3	1	0	0	29
204	Inverurie,	3491	4425	99	19	63	48	59	0	1	0	8	9	12	1	90
205	Keig,	626	574	13	3	6	1	4	0	0	0	2	0	1	0	7
206	Keith-hall,	803	760	17	3	7	4	17	0	0	0	0	1	0	4	22

207	Kemnay,	2084	1886	45	6	30	18	34	0	0	0	3	0	1	0	38
208	Kildrummy,	574	455	12	1	6	2	8	0	0	0	0	3	0	0	11
209	Kincardine O'Neil,	2005	1910	32	6	22	4	29	0	0	0	2	2	0	0	33
210*a*	King Edward—(1) King Edward	897	897	14	1	13	0	15	0	0	0	2	4	0	0	21
	(2) New Byth,	1537	1357	40	13	16	6	21	0	0	0	6	12	1	0	40
210*b*	Kininmonth,	934	785	18	2	21	2	14	0	0	0	2	1	0	0	17
211	Kinnellar,	551	501	9	0	2	0	11	0	0	0	0	2	0	1	14
212	Kinnethmont,	920	915	22	5	11	5	12	0	0	0	1	5	0	0	18
213	Kintore,	2553	2429	57	13	27	8	39	0	0	0	1	3	3	6	52
214	Leochel-Cushnie,	1018	1028	22	8	6	4	17	0	0	0	0	2	0	1	20
215	Leslie,	443	377	9	1	3	0	6	0	0	0	0	0	0	0	6
216	Logie-Buchan,	651	597	15	4	6	1	15	0	0	0	3	3	0	0	21
217	Logie-Coldstone and Cromar,	974	983	18	4	14	0	5	0	0	0	0	21	0	0	26
218	Longside,	2697	2595	56	10	33	16	51	0	0	0	4	7	2	0	64
219	Lonmay,	1622	1565	32	5	19	12	16	0	0	0	0	13	0	0	29
220	Lumphanan,	966	1022	20	5	9	4	18	0	0	0	0	7	0	0	25
221	Methlic,	1692	1658	40	12	16	6	45	0	0	0	0	1	0	0	46
222*a*	Midmar,	1000	881	20	4	9	0	19	0	0	0	0	0	0	0	19
222*b*	Millbrex,	1207	966	29	4	11	6	23	0	0	0	5	0	1	0	29
223	Monquhitter,	2170	1927	49	13	22	15	44	0	1	0	6	3	0	5	59
224	Monymusk,	1106	1093	24	3	11	3	24	0	0	0	2	0	0	1	27
225	New Deer,	3706	3508	73	16	52	26	60	0	0	0	6	9	3	0	78
226	Newhills,	5753	6419	145	29	246	22	114	0	0	0	23	10	1	9	157
227*a*	New Machar,	1393	1882	25	2	80	4	13	0	0	0	3	7	0	0	23
227*b*	New Pitsligo,	2332	2226	61	10	29	7	40	0	0	0	7	10	0	7	64
228*a*	Old Deer,	3144	2730	61	11	50	15	56	0	0	0	9	6	0	0	71
228*b*	Old Machar,	1457	1274	26	2	17	2	20	0	0	0	3	1	0	0	24
229	Old Meldrum,	1855	1767	41	14	31	12	49	0	0	0	2	1	1	0	53
230	Oyne,	770	804	19	5	13	2	12	0	0	0	0	2	0	0	14
231	Peterculter—															
	(1) East Peterculter,	2214	2652	46	2	34	6	34	0	1	0	5	4	1	0	45
	(2) West Peterculter,	2815	3090	51	8	30	7	60	0	0	0	6	2	3	2	73
232	Peterhead—(1) Peterhead,	13705	15677	450	38	215	102	118	2	0	0	53	243	40	12	468
	(2) Boddam,	1441	1271	31	3	19	6	11	0	0	0	2	18	0	1	32
233	Pitsligo,	2307	2440	69	5	32	9	43	0	0	0	4	18	1	6	72
234	Premnay,	926	836	30	3	8	15	18	0	0	0	2	0	0	1	21
235	Rathen—(1) Rathen,	1012	946	26	5	15	3	15	0	0	0	0	4	1	0	20
	(2) Inverallochy,	1565	1814	45	4	26	4	13	0	1	0	5	44	5	5	73
236	Rayne,	1097	1058	28	8	10	2	20	0	0	0	2	3	2	0	27
237*a*	Rhynie,	1005	862	21	5	18	6	23	0	0	0	4	3	1	0	31
237	Savoch,	1736	1565	22	4	17	2	22	0	0	0	5	2	0	1	30

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Aberdeen—*continued.*															
237*c*	St. Fergus,	1194	970	29	7	14	6	25	0	0	0	3	3	0	0	31
238	Skene,	1546	1437	31	5	23	6	29	0	0	0	1	1	1	0	32
239	Slains,	936	846	25	3	15	4	19	0	0	0	3	2	0	1	25
240	Strathdon,	1096	1014	13	1	15	4	8	0	0	0	1	6	0	1	16
241	Strichen,	2033	2085	52	14	32	12	51	0	0	0	2	7	1	1	62
242	Tarland,	733	741	16	0	8	7	11	0	0	0	0	5	0	1	17
243	Tarves,	2101	1946	56	12	13	5	43	0	0	0	8	0	1	0	52
244	Tough,	675	613	5	2	4	1	8	0	0	0	2	1	1	0	12
245	Towie,	938	728	19	3	5	2	12	0	0	0	2	5	1	0	20
246	Tullynessle and Forbes,	903	872	19	2	11	3	16	0	0	0	0	2	0	0	18
247	Turriff,	4139	4128	96	22	60	55	83	0	0	0	2	3	7	12	107
248	Tyrie,	747	719	31	5	7	1	27	0	0	0	0	1	0	0	28
249*a*	Udny,	1564	1469	35	7	15	4	27	0	0	0	1	5	1	0	34
249*b*	Ythan Wells,	1005	895	23	6	9	0	22	0	0	0	2	0	0	0	24
	Total,	304439	312177	7382	1031	4959	2164	5138	138	12	0	778	1201	244	306	7817
	11. KINCARDINE.															
250	Arbuthnot,	698	674	21	1	7	1	11	0	0	0	1	1	1	0	14
251	Banchory-Devenick—															
	(1) Banchory-Devenick,	508	504	4	1	4	0	11	0	0	0	4	0	1	0	16
	(2) Portlethen,	1218	996	24	4	9	1	19	0	0	0	1	0	1	0	21
252	Banchory-Ternan,	3449	3377	66	6	45	13	39	0	0	0	5	2	1	3	50
253	Benholm,	1426	1276	21	5	15	2	14	0	0	0	2	14	0	0	30
254	Bervie,	2523	2391	50	11	49	22	12	0	0	0	5	41	0	0	58
255	Dunnottar,	2533	2255	45	5	23	11	33	0	0	0	1	9	3	0	46
256	Durris,	884	872	20	4	9	5	13	0	0	0	1	1	0	4	19
257	Fettercairn,	1390	1301	37	3	14	9	31	0	0	0	2	2	0	1	36

258	Fetteresso—(1) Fetteresso,	3930	3683	75	13	76	24	46	0	0	0	7	6	5	4	68
	(2) Cookney,	1479	1278	31	5	18	7	21	0	0	0	3	1	0	0	25
259	Fordoun,	1809	1717	41	3	26	3	35	0	0	0	3	0	0	0	38
260	Garvock,	368	371	8	0	3	1	8	0	0	0	1	1	0	0	10
261	Glenbervie,	870	779	17	2	13	4	16	0	0	0	0	1	0	0	17
262	Kinneff and Catterline,	899	835	24	3	11	4	9	0	0	0	1	5	1	2	18
263	Laurencekirk,	2011	1921	51	8	38	12	44	0	0	0	6	3	0	1	54
264	Maryculter,	951	861	13	0	10	1	12	0	0	0	0	0	0	0	12
265	Marykirk,	1209	1167	17	0	17	2	24	0	0	0	2	2	0	0	28
266	Nigg,	10914	13001	395	27	159	57	249	9	0	0	51	39	34	18	400
267	St. Cyrus,	1228	1222	16	0	15	9	32	0	1	0	3	3	0	0	39
268	Strachan,	626	527	7	1	11	2	7	0	0	0	2	2	0	0	11
	Total,	40923	41008	983	102	572	190	686	9	1	0	101	133	47	33	1010
	12. FORFAR.															
269	Aberlemno,	804	728	20	3	12	2	20	0	0	0	3	3	0	0	26
270	Airlie,	698	723	15	1	9	3	19	0	0	0	2	0	0	0	21
271	Arbirlot,	800	840	17	0	6	2	18	0	0	0	3	1	0	2	24
272	Arbroath, etc.—(1) Arbroath,	22569	20821	405	29	371	119	176	0	3	0	31	220	1	8	439
	(2) St. Vigeans,	2108	1909	32	6	32	7	25	0	0	0	1	19	1	0	46
273	Auchterhouse,	547	629	13	1	4	7	14	0	0	0	1	3	0	0	18
274	Barry,	4652	4933	97	7	59	19	48	0	1	0	3	25	0	2	79
275	Brechin,	10444	9836	180	23	128	64	105	0	0	0	12	59	3	2	181
276	Carmylie,	1063	847	19	2	13	2	11	0	0	0	0	2	0	0	13
277	Carestou,	221	213	8	2	2	1	5	0	0	0	0	0	0	1	6
278	Cortachy and Clova,	569	479	5	0	5	1	9	0	0	0	0	0	1	0	10
	(279 *Coupar-Angus.—Now* 341*b* *infra.*)															
280	Craig,	2019	1883	32	1	24	14	32	0	0	0	2	12	1	1	48
281	Dun,	526	498	12	3	5	0	11	0	0	0	1	0	0	0	12
282	Dundee—(1) St. Peter,	29343	29977	684	51	351	211	225	13	2	0	88	301	8	58	695
	(2) St. Mary,	29222	29115	884	137	815	392	221	22	3	0	149	399	17	102	913
	(3) St. Clement,	28077	27199	622	35	413	205	198	11	0	0	69	396	5	38	717
	(4) St. Andrew,	60403	61638	1494	112	1076	300	458	29	1	0	166	666	26	122	1468
	(5) Lochee,	14790	14846	372	30	234	176	116	3	8	0	46	90	4	45	312
283	Dunnichen,	1132	1098	18	0	31	2	18	0	0	0	0	2	0	0	20
284	Eassie and Nevay,	474	486	15	1	1	0	12	0	0	0	0	0	0	2	14
285	Edzell,	822	878	12	2	11	2	19	0	0	0	1	1	1	0	22
286	Farnell,	536	506	9	1	6	2	7	0	0	0	0	0	1	0	8
287	Fern,	322	308	7	2	2	0	5	0	0	0	1	2	0	0	8

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Forfar—*continued.*															
288*a*	Forfar,	12879	12254	225	25	190	76	193	0	1	0	13	18	3	1	229
288*b*	Fowlis-Easter,	254	249	7	0	3	0	8	0	0	0	0	4	0	0	12
289	Glamis,	1351	1159	21	3	15	7	25	0	0	0	0	0	0	0	25
290	Glenisla,	409	344	7	0	5	2	5	0	0	0	2	0	0	0	7
291	Guthrie,	264	257	6	0	1	0	3	0	1	0	0	0	0	0	4
292	Inverarity,	823	861	13	1	6	3	19	0	0	0	0	0	0	0	19
293	Inverkeillor,	1397	1377	40	6	10	4	25	0	0	0	2	4	1	1	33
294*a*	Kettins,	704	689	11	0	8	2	14	0	1	0	0	1	0	0	16
294*b*	Kilry,	324	278	8	2	4	1	6	0	0	0	0	1	0	0	7
295	Kingoldrum,	355	349	6	0	7	1	10	0	0	0	0	1	0	0	11
296	Kinnell,	574	589	16	2	9	2	12	0	0	0	0	5	1	0	18
297	Kinnettles,	323	310	6	0	3	3	7	0	0	0	0	2	0	0	9
298	Kirkden,	1491	1337	30	3	21	6	17	0	0	0	1	5	0	0	23
299	Kirriemuir,	5902	5391	70	6	87	25	83	0	0	0	3	4	2	0	92
300	Lethnott and Navar,	238	205	5	0	4	2	3	0	0	0	0	1	0	0	4
301	Liff, Benvie, and Invergowrie,	1834	1923	24	3	73	1	17	1	0	0	1	10	0	1	30
302	Lintrathen,	495	507	6	2	8	1	6	0	0	0	0	0	1	0	7
303	Lochlee,	326	295	2	0	3	2	2	0	0	0	1	2	0	0	5
304	Logie-Pert,	982	1002	24	1	13	3	17	0	0	0	4	1	0	2	24
305	Lunan,	302	312	11	1	5	1	11	0	0	0	1	0	0	0	12
306	Lundie,	268	256	4	0	2	2	6	0	0	0	3	1	0	0	10
307	Mains and Strathmartine,	5443	6631	110	5	100	35	82	1	1	0	10	42	1	2	139
308	Marytown,	278	262	3	0	3	1	7	0	0	0	1	2	0	0	10
309	Menmuir,	704	627	16	1	6	0	14	0	0	0	0	2	0	2	18
310	Monifieth—(1) East,	2614	3546	79	5	41	19	43	0	0	0	8	29	0	0	80
	(2) West,	9058	9599	169	8	107	52	135	0	0	0	15	40	9	3	202
311	Monikie,	1299	1184	28	5	9	5	24	0	0	0	3	3	0	0	30
312	Montrose,	14027	12669	205	15	258	76	106	0	2	0	13	43	3	7	174
313	Murroes,	1041	898	23	2	8	3	17	0	0	0	2	8	0	0	27

314	Newtyle,	818	840	14	0	6	1	17	0	0	0	2	2	0	0	21
315	Oathlaw,	365	324	5	0	4	1	5	0	0	0	0	0	0	0	5
316	Panbride,	1885	1806	29	3	21	11	18	0	0	0	1	6	0	0	25
317	Rescobie,	594	526	9	2	3	3	12	0	1	0	0	1	0	0	14
318	Ruthven,	169	172	7	0	2	2	1	0	0	0	1	0	0	0	2
	(319 *St. Vigeans—Now* 272 (2) *supra.*)															
320	Stracathro,	430	398	7	1	6	2	9	0	0	0	0	0	0	1	10
321	Tannadice,	1106	1013	22	1	6	4	13	0	0	0	1	2	0	0	16
322	Tealing,	615	588	11	3	6	1	15	0	0	0	2	1	0	0	18
	Total,	284082	281417	6251	555	4673	1891	2779	80	25	0	669	2442	90	403	6488
	13. PERTH.															
323	Aberdalgie,	278	278	5	0	4	1	6	0	0	0	0	0	0	0	6
324	Aberfeldy,	2198	2248	32	1	22	11	38	0	0	0	1	1	1	2	43
325	Aberfoyle,	1052	1147	13	0	10	4	26	0	0	0	2	0	0	2	30
326	Abernethy,	1276	1267	16	1	13	10	13	0	0	0	1	8	1	1	24
327	Abernyte,	241	209	2	0	2	1	3	0	0	0	1	0	0	0	4
328*a*	Alyth,	2943	2858	39	5	44	20	46	0	0	0	3	2	0	0	51
328*b*	Ardoch,	916	863	24	0	11	4	4	0	0	0	3	1	1	1	10
328*c*	Arngask,	593	652	12	1	13	2	7	0	0	0	1	3	0	0	11
329	Auchterarder,	3159	3175	57	7	58	18	36	0	1	0	4	3	0	4	48
330	Auchtergaven,	1288	1299	13	2	27	4	16	0	0	0	2	5	1	2	26
331	Balquhidder,	709	734	11	2	8	2	7	0	0	0	0	2	0	1	10
332	Bendochy,	473	542	7	3	5	0	10	0	0	0	0	0	0	2	12
333	Blackford,	1539	1374	26	3	15	5	17	0	0	0	1	2	0	1	21
334	Blair-Athol,	1501	1342	18	2	12	2	21	0	0	0	0	3	0	0	24
335	Blairgowrie,	4282	4122	68	11	84	23	45	0	0	0	1	7	1	3	57
336	Callander,	2171	2215	24	3	23	12	28	0	0	0	2	1	1	2	34
337	Caputh,	1005	986	21	2	13	3	12	0	0	0	0	2	0	0	14
338	Cargill,	1411	1411	29	1	16	1	23	0	0	0	2	3	1	0	29
339	Clunie,	561	508	16	2	6	0	8	0	0	0	0	3	0	1	12
340	Collace,	440	366	7	0	1	4	4	0	0	0	0	0	0	0	4
341*a*	Comrie,	1964	1675	27	1	18	6	19	0	0	0	1	1	3	1	25
341*b*	Coupar-Angus,	2468	2523	57	8	34	10	33	0	1	0	4	13	2	2	55
342	Crieff,	5706	6089	91	8	76	36	78	0	0	0	7	19	2	3	109
	(343 *Culross—Now* 418*b infra.*)															
344	Dowally,	304	283	1	0	3	0	3	0	0	0	0	0	0	0	3
345	Dron,	232	256	9	0	1	0	5	0	0	0	1	0	0	0	6

No. of District.	Registration Districts.	Population at Census.		Births, Deaths, and Marriages. 1913.				Vaccinations, 1912.								
				Births.		Deaths	Marriages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
		1901	1911	Total.	Illegitimate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
	Perth—*continued.*															
346	Dull,	355	287	4	0	5	0	3	0	0	0	0	0	0	0	3
347	Dunbarney,	909	862	22	1	16	5	11	0	1	0	0	0	3	1	16
348	Dunblane and Lecropt,	3812	4591	92	10	53	25	83	0	0	0	5	6	1	0	95
349	Dunkeld,	897	798	16	0	8	3	14	0	0	0	1	0	0	0	15
350	Dunning,	1141	1145	29	2	23	4	21	0	0	0	1	0	0	1	23
351	Errol,	2070	2083	46	5	25	7	41	0	0	0	1	4	0	0	46
352	Findo-Gask,	323	357	5	0	0	5	9	0	0	0	0	0	0	1	10
353	Forgandenny,	527	540	11	1	10	1	14	0	0	0	0	2	0	0	16
354	Forteviot,	562	549	13	0	4	2	12	0	0	0	1	1	0	0	14
355*a*	Fortingall—															
	(1) Innerwick in Glenlyon,	312	272	2	0	3	0	4	0	0	0	0	0	0	0	4
	(2) Fortingall,	465	465	8	2	6	2	3	0	0	0	2	1	0	0	6
	(3) Kinloch-Rannoch,	807	787	9	0	8	0	4	0	0	0	0	14	0	0	18
355*b*	Foss,	197	161	2	0	0	0	2	0	0	0	0	0	0	0	2
	(356 *Fowlis-Easter.—Now* 288*b* *supra.*)															
357	Fowlis-Wester,	1000	1007	13	0	10	2	13	0	0	0	1	2	1	0	17
358	Glendevon,	147	148	2	0	1	0	3	0	0	0	0	0	0	0	3
359	Inchture,	552	545	8	0	6	2	10	0	0	0	0	1	0	0	11
360	Kenmore,	971	826	9	1	9	1	19	0	0	0	1	0	0	0	20
361	Killin,	1269	1192	11	2	16	2	19	0	0	0	0	0	0	0	19
362	Kilmadock,	2705	2428	42	1	27	18	38	0	1	0	5	11	0	1	56
363	Kilspindie,	568	498	10	1	4	2	11	0	0	0	1	4	0	0	16
364	Kincardine,	1309	1150	26	3	21	14	12	0	0	0	1	1	0	2	16
365	Kinclaven,	562	468	8	1	6	1	14	0	0	0	1	0	0	1	16
366	Kinfauns,	611	571	9	2	7	1	8	0	0	0	1	2	0	1	12
	(367 *Kinloch-Rannoch.—Now* 355*a* (3) *supra.*)															
368	Kinnaird,	217	172	6	3	3	0	2	0	0	0	1	0	0	0	3

369	Kinnoull,	320	258	8	1	5	0	7	0	0	0	0	2	0	0	9
370	Kirkmichael—(1) Kirkmichael,	508	421	5	0	3	2	5	0	0	0	0	1	0	0	6
	(2) Glenshee,	163	159	1	0	1	0	2	0	0	0	0	0	0	0	2
	(371 *Lecropt.—Merged in* 348.)															
372	Lethendy and Kinloch,	351	340	8	0	2	1	6	0	0	0	0	1	0	0	7
373	Little Dunkeld,	2072	2079	32	2	50	4	26	2	0	0	3	2	0	1	34
	(374 *Logie.—Now* 485*b infra.*)															
375	Logiealmond,	619	530	13	0	8	4	8	0	0	0	0	3	0	0	11
376	Logierait,	1374	1312	15	2	28	1	11	0	0	0	0	1	0	1	13
377	Longforgan,	1886	1997	39	4	22	14	31	0	0	0	0	3	0	2	36
378	Madderty,	443	438	12	1	5	1	12	0	0	0	0	2	0	0	14
379	Meigle,	959	1036	24	0	19	5	25	0	0	0	0	2	0	1	28
380	Methven,	1638	1789	41	7	25	9	21	0	0	0	2	5	0	4	32
381	Moneydie,	251	237	8	2	3	2	1	0	0	0	0	0	0	0	1
	(382 *Monzie.—Merged in* 342, 380, *and* 383.)															
383	Monzievaird and Strowan,	588	508	12	1	5	0	9	0	0	0	1	2	0	0	12
384	Moulin—(1) Moulin,	2192	2299	27	1	22	7	31	0	0	0	2	3	1	2	39
	(2) Strathloch,	158	205	3	0	5	1	4	0	0	0	0	0	0	0	4
385	Muckart,	475	535	8	1	12	4	3	0	0	0	0	3	1	0	7
386*a*	Muthill,	1401	1269	24	3	17	5	19	0	0	0	0	1	0	0	20
386*b*	Persie,	513	512	7	0	5	6	6	0	0	0	0	2	0	0	8
387	Perth,	34176	36009	693	54	585	303	487	0	4	0	59	205	9	15	779
388	Port of Menteith,	1088	1035	13	2	15	3	17	0	0	0	0	0	0	0	17
389	Rattray,	2462	2160	48	8	25	13	20	0	0	0	7	9	2	4	42
390	Redgorton,	1077	1086	22	4	11	8	17	0	1	0	3	4	0	0	25
391	Rhynd,	183	205	6	0	2	1	4	0	0	0	0	2	0	0	6
392	St. Madoes,	336	359	9	2	2	0	7	0	0	0	0	0	0	0	7
393*a*	St. Martins,	850	820	10	0	7	3	12	0	0	0	1	5	1	0	19
393*b*	Stanley,	1220	1388	32	0	20	8	22	0	0	0	2	1	0	0	25
394*a*	Scone,	2362	2341	42	2	40	16	31	0	1	0	1	4	0	0	37
394*b*	Strathfillan,	443	490	7	0	3	3	9	0	0	0	1	2	0	0	12
394*c*	Tenandry,	355	385	7	0	7	0	5	0	0	0	0	0	0	0	5
395	Tibbermore,	1035	1017	25	0	11	5	10	0	0	0	1	4	0	0	15
396	Trinity-Gask,	381	360	4	0	3	1	9	0	0	0	1	1	0	0	11
	(397 *Tulliallan.—Now* 458*b infra.*)															
398	Weem,	406	439	3	0	4	2	3	0	0	0	0	0	0	0	3
	Total,	123283	124342	2236	195	1762	708	1758	2	10	0	144	398	33	66	2411

No. of District.	Registration Districts.	Population at Census.		Births, Deaths, and Marriages. 1913.				Vaccinations, 1912.								
				Births.		Deaths	Marriages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
		1901	1911	Total.	Illegitimate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
	14. FIFE. (399 *Abbotshall.—Merged in* 442.)															
400	Abdie,	664	647	12	0	10	1	11	0	0	0	0	0	1	0	12
401	Aberdour,	1997	2147	47	1	30	8	43	0	0	0	1	14	2	5	65
402	Anstruther-Easter,	1190	1147	12	1	11	7	12	0	0	0	1	2	4	0	19
403	Anstruther-Wester, (404 *Arngask.—Now* 328c *supra.*)	558	613	7	0	3	1	11	0	0	0	0	1	0	0	12
405	Auchterderran—															
	(1) Auchterderran,	3068	7351	277	9	90	53	122	0	4	0	21	123	0	9	279
	(2) Lochgelly,	5558	10196	369	11	118	67	214	0	2	0	41	150	5	10	422
406	Auchtermuchty,	1884	1893	21	2	34	9	23	0	0	0	1	3	0	1	28
407	Auchtertool,	742	781	29	0	10	6	9	0	0	0	5	19	0	0	33
408	Ballingry—(1) Lochore,	1218	5106	225	12	52	44	139	0	1	0	18	51	4	9	222
	(2) Lumphinnans,	2938	4108	157	7	49	32	61	0	0	0	9	51	3	10	134
409	Balmerino,	576	568	14	0	14	2	7	0	0	0	1	5	0	0	13
410	Beath—(1) Cowdenbeath,	9904	15509	535	15	181	153	181	0	3	0	49	297	3	26	559
	(2) Kelty,	5908	8842	315	10	97	31	171	0	0	0	33	111	12	8	335
411	Burntisland,	5599	5305	100	6	62	19	57	0	0	0	6	35	0	2	100
412	Cameron,	738	785	15	0	7	2	9	0	1	0	0	3	0	0	13
413	Carnbee,	910	843	17	1	10	5	13	0	0	0	2	0	0	0	15
414	Carnock,	1349	1315	32	1	20	12	33	0	0	0	4	8	1	2	48
415	Ceres,	1545	1467	26	0	29	8	22	0	0	0	0	2	0	1	25
416	Collessie,	2161	2215	41	0	33	8	40	0	2	0	2	5	0	0	49
417	Crail,	1534	1547	28	0	14	17	23	0	0	0	0	6	0	0	29
418*a*	Creich,	297	309	4	0	0	1	4	0	0	0	1	1	0	0	6
418*b*	Culross,	1120	1499	88	4	20	11	38	0	0	0	3	9	1	2	53
419	Cults,	628	617	12	2	9	4	10	0	0	0	2	1	0	0	13
420	Cupar,	6768	6736	105	12	142	42	63	0	1	0	6	35	0	8	113

421	Dairsie,	464	503	10	2	6	4	7	0	0	0	1	2	0	0	10
422	Dalgetty,	1133	1206	38	2	11	16	21	0	0	0	2	6	3	1	33
423	Dunbog,	323	335	6	0	3	0	6	0	0	0	0	1	0	0	7
424	Dunfermline,	31697	35731	859	36	561	255	450	0	1	0	78	247	38	20	834
425	Dunino,	359	353	8	1	3	2	6	0	0	0	0	0	0	0	6
426	Dysart,	15709	19591	591	32	288	138	214	2	2	0	35	247	33	36	569
427	Elie,	1142	1147	18	0	19	1	9	0	0	0	1	0	0	0	10
428	Falkland,	2231	2356	42	2	28	12	18	0	1	0	0	7	0	1	27
429	Ferry-Port-on-Craig,	3445	3400	54	7	57	18	36	0	0	0	9	32	1	2	80
430	Flisk,	195	198	3	0	1	1	3	0	0	0	0	0	0	0	3
431	Forgan,	4720	4771	51	1	49	16	54	0	1	0	1	8	1	1	66
432	Inverkeithing,	3468	6274	185	9	73	34	103	0	2	0	18	35	1	37	196
433	Kemback,	412	532	6	0	8	5	5	0	0	0	2	3	0	0	10
434	Kennoway,	1505	1721	25	1	31	8	30	0	0	0	6	5	0	0	41
435	Kettle,	1759	1715	26	3	22	8	22	0	0	0	3	4	0	1	30
436	Kilconquhar,	1517	1491	23	2	26	7	20	0	0	0	0	0	0	2	22
437	Kilmany,	502	476	12	0	4	1	9	0	0	0	0	3	0	0	12
438	Kilrenny,	2784	2823	52	1	40	14	33	0	1	0	6	10	1	0	51
439	Kinghorn,	2311	2295	58	10	55	11	38	1	0	0	6	21	3	5	74
440	Kinglassie,	1478	1944	74	8	38	14	56	0	0	0	9	15	1	0	81
441	Kingsbarns,	652	638	10	2	7	2	14	0	1	0	0	1	0	0	16
442	Kirkcaldy, etc.,	22997	25444	556	29	324	169	324	1	3	0	41	150	27	31	577
443	Largo,	2046	2274	38	0	26	13	24	0	1	0	1	10	0	1	37
444	Leslie,	3960	3869	84	4	43	36	53	0	0	0	9	15	4	2	83
445	Leuchars,	2499	2605	48	1	35	16	61	0	0	0	3	4	1	1	70
446	Logie,	285	341	9	1	4	2	6	0	0	0	0	2	0	0	8
447	Markinch—(1) Markinch,	3580	3975	104	6	48	33	75	0	0	0	3	28	0	2	108
	(2) Windygates,	1815	2262	114	2	29	18	48	0	0	0	11	17	1	4	81
448	Monimail,	720	694	14	0	5	2	16	0	0	0	0	1	0	0	17
449	Moonzie,	138	146	5	0	1	1	1	0	0	0	0	2	0	0	3
450	Newburgh,	1780	1898	30	3	29	3	34	0	0	0	0	12	3	1	50
451	Newburn,	296	283	9	1	2	0	4	0	0	0	0	1	0	0	5
452	Pittenweem,	1911	1922	44	7	28	10	25	0	0	0	9	8	0	14	56
453	St. Andrews and St. Leonards,	9410	9701	156	13	116	45	110	1	0	0	12	35	4	3	165
454	St. Monance (or Abercrombie),	2007	2020	47	4	23	13	22	0	0	0	3	11	1	2	39
455	Saline,	1012	1171	39	1	20	4	13	0	0	0	2	5	0	12	32
456	Scoonie,	6342	7474	188	8	80	62	118	0	2	0	12	70	1	2	205
457*a*	Strathmiglo,	1618	1726	30	1	20	16	19	0	0	0	1	3	1	0	24
457*b*	Thornton,	1741	2196	55	7	58	13	41	0	0	0	6	10	0	0	57
458*a*	Torryburn,	1130	1497	39	1	20	5	31	0	1	0	6	5	1	1	45
458*b*	Tulliallan,	1862	2091	48	2	31	8	22	0	0	0	1	12	0	0	35

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Fife—*continued.*															
459	Wemyss—(1) Wemyss,	4587	6213	151	5	72	32	65	0	0	0	21	72	29	4	191
	(2) Buckhaven,	10444	16891	564	30	219	96	133	4	0	0	61	307	7	31	543
	Total,	218840	267739	7001	339	3608	1707	3715	9	30	0	585	2359	198	310	7206
	15. KINROSS.															
460	Cleish,	631	546	8	2	7	1	11	0	0	0	1	3	0	3	18
461	Fossoway and Tulliebole,	1046	1059	20	2	12	5	16	0	0	0	2	3	0	0	21
462	Kinross,	2655	3094	74	6	44	18	55	0	0	0	2	10	1	3	71
463	Orwell,	1822	1983	41	6	29	6	17	0	0	0	0	16	0	0	33
464	Portmoak,	827	845	21	2	16	5	16	0	0	0	1	1	1	0	19
	Total,	6981	7527	164	18	108	35	115	0	0	0	6	33	2	6	162
	16. CLACKMANNAN.															
465*a*	Alloa	16858	17130	405	21	223	108	180	1	1	0	26	179	17	6	410
465*b*	Alva,	5641	5265	122	8	89	40	76	0	0	0	4	14	1	1	96
466	Clackmannan,	2501	2203	54	5	25	17	22	0	0	0	2	22	0	1	47
467	Dollar,	2042	1874	24	1	31	15	16	0	0	0	1	4	0	4	25
468	Tillicoultry,	4987	4649	110	5	73	40	50	0	0	0	7	36	1	0	94
	Total,	32029	31121	715	40	441	220	344	1	1	0	40	255	19	12	672

	17. STIRLING.															
469	Airth,	1360	1515	53	2	21	5	21	0	0	0	2	12	2	1	38
	(470 *Alva.—Now* 465*b supra.*)															
471	Baldernock,	582	747	14	1	9	3	6	0	0	0	1	1	1	1	10
472	Balfron,	1092	1155	22	2	22	8	8	0	0	0	0	1	1	0	10
473	Bonnybridge,	4264	5611	172	6	79	37	88	0	0	0	9	53	12	4	166
474	Buchanan—(1) Buchanan,	365	371	2	0	14	3	4	0	0	0	0	0	1	1	6
	(2) Inversnaid,	122	424	6	0	1	0	2	0	0	0	0	0	0	1	3
475	Campsie,	5424	5304	124	6	78	28	60	0	0	0	9	45	0	4	118
476	Denny—(1) Denny,	4710	4591	124	5	54	31	96	1	0	0	6	20	6	0	129
	(2) Haggs,	2147	2882	112	4	28	14	22	0	0	0	5	51	0	2	80
477	Drymen,	1390	1269	23	3	17	2	13	0	0	0	0	0	2	0	15
478	Dunipace,	2010	1870	57	5	18	7	42	0	0	0	5	7	1	5	60
479	Falkirk,	33815	38571	1039	56	561	229	281	0	5	0	77	646	27	24	1060
480	Fintry,	314	280	6	2	5	1	4	0	0	0	0	1	0	0	5
481*a*	Gargunnock,	633	573	4	2	9	3	12	0	0	0	1	1	0	0	14
481*b*	Grangemouth—(1) Bothkennar,	1964	1869	45	2	22	17	25	0	0	0	4	14	0	0	43
	(2) Grangemouth,	9146	10244	275	9	125	54	124	0	3	0	21	148	2	2	300
	(3) Polmont,	6353	7357	215	14	83	46	93	2	1	0	14	107	0	2	219
482	Killearn,	929	1085	22	0	13	5	17	0	0	0	1	2	1	1	22
483	Kilsyth,	9840	11052	345	8	138	67	156	0	2	0	30	181	17	0	386
484	Kippen,	1456	1365	21	1	19	11	16	0	0	0	1	0	0	0	17
485*a*	Larbert,	11684	12984	306	13	220	74	136	0	1	0	34	137	3	3	314
485*b*	Logie,	4432	4373	71	2	55	24	36	0	0	0	3	1	0	1	41
486	Muiravonside,	5332	5706	185	13	76	25	75	0	3	0	13	83	2	12	188
	(487 *Polmont.—Now* 481*b* (3) *supra.*)															
488	St. Ninians—(1) St. Ninians,	6611	12275	467	24	191	68	241	5	4	0	36	138	3	25	452
	(2) Cambusbarron,	1541	1593	30	1	15	4	21	0	0	0	3	14	1	0	39
489	Slamannan,	5286	3440	94	5	51	18	28	0	2	0	3	61	0	2	96
490	Stirling,	18609	21461	575	49	342	201	350	7	3	0	47	114	5	38	564
491	Strathblane,	880	1024	16	0	13	0	11	0	0	0	0	5	0	0	16
	Total,	142291	160991	4425	235	2279	985	1988	15	24	0	325	1843	87	129	4411
	18. DUMBARTON.															
492	Arrochar,	605	537	8	0	10	1	6	0	0	0	0	0	1	0	7
493	Bonhill,	14581	15969	396	15	179	114	159	0	0	0	25	179	13	19	395
494	Cardross—(1) Cardross,	1372	1520	24	1	16	4	13	0	1	0	3	4	0	0	21
	(2) Renton,	5114	4977	154	15	75	46	65	0	0	0	12	64	9	8	158

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Dumbarton—*continued.*															
495	Cumbernauld,	4905	5120	152	9	54	36	67	3	0	0	16	61	1	5	153
496	Dumbarton,	20205	22175	640	45	344	124	253	0	1	0	53	340	5	16	668
497	Kilmaronock,	874	847	15	1	5	4	10	0	0	0	1	1	0	0	12
498	Kirkintilloch,	14401	16530	476	20	378	66	180	0	0	0	43	251	2	17	493
499	Luss,	572	553	5	0	13	1	8	0	0	0	0	0	0	1	9
500	New or East Kilpatrick—*Dumbarton portion,**	8389	10200	204	6	118	47	224	0	0	0	25	50	14	8	321
501	Old or West Kilpatrick,	27311	44911	1647	46	570	285	507	0	4	0	141	795	14	120	1581
502	Roseneath—(1) Roseneath,	778	724	6	0	7	1	8	0	0	0	0	0	0	0	8
	(2) Kilcreggan and Cove,	1145	1059	12	0	17	3	18	0	0	0	1	0	0	0	19
503	Row.	11187	11111	193	10	149	46	128	6	0	0	13	59	5	9	220
	Total,	111439	136233	3932	168	1935	778	1646	9	6	0	333	1804	64	203	4065
	19. ARGYLL. *Mainland.*															
504*a*	Ardchattan,	841	704	13	0	9	1	8	0	0	0	0	0	2	0	10
504*b*	Ardgour and Kingairloch,	298	314	6	1	5	2	2	0	0	0	0	2	0	0	4
505	Ardnamurchan—(1) Aharacle, *Argyll portion.*	787	572	8	0	8	0	6	0	1	0	0	0	0	1	8
	(2) *Arisaig* (now 91*b sup.*) (3) Sunart (or Strontian)	519	423	3	0	2	1	2	0	0	0	0	2	0	2	6
	(4) Western Ardnamurchan,	648	547	14	2	12	0	7	0	0	0	1	0	0	0	8
	(506 *Ballachulish and Corran of Ardgour.—Now Ballachulish and Onich,* 91*c supra.*)															

507	Campbeltown, ...	10236	9497	224	36	128	48	167	0	0	0	19	12	1	0	199
508	Craignish, ...	327	322	8	0	3	3	6	0	0	0	1	1	0	0	8
509	Cumloddenand Minard, . .	875	844	14	0	11	1	6	0	0	0	1	4	1	0	12
510	Dunoon & Kilmun—(1) Dunoon	8924	8836	137	11	165	34	53	0	1	0	6	35	10	8	113
	(2) Kilmun	1544	1391	18	1	27	8	12	0	1	0	0	6	0	1	20
511	Glassary, ...	729	641	14	0	12	1	12	0	0	0	0	0	1	0	13
512	Glenorchy and Inishail, . .	827	760	13	0	15	5	7	0	0	0	1	0	3	1	12
513	Inveraray, ...	1118	919	8	0	17	5	10	0	0	0	0	1	0	0	11
514	Inverchaolain, ...	334	371	5	1	4	0	3	0	0	0	2	0	0	0	5
515	Kilbrandon and Kilchattan, .	1631	1431	17	0	21	0	8	0	1	0	0	2	2	1	14
516	Kilcalmonell, ...	495	437	3	0	2	0	7	0	0	0	0	0	0	1	8
517	Kilchrenan, etc.—															
	(1) Kilchrenan, . .	416	338	7	0	5	2	2	0	0	0	0	0	2	0	4
	(2) Dalavich, . . .	138	144	1	0	1	2	1	0	0	0	0	0	0	1	2
518	Kilfinan, ...	1915	2709	40	3	22	7	30	0	0	0	2	2	2	1	37
519	Killean and Kilchenzie, . .	1078	1019	14	0	13	3	13	0	1	0	1	0	0	0	15
	(520 *Kilmallie.—Now* 98*b* *supra.*)															
521	Kilmartin, ...	663	582	9	1	7	1	4	0	0	0	0	1	0	0	5
522	Kilmodan, ...	387	264	7	1	4	1	4	0	0	0	0	2	0	0	6
523	Kilmore and Kilbride, . .	6301	7298	120	18	135	53	72	0	0	0	7	8	30	7	124
524	Kilninver, etc.—(1) Kilninver,	172	170	1	0	2	0	1	0	0	0	0	1	0	0	2
	(2) Kilmelford,	185	225	2	0	1	0	3	0	0	0	0	1	0	0	4
525	Lismore, etc.—(1) Lismore, .	504	407	5	0	6	1	1	0	0	0	0	0	0	1	2
	(2) Appin, ...	940	607	10	0	4	3	12	0	0	0	0	3	0	0	15
	(3) Glencoe and Ballachulish,	1700	1346	20	2	17	10	60	0	0	0	4	10	2	0	76
	(4) Kinlochleven† . . .	18	1189	45	1	5	4	–	–	–	–	–	–	–	–	–
	(5) Duror, ...	545	337	6	0	8	2	2	0	0	0	0	0	0	1	3
526	Lochgilphead, ...	3770	3156	34	5	73	9	30	0	0	0	3	8	0	0	41
527	Lochgoilhead, etc.—															
	(1) Lochgoilhead,	430	540	5	0	12	1	6	0	0	0	0	1	2	0	9
	(2) Kilmorich, .	241	242	7	0	4	1	2	0	0	0	0	1	0	0	3
528	Morvern, ...	730	694	8	1	11	2	14	0	0	0	0	0	0	0	14
529	Muckairn, ...	1492	1749	42	3	23	6	17	0	0	0	1	4	0	6	28
530	North Knapdale, . . .	768	656	6	0	15	0	10	0	0	0	1	1	0	0	12
531	Saddell, etc.—(1) Saddell, .	764	692	11	0	10	2	9	0	0	0	1	1	1	0	12
	(2) Skipness, .	321	272	9	1	0	0	3	0	0	0	0	0	1	1	5
532	Southend, ...	732	767	19	4	11	1	15	0	0	0	0	0	0	0	15
533	South Knapdale—															
	(1) South Knapdale,	390	375	4	0	9	0	5	0	0	0	0	1	0	1	7
	(2) Kilberry, . .	343	378	8	0	3	1	10	0	0	0	0	0	0	0	10

* Part transferred, as from January 1, 1913, to County of Lanark by extension of boundaries of City of Glasgow.
† New District, erected January 1, 1913.

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Argyll—*continued.*															
534	Stralachlan, etc.—															
	(1) Stralachlan,	238	217	5	0	5	0	2	0	0	0	0	0	0	0	2
	(2) Strachur, .	496	483	7	1	10	0	3	0	1	0	3	0	0	0	7
535	Tarbert, ...	2128	1983	31	1	24	15	24	0	0	0	0	0	6	0	30
98*b*	Kilmallie—*Argyll portion, Insular.* .	249	272	1	0	3	1	2	0	0	0	0	2	1	0	5
536	Bowmore (or Kilarrow), . .	1813	1765	27	8	35	6	6	0	0	0	3	10	3	3	25
537	Gigha, ...	374	326	5	0	6	2	5	0	0	0	1	0	0	0	6
	(538 *Iona—Merged in* 542.)															
539	Jura, etc.—(1) Jura, . .	562	509	5	0	8	1	3	1	0	0	0	0	0	0	4
	(2) Colonsay, . .	313	273	1	0	6	0	4	0	0	0	0	0	0	0	4
540	Kilchoman, ...	1632	1459	20	5	23	3	20	0	0	0	1	5	3	0	29
541	Kildalton and Oa, . . .	1872	1648	27	5	19	2	23	0	0	0	1	2	0	2	28
542	Kilfinichen and Kilvickeon, .	1529	1403	18	1	19	2	8	0	0	0	2	14	0	0	24
543	Kilmeny, ...	822	787	14	1	6	2	7	0	0	0	0	0	0	1	8
544	Kilninian and Kilmore—															
	(1) Ulva, ...	242	193	4	1	1	0	4	0	0	0	0	0	0	2	6
	(2) Kilninian and Kilmore,	624	539	3	0	7	3	4	0	0	0	0	1	0	3	8
545	Kinlochspelvie, . . .	259	258	0	0	4	1	1	0	0	0	0	0	0	0	1
	(546 *Oa—Merged in* 541.)															
547	Portnahaven, ...	728	628	10	0	16	0	9	0	0	0	2	0	0	0	11
548	Salen, ...	441	419	7	0	7	2	6	0	0	0	0	0	0	3	9
549	Tobermory, ...	1301	1079	16	1	22	2	15	0	0	0	1	1	0	1	18
550	Torosay, ...	316	282	3	0	5	0	5	0	0	0	0	0	0	0	5
551	Tyree, etc.—(1) Tyree, . .	2195	1825	21	4	26	3	11	0	0	0	1	8	1	2	23
	(2) Coll, . .	432	389	8	1	8	1	5	0	1	0	0	4	0	0	10
	Total,	73642	70902	1178	121	1102	267	809	1	7	0	66	157	74	51	1165

	20. BUTE.															
552	Cumbrae,	1769	1707	27	0	23	6	15	0	0	0	0	5	0	2	22
553	Kilbride—(1) Brodick,	1048	992	8	0	17	4	11	0	0	0	0	3	0	1	15
	(2) Kilbride,	1335	1323	20	3	31	4	10	0	0	0	1	1	2	0	14
554	Kilmory—(1) Kilmory,	978	954	11	1	14	3	6	0	0	0	1	0	0	2	9
	(2) Shiskine,	831	764	6	0	10	4	11	0	0	0	1	0	0	0	12
555	Kingarth,	1056	967	13	0	9	8	16	0	1	0	1	1	0	0	19
556	Lochranza,	645	595	2	0	7	1	8	0	0	0	1	0	0	0	9
557	North Bute,	1747	1585	25	4	14	8	16	0	1	0	1	5	0	1	24
558	Rothesay,	9378	9299	147	17	162	37	117	1	0	0	18	15	4	19	174
	Total,	18787	18186	259	25	287	75	210	1	2	0	24	30	6	25	298
	21. RENFREW. (559*a* *Abbey—Merged in* 572 (2) *and* 573, *infra.*)															
559*b*	Bridge of Weir,	2316	2716	61	5	24	17	31	0	1	0	2	16	1	0	51
560	Cathcart—*now* 633*b* *infra*															
561	Eaglesham,	1075	1138	15	2	21	2	20	0	0	0	1	2	0	0	23
562	Eastwood—*Renfrew portion,**	4183	5573	102	3	62	29	196	0	2	0	25	158	5	4	390
563	Erskine,	1519	1712	32	1	19	7	31	0	1	0	1	12	0	1	46
564	Greenock—(1) East,	34599	38027	1290	49	569	152	559	4	2	0	103	648	5	32	1353
	(2) West,	33618	36267	1087	64	708	388	379	5	3	0	85	518	6	18	1014
565	Houston and Killellan,	1402	1345	33	2	20	16	23	0	0	0	1	3	1	0	28
566	Inchinnan,	573	592	9	1	2	12	13	0	0	0	0	3	1	0	17
567	Inverkip—(1) Inverkip,	1151	1168	14	0	13	8	14	0	0	0	1	2	0	2	19
	(2) Gourock,	6112	8458	202	17	263	31	76	0	4	0	17	69	1	19	186
568	Kilbarchan—(1) Kilbarchan,	3450	3462	57	3	37	11	43	0	0	0	5	15	2	3	68
	(2) Linwood,	2099	2055	66	2	53	1	28	0	0	0	2	19	1	0	50
569	Kilmalcolm,	4869	6242	97	0	63	19	64	0	0	0	9	19	2	1	95
570	Lochwinnoch,	4402	4254	87	5	44	17	78	0	2	0	5	7	2	1	95
571	Mearns—(1) Busby,	1297	1058	24	1	12	6	10	0	0	0	0	6	0	6	22
	(2) Newton-Mearns,	2112	2143	46	1	28	6	29	0	0	0	2	5	0	5	41
572	Neilston—(1) Neilston,	4459	4616	93	6	51	25	53	0	0	0	10	22	8	1	94
	(2) Barrhead and Levern,	12051	14210	382	20	240	82	263	4	0	0	41	123	0	17	448
573	Paisley—(1) Paisley,	83492	91038	2319	119	1502	700	1022	7	2	0	196	952	102	102	2383
	(2) Johnstone & Elderslie,	13613	15132	410	18	211	107	222	3	0	0	42	145	14	9	435
574	Port-Glasgow,	16888	17775	624	14	323	135	326	18	0	0	63	191	11	20	629

* Part transferred, as from January 1st, 1913, to County of Lanark by extension of boundaries of City of Glasgow.

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Renfrew—*continued.*															
575	Renfrew—(1) Renfrew, . .	9616	12902	369	11	144	57	190	0	0	0	24	165	6	4	389
	(2) Scotstoun and Yoker—*Renfrew portion** .	1619	4816	186	5	81	21	179	0	3	0	36	133	14	40	405
633*b*	Cathcart—*Renfrew portion** .	1403	2404	58	1	30	13	247	2	2	0	13	80	4	2	350
	Total,	247918	279103	7663	350	4520	1892	4096	43	22	0	684	3313	186	287	8631
	22. AYR.															
576	Ardrossan—(1) Old Ardrossan,	5834	6124	154	4	88	52	95	0	0	0	13	54	1	3	166
	(2) New Ardrossan,	6054	5627	145	7	74	31	58	0	0	0	12	48	0	6	124
577	Auchinleck—(1) Auchinleck, .	2828	3616	115	7	63	18	60	0	0	0	10	32	7	5	114
	(2) Lugar, . .	3777	3808	120	14	40	16	77	0	1	0	4	28	3	5	118
578	Ayr—(1) Ayr, . . .	28697	32986	847	84	586	264	613	17	6	0	70	147	31	26	910
	(2) St. Quivox, . .	1219	1438	46	3	20	9	50	0	1	0	2	2	2	2	59
	(3) Alloway, . . .	2011	2221	31	2	65	5	35	0	0	0	3	3	0	1	42
579	Ballantrae, ...	1124	1080	19	3	12	5	17	0	0	0	0	0	0	0	17
580	Barr, ...	581	521	13	1	9	1	3	0	0	0	1	0	0	0	4
581	Beith, ...	7523	6699	152	7	81	43	94	0	0	0	6	28	0	5	133
582	Colmonell—(1) Colmonell, .	993	996	28	5	9	7	22	0	0	0	0	1	0	0	23
	(2) Barrhill, . .	961	936	18	2	8	9	15	0	0	0	0	4	0	0	19
583	Coylton—(1) Coylton, . .	1875	2112	63	6	15	16	51	0	0	0	4	4	3	0	62
	(2) Rankinston, .	667	931	35	1	11	5	39	0	0	0	6	3	0	0	48
584*a*	Craigie, ...	509	538	5	0	6	1	6	0	0	0	0	3	0	0	9
584*b*	Crosshill, ...	1108	1040	24	1	8	2	12	0	0	0	1	4	3	0	20
585	Dailly, ...	1673	1940	58	7	33	7	58	0	1	0	5	3	1	0	68
586	Dalmellington—															
	(1) Dalmellington, . .	2585	3161	102	6	43	19	64	0	0	0	8	35	0	1	108
	(2) Waterside, . . .	2533	2853	87	5	40	23	57	0	1	0	9	18	1	0	86

587	Dalry,	8212	7418	174	8	75	64	92	0	0	0	16	55	1	0	164
588	Dalrymple,	931	1031	34	0	11	5	22	0	1	0	1	7	1	0	32
589	Dreghorn,	4332	4373	120	9	48	25	33	0	0	0	8	81	5	2	129
590	Dundonald—(1) Dundonald,	1260	1481	34	2	15	7	22	0	1	0	6	13	1	0	43
	(2) Troon,	5181	7172	140	9	67	30	96	0	1	0	16	32	8	12	165
591	Dunlop,	1542	1353	33	5	18	7	13	0	0	0	1	7	4	0	25
592	Fenwick,	1063	1062	19	2	22	4	21	0	0	0	0	7	1	1	30
593	Galston,	6939	7171	176	9	94	57	92	0	0	0	22	66	2	0	182
594	Girvan,	4872	5331	110	9	74	23	89	1	0	0	12	8	7	0	117
595	Irvine,	11267	12030	335	27	271	69	114	0	0	0	38	195	10	15	372
596	Kilbirnie,	7207	7618	206	9	83	52	133	0	1	0	15	33	9	8	199
597	Kilmarnock,	33142	33817	835	62	417	266	359	4	0	0	74	365	22	13	837
598	Kilmaurs,	4549	4349	142	6	56	31	50	1	0	0	9	66	2	1	129
599	Kilwinning,	8125	8411	265	9	120	55	146	0	1	0	19	90	1	4	261
600	Kirkmichael,	839	807	7	1	11	4	16	0	1	0	3	0	1	0	21
601	Kirkoswald,	1452	1562	37	7	10	6	33	0	0	0	3	4	3	0	43
602	Largs—(1) Largs,	4405	4770	64	2	62	15	42	0	0	0	1	10	2	4	59
	(2) Skelmorlie,	1096	1259	19	0	9	7	13	0	0	0	0	5	1	3	22
603	Loudoun—(1) Newmilns,	4920	5213	113	7	52	38	29	2	0	0	6	66	0	3	106
	(2) Darvel,	3325	3796	80	3	43	29	31	0	0	0	0	47	0	1	79
604	Mauchline,	2572	2441	39	1	30	15	25	0	0	0	3	4	0	3	35
605	Maybole,	7462	6455	141	14	103	36	119	4	0	0	11	29	2	2	167
606	Monkton and Prestwick,	3854	5645	102	7	59	20	65	0	0	0	7	27	7	2	108
607	Muirkirk,	5670	4982	109	8	53	38	78	3	0	0	9	37	4	0	131
608	New Cumnock,	5367	5661	152	18	80	32	132	0	0	0	15	31	10	4	192
609	Ochiltree,	1932	2024	77	5	22	8	31	0	1	0	10	16	2	0	60
610*a*	Old Cumnock,	5144	5465	186	7	71	42	90	0	0	0	10	55	1	2	158
610*b*	Patna,	906	1062	35	7	23	8	28	0	0	0	1	7	0	0	36
611	Riccarton—(1) Riccarton,	4028	3765	118	8	73	23	42	5	0	0	8	51	1	5	112
	(2) Hurlford,	4052	3825	105	6	35	17	43	0	0	0	3	57	1	0	104
	(612 *St. Quivox.—Now* 578 (2) *supra.*)															
613	Sorn—(1) Sorn,	1267	1421	36	4	15	8	31	0	0	0	1	5	0	0	37
	(2) Catrine,	2340	2337	52	2	36	17	23	0	0	0	12	24	0	1	60
614	Stair,	1175	959	36	1	6	3	20	0	0	0	2	7	3	0	32
615	Stevenston,	9497	10733	358	14	136	59	223	0	1	0	23	89	9	15	360
616	Stewarton,	3958	3889	86	3	52	27	42	1	0	0	8	37	0	3	91
617	Straiton,	545	657	14	2	4	1	13	0	0	0	0	0	0	0	13
618	Symington,	592	639	15	1	10	2	7	0	0	0	1	3	0	0	11

* Part transferred, as from January 1, 1913, to County of Lanark by extension of boundaries of City of Glasgow.

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Ayr—*continued.*															
619	Tarbolton,	3961	4593	164	12	62	37	123	0	0	0	5	7	16	0	151
620	West Kilbride,	2935	3133	65	6	55	11	33	0	1	0	3	5	0	2	44
	Total,	254468	268337	6895	477	3694	1731	4040	38	19	0	536	2065	189	160	7047
	23. LANARK.															
621	Avondale,	5773	5033	104	4	69	32	68	0	0	0	4	18	5	1	96
622	Barony— (1) *Maryhill.*—(*Now* 644 (14) *infra.*) (2) Shettleston.—(*Now* 644 (19) *infra.*)															
623	Biggar,	1897	1931	26	0	24	10	20	0	0	0	2	2	2	0	26
624	Blantyre,	14145	16821	641	29	256	107	288	9	3	0	58	245	8	20	631
625	Bothwell—(1) Bothwell,	16260	18956	626	25	312	119	356	0	3	0	44	148	33	11	595
	(2) Holytown,	14660	17297	632	24	198	95	309	4	5	0	57	270	23	20	688
	(3) Bellshill,	14985	18638	775	24	283	150	240	7	0	0	83	386	29	32	777
626*a*	Cadder—(1) Western,	4743	5585	119	2	88	12	74	4	2	0	21	36	6	7	150
	(2) Eastern,	5825	9143	256	9	184	29	116	0	0	0	21	63	35	5	240
626*b*	Calderhead,	6641	8671	346	9	123	64	162	0	1	0	30	144	8	7	352
627	Cambuslang,	20211	24864	785	27	323	170	452	0	1	0	79	263	16	19	830
628	Cambusnethan,	25878	30921	1012	50	378	189	574	0	0	0	66	284	20	20	964
629	Carluke,	8966	9619	260	12	125	57	151	0	0	0	14	85	1	2	253
630	Carmichael,	1198	1471	37	4	12	8	16	0	0	0	0	13	2	0	31
631	Carmunnock,	682	747	9	0	5	3	7	0	0	0	1	2	0	0	10

632	Carnwath—(1) Carnwath,	3052	3741	124	4	38	23	84	0	0	0	8	19	0	3	114
	(2) Forth,	1790	2031	80	3	29	13	14	0	0	0	5	40	4	0	63
	(3) Haywood,	995	674	29	3	8	3	5	0	0	0	4	16	2	0	27
633*a*	Carstairs,	1893	1878	38	3	16	11	29	0	0	0	2	6	1	0	38
633*b*	Cathcart,*	26955	44284	935	21	726	201	424	3	5	0	33	128	18	11	622
634	Covington and Thankerton,	314	385	10	2	3	4	5	0	0	0	0	0	0	0	5
635	Crawford—(1) Crawford,	719	681	11	1	7	6	11	0	2	0	0	5	1	0	19
	(2) Leadhills,	895	839	13	2	13	6	12	0	0	0	2	0	0	0	14
636	Crawfordjohn,	707	617	9	0	8	2	13	0	0	0	0	3	0	4	20
637	Culter,	392	372	2	0	2	1	3	0	0	0	0	0	0	0	3
638	Dalserf—(1) Larkhall,	12034	14202	526	24	196	101	177	0	1	0	54	179	23	9	443
	(2) Dalserf,	4088	4427	160	9	52	22	78	0	0	0	22	22	5	7	134
639	Dalziel,	37257	47503	1668	58	695	310	836	0	2	0	143	554	68	30	1633
640	Dolphinton,	250	245	6	1	1	1	4	0	0	0	0	1	0	0	5
641	Douglas,	2397	2509	65	6	27	18	45	0	0	0	1	7	0	0	53
642	Dunsyre,	200	175	2	0	2	1	5	0	0	0	0	1	0	0	6
643	East Kilbride,	3948	3977	67	6	47	11	51	0	0	0	6	23	6	6	92
644	Glasgow—(1) Bridgeton,	49900	52062	1800	70	1053	261	1056	3	3	0	156	410	17	110	1755
	(2) Camlachie,	51508	56500	1926	81	719	403	1172	2	8	0	212	387	18	120	1919
	(3) Calton,	67861	60372	1672	126	833	726	1061	0	1	0	225	249	16	146	1698
	(4) Dennistoun,	31903	38209	960	60	1612	380	642	0	5	0	65	181	13	38	944
	(5) Garngadhill,	28126	34583	1209	54	649	148	710	1	3	0	124	298	12	52	1200
	(6) Springburn,	25988	30438	886	96	1074	206	432	0	4	0	79	319	9	32	875
	(7) Possilpark,	17801	21421	658	22	587	82	415	1	2	0	59	182	14	24	697
	(8) St. Rollox,	42285	36571	898	42	436	608	562	1	0	0	95	166	8	55	887
	(9) Milton,	52058	43957	1046	119	962	471	637	6	4	0	123	144	14	98	1026
	(10) Blythswood,	30789	24120	1305	457	459	1908	682	1	4	0	299	175	16	202	1379
	(11) Anderston,	58030	53441	1385	101	737	578	891	2	3	0	134	214	12	96	1352
	(12) Hillhead,	31853	35003	385	14	1043	311	297	0	4	0	18	43	7	5	374
	(13) Kelvin,	52688	48278	1209	117	740	385	729	0	3	0	129	291	24	86	1262
	(14) Maryhill,	25878	31755	1018	37	361	209	600	0	6	0	81	235	41	66	1029
	(15) Hutchesontown,	52257	48556	1619	99	686	346	856	0	2	0	180	316	33	257	1644
	(16) Govanhill,	33612	39449	1139	23	423	226	645	12	0	0	87	348	9	50	1151
	(17) Gorbals,	66300	57991	1450	93	743	559	745	6	7	0	153	317	33	172	1433
	(18) Pollokshields,	34128	37295	780	48	390	426	416	2	15	0	65	187	21	55	761
	(19) Shettleston	21955	32046	1047	27	451	177	570	0	5	0	98	236	28	71	1008
	(20) Plantation	27228	28771	802	39	399	165	353	3	11	0	86	219	26	68	766
	(21) Govan	56602	63228	2153	103	1579	466	886	6	12	0	200	672	47	185	2008
	(22) Partick	54298	66849	1928	96	813	490	1054	5	23	0	174	405	62	167	1890

* Part transferred, as from January, 1, 1913, from County of Renfrew, by extension of boundaries of City of Glasgow.

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	Insusceptible of Vaccine Disease. On the ground of Constitutional Insusceptibility.	Insusceptible of Vaccine Disease. In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Lanark—*continued.*															
645	Glassford,	1321	1312	36	1	17	8	13	0	1	0	0	14	2	1	31
646	Govan—															
	(1) Plantation (*Now* 644 (20) *supra.*)															
	(2) Govan (*Now* 644 (21) *supra.*)															
	(3) Partick (*Now* 644 (22) *supra.*)															
647	Hamilton,	40372	46419	1517	75	656	330	691	1	0	0	126	740	22	25	1605
648	Lanark,	8103	8978	163	11	148	51	119	0	1	0	8	49	2	22	201
649	Lesmahagow—(1) Lesmahagow,	9608	10641	322	19	125	64	210	4	0	0	18	91	3	10	336
	(2) Kirkfieldbank,	1346	1349	28	4	24	6	27	0	0	0	1	4	0	0	32
650	Libberton,	432	461	10	0	3	0	10	0	0	0	0	0	1	0	11
651	New Monkland,	36786	38116	1195	65	477	302	651	4	6	0	104	379	22	52	1218
652	Old Monkland—(1) Western,	10653	12472	368	15	197	126	288	0	1	0	59	50	23	16	437
	(2) Coatbridge,	39930	46058	1479	82	754	248	873	5	3	0	147	413	12	47	1500
	(3) Eastern,	2665	2496	93	5	29	7	48	0	1	0	4	37	1	1	92
653	Pettinain,	271	261	6	1	2	2	3	0	0	0	0	1	0	0	4
654	Rutherglen,	20934	28343	781	27	312	224	380	0	2	0	32	326	8	24	772
655	Shotts—(1) Middle District,	2823	3270	75	4	84	11	44	0	0	0	9	40	2	1	96
	(2) Eastern do.,	3593	3690	123	9	44	23	44	0	0	0	12	75	4	1	136
	(3) Western do.,	3757	4559	158	19	86	24	84	0	0	0	15	40	5	5	149
	(4) Northern do.,	1263	1234	34	2	11	17	21	0	0	0	2	6	3	1	33
656	Stonehouse,	3665	3688	104	5	50	26	40	0	0	0	12	40	13	0	105
657	Symington,	388	420	15	0	6	2	5	0	0	0	2	0	0	0	7
658	Walston,	283	255	3	0	4	0	3	0	0	0	0	0	0	0	3
659	Wandell and Lamington,	362	271	4	0	0	1	7	0	0	0	0	0	2	1	10

660	Wiston and Roberton, . .	412	400	5	1	9	2	5	0	1	0	3	0	0	1	10
500	New Kilpatrick—*Lanark portion,**	2426	3598	110	4	54	10	–	–	–	–	–	–	–	–	–
562	Eastwood—*Lanark portion,*† .	14717	18942	468	19	222	84	82	0	2	0	11	51	2	4	152
575	(2) Scotstoun and Yoker—*Lanark portion,*† . .	3907	9716	236	6	130	40	–	–	–	–	–	–	–	–	–
	Total,	1362815	1486081	43981	2660	24443	12918	23688	92	168	0	4167	11313	923	2581	42932
	24. LINLITHGOW.															
661	Abercorn, ...	866	933	24	1	18	6	12	0	0	0	3	4	1	0	20
662	Bathgate—(1) Bathgate, . .	9371	11812	372	11	152	79	218	0	1	0	43	110	0	13	385
	(2) Armadale, .	4633	5847	202	6	69	38	65	0	0	0	22	102	25	3	217
663	Borrowstounness, etc.—															
	(1) Borrowstounness, .	7921	9260	265	14	112	52	197	0	2	0	28	62	3	14	306
	(2) Carriden, . . .	3552	4774	148	3	44	17	122	0	0	0	20	22	3	5	172
	(664 *Carriden.—Now* 663 (2) *supra.*)															
665	Dalmeny—(1) Dalmeny, . .	1523	1629	44	3	19	9	27	0	0	0	4	5	3	3	42
	(2) Queensferry, .	2557	3510	59	2	31	10	38	0	1	0	9	14	2	2	66
666	Ecclesmachen, ...	681	1449	25	2	82	3	11	0	0	0	4	0	0	1	16
667	Kirkliston—*Linlithgow portion,*	3169	4467	155	10	55	16	125	0	0	0	13	10	3	3	154
668	Linlithgow, ...	8076	7567	214	13	136	44	123	0	0	0	13	27	0	28	191
669	Livingstone—(1) Livingstone, .	906	1641	56	1	12	8	38	0	0	0	6	7	0	6	57
	(2) Blackburn, .	1858	2073	86	5	16	9	61	0	0	0	5	19	1	2	88
	(670 *Queensferry.—Now* 665 (2) *supra.*)															
671	Torphichen—(1) Torphichen, .	1377	1562	47	4	19	5	21	0	0	0	2	22	1	0	46
	(2) Blackridge, .	1848	2486	98	10	25	12	23	0	2	0	9	59	9	4	106
672	Uphall, ...	10535	12766	387	16	132	63	296	0	5	0	36	89	4	3	433
673	Whitburn—(1) Whitburn, .	3318	4456	179	2	42	21	90	0	0	0	9	52	5	2	158
	(2) Fauldhouse, .	3517	3923	149	11	52	39	94	0	0	0	6	23	4	1	128
	Total,	65708	80155	2510	114	1016	431	1561	0	11	0	232	627	64	90	2585

* Part transferred, as from January 1, 1913, from County of Dumbarton, by extension of boundaries of City of Glasgow.
† " " " " County of Renfrew, " " " "

No. of District.	Registration Districts.	Population at Census.		Births, Deaths, and Marriages. 1913.				Vaccinations, 1912.								
				Births.		Deaths	Marriages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
		1901	1911	Total.	Illegitimate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
	25. EDINBURGH.															
674	Borthwick,	1237	1304	28	1	10	7	15	0	0	0	2	11	0	5	33
675	Carrington,	460	480	12	0	3	4	5	0	0	0	2	1	1	1	10
676	Cockpen,	3720	3812	79	5	34	25	64	0	0	0	8	7	5	7	91
677	Colinton,	5499	6100	102	21	228	22	110	0	0	0	15	8	1	7	141
678	Corstorphine,	2725	3870	65	1	48	20	49	0	0	0	4	16	1	3	73
679	Cramond,	2727	3763	76	1	32	20	58	0	0	0	1	7	0	0	66
680	Cranston,	846	805	16	0	9	4	13	0	0	0	1	2	1	1	18
681	Crichton,	810	733	8	1	10	8	5	0	0	0	0	4	3	1	13
682	Currie,	2513	2519	56	1	31	10	38	0	0	0	1	6	0	1	46
683	Dalkeith,	7297	7502	185	12	117	69	120	0	0	0	12	61	12	9	214
	(684 *Duddingston.—Merged in* 685 (7))															
685	Edinburgh—(1) St. George,	53004	53165	980	34	652	330	754	5	8	0	63	85	10	43	968
	(2) St. Andrew,	47103	45349	775	51	424	465	594	0	3	0	63	80	21	46	807
	(3) Canongate,	49365	47494	1057	53	481	364	774	0	3	0	87	148	31	30	1073
	(4) St. Giles,	53077	49051	1424	338	1504	1085	1025	3	8	0	216	173	12	184	1621
	(5) Newington,	45445	42824	825	35	752	246	599	0	9	0	76	80	23	30	817
	(6) Morningside,	56682	66124	1006	54	987	350	795	1	13	0	71	125	21	28	1054
	(7) Portobello,	12659	16762	388	12	210	107	249	0	0	0	36	60	6	16	367
686	Fala and Soutra,	319	276	6	1	3	2	3	0	0	0	0	0	0	1	4
687	Glencorse,	1347	1387	34	3	13	6	28	0	0	0	2	0	0	2	32
688	Heriot,	417	414	15	0	8	1	10	0	0	0	0	0	0	0	10
689	Inveresk,	14094	19791	614	39	294	124	343	5	0	0	55	178	14	13	608
690	Kirknewton and East Calder,	3221	2873	90	7	34	12	68	0	0	0	7	4	9	0	88
691	Lasswade,	9196	10504	265	8	177	59	193	0	2	0	42	18	16	5	276
692	Leith—(1) North Leith,	29952	30211	746	33	369	140	479	1	4	0	70	180	11	27	772
	(2) South Leith,	47611	50390	1334	73	761	396	913	1	2	0	111	236	15	58	1336

693	Liberton,	5301	6017	116	6	75	32	101	0	1	0	7	13	0	18	140
694	Mid-Calder,	3132	3249	86	2	39	18	70	1	0	0	6	6	1	0	84
695*a*	Newbattle,	3754	5282	210	7	71	38	99	0	0	0	16	36	25	4	180
695*b*	New Craighall,	2414	2913	100	2	43	6	60	0	0	0	7	34	2	4	107
696	Newton,	1028	1156	25	2	11	2	18	0	0	0	0	0	0	1	19
697	Penicuik,	5609	5205	126	7	51	47	85	0	1	0	10	5	1	0	102
698*a*	Ratho,	1946	1883	36	2	20	8	26	0	0	0	3	6	2	0	37
698*b*	Stobhill,	3514	4231	137	8	68	24	69	0	0	0	13	57	5	4	148
699	Stow,	1560	1317	25	2	15	5	17	0	0	0	1	1	0	0	19
700	Temple,	385	363	11	1	6	2	4	0	0	0	0	5	0	0	9
701	West Calder,	8092	7716	243	14	91	57	180	0	0	0	17	24	13	6	240
667	Kirkliston—*Edinburgh portion*,	735	831	28	1	17	3	17	0	0	0	4	0	0	0	21
	Total,	488796	507666	11329	838	7698	4118	8050	17	54	0	1029	1677	262	555	11644
	26. HADDINGTON.															
702	Aberlady,	950	963	8	1	6	4	13	0	0	0	1	0	2	0	16
703	Athelstaneford,	635	666	15	0	10	4	14	0	0	0	1	0	0	1	16
704	Bolton,	298	256	5	0	3	2	5	0	0	0	0	0	0	0	5
705	Dirleton,	1810	2062	32	3	21	4	27	0	0	0	4	2	1	0	34
706	Dunbar,	5031	4830	92	10	53	34	90	0	0	0	4	5	9	0	108
707	Garvald,	628	511	11	1	2	2	13	0	0	0	0	0	0	0	13
708	Gladsmuir,	1481	1433	40	0	15	3	31	0	0	0	2	9	0	0	42
709	Haddington,	5126	5424	83	4	101	24	71	0	0	0	7	12	5	7	102
710	Humbie,	720	679	13	0	4	1	12	0	0	0	1	1	0	3	17
711	Innerwick,	782	676	16	3	7	8	8	0	0	0	0	2	0	0	10
712	Morham,	201	199	1	0	0	1	6	0	0	0	1	1	0	0	8
713	North Berwick,	3649	3968	67	5	41	18	64	0	0	0	3	1	1	2	71
714	Oldhamstocks,	429	404	7	1	6	0	8	0	0	0	0	1	0	0	9
715	Ormiston,	1190	1598	45	1	11	10	29	0	0	0	8	0	0	2	39
716	Pencaitland,	1112	1273	31	1	8	6	24	0	1	0	1	8	1	0	35
717	Prestonkirk,	1673	1634	23	2	28	6	26	0	0	0	2	1	0	0	29
718	Prestonpans,	3382	4722	153	5	70	24	119	0	1	0	7	35	2	3	167
719	Salton,	431	386	7	0	3	3	5	0	0	0	0	0	0	0	5
720	Spott,	423	386	8	1	3	2	6	0	0	0	1	0	1	0	8
721	Stenton,	511	461	11	1	4	1	13	0	0	0	0	0	0	0	13
722	Tranent,	6117	8677	325	14	122	61	161	2	0	0	33	92	5	2	295
723	Whitekirk and Tynninghame,	835	776	12	1	6	4	9	0	0	0	0	1	0	0	10

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths.	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	HADDINGTON—*continued.*															
724	Whittinghame,	521	523	10	1	6	0	14	0	0	0	2	0	0	0	16
725	Yester,	730	747	11	0	7	7	17	0	0	0	1	0	0	0	18
	Total,	38665	43254	1026	55	537	229	785	2	2	0	79	171	27	20	1086
	27. BERWICK.															
726	Abbey St. Bathans,	213	229	2	0	4	3	2	0	0	0	1	2	0	0	5
727	Ayton,	1629	1577	35	1	16	10	24	0	0	0	6	3	0	1	34
728	Bunkle and Preston,	629	562	9	0	3	5	12	0	0	0	1	0	0	0	13
729	Channelkirk,	568	478	5	0	5	3	10	0	1	0	0	0	0	0	11
730	Chirnside,	1580	1508	28	2	24	4	6	0	0	0	1	4	0	1	12
731	Cockburnspath,	982	997	17	3	12	2	14	0	0	0	1	1	0	0	16
732	Coldingham—(1) Coldingham,	2315	2313	38	3	31	9	34	0	0	0	4	1	1	2	42
	(2) Grantshouse,	498	436	7	0	9	1	5	0	0	0	0	2	0	1	8
733	Coldstream,	2281	2192	37	3	37	13	37	0	0	0	3	5	0	1	46
734	Cranshaws,	159	125	4	0	0	1	2	0	0	0	1	0	0	0	3
735	Duns,	3199	3042	45	3	42	14	32	0	0	0	3	13	0	2	50
736	Earlston,	1677	1749	37	4	25	12	13	1	0	0	5	8	5	0	32
737	Eccles,	1433	1449	31	2	15	11	20	0	0	0	1	4	1	0	26
738	Edrom,	1290	1269	19	1	11	8	17	0	0	0	1	3	0	0	21
739	Eyemouth,	2487	2561	62	5	37	13	27	0	1	0	5	33	5	0	71
740	Fogo,	445	389	7	0	7	1	1	0	0	0	0	0	0	0	1
741	Foulden,	386	313	6	1	5	3	5	0	0	0	0	0	0	0	5
742	Gordon,	791	711	16	1	6	7	10	0	2	0	1	2	2	1	18
743	Greenlaw,	1015	941	16	1	14	5	14	0	0	0	0	5	0	2	21
744	Hume,	311	298	2	1	3	0	5	0	0	0	0	0	1	0	6

745	Hutton,	750	682	8	0	9	6	12	0	0	0	1	1	0	0	14
746	Ladykirk,	316	315	8	0	1	3	7	0	1	0	0	0	0	0	8
747	Langton,	398	408	8	1	4	2	1	0	0	0	0	0	0	0	1
748	Lauder,	1461	1336	24	2	18	6	20	0	1	0	2	0	3	0	26
749	Legerwood,	431	401	9	1	3	3	0	0	0	0	0	0	2	0	2
750	Longformacus,	281	263	3	0	2	0	4	0	0	0	0	0	0	0	4
751	Merton,	576	532	7	1	5	4	11	0	0	0	0	0	0	2	13
752	Mordington,	284	292	6	1	1	3	3	0	0	0	1	0	0	0	4
753	Nenthorn,	416	356	3	0	4	1	4	0	0	0	0	1	0	0	5
754	Polwarth,	203	197	3	0	3	3	1	0	0	0	0	0	0	0	1
755	Swinton,	791	727	10	1	9	5	12	0	0	0	1	3	1	0	17
756	Westruther,	504	503	8	2	8	1	4	0	0	0	0	1	1	0	6
757	Whitsome,	525	492	2	1	5	3	9	0	0	0	1	0	0	0	10
	Total,	30824	29643	522	41	378	165	378	1	6	0	40	92	22	13	552
	28. PEEBLES. (758 *Broughton.—Merged in* 763.)															
759	Drumelzier,	194	164	2	0	2	0	5	0	0	0	0	0	0	0	5
760	Eddlestone,	535	589	10	0	10	5	14	0	0	0	2	4	0	0	20
	(761 *Glenholm—Merged in* 763.)															
762	Innerleithen—(1) Innerleithen,	2410	2788	38	2	32	17	33	0	0	0	5	2	1	0	41
	(2) Walkerburn,	1217	1331	16	1	7	11	12	0	0	0	2	3	0	0	17
763	Kilbucho, Broughton, and Glenholm,	862	668	15	2	8	1	12	0	0	0	0	1	1	0	14
764	Kirkurd,	293	253	4	0	2	0	4	0	1	0	0	1	0	0	6
765	Lyne,	98	125	0	0	1	1	3	0	0	0	1	0	0	0	4
766	Manor,	257	261	6	0	7	1	8	0	0	0	0	1	1	0	10
767	Newlands,	564	590	8	1	4	2	10	0	0	0	0	3	2	0	15
768	Peebles,	5810	6112	105	17	86	31	74	0	0	0	5	15	4	7	105
769	Skirling,	230	241	2	0	2	1	0	0	0	0	0	1	1	0	2
770	Stobo,	401	350	8	2	2	1	6	0	0	0	0	5	0	0	11
771	Traquair,	618	559	17	4	3	2	11	0	0	0	0	0	0	0	11
772	Tweedsmuir,	435	198	1	0	1	0	4	0	0	0	0	0	0	0	4
773*a*	West Linton,	1110	1000	14	0	13	2	12	0	1	0	3	2	0	1	19
774*a*	Caddonfoot—*Peebles portion*,	32	29	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total,	15066	15258	246	29	180	75	208	0	2	0	18	38	10	8	284

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	29. SELKIRK.															
773*b*	Ashkirk,	404	329	6	1	3	4	6	0	0	0	0	0	0	1	7
774*a*	Caddonfoot—*Selkirk portion*,	663	709	11	2	8	2	6	0	1	0	2	1	0	1	11
774*b*	Ettrick,	331	344	6	0	3	2	2	0	0	0	0	2	0	0	4
775	Galashiels,	13969	14919	270	31	206	84	104	0	0	0	9	142	0	4	259
776	Kirkhope,	399	384	3	1	11	1	9	0	0	0	1	1	0	0	11
	(777 *Roberton.—Now* 802*b infra.*)															
778	Selkirk,	7090	7406	123	4	71	36	75	0	1	0	7	29	4	1	117
779	Yarrow—(1) Yarrow,	427	436	2	0	5	1	5	0	0	0	0	2	1	1	9
	(2) Megget,	73	74	3	0	0	0	1	0	0	0	0	3	0	0	4
	Total,	23356	24601	424	39	307	130	208	0	2	0	19	180	5	8	422
	30. ROXBURGH.															
780	Ancrum,	973	968	11	0	10	3	10	0	0	0	0	2	0	0	12
	(781 *Ashkirk.—Now* 773*b supra.*)															
782	Bedrule,	206	188	2	2	1	1	5	0	0	0	0	0	0	0	5
783	Bowden,	660	659	8	0	12	1	6	0	0	0	1	0	0	0	7
784	Castleton,	1872	1934	32	3	25	12	34	0	0	0	2	5	2	0	43
785	Cavers—(1) Cavers,	559	588	11	4	12	3	6	0	0	0	0	2	0	0	8
	(2) Kirktown,	691	709	6	0	7	5	7	0	0	0	0	2	0	0	9
786	Crailing,	501	465	4	0	8	3	8	0	0	0	0	1	0	0	9
787*a*	Eckford,	707	711	13	7	3	6	15	0	0	0	0	0	0	0	15
787*b*	Edgerston,	262	214	5	0	1	0	5	0	1	0	0	0	0	0	6
788	Ednam,	523	495	7	1	6	4	10	0	0	0	3	0	0	0	13

789	Hawick,	18502	18021	310	27	263	115	184	0	1	0	35	100	7	1	328
790	Hobkirk,	552	545	13	2	7	4	6	0	0	0	0	4	0	0	10
791	Hownam,	192	193	3	0	5	0	3	0	0	0	1	1	0	0	5
792	Jedburgh,	4318	3806	53	7	64	24	53	0	0	0	1	7	4	2	67
793	Kelso,	4525	4471	89	3	83	28	69	0	1	0	12	16	1	2	101
	(794 *Kirktown.—Now* 785 (2) *supra.*)															
795	Lilliesleaf,	592	547	10	0	7	4	15	0	0	0	1	3	0	0	19
796	Linton,	405	407	6	1	4	4	10	0	0	0	1	0	0	0	11
797	Makerston,	337	295	9	1	5	4	5	0	0	0	0	1	0	0	6
798	Maxton,	411	380	4	0	1	3	4	0	0	0	1	0	0	0	5
799	Melrose—(1) Melrose,	4148	4150	72	3	70	19	54	0	0	0	4	6	1	0	65
	(2) Langshaw,	559	500	12	0	2	1	3	0	0	0	1	1	2	1	8
800	Minto,	427	348	9	1	3	1	5	0	0	0	0	0	0	0	5
801	Morebattle,	779	740	8	0	8	6	16	0	0	0	1	1	0	0	18
802*a*	Oxnam,	624	566	7	1	6	5	14	0	0	0	0	0	0	0	14
802*b*	Roberton,	397	436	8	1	3	3	5	0	0	0	1	2	0	1	9
803	Roxburgh,	835	793	14	2	9	7	22	0	0	0	1	1	0	0	24
804	St. Boswells,	940	977	23	0	17	10	15	0	0	0	3	0	0	0	18
805	Smailholm,	341	292	6	0	3	1	7	0	0	0	0	2	0	0	9
806	Southdean,	530	507	9	1	5	2	8	0	0	0	1	2	0	0	11
807	Sprouston,	911	876	14	0	13	2	12	0	0	0	2	0	0	0	14
808	Stitchel,	304	275	6	0	5	4	4	0	0	0	0	1	0	0	5
809	Teviothead,	419	381	8	2	3	2	6	0	0	0	0	3	0	0	9
	(810 *Wilton.—Merged in* 789.)															
811	Yetholm,	802	755	16	2	15	4	15	0	0	0	0	1	0	0	16
	Total,	48804	47192	808	71	686	290	641	0	3	0	72	164	17	7	904
	31. DUMFRIES.															
812	Annan,	6378	6261	125	17	98	36	80	0	0	0	12	61	3	6	162
813*a*	Applegarth,	807	821	21	5	13	5	16	0	0	0	2	2	0	3	23
813*b*	Brydekirk,	832	751	18	2	14	1	14	0	0	0	2	5	0	0	21
814	Canonbie,	1959	1838	33	5	35	10	33	0	0	0	2	0	1	0	36
815	Carlaverock,	841	811	24	3	8	3	13	0	0	0	0	9	1	0	23
816	Closeburn,	1275	1244	21	3	21	7	26	0	0	0	4	0	2	0	32
817	Cummertrees,	938	1027	24	6	12	2	19	0	0	0	2	6	1	2	30

No. of District.	Registration Districts	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages. 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Dumfries—*continued.*															
818	Dalton,	563	589	10	1	9	8	9	0	0	0	1	1	0	0	11
819	Dornock,	871	820	24	5	5	7	14	0	0	0	3	3	0	0	20
820	Dryfesdale,	3130	3188	75	7	47	27	47	0	0	0	5	15	3	1	71
821	Dumfries,	18146	19076	384	39	440	145	157	4	0	0	49	149	7	13	379
822	Dunscore,	1055	1027	22	2	14	4	15	0	0	0	2	2	0	0	19
823	Durrisdeer,	970	849	17	1	11	7	10	0	0	0	2	2	0	1	15
824	Eskdalemuir,	441	392	10	1	4	4	8	0	0	0	0	0	0	0	8
825	Ewes,	261	247	5	0	2	1	6	0	0	0	0	0	0	0	6
826	Glencairn,	1490	1410	21	2	17	5	25	0	0	0	1	1	0	0	27
827	Graitney (or Gretna),	1250	1212	31	2	19	6	30	0	0	0	2	2	0	2	36
828	Halfmorton,	346	319	8	1	1	2	6	0	0	0	0	0	0	0	6
829	Hoddom,	1415	1258	19	0	20	11	25	0	0	0	3	9	0	3	40
830	Holywood—*Dumfries portion,*	938	865	17	2	14	5	13	0	0	0	2	0	2	0	17
831	Hutton,	663	630	13	1	7	3	11	0	0	0	0	1	0	0	12
832	Johnstone,	800	751	14	0	11	6	18	0	0	0	1	2	0	0	21
833	Keir,	540	538	6	1	6	1	8	0	1	0	0	0	0	0	9
834	Kirkconnel,	1248	2144	81	7	31	10	32	0	0	0	7	39	2	1	81
835	Kirkmahoe,	1106	1080	27	1	15	14	8	0	0	0	2	4	0	0	14
836	Kirkmichael,	748	725	19	1	5	6	15	0	0	0	1	1	0	1	18
837	Kirkpatrick-Fleming—															
	(1) Northern,	355	298	8	1	3	3	3	0	0	0	0	0	0	0	3
	(2) Southern,	1111	1056	18	2	14	4	10	0	0	0	2	6	0	2	20
838	Kirkpatrick-Juxta,	980	998	16	2	16	2	17	0	0	0	0	1	0	0	18
839	Langholm,	3500	3302	55	8	72	16	35	0	1	0	2	8	3	2	51
840	Lochmaben,	2388	2355	58	10	49	14	46	0	0	0	3	7	2	2	60
841	Middlebie—															
	(1) Northern District,	654	636	13	2	19	2	7	0	0	0	2	0	0	0	9
	(2) Southern District,	1169	1086	18	1	21	8	14	0	0	0	4	2	0	0	20

842	Moffat,	2799	2702	37	2	36	17	32	0	2	0	1	2	3	0	40
843	Morton,	1872	1820	31	4	41	10	36	0	0	0	0	2	3	2	43
844	Mouswald,	475	493	10	0	4	3	11	0	0	0	0	0	1	0	12
845	Penpont,	923	831	14	0	16	6	15	0	0	0	3	4	0	0	22
846	Ruthwell,	766	770	17	2	9	3	12	0	0	0	2	0	0	1	15
847	St. Mungo,	567	573	14	3	3	5	7	0	0	0	2	0	0	0	9
848	Sanquhar,	2309	2428	61	3	26	17	33	0	0	0	4	17	2	0	56
849	Tinwald,	741	728	15	2	11	4	6	0	0	0	2	1	1	0	10
850	Torthorwald,	779	788	14	3	17	7	17	0	0	0	2	9	0	0	28
851	Tundergarth,	403	399	6	0	7	2	11	0	0	0	0	0	0	0	11
852	Tynron,	334	309	6	1	6	4	6	0	0	0	0	0	0	1	7
853*a*	Wamphray,	396	369	7	1	5	3	10	0	0	0	0	0	0	0	10
853*b*	Wanlockhead,	624	618	10	0	7	6	8	0	0	0	1	1	0	0	10
854	Westerkirk	415	393	9	0	7	0	9	0	0	0	2	0	0	0	11
	Total,	72571	72825	1506	162	1268	472	1003	4	4	0	137	374	37	43	1602
	32. KIRKCUDBRIGHT.															
855	Anwoth,	651	688	14	0	11	2	8	0	0	0	1	3	1	0	13
856	Balmaclellan,	546	494	1	0	8	2	6	0	0	0	0	0	0	0	6
857*a*	Balmaghie,	802	770	14	0	7	5	15	0	0	0	2	1	0	0	18
857*b*	Bargrennan—*Kirkcudbright portion*,	195	180	0	0	0	0	1	0	0	0	0	0	0	0	1
858	Borgue,	1045	1023	21	3	11	5	28	0	0	0	1	0	0	0	29
859	Buittle,	879	825	20	2	9	12	13	0	0	0	0	4	0	0	17
860	Carsphairn,	351	360	4	0	2	2	4	0	0	0	0	2	0	0	6
861	Colvend—(1) Colvend,	695	696	9	0	13	1	5	0	0	0	1	1	0	0	7
	(2) Southwick,	476	447	7	1	6	1	9	0	0	0	0	0	0	0	9
862	Corsock Bridge,	406	356	10	0	6	2	4	0	0	0	0	1	0	0	5
863	Crossmichael,	1231	1196	22	0	14	7	16	0	0	0	3	1	0	1	21
864	Dalbeattie,	3670	3553	72	11	44	19	41	0	2	0	7	13	0	5	68
865	Dalry,	826	807	19	1	13	12	14	0	0	0	0	1	0	0	15
866	Girthon,	1209	1174	19	1	19	5	16	0	0	0	2	5	0	0	23
867	Irongray,	701	594	8	0	7	2	8	0	0	0	0	3	0	0	11
868	Kells,	878	847	22	2	12	3	10	0	1	0	0	1	0	0	12
869	Kelton,	3734	3746	69	10	58	18	63	0	2	0	5	14	0	1	85
870	Kirkbean,	685	711	20	1	6	3	13	0	0	0	0	1	0	0	14

No. of District.	Registration Districts.	Population at Census. 1901	Population at Census. 1911	Births, Deaths, and Marriages, 1913. Births. Total.	Births. Illegitimate.	Deaths	Marriages.	Vaccinations, 1912. Successfully Vaccinated.	Insusceptible of Vaccine Disease. On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1912.
	Kirkcudbright—*continued.*															
871	Kirkcudbright,	3309	3116	52	14	52	20	60	0	0	0	5	4	1	0	70
872	Kirkgunzeon,	527	497	10	1	7	2	9	0	0	0	0	1	0	0	10
873	Kirkmabreck,	1859	1549	21	1	16	5	15	0	0	0	2	8	1	0	26
874	Kirkpatrick-Durham,	818	795	9	1	12	6	6	0	0	0	0	0	0	0	6
875	Lochrutton,	497	484	3	0	3	4	12	0	1	0	1	0	0	1	15
876	Minnigaff,	1114	1022	24	5	10	3	20	0	1	0	2	0	0	0	23
877	New Abbey,	957	742	15	1	13	3	10	0	1	0	1	0	0	0	12
878	Parton,	436	421	14	0	7	4	6	0	0	0	1	0	0	1	8
879	Rerrick,	1356	1293	30	3	18	8	14	0	0	0	1	2	1	0	18
880	Terregles,	453	438	5	0	0	2	8	0	0	0	1	1	0	0	10
881	Tongland,	693	751	12	1	11	2	24	0	0	0	1	0	0	0	25
882	Troqueer,	6599	7050	132	8	80	37	62	1	0	0	9	50	7	2	131
883	Twynholm,	718	758	22	5	9	9	15	0	0	0	0	0	0	0	15
884	Urr,	1066	983	20	3	12	4	17	0	0	0	0	1	2	0	20
830	Holywood—*Kirkcudbright portion,*	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total,	39383	38367	720	75	496	210	552	1	8	0	46	118	13	11	749
	33. WIGTOWN.															
885	Glasserton,	887	920	22	1	7	8	23	0	0	0	0	1	0	0	24
886	Inch,	1987	1860	43	5	24	13	33	0	0	0	3	1	0	1	38
887	Kirkcolm,	1506	1507	35	3	12	6	24	0	2	0	5	4	2	1	38
888	Kirkcowan,	1153	1244	28	1	20	6	22	0	0	0	0	4	4	4	34
889	Kirkinner,	1255	1206	24	6	18	7	17	0	0	0	3	4	1	1	26
890	Kirkmaiden,	1943	1792	48	8	18	14	39	0	1	0	3	2	1	0	46

891	Leswalt, ...	979	987	19	3	11	4	24	0	1	0	3	1	0	1	30
892	Mochrum, ...	1958	1822	36	8	20	8	32	0	0	0	2	3	3	0	40
893	New Luce, ...	557	481	9	2	7	5	7	0	0	0	3	0	1	0	11
894	Old Luce (or Glenluce), . .	2157	2096	59	11	31	8	47	0	0	0	3	0	0	0	50
895	Penninghame, ...	3228	2965	66	10	35	23	61	0	0	0	4	0	0	2	67
896	Portpatrick, ...	1136	1097	23	1	12	1	17	0	0	0	2	2	0	0	21
897	Sorbie, ...	1373	1354	20	3	15	7	20	0	0	0	2	13	1	1	37
898	Stoneykirk, ...	2420	2279	55	12	28	12	35	0	0	0	3	2	2	0	42
899	Stranraer, ...	6036	6444	158	20	113	30	98	0	1	0	17	29	1	5	151
900	Whithorn, ...	2235	2140	44	3	32	11	47	0	1	0	2	2	0	0	52
901	Wigtown, ...	1747	1710	41	3	24	5	30	0	0	0	4	0	0	3	37
857*b*	Bargrennan—*Wigtown portion*,	128	94	2	0	0	0	0	0	0	0	0	0	0	0	0
	Total,	32685	31998	732	100	427	168	576	0	6	0	59	68	16	19	744

Causes of Death in SCOTLAND in 1913—Both Sexes.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	73,069	13,214	7133	1833	1180	3371	3940	5092	6522	8762	11,113	10,903	6
I. GENERAL DISEASES.													
1 Enteric Fever	171	1	4	13	12	41	47	31	9	8	4	1	-
2 Typhus Fever	7	-	-	-	-	1	1	3	1	1	-	-	-
4 Malaria	5	-	-	-	-	-	1	3	-	1	-	-	-
5 (*a*) (*b*) (*c*) Smallpox: Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox: Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox: Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	1329	335	891	77	10	7	5	3	-	1	-	-	-
7 Scarlet Fever	591	25	280	169	49	37	15	12	3	1	-	-	-
8 Whooping-cough	1819	836	922	56	2	2	-	1	-	-	-	-	-
9 (*a*) Diphtheria	763	88	425	180	42	18	5	2	2	1	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	31	13	13	4	-	-	-	-	1	-	-	-	-
10 Influenza	278	11	6	-	4	6	11	7	19	24	81	109	-
13 Cholera Nostras	4	-	3	-	-	-	-	-	-	-	1	-	-
14 Dysentery	4	1	1	-	-	-	-	-	1	-	-	1	-
18 Erysipelas	179	28	2	2	1	5	13	19	22	39	26	22	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	25	7	7	1	3	3	2	1	1	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	106	16	6	9	5	8	14	12	11	7	12	6	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	1	-	-	-	-	1	-	-	-	-	-	-	-
22 Anthrax	2	-	-	-	-	-	-	1	-	-	1	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	23	2	2	2	4	3	1	2	6	-	1	-	-
28 Pulmonary Tuberculosis, Phthisis	4930	27	96	82	194	1116	1211	1004	681	367	130	22	-
29 (*a*) Acute Phthisis	173	4	6	5	19	51	35	29	13	7	4	-	-
(*b*) Acute Miliary Tuberculosis	84	9	20	13	4	12	11	7	4	3	1	-	-
30 Tuberculous Meningitis	1093	250	491	176	77	59	19	14	5	1	1	-	-
31 Abdominal Tuberculosis	885	184	319	112	54	89	42	46	18	13	6	2	-
32 Tuberculosis of Spine	146	-	11	23	18	37	26	10	10	4	6	1	-
33 Tuberculosis of Joints	61	2	4	6	4	15	4	6	5	7	8	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	633	74	121	40	55	113	77	54	40	33	22	4	-
36 Rickets, Osteomalacia	50	22	27	-	-	-	-	1	-	-	-	-	-
37 Syphilis	213	166	11	2	1	2	7	6	8	10	-	-	-
38 Other Venereal Diseases	4	2	-	-	-	-	1	-	-	-	1	-	-
45 (*a*) Carcinoma } 39-44	3017	-	1	1	-	8	67	225	585	874	847	409	-
(*b*) Sarcoma } 39-44	232	2	4	8	8	23	14	37	41	39	43	13	-
(*c*) Malignant Disease, other or not defined } 39-44	1963	1	4	3	1	2	39	140	307	536	603	327	-
46 Other Tumours (Situation undefined)	54	-	-	1	1	3	6	7	8	11	11	6	-
47 Rheumatic Fever	234	-	8	18	31	66	35	24	19	18	12	3	-
48 (*a*) Chronic Rheumatism	111	-	-	-	-	-	1	2	8	28	36	36	-
(*b*) Osteo-arthritis	87	-	-	-	-	1	2	1	8	26	26	23	-
(*c*) Gout	2	-	-	-	-	-	-	-	1	-	-	1	-
49 Scurvy	3	1	2	-	-	-	-	-	-	-	-	-	-
50 Diabetes	455	-	-	4	9	38	42	39	83	111	87	42	-
51 Exophthalmic Goitre	46	-	-	-	-	7	12	7	7	10	3	-	-
52 Addison's Disease	33	-	1	-	1	1	2	8	13	4	3	-	-
53 (*a*) Leucocythæmia	46	-	1	6	2	3	6	4	8	11	4	1	-
(*b*) Lymphadenoma	36	1	-	5	1	5	5	7	3	5	4	-	-
54 Anæmia, Chlorosis	437	5	7	4	1	15	38	63	92	105	85	22	-
55 (*b*) Purpura	46	7	10	4	3	5	2	2	2	2	8	1	-
(*c*) Hæmophilia	10	6	2	-	1	1	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	7	-	-	1	-	-	2	1	2	1	-	-	-
56 Alcoholism	175	-	-	-	-	-	19	61	43	29	20	3	-
57 Chronic Lead Poisoning	2	-	-	-	-	-	-	2	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	2	-	-	-	-	-	1	-	1	-	-	-	-

Note.—Numbers in parentheses after names of Causes of Death indicate numbers of International Headings or which have been included. Letters indicating sub-headings agree with those of the extended list of the Registrar-General of England and Wales.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	51	5	5	3	2	8	7	7	4	3	5	2	–
61 (*a*) Cerebro-spinal Meningitis	66	16	23	8	5	5	5	–	1	–	2	–	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	970	339	335	91	48	48	30	22	29	17	9	2	–
62 Locomotor Ataxy	88	–	–	–	1	–	3	19	26	15	24	–	–
63 Other Diseases of Spinal Cord	323	5	5	2	4	21	25	39	49	67	88	18	–
64 Cerebral Hæmorrhage, Apoplexy	4520	20	2	3	3	18	36	169	509	1016	1518	1226	–
65 Softening of Brain	359	–	1	1	2	1	4	10	24	70	137	109	–
66 (*a*) Hemiplegia	613	1	2	–	1	4	6	17	47	127	225	183	–
(*c*) Paralysis, Cause or Nature unspecified (*b*)	120	–	1	2	1	5	5	3	14	25	37	27	–
67 General Paralysis of Insane	264	–	–	–	–	4	45	75	85	45	7	3	–
68 Other Insanity	186	–	–	2	–	5	14	33	32	48	34	18	–
69 Epilepsy	259	11	10	15	16	33	35	44	39	32	15	9	–
71 Convulsions (not Puerperal) (70)	740	553	163	10	2	2	4	4	1	–	1	–	–
72 Chorea	17	–	1	1	1	2	–	1	3	2	5	1	–
73 Neuralgia, Neuritis	82	–	–	–	–	–	7	20	24	12	12	7	–
74 (*c*) Cerebral Tumour	189	1	9	12	9	21	14	41	41	26	11	4	–
(*d*) Other Diseases of Nervous System (*a*, *b*)	94	7	11	2	1	5	7	9	7	18	19	8	–
75 Diseases of Eye and Annexa	3	–	1	–	–	–	–	1	–	–	1	–	–
76 (*a*) Mastoid Disease	35	5	6	5	6	3	5	1	1	–	3	–	–
(*b*) Diseases of Ear	130	28	22	15	13	22	5	9	8	7	–	1	–
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	51	3	1	3	6	6	1	6	9	7	7	2	–
78 Acute Endocarditis	143	–	2	10	11	33	29	22	21	7	6	2	–
79 (*a*) Valvular Disease	2749	4	7	19	45	98	144	274	413	546	696	503	–
(*b*) Fatty Degeneration of Heart	339	–	–	–	–	1	6	24	40	100	99	69	–
(*c*) Other Organic Diseases of Heart	3104	19	3	16	27	65	73	185	324	618	992	782	–
80 Angina Pectoris	248	–	–	–	–	1	2	8	38	63	91	45	–
81 (*a*) Aneurysm	137	–	–	–	2	–	1	30	30	41	24	9	–
(*b*) Arterio-sclerosis	493	–	–	–	–	1	–	5	15	83	194	195	–
(*c*) Other Diseases of Arteries	10	–	–	–	–	–	–	–	1	4	2	3	–
82 (*a*) Cerebral Embolism, Thrombosis	477	1	–	–	1	8	14	20	38	101	143	151	–
(*b*) Embolism and Thrombosis, not Cerebral	81	–	1	1	–	5	3	13	15	20	15	8	–
83 Diseases of Veins	32	1	–	–	–	–	1	5	5	11	3	6	–
84 (*a*) Lymphatism, Status Lymphaticus	12	9	3	–	–	–	–	–	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	21	5	6	3	–	–	2	–	–	1	3	1	–
85 Hæmorrhage, Other Diseases of Circulatory System	21	1	1	1	–	–	3	3	3	1	5	3	–
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	16	5	6	1	–	1	1	–	1	1	–	–	–
87 (*b*) Laryngitis	83	26	35	7	2	4	1	1	1	2	3	1	–
(*c*) Other Diseases of Larynx (*a*)	41	16	16	3	–	1	1	2	1	1	–	–	–
88 Diseases of Thyroid	29	–	1	–	–	–	2	2	5	7	7	5	–
90 Bronchitis (89)	4662	811	268	29	13	31	48	131	343	755	1106	1127	–
91 Broncho-pneumonia	2159	917	728	53	12	24	27	35	58	91	99	115	–
92 Pneumonia	3392	391	434	67	33	166	244	383	415	494	455	310	–
93 Pleurisy	285	11	31	10	9	18	18	31	36	54	37	30	–
94 (*a*) Pulmonary Apoplexy	8	–	–	–	–	1	–	3	1	1	1	1	–
(*b*) Pulmonary Congestion (*c*, *d*)	424	102	46	2	2	3	7	15	16	34	84	113	–
95 Gangrene of Lung	17	–	1	–	1	–	1	3	5	4	1	1	–
96 Asthma	70	–	–	–	–	–	1	4	18	19	17	11	–
97 Pulmonary Emphysema	34	3	–	–	–	–	1	3	2	7	11	7	–
98 (*a*) Fibroid Diseases of Lung	44	–	–	–	–	1	2	8	13	10	7	3	–
(*b*) Other Diseases of Respiratory System	30	4	1	–	1	1	3	5	3	6	5	1	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	25	9	4	–	–	1	2	–	2	2	3	2	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	86	18	18	12	5	6	3	9	3	3	5	4	–
102 Gastric Ulcer – – – –	351	3	–	2	3	21	51	64	64	76	41	26	–
103 Other Dis. of Stomach. Gastritis	576	207	55	10	3	11	17	33	34	54	80	72	–
104 Diarrhœa, Enteritis (under 2 years)	2103	1734	369	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	537	–	111	50	24	16	20	39	45	70	77	85	–
107 Intestinal Parasites (106) – –	2	–	2	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	438	2	21	59	70	98	57	43	44	32	11	1	–
109 (*a*) Hernia – – – –	155	18	6	–	3	2	3	6	21	28	41	27	–
(*b*) Intestinal Obstruction – –	309	71	10	14	7	11	12	21	19	48	56	40	–
110 Other Diseases of Intestine –	251	18	5	2	–	16	39	36	37	43	32	23	–
111 Acute Yellow Atrophy of Liver –	4	–	–	–	–	–	2	1	1	–	–	–	–
112 Hydatids of Liver – – –	2	–	–	–	–	–	–	1	1	–	–	–	–
113 Cirrhosis of Liver – – –	256	–	4	1	1	2	8	26	67	79	44	24	–
114 Gallstones – – – –	108	–	–	–	–	2	1	5	29	33	24	14	–
115 Other Diseases of Liver – –	227	7	8	2	4	2	6	17	37	47	54	43	–
116 Diseases of Spleen – – –	14	1	–	–	–	1	1	3	6	1	–	1	–
117 Peritonitis, cause not specified –	134	16	13	15	8	6	14	18	14	18	8	4	–
118 Other Diseases of Digestive System	24	1	–	1	–	3	3	2	–	10	–	4	–
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis – – –	366	14	48	32	13	40	37	43	41	45	35	18	–
120 (*a*) Bright's Disease – – –	1589	1	7	7	10	49	100	184	337	383	368	143	–
(*b*) Uræmia – – – –	130	3	1	2	–	7	11	12	27	16	26	25	–
122 Other Dis. of Kidney, Chyluria (121)	91	2	1	–	–	7	8	16	18	17	18	4	–
123 Urinary Calculus – – –	29	–	1	–	1	–	5	3	9	3	3	4	–
124 Diseases of Bladder – – –	212	3	1	1	1	1	3	15	18	34	60	75	–
125 Dis. of Urethra, Urinary Abscess	29	–	–	1	–	–	–	2	10	9	4	3	–
126 Diseases of Prostate – – –	200	–	–	–	–	1	1	2	4	23	78	91	–
127 Diseases of Male Genital Organs (not Venereal)	13	5	1	–	–	2	–	–	–	2	2	1	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	9	–	–	–	–	–	3	5	1	–	–	–	–
129 Uterine Tumour (non-Cancerous)	56	–	–	–	–	–	3	12	22	12	4	3	–
130 Other Diseases of Uterus – –	40	–	–	–	–	3	6	17	9	1	1	3	–
131 Cysts, and Other Tumours of Ovary	49	–	–	–	–	1	6	4	16	10	7	5	–
132 Other Dis. of Female Genit. Organs	37	–	2	–	–	6	14	11	2	1	1	–	–
133 Non-Puerperal Diseases of Breast	4	–	–	–	–	–	1	1	–	–	1	1	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage – –	45	–	–	–	–	3	18	24	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	20	–	–	–	–	3	7	9	1	–	–	–	–
(*d*) Ectopic Gestation – – –	13	–	–	–	–	2	7	4	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	16	–	–	–	–	4	4	8	–	–	–	–	–
135 Puerperal Hæmorrhage – –	115	–	–	–	–	16	47	50	2	–	–	–	–
136 Other Accidents of Childbirth –	123	–	–	–	–	16	64	42	1	–	–	–	–
137 Puerperal Sepsis – – –	160	–	–	–	–	33	82	45	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	134	–	–	–	–	52	58	22	2	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	41	–	–	–	–	3	26	12	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	9	–	–	–	–	1	6	2	–	–	–	–	–
(*b*) Other Puerperal Diseases –	30	–	–	–	–	6	10	13	1	–	–	–	–
141 Puerperal Diseases of Breast –	2	–	–	–	–	2	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene – – –	251	–	–	–	–	–	–	1	–	7	99	144	–
(*b*) Noma, Cancrum Oris – –	9	1	6	1	–	–	1	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	53	3	3	3	1	1	2	4	17	19	–	–	–
143 Carbuncle, Boil – – –	34	6	–	–	–	–	1	–	6	8	10	3	–
144 Phlegmon, Acute Abscess – –	133	24	10	5	5	10	5	12	9	22	20	11	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	87	28	3	1	–	2	3	4	4	8	9	25	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	110	9	19	20	20	13	2	10	3	4	8	3	-
147 Diseases of Joints - - -	17	1	1	-	2	1	1	1	-	2	5	3	-
149 Other Dis. of Locomotor Syst. (148)	5	1	1	-	-	1	-	-	-	-	1	1	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	599	523	44	15	5	7	3	2	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth - - -	2385	2385	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	1824	1824	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	410	410	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (*a*) Senile Dementia - - -	77	-	-	-	-	-	-	-	1	-	29	47	-
(*b*) Senile Decay - - -	3854	-	-	-	-	-	-	-	-	-	754	3100	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	277	-	-	-	2	26	34	62	68	36	43	6	-
164 Poisoning by Food - - -	25	-	5	9	2	3	1	-	-	2	2	1	-
165 Other Accidental Poisonings -	54	-	6	2	-	6	11	9	12	5	5	-	-
167 Burns and Scalds (166) - -	404	19	193	19	15	30	17	9	25	21	36	20	-
168 Exposure to Poisonous Vapours -	26	-	-	-	-	4	4	5	1	5	4	1	-
169 Drowning - - - - -	557	4	36	27	16	97	87	94	82	64	32	13	5
170 Accidents with Fire Arms - -	18	-	-	-	1	5	3	5	2	2	-	-	-
171 Accidents with Instruments and Weapons	1	-	1	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	134	1	6	6	2	11	14	18	23	19	18	16	-
173 (*a*) Accidents in Coal Mines -	131	-	-	-	3	39	45	21	18	5	-	-	-
(*b*) Accidents in Other Mines -	3	-	-	-	-	1	-	1	1	-	-	-	-
(*c*) Accidents in Quarries - -	3	-	-	-	-	-	-	1	2	-	-	-	-
174 Accidents with Machinery - -	29	-	-	-	1	16	2	6	3	-	1	-	-
175 (*a*) Accidents on Railways - -	158	-	1	3	5	27	34	25	30	19	11	3	-
(*b*) Acc. with Horses and Vehicles	40	-	6	6	-	3	3	6	3	5	6	2	-
(*c*) Accidents with Motor Vehicles	32	-	3	7	2	2	3	6	4	3	1	1	-
(*d*) Accidents with Tramways -	13	-	5	1	-	-	1	-	2	2	1	1	-
(*e*) Other Crushing Accidents -	17	-	-	1	1	1	1	4	3	5	1	-	-
177 Hunger - - - - - -	3	1	-	-	-	-	-	-	1	1	-	-	-
180 Weather Agencies (178, 179) -	57	2	-	1	1	1	4	7	10	15	8	8	-
186 (*a*) Overlaying - - - -	89	88	1	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	129	69	9	4	-	3	4	12	13	6	7	2	-
(*c*) Other Accidents (176, 181, 185)	914	10	45	51	29	101	94	113	112	109	112	138	-
184 Homicide (182, 183) - - -	9	3	-	2	1	2	-	1	-	-	-	-	-
190 Execution - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - - -	29	-	1	-	1	-	-	-	3	4	6	14	-
188 (*a*) Syncope - - - - -	260	11	2	3	-	2	12	26	30	53	76	45	-
(*b*) Sudden Death (not otherwise defined)	45	11	-	-	-	-	2	2	5	10	8	7	-
189 (*a*) Heart Failure - - -	872	23	4	3	2	9	29	52	111	136	255	248	-
(*c*) Teething - - - - -	11	4	7	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	165	5	91	3	2	-	-	2	12	40	8	2	-
(*f*) Dis. not Specified, Nat. Causes	620	166	42	5	11	10	17	40	55	69	89	115	1

Causes of Death in SCOTLAND in 1913—Males.

	All Ages	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	36,504	7474	3677	916	561	1689	1892	2564	3488	4642	5296	4299	6
I. GENERAL DISEASES.													
1 Enteric Fever	95	–	3	6	5	22	26	19	7	3	3	1	–
2 Typhus Fever	2	–	–	–	–	–	1	1	–	–	–	–	–
4 Malaria	5	–	–	–	–	–	1	3	–	1	–	–	–
5 (*a*) (*b*) (*c*) Smallpox: Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
Smallpox: Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
Smallpox: Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	700	194	453	42	3	3	3	1	–	1	–	–	–
7 Scarlet Fever	279	18	143	71	17	17	7	3	2	1	–	–	–
8 Whooping Cough	875	417	430	24	2	1	–	1	–	–	–	–	–
9 (*a*) Diphtheria	375	52	218	77	17	7	2	1	–	1	–	–	–
(*c*) Croup, Membr. Laryngitis (*b*)	12	7	3	1	–	–	–	–	1	–	–	–	–
10 Influenza	108	6	4	–	–	5	6	2	11	9	36	29	–
13 Cholera Nostras	3	–	3	–	–	–	–	–	–	–	–	–	–
14 Dysentery	2	1	–	–	–	–	–	–	1	–	–	–	–
18 Erysipelas	88	16	2	1	1	4	6	10	11	20	12	5	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	12	5	2	–	1	1	2	1	–	–	–	–	–
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	62	12	2	3	4	3	6	6	10	6	6	4	–
(*c*) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	2	–	–	–	–	–	–	1	–	–	1	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	13	1	2	–	3	3	–	1	3	–	–	–	–
28 Pulmonary Tuberculosis, Phthisis	2,514	18	57	25	62	478	564	534	449	235	84	8	–
29 (*a*) Acute Phthisis	83	3	4	4	6	24	13	17	7	4	1	–	–
(*b*) Acute Miliary Tuberculosis	33	5	5	4	2	5	5	4	1	2	–	–	–
30 Tuberculous Meningitis	591	144	273	90	35	29	8	8	2	1	1	–	–
31 Abdominal Tuberculosis	462	116	184	53	28	31	14	17	10	4	4	1	–
32 Tuberculosis of Spine	69	–	6	11	9	17	15	3	4	2	2	–	–
33 Tuberculosis of Joints	32	2	2	2	2	10	1	3	2	4	4	–	–
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	338	47	74	19	24	65	42	25	20	17	4	1	–
36 Rickets, Osteomalacia	31	13	17	–	–	–	–	1	–	–	–	–	–
37 Syphilis	122	99	3	1	1	2	4	2	5	5	–	–	–
38 Other Venereal Diseases	2	–	–	–	–	–	1	–	–	–	1	–	–
45 (*a*) Carcinoma } 39-44	1,190	–	–	–	–	4	23	71	206	375	376	135	–
(*b*) Sarcoma } 39-44	120	–	2	5	5	14	7	22	16	21	25	3	–
(*c*) Malignant Disease, other or not defined } 39-44	827	–	3	2	1	2	10	43	127	231	271	137	–
46 Other Tumours (Situation undefined)	20	–	–	1	1	1	3	3	4	3	3	1	–
47 Rheumatic Fever	105	–	3	10	17	29	16	8	3	12	6	1	–
48 (*a*) Chronic Rheumatism	45	–	–	–	–	–	–	–	3	9	18	15	–
(*b*) Osteo-arthritis	28	–	–	–	–	–	2	1	4	9	8	4	–
(*c*) Gout	1	–	–	–	–	–	–	–	1	–	–	–	–
49 Scurvy	3	1	2	–	–	–	–	–	–	–	–	–	–
50 Diabetes	227	–	–	3	4	21	30	23	39	53	35	19	–
51 Exophthalmic Goitre	3	–	–	–	–	1	1	1	–	–	–	–	–
52 Addison's Disease	15	–	1	–	–	1	1	2	6	3	1	–	–
53 (*a*) Leucocythæmia	24	–	1	6	1	3	4	–	–	6	2	1	–
(*b*) Lymphadenoma	19	1	–	3	1	2	3	4	2	2	1	–	–
54 Anæmia, Chlorosis	164	3	3	1	–	5	14	22	32	41	35	8	–
55 (*b*) Purpura	25	4	3	3	2	3	2	1	1	1	5	–	–
(*c*) Hæmophilia	6	5	–	–	–	1	–	–	–	–	–	–	–
(*d*) Other General Diseases (*a*)	3	–	–	–	–	–	1	1	–	1	–	–	–
56 Alcoholism	111	–	–	–	–	–	16	42	26	17	9	1	–
57 Chronic Lead Poisoning	2	–	–	–	–	–	–	2	–	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	1	–	–	–	–	–	–	–	1	–	–	–	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	27	2	1	2	2	6	4	4	2	1	2	1	-
61 (*a*) Cerebro-Spinal Meningitis	45	14	11	5	5	4	3	-	1	-	2	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	526	182	196	46	23	26	15	8	15	9	5	1	-
62 Locomotor Ataxy	74	-	-	-	1	-	3	15	21	13	21	-	-
63 Other Diseases of Spinal Cord	182	4	2	2	1	15	14	22	28	37	50	7	-
64 Cerebral Hæmorrhage, Apoplexy	1,959	14	1	1	1	10	17	75	228	467	669	476	-
65 Softening of Brain	156	-	-	-	2	1	2	3	9	40	65	34	-
66 (*a*) Hemiplegia	248	1	1	-	-	2	4	8	25	61	89	57	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	64	-	-	1	1	3	4	3	7	16	17	12	-
67 General Paralysis of Insane	208	-	-	-	-	2	35	62	67	37	5	-	-
68 Other Insanity	65	-	-	2	-	2	3	5	12	19	14	8	-
69 Epilepsy	149	8	6	8	10	25	20	22	24	16	7	3	-
71 Convulsions (not Puerperal) (70)	401	310	77	6	1	-	1	4	1	-	1	-	-
72 Chorea	3	-	1	1	-	-	-	-	-	1	-	-	-
73 Neuralgia, Neuritis	29	-	-	-	-	-	3	6	8	5	6	1	-
74 (*c*) Cerebral Tumour	96	-	4	7	7	9	7	21	21	16	3	1	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	50	6	6	1	1	1	5	3	3	10	10	4	-
75 Diseases of Eye and Annexa	2	-	1	-	-	-	-	1	-	-	-	-	-
76 (*a*) Mastoid Disease	13	2	1	3	3	1	3	-	-	-	-	-	-
(*b*) Diseases of Ear	76	19	11	9	8	10	4	7	5	3	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	26	1	-	3	2	3	-	3	3	5	6	-	-
78 Acute Endocarditis	59	-	1	4	4	12	10	6	14	2	3	2	-
79 (*a*) Valvular Disease	1,211	4	1	7	18	33	61	117	179	273	318	200	-
(*b*) Fatty Degeneration of Heart	133	-	-	-	-	-	2	10	14	52	35	20	-
(*c*) Other Organic Diseases of Heart	1,441	12	1	10	11	32	35	83	144	322	458	333	-
80 Angina Pectoris	160	-	-	-	-	-	2	5	31	44	56	22	-
81 (*a*) Aneurysm	106	-	-	-	-	-	1	28	24	28	20	5	-
(*b*) Arterio-sclerosis	278	-	-	-	-	1	-	4	10	65	104	94	-
(*c*) Other Diseases of Arteries	7	-	-	-	-	-	-	-	-	3	2	2	-
82 (*a*) Cerebral Embolism, Thrombosis	183	1	-	-	1	3	2	7	21	40	59	49	-
(*b*) Embolism and Thrombosis, not Cerebral	34	-	1	1	-	2	1	4	4	11	7	3	-
83 Diseases of Veins	10	1	-	-	-	-	-	3	-	1	2	3	-
84 (*a*) Lymphatism, Status Lymphaticus	7	5	2	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	9	1	2	2	-	-	1	-	-	1	2	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	16	1	1	-	-	-	2	3	3	1	3	2	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	9	1	5	1	-	1	-	-	1	-	-	-	-
87 (*b*) Laryngitis	46	17	17	3	1	3	-	1	1	1	2	-	-
(*c*) Other Diseases of Larynx (*a*)	26	10	11	1	-	1	-	1	1	1	-	-	-
88 Diseases of Thyroid	2	-	-	-	-	-	-	-	-	1	-	1	-
90 Bronchitis (89)	2,244	455	136	16	5	16	28	75	195	414	515	389	-
91 Broncho-pneumonia	1,132	527	375	19	8	13	9	15	31	49	46	40	-
92 Pneumonia	2,075	223	223	34	21	114	169	264	306	331	261	129	-
93 Pleurisy	164	4	19	6	4	13	11	19	18	37	18	15	-
94 (*a*) Pulmonary Apoplexy	3	-	-	-	-	-	-	1	1	-	-	1	-
(*b*) Pulmonary Congestion (*c*, *d*)	181	57	25	2	2	1	3	5	6	15	26	39	-
95 Gangrene of Lung	14	-	-	-	1	-	1	3	4	4	-	1	-
96 Asthma	35	-	-	-	-	-	-	2	10	9	11	3	-
97 Pulmonary Emphysema	23	3	-	-	-	-	1	1	2	5	7	4	-
98 (*a*) Fibroid Diseases of Lung	36	-	-	-	-	-	2	7	12	8	6	1	-
(*b*) Other Diseases of Respiratory System	17	2	1	-	1	-	2	3	3	3	1	1	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	11	4	-	-	-	1	1	-	1	2	1	1	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	42	5	7	6	1	4	3	7	1	1	4	3	-
102 Gastric Ulcer - - - -	177	3	-	1	2	9	17	25	41	43	22	14	-
103 Other Dis. of Stomach. Gastritis	276	127	23	4	1	4	9	14	16	25	28	25	-
104 Diarrhœa, Enteritis (under 2 years)	1148	971	177	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	236	-	64	28	11	9	10	13	18	30	24	29	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	230	-	11	28	39	56	29	23	22	16	6	-	-
109 (*a*) Hernia - - - -	85	15	6	-	3	2	-	1	7	15	23	13	-
(*b*) Intestinal Obstruction - -	153	42	6	9	4	6	5	12	5	22	25	17	-
110 Other Diseases of Intestine - -	153	13	1	2	-	9	23	22	23	30	19	11	-
111 Acute Yellow Atrophy of Liver -	2	-	-	-	-	-	1	-	1	-	-	-	-
112 Hydatids of Liver - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
113 Cirrhosis of Liver - - -	166	-	3	1	-	1	4	13	45	54	29	16	-
114 Gallstones - - - - -	32	-	-	-	-	1	-	2	11	9	7	2	-
115 Other Diseases of Liver - -	98	6	4	2	2	-	1	10	14	25	20	14	-
116 Diseases of Spleen - - -	6	1	-	-	-	-	-	2	2	-	-	1	-
117 Peritonitis, cause not specified -	55	7	10	4	2	-	6	8	7	4	6	1	-
118 Other Diseases of Digestive System	13	1	-	1	-	2	-	1	-	6	-	2	-
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - - -	190	10	24	21	8	16	16	20	20	21	22	12	-
120 (*a*) Bright's Disease - - -	849	1	4	4	5	27	45	76	189	220	198	80	-
(*b*) Uræmia - - - -	76	3	-	2	-	3	7	4	15	13	16	13	-
122 Other Dis. of Kidney, Chyluria (121)	50	2	-	-	-	2	2	8	12	9	12	3	-
123 Urinary Calculus - - -	18	-	1	-	1	-	2	2	4	2	3	3	-
124 Diseases of Bladder - - -	161	1	1	-	-	1	2	9	12	29	47	59	-
125 Dis. of Urethra, Urinary Abscess	28	-	-	1	-	-	-	2	10	9	4	2	-
126 Diseases of Prostate - - -	200	-	-	-	-	1	1	2	4	23	78	91	-
127 Diseases of Male Genital Organs (not Venereal)	13	5	1	-	-	2	-	-	-	2	2	1	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Ectopic Gestation - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	-	-	-	-	-	-	-	-	-	-	-	-
136 Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-
137 Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene - - -	127	-	-	-	-	-	-	1	-	6	53	67	-
(*b*) Noma, Cancrum Oris - -	3	1	2	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	29	-	2	3	-	-	1	3	9	11	-	-	-
143 Carbuncle, Boil - - - -	21	5	-	-	-	-	-	-	5	4	6	1	-
144 Phlegmon, Acute Abscess - -	72	13	8	3	1	7	1	7	5	13	9	5	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	44	20	1	1	-	-	-	3	-	5	2	12	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	74	4	10	16	12	13	1	6	2	3	4	3	-
147 Diseases of Joints - - -	10	-	1	-	1	1	1	-	-	2	1	3	-
149 Other Dis. of Locomotor Sys. (148)	2	-	-	-	-	1	-	-	-	-	-	1	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	319	277	23	8	3	6	2	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth - - -	1,344	1344	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	1,059	1059	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	237	237	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (*a*) Senile Dementia - - -	27	-	-	-	-	-	-	-	1	-	12	14	-
(*b*) Senile Decay - - -	1,488	-	-	-	-	-	-	-	-	-	312	1176	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	208	-	-	-	2	18	26	40	57	27	33	5	-
164 Poisoning by Food - - -	13	-	2	3	1	3	1	-	-	1	2	-	-
165 Other Accidental Poisonings -	31	-	3	1	-	4	4	6	8	4	2	-	-
167 Burns and Scalds (166) - -	171	8	91	6	2	12	12	8	15	8	6	3	-
168 Exposure to Poisonous Vapours -	16	-	-	-	-	2	2	4	-	5	1	1	-
169 Drowning - - - - -	460	2	29	24	15	75	78	80	64	54	25	9	5
170 Accidents with Fire Arms - -	17	-	-	-	1	5	3	5	1	2	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	96	-	3	3	-	10	12	17	20	13	14	4	-
173 (*a*) Accidents in Coal Mines -	131	-	-	-	3	39	45	21	18	5	-	-	-
(*b*) Accidents in Other Mines -	3	-	-	-	-	1	-	1	1	-	-	-	-
(*c*) Accidents in Quarries	3	-	-	-	-	-	-	1	2	-	-	-	-
174 Accidents with Machinery - -	29	-	-	-	1	16	2	6	3	-	1	-	-
175 (*a*) Accidents on Railways - -	146	-	-	2	5	27	30	24	29	16	10	3	-
(*b*) Acc. with Horses and Vehicles	33	-	3	4	-	3	3	6	3	5	5	1	-
(*c*) Accidents with Motor Vehicles	24	-	-	5	2	2	3	5	4	2	1	-	-
(*d*) Accidents with Tramways -	7	-	2	-	-	-	1	-	2	-	1	1	-
(*e*) Other Crushing Accidents -	16	-	-	1	1	1	1	3	3	5	1	-	-
177 Hunger - - - - - -	2	1	-	-	-	-	-	-	1	-	-	-	-
180 Weather Agencies (178, 179)	40	-	-	-	1	1	3	5	6	11	7	6	-
186 (*a*) Overlaying - - - -	50	50	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	64	29	6	2	-	2	4	7	6	2	4	2	-
(*c*) Other Accidents (176, 181, 185)	673	6	30	40	22	92	92	105	95	82	66	43	-
184 Homicide (182, 183) - - -	7	3	-	2	-	1	-	1	-	-	-	-	-
190 Execution - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - - - -	17	-	-	-	1	-	-	-	2	3	3	8	-
188 (*a*) Syncope - - - -	127	6	2	2	-	1	8	14	12	32	37	13	-
(*b*) Sudden Death (not otherwise defined)	29	7	-	-	-	-	1	2	4	8	5	2	-
189 (*a*) Heart Failure - - -	446	14	2	2	1	4	15	31	63	79	128	107	-
(*c*) Teething - - - -	4	2	2	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	74	1	40	1	1	-	-	1	5	17	8	-	-
(*f*) Dis. not Specified, Nat. Causes	331	90	24	2	7	6	6	24	30	30	53	58	1

Causes of Death in SCOTLAND in 1913—Females.

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes – – – – – –	36565	5740	3456	917	619	1682	2048	2528	3034	4120	5817	6604	–
I. GENERAL DISEASES.													
1 Enteric Fever – – – – –	76	1	1	7	7	19	21	12	2	5	1	–	–
2 Typhus Fever – – – – –	5	–	–	–	–	1	–	2	1	1	–	–	–
4 Malaria – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
5 (*a*) (*b*) Smallpox (*c*) Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Smallpox Unvaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles – – – – – –	629	141	438	35	7	4	2	2	–	–	–	–	–
7 Scarlet Fever – – – –	312	7	137	98	32	20	8	9	1	–	–	–	–
8 Whooping-cough – – –	944	419	492	32	–	1	–	–	–	–	–	–	–
9 (*a*) Diphtheria – – – –	388	36	207	103	25	11	3	1	2	–	–	–	–
(*c*) Croup, Membr. Laryngitis (*b*)	19	6	10	3	–	–	–	–	–	–	–	–	–
10 Influenza – – – – – –	170	5	2	–	4	1	5	5	8	15	45	80	–
13 Cholera Nostras – – – –	1	–	–	–	–	–	–	–	–	–	1	–	–
14 Dysentery – – – – – –	2	–	1	–	–	–	–	–	–	–	–	1	–
18 Erysipelas – – – – – –	91	12	–	1	–	1	7	9	11	19	14	17	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	13	2	5	1	2	2	–	–	1	–	–	–	–
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	44	4	4	6	1	5	8	6	1	1	6	2	–
(*c*) Vaccinia – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders – – – – – –	1	–	–	–	–	1	–	–	–	–	–	–	–
22 Anthrax – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia – –	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus – – – – – –	10	1	–	2	1	–	1	1	3	–	1	–	–
28 Pulmonary Tuberculosis, Phthisis	2,416	9	39	57	132	638	647	470	232	132	46	14	–
29 (*a*) Acute Phthisis – – –	90	1	2	1	13	27	22	12	6	3	3	–	–
(*b*) Acute Miliary Tuberculosis –	51	4	15	9	2	7	6	3	3	1	1	–	–
30 Tuberculous Meningitis – –	502	106	218	86	42	30	11	6	3	–	–	–	–
31 Abdominal Tuberculosis – –	423	68	135	59	26	58	28	29	8	9	2	1	–
32 Tuberculosis of Spine – – –	77	–	5	12	9	20	11	7	6	2	4	1	–
33 Tuberculosis of Joints + –	29	–	2	4	2	5	3	3	3	3	4	–	–
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	295	27	47	21	31	48	35	29	20	16	18	3	–
36 Rickets, Osteomalacia – –	19	9	10	–	–	–	–	–	–	–	–	–	–
37 Syphilis – – – – – –	91	67	8	1	–	–	3	4	3	5	–	–	–
38 Other Venereal Diseases – –	2	2	–	–	–	–	–	–	–	–	–	–	–
45 (*a*) Carcinoma – – } 39-44	1,827	–	1	1	–	4	44	154	379	499	471	274	–
(*b*) Sarcoma – – } 39-44	112	2	2	3	3	9	7	15	25	18	18	10	–
(*c*) Malignant Disease, other or not defined } 39-44	1,136	1	1	1	–	–	29	97	180	305	332	190	–
46 Other Tumours (Situation undefined)	34	–	–	–	–	2	3	4	4	8	8	5	–
47 Rheumatic Fever – – –	129	–	5	8	14	37	19	16	16	6	6	2	–
48 (*a*) Chronic Rheumatism – –	66	–	–	–	–	–	1	2	5	19	18	21	–
(*b*) Osteo-arthritis – – –	59	–	–	–	–	1	–	–	4	17	18	19	–
(*c*) Gout – – – – – –	1	–	–	–	–	–	–	–	–	–	–	1	–
49 Scurvy – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
50 Diabetes – – – – – –	228	–	–	1	5	17	12	16	44	58	52	23	–
51 Exophthalmic Goitre – – –	43	–	–	–	–	6	11	6	7	10	3	–	–
52 Addison's Disease – – –	18	–	–	–	1	–	1	6	7	1	2	–	–
53 (*a*) Leucocythæmia – – –	22	–	–	–	1	–	2	4	8	5	2	–	–
(*b*) Lymphadenoma – – –	17	–	–	2	–	3	2	3	1	3	3	–	–
54 Anæmia, Chlorosis – – –	273	2	4	3	1	10	24	41	60	64	50	14	–
55 (*b*) Purpura – – – – –	21	3	7	1	1	2	–	1	1	1	3	1	–
(*c*) Hæmophilia – – – –	4	1	2	–	1	–	–	–	–	–	–	–	–
(*d*) Other General Diseases (*a*) –	4	–	–	1	–	–	1	–	2	–	–	–	–
56 Alcoholism – – – – –	64	–	–	–	–	–	3	19	17	12	11	2	–
57 Chronic Lead Poisoning – –	–	–	–	–	–	–	–	–	–	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings – –	1	–	–	–	–	–	1	–	–	–	–	–	–

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	24	3	4	1	-	2	3	3	2	2	3	1	-
61 (*a*) Cerebro-spinal Meningitis	21	2	12	3	-	1	2	-	1	-	-	..	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	444	157	139	45	25	22	15	14	14	8	4	1	-
62 Locomotor Ataxy	14	-	-	-	-	-	-	4	5	2	3	-	-
63 Other Diseases of Spinal Cord	141	1	3	-	3	6	11	17	21	30	38	11	-
64 Cerebral Hæmorrhage, Apoplexy	2,561	6	1	2	2	8	19	94	281	549	849	750	-
65 Softening of Brain	203	-	1	1	-	-	2	7	15	30	72	75	-
66 (*a*) Hemiplegia	365	-	1	-	1	2	2	9	22	66	136	126	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	56	-	1	1	-	2	1	-	7	9	20	15	-
67 General Paralysis of Insane	56	-	-	-	-	2	10	13	18	8	2	3	-
68 Other Insanity	121	-	-	-	-	3	11	28	20	29	20	10	-
69 Epilepsy	110	3	4	7	6	8	15	22	15	16	8	6	-
71 Convulsions (not Puerperal) (70)	339	243	86	4	1	2	3	-	-	-	-	-	-
72 Chorea	14	-	-	-	1	2	-	1	2	1	5	1	-
73 Neuralgia, Neuritis	53	-	-	-	-	-	4	14	16	7	6	6	-
74 (*c*) Cerebral Tumour	93	1	5	5	2	12	7	20	20	10	8	3	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	44	1	5	1	-	4	2	6	4	8	9	4	-
75 Diseases of Eye and Annexa	1	-	..	-	-	..	-	-	-	-	1	-	-
76 (*a*) Mastoid Disease	22	3	5	2	3	2	2	1	1	-	3	-	-
(*b*) Diseases of Ear	54	9	11	6	5	12	1	2	3	4	-	1	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	25	2	1	-	4	3	1	3	6	2	1	2	-
78 Acute Endocarditis	84	-	1	6	7	20	19	16	7	5	3	-	-
79 (*a*) Valvular Disease	1,538	-	6	12	27	65	83	157	234	273	378	303	-
(*b*) Fatty Degeneration of Heart	206	-	-	-	-	1	4	14	26	48	64	49	-
(*c*) Other Organic Diseases of Heart	1,663	7	2	6	16	33	38	102	180	295	535	449	-
80 Angina Pectoris	88	-	-	-	-	1	-	3	7	19	35	23	-
81 (*a*) Aneurysm	31	-	-	-	2	-	-	2	6	13	4	4	-
(*b*) Arterio-sclerosis	215	-	-	-	-	-	-	1	5	18	90	101	-
(*c*) Other Diseases of Arteries	3	-	-	-	-	-	-	-	1	1	-	1	-
82 (*a*) Cerebral Embolism, Thrombosis	294	-	-	-	-	5	12	13	17	61	84	102	-
(*b*) Embolism and Thrombosis, not Cerebral	47	-	-	-	-	3	2	9	11	9	8	5	-
83 Diseases of Veins	22	-	-	-	-	-	1	2	5	10	1	3	-
84 (*a*) Lymphatism, Status Lymphaticus	5	4	1	-	-	-	-	-	..	-	-	-	-
(*b*) Other Dis. of Lymphatic System	12	4	4	1	-	-	1	-	-	-	1	1	-
85 Hæmorrhage, Other Diseases of Circulatory System	5	-	-	1	-	-	1	-	-	-	2	1	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	7	4	1	-	-	-	1	-	-	1	-	-	-
87 (*b*) Laryngitis	37	9	18	4	1	1	1	-	-	1	1	1	-
(*c*) Other Diseases of Larynx (*a*)	15	6	5	2	-	-	1	1	-	-	-	-	-
88 Diseases of Thyroid	27	-	1	-	-	-	2	2	5	6	7	4	-
90 Bronchitis (89)	2,418	356	132	13	8	15	20	56	148	341	591	738	-
91 Broncho-pneumonia	1,027	390	353	34	4	11	18	20	27	42	53	75	-
92 Pneumonia	1,317	168	211	33	12	52	75	119	109	163	194	181	-
93 Pleurisy	121	7	12	4	5	5	7	12	18	17	19	15	-
94 (*a*) Pulmonary Apoplexy	5	-	..	-	-	1	-	2	-	1	1	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	243	45	21	-	-	2	4	10	10	19	58	74	-
95 Gangrene of Lung	3	-	1	-	-	-	-	-	1	-	1	-	-
96 Asthma	35	-	-	-	-	-	1	2	8	10	6	8	-
97 Pulmonary Emphysema	11	-	-	-	-	-	-	2	-	2	4	3	-
98 (*a*) Fibroid Diseases of Lung	8	-	-	-	-	1	-	1	1	2	1	2	-
(*b*) Other Diseases of Respiratory System	13	2	-	-	-	1	1	2	-	3	4	-	-

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	14	5	4	–	–	–	1	–	1	–	2	1	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	44	13	11	6	4	2	–	2	2	2	1	1	–
102 Gastric Ulcer – – – –	174	–	–	1	1	12	34	39	23	33	19	12	–
103 Other Dis. of Stomach. Gastritis	300	80	32	6	2	7	8	19	18	29	52	47	–
104 Diarrhœa, Enteritis (under 2 years)	955	763	192	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	301	–	47	22	13	8	10	25	27	40	53	56	–
107 Intestinal Parasites (106) – –	2	–	2	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	208	2	10	31	31	42	28	20	22	16	5	1	–
109 (*a*) Hernia – – – – –	70	3	–	–	–	–	3	5	14	13	18	14	–
(*b*) Intestinal Obstruction – –	156	29	4	5	3	5	7	9	14	26	31	23	–
110 Other Diseases of Intestine – –	98	5	4	–	–	7	16	14	14	13	13	12	–
111 Acute Yellow Atrophy of Liver –	2	–	–	–	–	–	1	1	–	–	–	–	–
112 Hydatids of Liver – – –	1	–	–	–	–	–	–	–	1	–	–	–	–
113 Cirrhosis of Liver – – –	90	–	1	–	1	1	4	13	22	25	15	8	–
114 Gallstones – – – – –	76	–	–	–	–	1	1	3	18	24	17	12	–
115 Other Diseases of Liver – –	129	1	4	–	2	2	5	7	23	22	34	29	–
116 Diseases of Spleen – – –	8	–	–	–	–	1	1	1	4	1	–	–	–
117 Peritonitis, cause not specified –	79	9	3	11	6	6	8	10	7	14	2	3	–
118 Other Diseases of Digestive System	11	–	–	–	–	1	3	1	–	4	–	2	–
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis – – –	176	4	24	11	5	24	21	23	21	24	13	6	–
120 (*a*) Bright's Disease – – –	740	–	3	3	5	22	55	108	148	163	170	63	–
(*b*) Uræmia – – – – –	54	–	1	–	–	4	4	8	12	3	10	12	–
122 Other Dis. of Kidney, Chyluria (121)	41	–	1	–	–	5	6	8	6	8	6	1	–
123 Urinary Calculus – – –	11	–	–	–	–	–	3	1	5	1	–	1	–
124 Diseases of Bladder – – –	51	2	–	1	1	–	1	6	6	5	13	16	–
125 Dis. of Urethra, Urinary Abscess	1	–	–	–	–	–	–	–	–	–	–	1	–
126 Diseases of Prostate – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	–	–	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	9	–	–	–	–	–	3	5	1	–	–	–	–
129 Uterine Tumour (non-Cancerous)	56	–	–	–	–	–	3	12	22	12	4	3	–
130 Other Diseases of Uterus – –	40	–	–	–	–	3	6	17	9	1	1	3	–
131 Cysts, and Other Tumours of Ovary	49	–	–	–	–	1	6	4	16	10	7	5	–
132 Other Dis. of Female Genit. Organs	37	–	2	–	–	6	14	11	2	1	1	–	–
133 Non-Puerperal Diseases of Breast	4	–	–	–	–	–	1	1	–	–	1	1	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage – –	45	–	–	–	–	3	18	24	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	20	–	–	–	–	3	7	9	1	–	–	–	–
(*d*) Ectopic Gestation – –	13	–	–	–	–	2	7	4	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	16	–	–	–	–	4	4	8	–	–	–	–	–
135 Puerperal Hæmorrhage – –	115	–	–	–	–	16	47	50	2	–	–	–	–
136 Other Accidents of Childbirth –	123	–	–	–	–	16	64	42	1	–	–	–	–
137 Puerperal Sepsis – – –	160	–	–	–	–	33	82	45	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	134	–	–	–	–	52	58	22	2	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	41	–	–	–	–	3	26	12	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	9	–	–	–	–	1	6	2	–	–	–	–	–
(*b*) Other Puerperal Diseases –	30	–	–	–	–	6	10	13	1	–	–	–	–
141 Puerperal Diseases of Breast –	2	–	–	–	–	2	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene – – –	124	–	–	–	–	–	–	–	–	1	46	77	–
(*b*) Noma, Cancrum Oris – –	6	–	4	1	–	–	1	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	24	3	1	–	1	1	1	1	8	8	–	–	–
143 Carbuncle, Boil – – – –	13	1	–	–	–	–	1	–	1	4	4	2	–
144 Phlegmon, Acute Abscess – –	61	11	2	2	4	3	4	5	4	9	11	6	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	43	8	2	–	–	2	3	1	4	3	7	13	–

	All Ages.	Age -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	36	5	8	4	8	–	1	4	1	1	4	–	–
147 Diseases of Joints – – –	7	1	–	–	1	–	–	1	–	–	4	–	–
149 Other Dis. of Locomotor Syst. (148)	3	1	1	–	–	–	–	–	–	–	1	–	–
X. MALFORMATIONS.													
150 Congenital Malformations – –	280	246	21	7	2	1	1	2	–	–	–	–	–
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth – – –	1041	1041	–	–	–	–	–	–	–	–	–	–	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	765	765	–	–	–	–	–	–	–	–	–	–	–
152 Other Diseases peculiar to Early Infancy	173	173	–	–	–	–	–	–	–	–	–	–	–
153 Lack of Care – – – –	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.													
154 (*a*) Senile Dementia – – –	50	–	–	–	–	–	–	–	–	–	17	33	–
(*b*) Senile Decay – – –	2366	–	–	–	–	–	–	–	–	–	442	1924	–
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) – – –	69	–	–	–	–	8	8	22	11	9	10	1	–
164 Poisoning by Food – – –	12	–	3	6	1	–	–	–	–	1	–	1	–
165 Other Accidental Poisonings –	23	–	3	1	–	2	7	3	4	1	3	–	–
167 Burns and Scalds (166) – –	233	11	102	13	13	18	5	1	10	13	30	17	–
168 Exposure to Poisonous Vapours –	10	–	–	–	–	2	2	1	1	–	3	–	–
169 Drowning – – – – –	97	2	7	3	1	22	9	14	18	10	7	4	–
170 Accidents with Fire Arms – –	1	–	–	–	–	–	–	–	1	–	–	–	–
171 Accidents with Instruments and Weapons	1	–	1	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls – – –	38	1	3	3	2	1	2	1	3	6	4	12	–
173 (*a*) Accidents in Coal Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Accidents in Other Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries – –	–	–	–	–	–	–	–	–	–	–	–	–	–
174 Accidents with Machinery – –	–	–	–	–	–	–	–	–	–	–	–	–	–
175 (*a*) Accidents on Railways – –	12	–	1	1	–	–	4	1	1	3	1	–	–
(*b*) Acc. with Horses and Vehicles	7	–	3	2	–	–	–	–	–	–	1	1	–
(*c*) Accidents with Motor Vehicles	8	–	3	2	–	–	–	1	–	1	–	1	–
(*d*) Accidents with Tramways –	6	–	3	1	–	–	–	–	–	2	–	–	–
(*e*) Other Crushing Accidents –	1	–	–	–	–	–	–	1	–	–	–	–	–
177 Hunger – – – – –	1	–	–	–	–	–	–	–	–	1	–	–	–
180 Weather Agencies (178, 179) –	17	2	–	1	–	–	1	2	4	4	1	2	–
186 (*a*) Overlaying – – – –	39	38	1	–	–	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise) – –	65	41	2	2	–	1	–	5	7	4	3	–	–
(*c*) Other Accidents (176, 181, 185)	241	4	15	11	7	9	2	8	17	27	46	95	–
184 Homicide (182, 183) – – –	2	–	–	–	1	1	–	–	–	–	–	–	–
190 Execution – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.													
187 Dropsy – – – – – –	12	–	1	–	–	–	–	–	1	1	3	6	–
188 (*a*) Syncope – – – –	133	5	–	1	–	1	4	12	18	21	39	32	–
(*b*) Sudden Death (not otherwise defined)	16	4	–	–	–	–	1	–	1	2	3	5	–
189 (*a*) Heart Failure – – –	426	9	2	1	1	5	14	21	48	57	127	141	–
(*c*) Teething – – – –	7	2	5	–	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	91	4	51	2	1	–	–	1	7	23	–	2	–
(*f*) Dis. not Specified, Nat. Causes	289	76	18	3	4	4	11	16	25	39	36	57	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1913.

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
All Causes	73,069	4,880	1,085	3,729	808	413	268	563	476	1,949	1,207	7,412	639	3,749	4,611	580	1,383
I. GENERAL DISEASES.																	
1 Enteric Fever	171	15	4	7	–	1	2	–	–	16	3	14	2	9	8	1	2
2 Typhus Fever	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Malaria	5	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–
5 Small-pox (a) Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Small-pox (b) Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Small-pox (c) Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	1,329	151	4	18	12	1	–	7	–	29	12	98	5	31	50	10	3
7 Scarlet Fever	591	52	4	42	13	1	1	3	8	6	2	77	3	33	37	5	3
8 Whooping-Cough	1,819	49	8	38	3	5	4	8	2	59	10	219	8	70	19	16	27
9 (a) Diphtheria	763	136	7	17	3	1	–	4	5	22	14	52	5	38	55	10	23
(c) Croup, Membranous Laryngitis (b)	31	–	–	3	–	–	–	–	–	–	1	2	–	5	–	–	1
10 Influenza	278	23	8	10	5	3	–	–	2	8	5	30	4	10	7	2	34
13 Cholera Nostras	4	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
14 Dysentery	4	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–
18 Erysipelas	179	14	1	10	–	–	1	3	–	4	5	14	1	8	8	2	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	25	3	–	2	–	–	–	–	1	1	–	4	–	2	1	–	1
20 (a) Pyæmia, Septicæmia (not Puerperal (b)	106	11	2	6	2	1	–	2	–	1	4	10	–	2	5	1	1
(c) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	23	1	1	3	–	–	–	–	–	–	1	3	1	2	1	1	–
28 Pulmonary Tuberculosis, Phthisis	4,930	259	72	228	50	25	11	30	31	132	85	537	35	194	274	31	122
29 (a) Acute Phthisis	173	7	2	14	3	1	2	4	3	4	3	17	–	9	7	4	3
(b) Acute Miliary Tuberculosis	84	5	1	1	–	1	–	2	–	2	–	16	–	5	6	–	4
30 Tuberculous Meningitis	1,093	68	11	49	9	4	3	3	4	37	18	116	9	67	70	6	2
31 Abdominal Tuberculosis	885	48	5	42	5	2	2	3	10	32	13	66	8	61	62	6	7
32 Tuberculosis of Spine	146	10	4	8	2	1	–	1	1	6	1	13	1	6	8	2	1
33 Tuberculosis of Joints	61	2	1	2	2	–	–	–	–	1	–	9	–	1	3	2	–
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	633	34	13	32	10	2	2	5	3	11	17	62	5	28	45	1	7

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1913.

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
All Causes	603	114	548	24,612	1,024	121	370	194	1,777	4,383	1,145	676	319	456	2,228	311	436
I. GENERAL DISEASES.																	
1 Enteric Fever	–	–	–	45	3	–	1	–	9	13	4	1	–	1	10	–	–
2 Typhus Fever	–	–	–	6	–	–	–	–	–	–	1	–	–	–	–	–	–
4 Malaria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
5 Small-pox (a) Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Small-pox (b) Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Small-pox (c) Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	19	–	2	727	15	–	–	1	2	87	1	3	–	2	39	–	–
7 Scarlet Fever	4	1	–	206	16	–	2	–	3	29	1	1	4	–	26	–	8
8 Whooping Cough	4	–	3	1009	26	–	3	–	14	139	1	10	1	1	61	2	–
9 (a) Diphtheria	4	1	–	267	17	1	–	2	12	25	1	3	4	9	24	1	–
(c) Croup, Membranous Laryngitis (b)	1	–	–	13	–	–	–	1	–	2	2	–	–	–	–	–	–
10 Influenza	2	–	–	51	9	–	7	3	5	12	18	2	–	4	10	4	–
13 Cholera Nostras	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
14 Dysentery	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Erysipelas	2	–	–	76	3	–	–	–	1	15	1	3	–	–	3	2	2
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	–	–	–	4	–	–	1	–	–	–	–	–	–	–	3	–	2
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	–	–	2	27	2	–	2	–	3	13	3	–	–	2	2	1	1
(c) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	–	–	–	6	2	–	–	1	–	–	–	–	–	–	–	–	–
28 Pulmonary Tuberculosis, Phthisis	35	7	38	1846	55	2	19	11	111	327	83	40	18	35	150	18	19
29 (a) Acute Phthisis	2	–	2	56	5	–	–	1	1	7	2	2	–	3	5	3	1
(b) Acute Miliary Tuberculosis	1	–	–	29	–	–	–	–	–	6	–	1	–	–	2	1	1
30 Tuberculous Meningitis	5	4	5	438	8	–	3	1	16	73	12	4	7	2	30	5	4
31 Abdominal Tuberculosis	–	1	8	333	26	–	2	–	9	66	6	11	2	1	43	2	3
32 Tuberculosis of Spine	1	1	–	54	–	–	–	–	–	12	4	1	1	1	4	2	–
33 Tuberculosis of Joints	1	–	1	21	1	–	–	–	1	6	1	1	–	1	4	–	–
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	6	2	6	227	11	1	7	–	13	46	7	7	3	1	12	4	3

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
I. General Diseases—*continued.*																	
36 Rickets, Osteomalacia	50	7	–	3	1	1	–	–	–	–	–	6	–	2	5	–	2
37 Syphilis	213	21	1	7	2	1	–	–	–	7	1	32	–	7	19	1	5
38 Other Venereal Diseases	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45 (*a*) Carcinoma (39-44)	3017	201	47	177	27	20	10	25	22	86	32	382	32	178	222	30	58
(*b*) Sarcoma (39-44)	232	24	–	11	4	1	–	1	2	4	3	20	1	16	18	1	8
(*c*) Malignant Dis., other or not def. (39-44)	1963	152	43	102	41	20	17	18	19	49	39	204	26	125	131	11	42
46 Other Tumours (Situation undefined)	54	5	2	2	1	–	–	–	–	1	–	13	–	2	2	1	1
47 Rheumatic Fever	234	12	1	14	2	–	–	5	–	7	7	23	1	8	13	1	8
48 (*a*) Chronic Rheumatism	111	2	2	2	1	2	1	4	1	3	2	8	1	7	2	1	2
(*b*) Osteo-arthritis	87	8	4	1	3	3	–	–	1	2	2	11	–	5	5	1	3
(*c*) Gout	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
49 Scurvy	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
50 Diabetes	455	22	11	31	2	2	3	5	8	11	6	42	5	21	20	6	10
51 Exophthalmic Goitre	46	2	2	2	–	–	–	–	–	1	–	8	–	2	–	2	1
52 Addison's Disease	33	2	–	1	1	–	–	1	–	2	–	3	1	1	1	1	1
53 (*a*) Leucocythæmia	46	4	–	1	–	1	1	–	–	1	2	5	1	–	3	–	1
(*b*) Lymphadenoma	36	1	–	3	–	–	–	–	–	1	1	2	–	1	4	–	1
54 Anæmia, Chlorosis	437	18	4	33	6	5	2	2	3	10	10	65	4	22	27	4	5
55 (*b*) Purpura	46	2	–	1	1	–	–	1	1	2	–	4	1	5	4	–	1
(*c*) Hæmophilia	10	–	–	1	–	–	–	–	–	–	–	3	–	3	–	–	–
(*d*) Other General Diseases (*a*)	7	1	–	1	–	–	–	–	–	1	–	–	–	1	1	–	1
56 Alcoholism	175	10	3	7	2	2	1	–	1	2	2	27	1	11	14	–	2
57 Chronic Lead Poisoning	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
I. General Diseases—*continued.*																	
36 Rickets, Osteomalacia	–	–	–	17	1	–	–	–	2	1	–	–	–	–	2	–	–
37 Syphilis	2	–	2	80	–	–	–	–	2	11	–	–	–	–	9	–	3
38 Other Venereal Diseases	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–
45 (*a*) Carcinoma } (39-44)	18	5	27	885	35	1	11	14	97	166	40	29	11	13	88	13	15
(*b*) Sarcoma } (39-44)	1	1	4	72	6	2	1	1	5	7	2	2	1	–	11	–	2
(*c*) Malignant Dis., other or not def. } (39-44)	22	7	26	474	16	9	12	12	52	98	49	24	27	15	49	13	19
46 Other Tumours (Situation undefined)	1	–	–	13	2	1	–	–	–	3	2	–	–	–	2	–	–
47 Rheumatic Fever	2	–	2	85	4	–	1	–	2	21	1	1	1	1	9	1	1
48 (*a*) Chronic Rheumatism	1	–	1	33	–	–	–	–	3	9	12	2	1	1	4	–	3
(*b*) Osteo-arthritis	1	–	1	19	1	–	1	–	4	2	2	–	1	–	3	1	2
(*c*) Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49 Scurvy	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
50 Diabetes	4	1	9	143	6	–	4	–	14	25	11	6	1	–	20	2	4
51 Exophthalmic Goitre	–	–	–	11	–	–	–	1	2	4	–	3	2	–	2	–	1
52 Addison's Disease	–	–	–	9	–	1	–	–	1	3	1	–	–	1	2	–	–
53 (*a*) Leucocythæmia	–	–	–	20	–	–	–	–	1	1	2	–	–	–	1	–	1
(*b*) Lymphadenoma	2	–	1	10	–	1	–	–	1	5	1	1	–	–	–	–	–
54 Anæmia, Chlorosis	3	1	8	109	2	–	6	1	12	28	7	10	3	4	18	1	4
55 (*b*) Purpura	1	–	–	14	–	–	1	–	–	5	1	–	–	–	–	–	1
(*c*) Hæmophilia	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other General Diseases (*a*)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
56 Alcoholism	–	1	1	66	–	–	–	1	4	6	–	–	–	–	8	–	3
57 Chronic Lead Poisoning	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	51	3	–	2	1	–	–	–	–	–	–	5	–	5	7	–	1
61 (*a*) Cerebro-spinal Meningitis	66	–	–	4	–	–	–	–	–	1	2	4	–	5	1	–	1
(*c*) Meningitis, Basal, Nature unspecified (*b*)	970	30	8	58	12	4	3	5	10	62	13	59	8	48	48	10	12
62 Locomotor Ataxy	88	3	3	4	–	–	–	1	–	1	1	11	1	3	9	2	1
63 Other Diseases of Spinal Cord	323	28	6	10	7	1	2	–	1	9	6	32	5	13	28	4	9
64 Cerebral Hæmorrhage, Apoplexy	4,520	299	76	244	43	42	35	40	47	122	91	534	44	240	304	35	57
65 Softening of Brain	359	8	7	17	8	4	–	4	4	10	11	42	–	13	47	3	5
66 (*a*) Hemiplegia	613	48	21	36	9	3	6	11	1	12	13	63	8	9	59	8	15
(*c*) Paralysis, Cause or Nature unspecified (*b*)	120	9	1	4	–	–	–	3	2	4	–	7	1	4	5	–	2
67 General Paralysis of Insane	264	10	5	12	–	2	2	2	2	7	7	53	1	10	17	–	4
68 Other Insanity	186	18	2	13	2	–	2	3	1	1	2	7	2	15	10	2	10
69 Epilepsy	259	17	6	13	2	1	1	3	2	6	6	27	3	13	15	1	3
71 Convulsions (not Puerperal) (70)	740	92	3	34	8	5	1	6	2	24	14	59	5	29	28	8	10
72 Chorea	17	2	–	–	1	–	1	–	–	–	–	1	–	4	1	–	–
73 Neuralgia, Neuritis	82	2	2	4	–	–	2	–	3	1	2	7	–	3	6	1	1
74 (*c*) Cerebral Tumour	189	16	4	13	3	4	–	2	2	3	2	16	1	8	11	4	4
(*d*) Other Diseases of Nervous System (*a*, *b*)	94	7	1	7	4	–	1	–	–	4	–	12	1	7	9	–	2
75 Diseases of Eye and Annexa	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
76 (*a*) Mastoid Disease	35	2	–	–	–	–	–	–	–	1	–	3	–	1	3	–	–
(*b*) Diseases of Ear	130	13	2	6	1	–	–	–	–	6	–	12	1	7	10	2	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	1	–	–	11	1	–	–	–	4	3	3	–	–	–	3	1	–
61 (*a*) Cerebro-spinal Meningitis	–	–	–	40	2	–	–	–	–	2	2	–	–	–	1	1	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	5	–	6	381	19	1	4	1	13	86	9	8	3	1	35	2	6
62 Locomotor Ataxy	–	–	–	33	–	1	–	1	2	4	2	2	1	1	1	–	–
63 Other Diseases of Spinal Cord	2	–	4	86	2	–	5	2	21	21	3	5	2	3	5	–	1
64 Cerebral Hæmorrhage, Apoplexy	45	8	36	1,282	48	9	28	17	153	290	55	56	31	20	122	22	45
65 Softening of Brain	4	–	3	102	5	–	–	–	13	13	3	9	5	1	15	1	2
66 (*a*) Hemiplegia	5	2	10	156	7	1	3	2	14	34	16	6	5	18	9	–	3
(*c*) Paralysis, Cause or Nature unspecified (*b*)	1	–	1	42	1	–	3	–	3	6	10	3	1	2	3	1	1
67 General Paralysis of Insane	2	1	2	88	2	1	1	1	5	18	3	2	1	1	2	–	–
68 Other Insanity	5	–	1	51	2	2	1	–	7	17	3	–	1	4	–	1	1
69 Epilepsy	2	–	3	79	9	–	1	1	8	18	4	1	–	1	8	1	4
71 Convulsions (not Puerperal) (70)	6	–	5	284	12	2	–	2	8	38	13	6	5	1	25	3	2
72 Chorea	–	–	–	4	–	–	–	–	3	–	–	–	–	–	–	–	–
73 Neuralgia, Neuritis	1	–	–	36	1	–	1	–	2	1	2	–	–	2	1	–	1
74 (*c*) Cerebral Tumour	1	–	5	58	3	1	–	1	7	8	3	3	1	1	3	–	1
(*d*) Other Diseases of Nervous System (*a*, *b*)	–	–	1	17	1	–	–	–	2	4	3	1	1	3	6	–	–
75 Diseases of Eye and Annexa	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
76 (*a*) Mastoid Disease	–	–	–	20	–	–	–	–	–	4	–	–	–	–	–	–	1
(*b*) Diseases of Ear	1	–	1	51	3	–	–	1	–	11	–	1	–	–	1	–	–

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
III. DISEASES OF CIRCULATORY SYSTEM.																	
77 Pericarditis	51	4	4	1	–	1	–	–	1	1	–	7	–	–	2	1	–
78 Acute Endocarditis	143	5	–	7	–	–	–	–	–	7	2	11	–	4	9	1	2
79 (*a*) Valvular Disease	2,749	189	55	144	14	25	4	27	25	61	60	341	27	136	227	29	56
(*b*) Fatty Degeneration of Heart	339	17	5	25	3	8	–	–	3	5	17	66	4	23	16	5	5
(*c*) Other Organic Diseases of Heart	3,104	231	48	156	66	25	11	25	24	83	54	335	41	212	213	46	66
80 Angina Pectoris	248	25	3	13	1	2	3	–	4	8	8	31	3	8	11	–	6
81 (*a*) Aneurysm	137	9	2	3	–	2	1	1	1	1	3	29	1	4	6	1	5
(*b*) Arterio-sclerosis	493	18	3	36	13	3	2	3	3	5	7	40	5	27	28	5	1
(*c*) Other Diseases of Arteries	10	–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–
82 (*a*) Cerebral Embolism, Thrombosis	477	33	7	26	6	1	–	4	6	10	13	76	5	26	55	7	11
(*b*) Embolism and Thrombosis, not Cerebral	81	2	1	6	2	1	–	–	–	3	1	11	3	5	6	–	1
83 Diseases of Veins	32	3	–	5	1	–	–	–	–	–	1	7	–	2	1	–	–
84 (*a*) Lymphatism, Status Lymphaticus	12	3	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	21	2	–	1	–	–	–	–	–	–	–	2	–	–	3	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	21	2	–	–	–	–	–	–	1	–	–	1	–	2	2	1	1
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86 Diseases of Nose	16	–	–	3	–	–	–	–	–	–	–	2	–	1	1	–	1
87 (*b*) Laryngitis	83	4	1	3	1	1	–	–	–	1	1	6	1	5	4	–	2
(*c*) Other Diseases of Larynx (*a*)	41	2	–	2	1	–	–	–	–	2	–	3	–	–	5	–	1
88 Diseases of Thyroid	29	2	–	2	–	–	1	–	–	1	1	7	1	1	1	–	–
90 Bronchitis (89)	4,662	290	69	226	59	14	22	33	38	108	64	450	29	214	331	34	67
91 Broncho-pneumonia	2,159	170	12	96	13	5	2	21	8	54	19	191	12	72	150	18	15
92 Pneumonia	3,392	224	37	157	32	17	14	13	15	80	48	370	29	161	197	16	58
93 Pleurisy	285	14	4	21	4	1	1	2	2	16	6	26	3	22	19	2	10
94 (*a*) Pulmonary Apoplexy	8	–	–	–	–	–	–	–	–	–	–	4	–	–	1	–	–
(*b*) Pulmonary Congestion (*c*, *d*)	424	31	7	25	1	2	1	–	1	14	4	47	–	15	15	3	5
95 Gangrene of Lung	17	2	1	2	–	–	–	–	–	–	–	3	–	–	2	–	–
96 Asthma	70	3	1	4	–	2	1	–	1	1	3	9	–	2	4	2	5
97 Pulmonary Emphysema	34	–	–	1	2	–	–	1	–	3	–	2	–	1	4	1	–
98 (*a*) Fibroid Diseases of Lung	44	–	1	5	1	–	–	–	–	–	–	8	3	3	3	–	–
(*b*) Other Diseases of Respiratory System	30	1	–	3	1	–	1	–	–	–	1	6	–	–	1	1	1

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
III. DISEASES OF CIRCULATORY SYSTEM.																	
77 Pericarditis	–	–	1	17	1	–	–	–	3	1	4	–	–	2	–	–	–
78 Acute Endocarditis	2	2	–	66	1	–	2	–	1	9	3	2	–	–	7	–	–
79 (*a*) Valvular Disease	19	3	28	729	38	7	21	7	81	162	48	29	12	10	93	18	24
(*b*) Fatty Degeneration of Heart	1	1	3	78	5	2	3	1	5	8	4	1	3	2	16	–	4
(*c*) Other Organic Diseases of Heart	33	5	35	732	54	2	14	4	131	169	32	50	13	31	114	19	30
80 Angina Pectoris	2	1	1	76	4	–	3	–	7	13	1	5	–	2	5	–	2
81 (*a*) Aneurysm	1	–	1	50	2	–	1	–	2	3	1	–	1	–	3	2	1
(*b*) Arterio-sclerosis	2	–	3	216	5	2	6	3	14	22	5	6	2	2	5	–	1
(*c*) Other Diseases of Arteries	–	–	–	1	–	–	–	–	1	1	–	–	–	–	1	2	–
82 (*a*) Cerebral Embolism, Thrombosis	3	–	7	102	2	–	2	1	22	21	4	4	4	1	8	2	8
(*b*) Embolism and Thrombosis, not Cerebral	1	–	4	22	3	–	–	–	3	3	–	–	1	–	1	1	–
83 Diseases of Veins	1	–	–	8	–	–	–	–	1	1	–	–	–	1	–	–	–
84 (*a*) Lymphatism, Status Lymphaticus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(*b*) Other Dis. of Lymphatic System	–	–	–	6	–	–	–	–	1	3	1	–	–	1	1	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	–	1	2	4	–	–	–	–	–	1	–	–	–	–	2	–	1
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86 Diseases of Nose	–	–	1	4	1	–	–	–	1	1	–	–	–	–	–	–	–
87 (*b*) Laryngitis	1	–	1	27	5	1	–	–	1	6	1	4	–	1	2	1	2
(*c*) Other Diseases of Larynx (*a*)	–	–	–	18	1	–	1	–	1	3	–	–	–	–	1	–	–
88 Diseases of Thyroid	1	–	–	5	–	–	–	–	–	1	1	–	–	2	1	1	–
90 Bronchitis (89)	39	7	39	1,699	61	5	29	7	121	293	78	37	17	29	126	8	19
91 Broncho-pneumonia	12	–	8	1,020	20	4	6	2	26	122	18	3	4	7	43	2	4
92 Pneumonia	24	4	18	1,354	20	3	6	6	59	203	56	27	12	8	95	9	20
93 Pleurisy	1	–	4	87	5	–	–	–	3	14	2	1	2	4	8	–	1
94 (*a*) Pulmonary Apoplexy	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Pulmonary Congestion (*c*, *d*)	5	1	3	159	9	1	3	2	19	21	6	2	3	1	15	–	3
95 Congestion of Lungs	–	–	–	6	–	–	–	–	1	–	–	–	–	–	–	–	–
96 Asthma	–	–	1	14	–	1	–	1	2	2	5	–	1	3	2	–	–
97 Pulmonary Emphysema	–	–	–	12	–	–	–	–	2	3	–	–	–	–	2	–	–
98 (*a*) Fibroid Diseases of Lung	–	–	2	10	3	–	–	–	–	1	–	1	1	1	1	–	–
(*b*) Other Diseases of Respiratory System	–	–	3	5	–	–	–	–	2	3	–	1	–	–	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth. Oral Sepsis	25	2	–	1	1	–	–	–	–	–	–	2	–	–	3	–	1
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	86	6	3	8	–	1	1	2	–	2	–	11	–	5	6	1	2
102 Gastric Ulcer	351	20	8	24	5	3	2	3	2	8	4	34	4	15	21	1	15
103 Other Diseases of Stomach. Gastritis	576	33	9	24	8	1	6	4	4	9	14	40	8	38	45	4	9
104 Diarrhœa, Enteritis (under 2 years)	2,103	103	11	106	17	3	3	10	7	68	20	158	12	109	193	16	8
105 Diarrhœa, Enteritis (over 2 years)	537	30	12	31	1	2	1	1	4	25	13	48	2	29	45	2	4
107 Intestinal Parasites (106) . .	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
108 Appendicitis, Typhlitis . . .	438	27	3	32	6	1	2	4	2	6	19	34	4	23	31	4	4
109 (*a*) Hernia	155	8	2	8	2	–	1	1	1	3	4	17	1	10	15	1	4
(*b*) Intestinal Obstruction . .	309	31	5	22	9	2	1	6	–	6	7	24	4	15	14	2	3
110 Other Diseases of Intestine . .	251	26	8	13	4	–	–	–	–	2	2	29	4	7	12	1	5
111 Acute Yellow Atrophy of Liver .	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
112 Hydatids of Liver	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver	256	11	5	15	4	2	1	–	3	3	6	37	3	18	11	3	4
114 Gallstones	108	14	1	8	1	2	1	–	2	–	1	9	1	7	1	–	–
115 Other Diseases of Liver . .	227	7	4	24	2	2	2	2	2	8	4	22	2	14	10	–	5
116 Diseases of Spleen	14	–	–	3	–	–	–	1	–	–	–	3	–	–	2	–	–
117 Peritonitis, cause not specified .	134	11	2	13	1	1	–	2	–	6	3	13	2	5	5	1	5
118 Other Diseases of Digestive System	24	2	–	3	–	–	–	–	–	–	–	3	2	2	–	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth. Oral Sepsis	–	–	–	9	–	1	–	–	–	4	–	–	–	–	1	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	–	–	–	23	3	–	–	–	–	5	3	–	2	–	1	1	–
102 Gastric Ulcer	2	1	3	105	3	1	–	2	11	25	9	6	1	2	5	5	1
103 Other Dis. of Stomach. Gastritis	7	–	5	188	7	1	3	1	13	37	12	6	4	3	28	1	4
104 Diarrhœa, Enteritis (under 2 years)	17	2	2	936	32	3	2	–	22	158	4	11	1	1	64	–	4
105 Diarrhœa, Enteritis (over 2 years)	1	3	4	185	8	–	3	1	14	28	3	5	2	3	19	–	8
107 Intestinal Parasites (106)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis	8	–	6	129	7	–	1	1	16	33	6	5	4	1	14	2	3
109 (*a*) Hernia	3	1	1	44	2	–	1	–	2	11	4	–	2	1	3	1	1
(*b*) Intestinal Obstruction	–	–	2	98	2	–	2	1	4	16	5	3	3	3	14	3	2
110 Other Diseases of Intestine	3	–	2	76	2	–	2	2	4	16	4	5	1	4	13	–	4
111 Acute Yellow Atrophy of Liver	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
112 Hydatids of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
113 Cirrhosis of Liver	1	3	4	71	2	1	–	3	10	16	1	4	2	1	9	1	1
114 Gallstones	–	–	1	36	2	1	–	–	1	7	1	3	1	–	5	–	2
115 Other Diseases of Liver	1	2	–	65	1	–	2	–	8	22	4	–	3	1	5	2	1
116 Diseases of Spleen	–	–	–	4	–	–	–	–	–	–	1	–	–	–	–	–	–
117 Peritonitis, cause not specified	–	–	1	41	3	–	–	–	4	4	2	2	–	–	6	–	1
118 Other Diseases of Digestive System	–	1	–	5	1	–	–	–	2	2	–	–	–	–	1	–	–

CAUSES OF DEATH IN THE **COUNTIES** OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
VI. DISEASES OF GENITO-URINARY SYSTEM.																	
119 Acute Nephritis	366	18	5	25	2	–	1	1	2	13	2	37	4	13	21	4	3
120 (*a*) Bright's Disease	1589	103	33	79	18	9	9	11	16	34	31	179	10	65	83	15	27
(*b*) Uræmia	130	8	2	4	2	3	–	1	1	3	6	17	1	5	8	1	4
122 Other Diseases of Kidney, Chyluria (121)	91	5	–	5	–	2	–	1	–	4	3	15	3	8	7	1	1
123 Urinary Calculus	29	2	–	2	–	–	–	–	–	–	–	8	–	–	1	–	2
124 Diseases of Bladder	212	15	1	18	6	–	1	2	4	7	11	14	2	17	11	2	8
125 Diseases of Urethra, Urinary Abscess	29	2	1	–	1	–	–	–	–	1	–	6	–	1	2	–	–
126 Diseases of Prostate	200	19	3	5	1	1	3	2	1	3	6	16	1	7	16	–	6
127 Diseases of Male Genital Organs (not Venereal)	13	1	–	1	–	–	–	–	–	–	–	3	–	1	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	9	1	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	56	5	–	4	–	–	–	–	–	2	2	7	–	6	–	2	3
130 Other Diseases of Uterus	40	–	–	4	–	–	–	–	–	1	–	3	–	4	4	1	1
131 Cysts, and Other Tumours of Ovary	49	1	2	4	3	–	–	1	–	1	–	5	–	5	4	–	2
132 Other Diseases of Female Genital Organs	37	3	–	3	1	–	–	1	–	–	–	2	–	2	2	–	2
133 Non-Puerperal Diseases of Breast	4	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																	
134 (*a*) Abortion, Miscarriage	45	2	–	3	1	–	1	–	–	1	1	1	1	3	2	1	1
(*c*) Uncontrollable Vomiting	20	2	–	3	–	–	–	–	–	1	1	1	–	2	2	–	1
(*d*) Ectopic Gestation	13	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	16	2	–	1	1	–	–	–	–	1	–	1	–	2	1	1	–
135 Puerperal Hæmorrhage	115	5	–	6	1	2	–	1	1	1	2	9	1	8	4	1	3
136 Other Accidents of Childbirth	123	7	2	7	1	–	–	1	1	5	–	11	–	3	9	1	–
137 Puerperal Sepsis	160	8	2	8	1	–	1	1	4	4	1	13	1	7	9	–	6
138 Puerperal Albuminuria, Convulsions	134	7	–	10	–	3	–	–	–	6	4	13	2	12	3	1	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	41	4	–	–	1	–	–	–	–	2	1	8	–	2	2	–	–
140 (*a*) Puerperal Insanity	9	–	1	2	–	–	–	–	–	–	–	1	–	–	–	1	–
(*b*) Other Puerperal Diseases	30	2	–	1	3	–	–	–	–	1	1	5	1	3	–	–	1
141 Puerperal Diseases of Breast	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
VI. DISEASES OF GENITO-URINARY SYSTEM.																	
119 Acute Nephritis	4	1	5	143	4	1	3	1	8	23	4	3	2	1	11	–	1
120 (*a*) Bright's Disease	11	2	14	554	19	3	5	8	42	83	35	23	9	7	34	6	12
(*b*) Uræmia	–	–	3	35	3	2	–	1	4	3	5	4	–	–	4	–	–
122 Other Diseases of Kidney, Chyluria (121)	2	–	1	24	–	–	–	–	2	4	1	–	–	–	–	–	2
123 Urinary Calculus	–	–	–	10	–	–	1	–	–	1	–	–	–	1	1	–	–
124 Diseases of Bladder	4	–	4	49	4	–	2	1	6	10	4	3	2	2	2	–	–
125 Diseases of Urethra, Urinary Abscess	–	–	–	10	–	–	–	–	–	3	–	–	–	–	2	–	–
126 Diseases of Prostate	1	1	–	57	1	–	–	2	14	16	5	4	1	4	1	1	2
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	4	–	–	–	–	–	1	–	1	–	–	1	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
129 Uterine Tumour (non-Cancerous)	1	–	–	18	–	1	–	–	–	2	1	1	–	–	–	1	–
130 Other Diseases of Uterus	–	–	–	18	–	1	–	–	–	2	–	–	–	–	1	–	–
131 Cysts, and Other Tumours of Ovary	1	–	–	11	–	1	–	1	1	3	–	1	1	–	1	–	–
132 Other Diseases of Female Genital Organs	–	–	1	14	2	–	–	–	1	2	–	–	–	–	1	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																	
134 (*a*) Abortion, Miscarriage	–	–	1	16	–	–	1	1	1	4	1	–	1	–	1	–	–
(*c*) Uncontrollable Vomiting	–	–	–	4	–	–	–	–	–	1	–	–	2	–	–	–	–
(*d*) Ectopic Gestation	–	–	–	7	1	–	–	–	1	1	–	1	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	1	–	3	–	–	–	–	–	2	–	–	–	–	–	–	–
135 Puerperal Hæmorrhage	–	–	2	45	1	–	1	–	3	12	1	1	–	–	4	–	–
136 Other Accidents of Childbirth	2	–	1	49	1	–	–	2	2	11	2	–	–	1	4	–	–
137 Puerperal Sepsis	–	–	1	70	–	–	–	–	4	9	–	–	–	2	8	–	–
138 Puerperal Albuminuria, Convulsions	1	1	1	45	1	1	–	1	1	10	1	4	–	–	5	–	1
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	1	–	–	10	2	–	–	–	1	3	–	–	–	–	2	2	–
140 (*a*) Puerperal Insanity	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases	1	–	–	5	–	–	–	–	1	4	–	–	–	–	–	–	1
141 Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-Lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (*a*) Senile Gangrene	251	16	9	16	4	1	2	2	1	9	6	26	–	19	15	1	8
(*b*) Noma, Cancrum Oris	9	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(*d*) Other Gangrene (*c*)	53	4	–	3	–	–	–	1	–	–	2	6	–	2	2	1	–
143 Carbuncle, Boil	34	3	1	2	1	–	–	–	–	–	–	4	–	4	3	–	–
144 Phlegmon, Acute Abscess	133	10	–	6	–	1	–	–	1	3	1	11	1	8	5	–	3
145 Ulcer, Other Diseases of Skin and Cellular Tissue	87	10	1	4	2	–	–	1	1	2	1	10	1	3	4	–	1
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Diseases of Bones (Mastoid excluded)	110	8	3	5	1	–	–	–	–	4	–	18	–	2	4	1	–
147 Diseases of Joints	17	–	–	–	–	–	–	1	–	–	–	3	–	2	2	–	–
149 Other Dis. of Locomotor Syst. (148)	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. MALFORMATIONS.																	
150 Congenital Malformations	599	30	4	27	7	2	2	3	1	23	11	54	3	40	35	5	3
XI. DISEASES OF EARLY INFANCY.																	
151 (*a*) Premature Birth	2385	165	14	117	30	12	8	15	13	62	27	264	20	139	146	17	18
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	1824	135	12	103	16	4	1	9	12	49	29	136	24	125	114	10	25
152 Other Diseases peculiar to Early Infancy	410	52	7	23	3	2	–	1	2	12	3	43	3	17	18	1	5
153 Lack of Care	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
XII. OLD AGE.																	
154 (*a*) Senile Dementia	77	11	–	5	4	3	–	–	–	–	3	7	1	4	3	–	2
(*b*) Senile Decay	3854	304	123	228	40	44	16	66	22	84	95	280	42	214	254	25	174

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (*a*) Senile Gangrene	4	2	3	53	1	2	2	–	9	13	8	4	1	–	8	3	3
(*b*) Noma, Cancrum Oris	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*)	–	–	2	23	1	–	–	–	2	–	1	–	–	–	1	1	1
143 Carbuncle, Boil	–	1	–	11	–	–	–	–	–	1	–	–	–	1	1	–	1
144 Phlegmon, Acute Abscess	–	–	–	51	3	1	–	–	3	12	2	2	–	–	8	–	1
145 Ulcer, Other Diseases of Skin and Cellular Tissue	1	–	–	27	2	–	2	1	4	4	1	1	1	–	1	–	1
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Diseases of Bones (Mastoid excluded)	3	–	–	37	4	1	–	–	3	7	2	2	1	–	3	–	1
147 Diseases of Joints	–	–	–	6	–	–	–	–	–	2	1	–	–	–	–	–	–
149 Other Diseases of Locomotor System (148)	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
X. MALFORMATIONS.																	
150 Congenital Malformations	3	1	6	223	16	5	1	2	11	36	4	8	2	1	23	–	7
XI. DISEASES OF EARLY INFANCY.																	
151 (*a*) Premature Birth	20	4	17	882	59	3	10	6	51	135	9	16	12	7	77	3	7
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	14	–	3	672	43	3	4	2	33	128	8	9	4	7	79	5	6
152 Other Diseases peculiar to Early Infancy	8	1	3	149	3	–	–	1	8	19	–	1	1	2	19	–	3
153 Lack of Care	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.																	
154 (*a*) Senile Dementia	2	–	1	16	1	–	–	–	4	4	1	1	–	–	2	1	1
(*b*) Senile Decay	53	11	31	698	66	15	56	19	145	187	192	43	13	92	118	69	35

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-lothian).	Elgin.	Fife.	Forfar.	Haddington.	Inverness.
XIII. VIOLENT CAUSES.																	
163 Suicide (155-162)	277	21	3	14	4	2	1	3	–	6	9	33	1	20	28	4	4
164 Poisoning by Food	25	1	–	2	–	–	–	–	–	–	1	–	–	5	1	–	–
165 Other Accidental Poisonings	56	2	–	2	–	1	–	–	–	3	–	8	1	2	2	–	–
167 Burns and Scalds (166)	404	36	1	17	5	1	2	2	2	12	1	30	4	26	26	–	8
168 Exposure to Poisonous Vapours	24	2	–	–	–	–	–	–	–	1	–	5	–	1	7	–	–
169 Drowning	557	38	20	20	7	1	4	6	2	32	8	35	9	32	31	4	17
170 Accidents with Fire Arms	18	3	–	2	2	–	–	–	–	–	–	2	–	2	–	–	2
171 Accidents with Instruments and Weapons	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls	134	9	2	6	2	–	–	1	–	6	2	19	1	7	4	3	3
173 (*a*) Accidents in Coal Mines	131	–	–	11	–	–	–	–	–	2	–	11	–	18	–	3	–
(*b*) Accidents in Other Mines	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries	3	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
174 Accidents with Machinery	29	3	–	2	–	–	–	–	–	–	–	5	–	1	1	–	–
175 (*a*) Accidents on Railways	158	–	1	9	2	1	–	1	1	5	3	15	2	18	7	1	1
(*b*) Acc. with Horses and Vehicles	40	3	4	1	2	–	–	2	–	2	1	4	–	–	1	1	1
(*c*) Accidents with Motor Vehicles	32	4	–	–	–	–	–	–	–	1	1	6	–	1	–	–	2
(*d*) Accidents with Tramways	13	1	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–
(*e*) Other Crushing Accidents	17	1	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
177 Hunger	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
180 Weather Agencies (178, 179)	57	5	4	5	–	2	–	1	–	–	1	3	–	4	4	–	–
186 (*a*) Overlaying	89	4	1	1	–	–	–	1	–	2	–	16	–	4	27	2	–
(*b*) Suffocation (otherwise)	129	11	2	6	3	–	–	1	1	2	1	17	1	3	5	–	–
(*c*) Other Accidents (176, 181, 185)	914	50	12	52	6	4	–	3	5	29	13	99	10	73	50	1	6
184 Homicide (182, 183)	9	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
190 Execution	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.																	
187 Dropsy	29	2	–	2	–	–	–	1	–	2	1	1	2	3	1	–	2
188 (*a*) Syncope	260	4	5	14	–	1	2	3	1	10	1	17	1	10	21	2	11
(*b*) Sudden Death (not otherwise defined)	45	2	–	–	–	–	1	10	–	2	1	1	–	4	2	–	–
189 (*a*) Heart Failure	872	44	15	55	8	5	7	9	6	26	19	60	9	48	64	8	17
(*c*) Teething	11	1	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	165	10	–	9	1	–	–	–	1	1	2	9	1	8	11	1	6
(*f*) Dis. not Specified, Nat. Causes	620	41	38	34	18	–	1	14	6	17	8	14	16	21	9	8	75

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1913—*continued.*

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
XIII. VIOLENT CAUSES.																	
163 Suicide	3	–	1	64	2	–	5	1	13	18	1	4	–	3	7	1	1
164 Poisoning by Food	–	–	–	9	2	–	–	2	–	1	–	–	–	–	1	–	–
165 Other Accidental Poisonings	1	–	–	20	4	–	–	1	–	5	–	1	1	–	2	–	–
167 Burns and Scalds (166)	1	–	2	154	6	2	2	1	3	25	11	2	1	4	14	1	2
168 Exposure to Poisonous Vapours	–	–	–	6	–	–	–	–	–	1	–	1	–	–	–	–	–
169 Drowning	15	–	4	155	6	1	7	–	13	22	14	4	3	10	27	7	3
170 Accidents with Fire Arms	–	–	–	–	–	–	1	–	1	–	1	1	–	–	1	–	–
171 Accidents with Instruments and Weapons	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls	1	–	–	46	1	–	1	2	3	10	1	–	1	–	2	–	1
173 (*a*) Accidents in Coal Mines	–	–	–	76	1	–	–	–	–	–	–	1	–	–	8	–	–
(*b*) Accidents in Other Mines	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174 Accidents with Machinery	–	–	–	14	–	–	–	–	–	3	–	–	–	–	–	–	–
175 (*a*) Accidents on Railways	–	–	–	60	4	–	–	–	8	8	1	1	–	–	9	–	–
(*b*) Acc. with Horses and Vehicles	–	–	–	9	–	–	1	–	1	6	–	–	–	–	–	–	1
(*c*) Accidents with Motor Vehicles	–	–	–	12	–	–	–	–	2	3	–	–	–	–	–	–	–
(*d*) Accidents with Tramways	–	–	–	8	–	–	–	–	–	1	–	–	–	–	–	–	–
(*e*) Other Crushing Accidents	–	–	1	10	–	–	–	–	–	2	–	–	–	–	–	–	–
177 Hunger	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178, 179)	4	–	–	7	2	–	–	–	2	2	5	–	–	–	4	1	1
186 (*a*) Overlaying	–	–	–	29	–	–	–	–	2	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise)	–	–	1	59	3	–	–	–	1	6	1	–	–	–	5	–	–
(*c*) Other Accidents (176, 181, 185)	6	3	4	307	16	2	–	4	23	68	11	7	4	7	32	2	5
184 Homicide (182, 183)	–	–	–	4	2	–	–	–	–	1	–	–	–	–	–	–	–
190 Execution	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.																	
187 Dropsy	–	–	–	3	–	–	1	–	1	–	5	1	–	–	–	–	1
188 (*a*) Syncope	5	–	1	102	2	1	–	2	9	8	8	2	2	–	15	–	–
(*b*) Sudden Death (not otherwise defined)	–	–	–	9	–	–	–	–	2	3	6	–	–	–	2	–	–
189 (*a*) Heart Failure	7	3	4	263	11	1	7	5	22	59	20	17	5	11	18	10	9
(*c*) Teething	–	–	–	2	3	–	–	–	–	1	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	–	–	1	59	8	–	–	–	6	19	1	1	1	–	8	1	–
(*f*) Dis. not Specified, Nat. Causes	5	–	6	176	4	1	12	2	12	25	28	4	1	6	9	6	3

Causes of Death in SCOTLAND (Both Sexes), by Months, in 1913.

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
All Causes	73069	7311	6861	7098	6375	6233	5535	5365	5170	5659	5526	5348	6588
I. GENERAL DISEASES.													
1 Enteric Fever	171	15	12	11	19	12	15	8	9	24	21	11	14
2 Typhus Fever	7	1	–	1	1	–	–	3	1	–	–	–	–
4 Malaria	5	–	–	–	–	–	2	1	1	–	1	–	–
5 (*a*) Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Smallpox Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	1329	53	46	43	99	163	166	120	73	70	94	163	239
7 Scarlet Fever	591	44	26	46	29	41	43	38	43	52	81	70	78
8 Whooping-cough	1819	234	263	292	249	242	162	102	74	52	36	41	72
9 (*a*) Diphtheria	763	63	59	57	45	47	40	39	65	63	92	83	110
(*c*) Croup, Membr. Laryngitis (*b*)	31	3	–	4	3	3	1	1	2	5	1	2	6
10 Influenza	278	38	51	56	42	18	9	5	9	3	14	12	21
13 Cholera Nostras	4	–	–	–	–	–	1	–	2	1	–	–	–
14 Dysentery	4	1	1	–	–	–	–	1	–	–	–	1	–
18 Erysipelas	179	22	20	14	6	12	11	10	7	12	25	11	29
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	25	2	–	2	5	3	2	2	–	5	1	1	2
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	106	7	11	9	5	5	15	8	10	10	8	7	11
(*c*) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	1	–	–	–	–	–	–	–	–	1	–	–	–
22 Anthrax	2	–	–	–	–	1	–	–	–	–	–	–	1
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	23	1	2	1	3	2	5	2	1	–	–	4	2
28 Pulmonary Tuberculosis, Phthisis	4930	497	454	471	457	437	401	365	345	379	348	358	418
29 (*a*) Acute Phthisis	173	21	15	20	17	18	23	9	9	13	10	9	9
(*b*) Acute Miliary Tuberculosis	84	8	11	11	6	13	7	2	7	2	4	7	6
30 Tuberculous Meningitis	1093	89	86	104	100	120	86	108	82	89	64	69	96
31 Abdominal Tuberculosis	885	66	77	85	90	79	74	63	72	63	69	76	71
32 Tuberculosis of Spine	146	12	10	8	10	15	15	17	8	14	12	14	11
33 Tuberculosis of Joints	61	6	4	5	5	10	6	1	5	4	4	7	4
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	633	49	60	56	61	51	47	59	45	50	56	55	44
36 Rickets, Osteomalacia	50	7	4	4	4	5	6	2	3	5	1	5	4
37 Syphilis	213	21	14	11	26	14	19	18	13	25	15	18	19
38 Other Venereal Diseases	4	–	–	–	–	–	–	–	2	1	–	–	1
45 (*a*) Carcinoma	3017	268	260	237	206	277	245	265	228	266	242	252	271
(*b*) Sarcoma 39-44	232	26	19	18	25	15	18	19	14	16	18	22	22
(*c*) Malignant Disease, other or not defined 39-44	1963	182	155	169	169	176	158	170	155	150	158	135	186
46 Other Tumours (Situation undefined)	54	6	2	6	5	3	4	4	5	3	6	4	6
47 Rheumatic Fever	234	19	27	20	15	24	18	20	8	24	16	22	21
48 (*a*) Chronic Rheumatism	111	12	5	13	15	8	9	5	6	8	11	6	13
(*b*) Osteo-arthritis	87	10	6	7	13	8	8	3	–	3	12	8	9
(*c*) Gout	2	–	–	–	–	–	–	1	1	–	–	–	–
49 Scurvy	3	–	–	–	–	1	–	1	–	–	–	–	1
50 Diabetes	455	49	50	41	31	34	34	38	35	33	31	40	39
51 Exophthalmic Goitre	46	5	4	4	4	3	4	3	4	2	6	–	7
52 Addison's Disease	33	–	2	6	2	5	2	5	1	1	3	1	5
53 (*a*) Leucocythæmia	46	8	1	4	2	6	5	6	4	–	3	2	5
(*b*) Lymphadenoma	36	5	2	4	4	2	3	2	1	1	3	2	7
54 Anæmia, Chlorosis	437	48	42	41	31	33	25	44	32	35	34	29	43
55 (*b*) Purpura	46	5	2	3	4	9	6	–	3	5	3	4	2
(*c*) Hæmophilia	10	1	1	1	1	1	1	1	2	–	1	–	–
(*d*) Other General Diseases (*a*)	7	–	–	1	–	–	2	–	–	–	1	–	3
56 Alcoholism	175	23	13	17	18	15	17	7	13	10	18	15	9
57 Chronic Lead Poisoning	2	–	–	–	–	–	1	–	–	1	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	2	–	–	1	–	–	–	–	–	–	–	–	1

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis	51	5	4	5	3	5	4	2	2	7	3	9	2
61 (*a*) Cerebro-Spinal Meningitis	66	6	6	7	3	6	2	4	4	3	9	5	11
(*c*) Meningitis, Basal, Nature unspecified (*b*)	970	79	80	94	78	80	73	85	87	90	95	57	72
62 Locomotor Ataxy	88	6	7	9	9	6	9	7	7	10	4	7	7
63 Other Diseases of Spinal Cord	323	27	35	27	28	29	28	25	26	19	34	15	30
64 Cerebral Hæmorrhage, Apoplexy	4520	433	369	417	371	389	380	346	344	335	376	338	422
65 Softening of Brain	359	34	32	28	32	29	30	21	32	40	31	27	23
66 (*a*) Hemiplegia	613	55	61	56	55	48	49	48	48	43	44	45	61
(*c*) Paralysis, Cause or Nature unspecified (*b*)	120	7	8	11	15	18	9	7	3	13	11	9	9
67 General Paralysis of Insane	264	23	20	23	25	29	11	27	17	27	13	23	26
68 Other Insanity	186	9	14	19	11	21	9	20	10	20	17	16	20
69 Epilepsy	259	30	23	26	30	11	24	21	12	20	18	19	25
71 Convulsions (not Puerperal) (70)	740	75	82	92	70	68	54	42	38	43	56	48	72
72 Chorea	17	5	3	–	–	2	–	1	2	–	2	–	2
73 Neuralgia, Neuritis	82	10	4	10	7	2	6	6	7	8	4	7	11
74 (*c*) Cerebral Tumour	189	12	18	17	12	13	18	15	14	14	13	22	21
(*d*) Other Diseases of Nervous System (*a*, *b*)	94	12	10	11	8	6	8	12	2	7	3	6	9
75 Diseases of Eye and Annexa	3	–	–	–	–	–	–	1	–	–	–	–	2
76 (*a*) Mastoid Disease	35	4	–	6	3	1	–	1	6	4	4	1	5
(*b*) Diseases of Ear	130	13	17	9	9	13	13	13	10	3	11	5	14
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis	51	1	2	5	3	2	9	3	3	6	3	7	7
78 Acute Endocarditis	143	8	6	6	13	12	20	10	11	15	15	7	20
79 (*a*) Valvular Disease	2749	286	254	263	227	211	219	218	211	237	207	195	221
(*b*) Fatty Degeneration of Heart	339	29	19	25	48	38	24	33	28	16	22	29	28
(*c*) Other Organic Diseases of Heart	3104	300	267	299	295	273	241	251	212	235	245	222	264
80 Angina Pectoris	248	27	23	18	27	34	14	14	12	18	16	20	25
81 (*a*) Aneurysm	137	8	11	10	13	7	13	19	10	16	11	12	7
(*b*) Arterio-sclerosis	493	63	52	53	59	36	36	34	30	29	25	29	47
(*c*) Other Diseases of Arteries	10	1	–	1	–	2	1	–	1	–	1	–	3
82 (*a*) Cerebral Embolism, Thrombosis	477	40	41	48	35	29	34	30	51	48	42	41	38
(*b*) Embolism and Thrombosis, not Cerebral	81	11	7	5	7	3	3	7	8	4	6	9	11
83 Diseases of Veins	32	5	3	–	5	1	2	2	7	2	3	2	–
84 (*a*) Lymphatism, Status Lymphaticus	12	1	–	1	1	4	–	1	1	–	–	1	2
(*b*) Other Dis. of Lymphatic System	21	3	5	1	1	1	1	2	2	3	1	–	1
85 Hæmorrhage, Other Diseases of Circulatory System	21	3	–	2	2	3	3	1	–	3	–	2	2
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose	16	–	1	1	–	1	1	5	2	1	1	2	1
87 (*b*) Laryngitis	83	7	13	8	9	4	2	6	2	4	5	7	16
(*c*) Other Diseases of Larynx (*a*)	41	6	4	6	5	3	4	–	–	4	2	5	2
88 Diseases of Thyroid	29	5	5	2	1	1	2	1	1	3	3	3	2
90 Bronchitis (89)	4662	673	733	628	452	328	246	207	175	207	247	300	466
91 Broncho-pneumonia	2159	322	238	264	169	177	136	116	80	77	130	157	293
92 Pneumonia	3392	393	376	426	337	288	238	193	186	209	226	248	272
93 Pleurisy	285	37	30	32	21	28	23	17	12	18	16	27	24
94 (*a*) Pulmonary Apoplexy	8	–	–	–	1	2	2	1	–	–	2	–	–
(*b*) Pulmonary Congestion (*c*, *d*)	424	62	52	42	37	38	32	22	21	19	23	37	39
95 Gangrene of Lung	17	–	–	–	2	2	3	4	1	2	2	–	1
96 Asthma	70	13	7	6	6	6	6	3	4	3	9	6	1
97 Pulmonary Emphysema	34	–	6	7	5	3	2	3	1	1	1	1	4
98 (*a*) Fibroid Diseases of Lung	44	4	7	4	4	5	2	4	–	5	3	3	3
(*b*) Other Diseases of Respiratory System	30	4	3	3	1	1	2	3	2	4	1	2	4

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	25	2	1	2	2	1	4	–	2	5	4	–	2
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	86	3	7	5	5	8	6	6	9	8	8	12	9
102 Gastric Ulcer – – – –	351	30	41	18	31	25	27	35	25	28	26	30	35
103 Other Dis. of Stomach. Gastritis	576	52	45	64	41	54	34	50	39	56	44	43	54
104 Diarrhœa, Enteritis (under 2 years)	2103	94	80	115	105	112	84	157	348	497	262	125	124
105 Diarrhœa, Enteritis (over 2 years)	537	37	22	42	37	42	32	45	63	80	50	42	45
107 Intestinal Parasites (106) – –	2	–	–	–	–	–	–	1	–	–	–	1	–
108 Appendicitis, Typhlitis – –	438	37	45	33	27	34	37	28	47	43	38	40	29
109 (*a*) Hernia – – – –	155	14	18	12	11	18	11	11	11	17	6	10	16
(*b*) Intestinal Obstruction – –	309	30	25	26	23	29	31	34	27	21	20	25	18
110 Other Diseases of Intestine –	251	18	14	22	16	25	20	22	28	21	24	17	24
111 Acute Yellow Atrophy of Liver –	4	–	–	–	–	1	1	–	–	1	–	–	1
112 Hydatids of Liver – – –	2	–	–	–	1	–	–	1	–	–	–	–	–
113 Cirrhosis of Liver – – –	256	15	23	16	19	17	19	26	25	28	36	13	19
114 Gallstones – – – – –	108	7	11	10	11	13	5	5	3	4	16	11	12
115 Other Diseases of Liver – –	227	26	26	12	18	17	22	26	14	23	18	7	18
116 Diseases of Spleen – – –	14	1	1	–	2	3	–	4	1	–	–	1	1
117 Peritonitis, cause not specified –	134	5	11	16	12	10	18	9	15	15	10	3	10
118 Other Diseases of Digestive System	24	2	2	1	2	4	2	4	3	–	2	–	2
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis – – –	366	29	30	27	24	37	27	30	32	34	31	35	30
120 (*a*) Bright's Disease – – –	1589	150	154	171	140	122	140	105	101	130	110	119	147
(*b*) Uræmia – – – –	130	14	5	7	13	13	15	9	14	11	9	12	8
122 Other Dis. of Kidney, Chyluria (121)	91	4	8	9	9	4	9	10	7	8	4	10	9
123 Urinary Calculus – – –	29	1	3	3	6	1	5	3	1	1	2	2	1
124 Diseases of Bladder – – –	212	27	22	19	16	22	8	19	16	10	18	15	20
125 Dis. of Urethra, Urinary Abscess	29	3	3	4	3	2	2	4	2	2	–	1	3
126 Diseases of Prostate – – –	200	20	21	14	15	14	13	15	13	16	18	24	17
127 Diseases of Male Genital Organs (not Venereal)	13	1	2	2	1	3	–	–	1	2	–	–	1
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	9	1	3	1	–	–	1	–	1	1	–	1	–
129 Uterine Tumour (non-Cancerous)	56	2	7	5	6	3	3	5	3	5	5	8	4
130 Other Diseases of Uterus – –	40	4	3	2	1	3	7	7	6	1	3	1	2
131 Cysts, and Other Tumours of Ovary	49	7	4	6	5	1	7	2	6	6	1	1	3
132 Other Dis. of Female Genit. Organs	37	5	6	6	1	1	1	6	1	2	1	4	3
133 Non-Puerperal Diseases of Breast	4	1	–	–	–	–	1	2	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (*a*) Abortion, Miscarriage – –	45	3	3	2	3	1	2	7	5	6	2	2	9
(*c*) Uncontrollable Vomiting –	20	2	3	–	–	2	–	–	2	1	5	4	1
(*d*) Ectopic Gestation – –	13	2	–	1	1	1	1	2	2	–	2	–	1
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	16	2	4	2	1	–	2	–	1	2	1	–	1
135 Puerperal Hæmorrhage – –	115	7	9	12	8	15	9	4	9	6	12	7	17
136 Other Accidents of Childbirth –	123	11	17	13	17	14	14	7	5	6	7	8	4
137 Puerperal Sepsis – – –	160	17	18	15	17	10	7	9	8	13	10	19	17
138 Puerp. Albuminuria, Convulsions	134	11	14	13	11	9	10	9	8	11	13	9	16
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	41	5	9	1	1	3	4	2	1	7	5	1	2
140 (*a*) Puerperal Insanity – –	9	1	1	–	–	1	–	–	–	3	–	2	1
(*b*) Other Puerperal Diseases –	30	–	–	1	–	–	–	2	4	3	5	3	12
141 Puerperal Diseases of Breast –	2	1	–	–	–	–	–	1	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (*a*) Senile Gangrene – – –	251	27	26	28	28	12	21	25	25	17	13	9	20
(*b*) Noma, Cancrum Oris – –	9	1	–	–	1	–	–	–	–	1	3	–	3
(*d*) Other Gangrene (*c*) – –	53	7	2	5	5	6	3	1	5	5	4	5	5
143 Carbuncle, Boil – – – –	34	1	4	2	4	9	1	4	1	2	1	1	4
144 Phlegmon, Acute Abscess – –	133	4	9	17	16	11	8	12	10	10	14	11	11
145 Ulcer, Other Diseases of Skin and Cellular Tissue	87	5	6	10	10	5	7	7	8	8	7	8	6

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	110	15	6	12	11	6	7	7	14	7	10	8	7
147 Diseases of Joints – – –	17	–	2	1	2	1	–	2	2	–	2	5	–
149 Other Dis. of Locomotor Syst. (148)	5	–	–	–	–	–	1	–	2	1	–	1	–
X. MALFORMATIONS.													
150 Congenital Malformations – –	599	69	54	48	61	50	59	41	41	35	46	47	48
XI. DISEASES OF EARLY INFANCY.													
151 (*a*) Premature Birth – – –	2385	226	206	223	202	215	192	170	193	191	184	177	206
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	1824	156	162	181	163	145	138	126	122	179	172	142	138
152 Other Diseases peculiar to Early Infancy	410	39	47	42	35	32	36	32	29	30	29	27	32
153 Lack of Care – – –	2	1	–	–	–	1	–	–	–	–	–	–	–
XII. OLD AGE.													
154 (*a*) Senile Dementia – – –	77	12	10	4	7	9	9	6	3	4	4	4	5
(*b*) Senile Decay – – –	3854	445	391	414	361	340	251	274	238	281	279	262	318
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) – – –	277	27	26	21	27	18	27	42	18	19	17	22	13
164 Poisoning by Food – – –	25	1	1	4	1	2	1	2	4	1	4	1	3
165 Other Accidental Poisonings –	54	–	5	4	1	7	6	7	3	11	4	2	6
167 Burns and Scalds (166) – –	404	42	43	34	34	33	23	25	23	20	36	46	45
168 Exposure to Poisonous Vapours –	26	3	2	1	2	4	–	1	–	3	2	3	3
169 Drowning – – – – –	557	51	46	48	47	51	48	64	48	39	31	35	49
170 Accidents with Fire Arms – –	18	–	–	–	1	1	3	1	2	1	4	4	1
171 Accidents with Instruments and Weapons	1	–	–	1	–	–	–	–	–	–	–	–	–
172 Accidental Falls – – –	134	13	10	9	14	14	7	12	12	10	15	7	11
173 (*a*) Accidents in Coal Mines –	131	14	12	7	7	9	13	11	25	4	10	12	7
(*b*) Accidents in Other Mines –	3	–	1	–	–	1	–	–	1	–	–	–	–
(*c*) Accidents in Quarries – –	3	–	–	1	–	–	–	2	–	–	–	–	–
174 Accidents with Machinery – –	29	2	3	5	1	4	3	3	3	2	1	1	1
175 (*a*) Accidents on Railways – –	158	19	9	15	14	17	8	18	14	11	11	9	13
(*b*) Acc. with Horses and Vehicles	40	–	2	2	5	7	4	8	3	–	1	4	4
(*c*) Accidents with Motor Vehicles	32	4	1	2	3	2	3	1	4	4	3	2	3
(*d*) Accidents with Tramways –	13	–	2	1	2	1	1	2	–	–	1	1	2
(*e*) Other Crushing Accidents –	17	1	3	1	2	2	3	–	1	2	–	1	1
177 Hunger – – – – –	3	–	–	–	1	–	–	2	–	–	–	–	–
180 Weather Agencies (178, 179) –	57	10	4	9	4	4	1	3	3	3	4	2	10
186 (*a*) Overlaying – – – –	89	14	9	4	10	11	6	4	6	1	5	9	10
(*b*) Suffocation (otherwise) – –	129	10	15	8	14	14	13	4	6	6	14	10	15
(*c*) Other Accidents (176, 181, 185)	914	70	69	83	67	79	69	67	97	92	78	56	87
184 Homicide (182, 183) – – –	9	–	1	1	1	–	1	1	1	–	3	–	–
190 Execution – – – – –	1	–	–	–	–	–	–	–	–	–	1	–	–
XIV. ILL-DEFINED CAUSES.													
187 Dropsy – – – – –	29	3	1	5	6	3	2	2	4	1	1	–	1
188 (*a*) Syncope – – – –	260	36	23	25	17	23	18	21	17	20	16	21	23
(*b*) Sudden Death (not otherwise defined)	45	4	6	5	3	3	3	4	2	3	4	3	5
189 (*a*) Heart Failure – – –	872	103	69	62	85	69	70	72	72	49	69	69	83
(*c*) Teething – – – –	11	2	3	1	3	–	1	–	1	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	165	19	12	17	7	21	12	13	16	16	14	11	7
(*f*) Dis. not Specified, Nat. Causes	620	67	62	68	46	46	51	50	37	40	42	43	68

Causes of Death in GLASGOW in 1913.

	Sexes.		Age											Age not
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	9119	8574	3707	2426	485	294	810	1101	1387	1788	2145	2167	1382	
I. GENERAL DISEASES.														
1 Enteric Fever	20	16	–	1	1	2	5	12	12	1	2	–	–	
2 Typhus Fever	1	5	–	–	–	–	1	1	2	1	1	–	–	
4 Malaria	–	–	–	–	–	–	–	–	–	–	–	–	–	
5 (a) Smallpox: Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	
(b) Smallpox: Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	
(c) Smallpox: Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–	
6 Measles	311	267	129	413	33	2	1	–	–	–	–	–	–	
7 Scarlet Fever	56	80	4	84	31	7	4	5	1	–	–	–	–	
8 Whooping-cough	358	391	318	411	19	1	–	–	–	–	–	–	–	
9 (a) Diphtheria	100	89	29	114	36	3	6	–	1	–	–	–	–	
(c) Croup, Membr. Laryngitis (b)	3	3	3	2	1	–	–	–	–	–	–	–	–	
10 Influenza	15	17	1	1	–	–	1	–	1	6	–	14	8	
13 Cholera Nostras	1	–	–	1	–	–	–	–	–	–	–	–	–	
14 Dysentery	1	–	1	–	–	–	–	–	–	–	–	–	–	
18 Erysipelas	33	29	16	1	–	–	–	5	7	11	7	10	5	
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	2	2	1	–	–	–	–	–	–	–	–	–	
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	14	7	4	–	1	2	2	4	1	3	2	1	1	
(c) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–	
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	
22 Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	
24 Tetanus	2	2	2	–	1	1	–	–	–	–	–	–	–	
28 Pulmonary Tuberculosis, Phthisis	780	649	6	33	24	57	277	356	296	220	121	34	5	
29 (a) Acute Phthisis	17	24	–	1	3	5	8	10	8	4	1	1	–	
(b) Acute Miliary Tuberculosis	9	13	3	4	6	–	2	3	2	1	1	–	–	
30 Tuberculous Meningitis	173	134	77	143	46	22	10	3	3	3	–	–	–	
31 Abdominal Tuberculosis	122	91	41	86	36	15	15	5	7	4	2	2	–	
32 Tuberculosis of Spine	21	19	–	2	7	7	10	6	4	3	–	1	–	
33 Tuberculosis of Joints	7	10	–	–	3	1	7	–	2	1	1	2	–	
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	90	74	23	32	14	20	26	19	10	6	9	4	1	
36 Rickets, Osteomalacia	5	7	1	11	–	–	–	–	–	–	–	–	–	
37 Syphilis	37	23	47	2	2	–	1	3	2	3	–	–	–	
38 Other Venereal Diseases	1	–	–	–	–	–	–	1	–	–	–	–	–	
45 (a) Carcinoma	268	376	–	–	–	–	4	19	55	141	223	150	52	
(b) Sarcoma	18	30	1	–	2	2	3	3	5	14	10	6	2	
(c) Malignant Disease, other or not defined	175	189	–	–	–	–	–	10	36	71	119	91	37	
46 Other Tumours (Situation undefined)	3	8	–	–	–	–	–	1	1	3	2	2	2	
47 Rheumatic Fever	23	29	–	–	2	8	12	14	6	4	3	2	1	
48 (a) Chronic Rheumatism	8	16	–	–	–	–	–	1	–	2	9	7	5	
(b) Osteo-arthritis	2	12	–	–	–	–	–	–	–	1	5	3	5	
(c) Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	
49 Scurvy	1	–	–	1	–	–	–	–	–	–	–	–	–	
50 Diabetes	47	50	–	–	1	1	8	12	11	18	27	12	7	
51 Exophthalmic Goitre	1	6	–	–	–	–	2	3	–	1	–	1	–	
52 Addison's Disease	1	4	–	1	–	–	–	–	2	1	1	–	–	
53 (a) Leucocythæmia	6	7	–	–	2	–	2	1	1	2	4	–	1	
(b) Lymphadenoma	2	–	–	–	–	–	–	1	1	–	–	–	–	
54 Anæmia, Chlorosis	31	45	2	–	–	–	3	8	13	19	23	6	2	
55 (b) Purpura	3	3	1	2	–	–	–	1	–	–	1	1	–	
(c) Hæmophilia	1	1	1	1	–	–	–	–	–	–	–	–	–	
(d) Other General Diseases (a)	–	1	–	–	–	–	–	–	–	1	–	–	–	
56 Alcoholism	31	20	–	–	–	–	–	7	20	12	9	3	–	
57 Chronic Lead Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	
59 Other Chronic Poisonings	–	1	–	–	–	–	–	1	–	–	–	–	–	

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	5	3	-	-	-	-	2	3	2	-	-	1	-	-
61 (*a*) Cerebro-Spinal Meningitis	19	11	8	13	4	2	2	1	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	131	105	92	91	18	6	10	4	5	6	2	2	-	-
62 Locomotor Ataxy	21	2	-	-	-	-	-	1	6	7	2	7	-	-
63 Other Diseases of Spinal Cord	42	18	2	1	2	1	6	5	8	11	9	10	5	-
64 Cerebral Hæmorrhage, Apoplexy	385	493	3	1	-	-	7	13	39	138	219	310	148	-
65 Softening of Brain	29	46	-	-	-	1	-	1	5	6	18	33	11	-
66 (*a*) Hemiplegia	63	67	-	-	-	-	1	2	7	22	29	38	31	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	17	16	-	-	-	-	1	1	2	2	10	10	7	-
67 General Paralysis of Insane	55	16	-	-	-	-	3	15	21	23	8	-	1	-
68 Other Insanity	14	29	-	-	-	-	2	3	8	9	14	5	2	-
69 Epilepsy	29	27	-	-	2	4	8	10	11	13	6	1	1	-
71 Convulsions (not Puerperal) (70)	117	101	165	49	2	-	-	2	-	-	-	-	-	-
72 Chorea	-	3	-	-	-	1	-	-	-	-	1	1	-	-
73 Neuralgia, Neuritis	12	19	-	-	-	-	-	3	11	12	2	-	3	-
74 (*c*) Cerebral Tumour	29	15	1	5	4	-	3	5	10	9	5	1	1	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	5	5	2	1	-	-	1	-	-	2	-	3	1	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	6	11	4	1	3	3	1	3	-	-	-	2	-	-
(*b*) Diseases of Ear	17	18	5	5	6	3	6	2	3	3	2	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	7	6	-	-	-	-	2	-	3	2	4	1	1	-
78 Acute Endocarditis	21	33	-	1	5	3	12	11	7	8	6	1	-	-
79 (*a*) Valvular Disease	230	281	-	4	3	15	33	48	73	95	105	91	44	-
(*b*) Fatty Degeneration of Heart	19	29	-	-	-	-	-	1	6	6	17	11	7	-
(*c*) Other Organic Diseases of Heart	227	267	5	-	3	9	16	23	43	77	117	141	60	-
80 Angina Pectoris	35	16	-	-	-	-	-	1	2	13	16	18	1	-
81 (*a*) Aneurysm	29	6	-	-	-	2	-	1	12	12	4	3	1	-
(*b*) Arterio-sclerosis	93	87	-	-	-	-	-	-	1	5	30	87	57	-
(*c*) Other Diseases of Arteries	-	1	-	-	-	-	-	-	-	1	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	27	51	1	-	-	-	2	3	3	5	19	26	19	-
(*b*) Embolism and Thrombosis, not Cerebral	6	12	-	-	-	-	2	-	1	2	7	1	5	-
83 Diseases of Veins	1	4	1	-	-	-	-	-	-	1	3	-	-	-
84 (*a*) Lymphatism, Status Lymphaticus	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	4	1	-	2	2	-	-	-	-	-	-	1	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	2	1	-	-	-	-	-	-	1	1	-	1	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	1	2	2	-	-	-	1	-	-	-	-	-	-	-
87 (*b*) Laryngitis	7	4	7	3	-	-	1	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	9	8	10	6	-	-	-	-	1	-	-	-	-	-
88 Diseases of Thyroid	1	4	-	-	-	-	-	1	-	-	3	1	-	-
90 Bronchitis (89)	633	634	219	87	5	3	8	20	54	128	238	314	191	-
91 Broncho-pneumonia	379	352	310	271	17	5	8	9	13	22	30	28	18	-
92 Pneumonia	648	398	144	146	23	5	50	83	131	141	160	110	53	-
93 Pleurisy	40	25	1	14	4	4	5	5	8	9	7	6	2	-
94 (*a*) Pulmonary Apoplexy	-	2	-	-	-	-	1	-	1	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	56	68	42	21	-	-	-	4	5	6	10	18	18	-
95 Gangrene of Lung	4	-	-	-	-	-	-	1	1	2	-	-	-	-
96 Asthma	8	3	-	-	-	-	-	-	-	6	3	2	-	-
97 Pulmonary Emphysema	5	3	2	-	-	-	-	-	2	-	3	1	-	-
98 (*a*) Fibroid Diseases of Lung	4	1	-	-	-	-	-	-	-	2	1	1	1	-
(*b*) Other Diseases of Respiratory System	4	1	1	1	-	-	-	-	2	-	-	1	-	-

	Sexes.		Age											Age not
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	3	2	1	1	–	–	1	1	–	–	1	–	–	–
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100)	10	9	6	4	2	–	–	1	3	1	1	1	–	–
102 Gastric Ulcer – – – –	48	33	1	–	–	–	6	9	18	14	23	6	4	–
103 Other Dis. of Stomach. Gastritis	56	60	50	15	1	2	4	5	7	5	15	10	2	–
104 Diarrhœa, Enteritis (under 2 years)	339	298	504	133	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	43	71	–	19	16	4	4	5	8	12	18	14	14	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	44	41	–	5	15	12	18	10	8	8	7	1	1	–
109 (*a*) Hernia – – – –	20	14	4	1	–	2	–	–	–	7	10	8	2	–
(*b*) Intestinal Obstruction – –	33	32	21	–	5	2	5	4	6	4	8	6	4	–
110 Other Diseases of Intestine – –	31	20	2	1	–	–	2	7	9	10	12	3	5	–
111 Acute Yellow Atrophy of Liver –	–	1	–	–	–	–	–	–	1	–	–	–	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	31	16	–	1	–	–	–	2	4	15	18	4	3	–
114 Gallstones – – – – –	8	20	–	–	–	–	1	–	1	8	12	3	3	–
115 Other Diseases of Liver – –	23	25	1	3	–	1	–	–	9	6	12	9	7	–
116 Diseases of Spleen – – –	2	2	–	–	–	–	1	–	1	1	–	–	1	–
117 Peritonitis, cause not specified –	13	14	3	4	3	3	–	2	5	2	4	1	–	–
118 Other Diseases of Digestive System	–	3	–	–	–	–	–	1	–	–	2	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis – – –	54	49	1	11	11	6	17	14	8	13	13	6	3	–
120 (*a*) Bright's Disease – – –	238	204	–	1	3	2	9	32	55	106	109	100	25	–
(*b*) Uræmia – – – –	14	13	1	–	1	–	2	2	2	7	2	7	3	–
122 Other Dis. of Kidney, Chyluria (121)	6	7	–	–	–	–	1	4	4	1	2	1	–	–
123 Urinary Calculus – – –	3	5	–	–	–	–	–	2	2	3	–	1	–	–
124 Diseases of Bladder – – –	31	8	–	–	1	–	–	–	4	5	7	12	9	–
125 Dis. of Urethra, Urinary Abscess	10	–	–	–	1	–	–	–	1	3	2	2	1	–
126 Diseases of Prostate – – –	38	–	–	–	–	–	1	1	–	–	5	18	13	–
127 Diseases of Male Genital Organs (not Venereal)	3	–	2	–	–	–	–	–	–	–	–	1	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	1	–	–	–	–	–	–	1	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	–	12	–	–	–	–	–	2	4	4	1	–	1	–
130 Other Diseases of Uterus – –	–	16	–	–	–	–	1	3	9	3	–	–	–	–
131 Cysts, and Other Tumours of Ovary	–	9	–	–	–	–	–	–	–	4	2	1	2	–
132 Other Dis. of Female Genit. Organs	–	10	–	1	–	–	3	2	2	1	1	–	–	–
133 Non-Puerperal Diseases of Breast	–	1	–	–	–	–	–	–	1	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage – –	–	10	–	–	–	–	2	4	4	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Ectopic Gestation – –	–	6	–	–	–	–	2	3	1	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	1	–	–	–	–	–	1	–	–	–	–	–	–
135 Puerperal Hæmorrhage – –	–	24	–	–	–	–	4	11	9	–	–	–	–	–
136 Other Accidents of Childbirth –	–	34	–	–	–	–	3	21	9	1	–	–	–	–
137 Puerperal Sepsis – – –	–	54	–	–	–	–	14	24	16	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	–	34	–	–	–	–	12	12	9	1	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	6	–	–	–	–	–	5	1	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	3	–	–	–	–	1	1	1	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	2	–	–	–	–	1	–	1	–	–	–	–	–
141 Puerperal Diseases of Breast –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene – – –	17	18	–	–	–	–	–	–	–	–	1	16	18	–
(*b*) Noma, Cancrum Oris – –	–	2	–	1	1	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	9	5	1	1	–	–	–	2	2	3	5	–	–	–
143 Carbuncle, Boil – – – –	5	3	–	–	–	–	–	–	–	1	2	4	1	–
144 Phlegmon, Acute Abscess – –	19	16	6	3	3	2	2	1	4	4	4	4	2	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	10	10	8	1	–	–	–	1	–	2	1	4	3	–

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
46 Dis. of Bones (Mastoid excluded)	17	7	1	3	5	8	3	–	2	–	–	2	–	–
47 Diseases of Joints – – –	3	1	–	1	–	–	1	–	–	–	1	1	–	–
49 Other Dis. of Locomotor Syst. (148)	–	3	1	1	–	–	–	–	–	–	–	1	–	–
X. MALFORMATIONS.														
50 Congenital Malformations – –	72	62	114	13	2	2	2	1	–	–	–	–	–	–
XI. DISEASES OF EARLY INFANCY.														
51 (*a*) Premature Birth – – –	341	259	600	–	–	–	–	–	–	–	–	–	–	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	243	187	430	–	–	–	–	–	–	–	–	–	–	–
52 Other Diseases peculiar to Early Infancy	55	37	92	–	–	–	–	–	–	–	–	–	–	–
53 Lack of Care – – – – –	1	–	1	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.														
54 (*a*) Senile Dementia – – –	6	9	–	–	–	–	–	–	–	1	–	5	9	–
(*b*) Senile Decay – – –	172	297	–	–	–	–	–	–	–	–	–	128	341	–
XIII. VIOLENT CAUSES.														
63 Suicide (155-162) – – –	42	8	–	–	–	1	6	10	8	15	5	4	1	–
64 Poisoning by Food – – –	4	4	–	2	3	1	1	1	–	–	–	–	–	–
65 Other Accidental Poisonings –	10	6	–	4	1	–	2	3	2	3	1	–	–	–
67 Burns and Scalds (166) – –	50	66	5	64	5	6	8	5	3	6	6	4	4	–
68 Exposure to Poisonous Vapours –	2	2	–	–	–	–	–	1	1	–	–	2	–	–
69 Drowning – – – – –	101	22	1	4	9	5	17	23	27	14	13	8	1	1
70 Accidents with Fire Arms – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
71 Accidents with Instruments and Weapons	–	1	–	1	–	–	–	–	–	–	–	–	–	–
72 Accidental Falls – – –	30	10	–	3	2	–	4	4	5	11	4	3	4	–
73 (*a*) Accidents in Coal Mines –	15	–	–	–	–	–	3	8	1	3	–	–	–	–
(*b*) Accidents in Other Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
74 Accidents with Machinery – –	11	–	–	–	–	1	5	1	2	2	–	–	–	–
75 (*a*) Accidents on Railways – –	16	1	–	–	–	–	6	5	2	2	1	1	–	–
(*b*) Acc. with Horses and Vehicles	4	1	–	2	1	–	2	–	–	–	–	–	–	–
(*c*) Accidents with Motor Vehicles	5	2	–	1	1	–	–	1	1	–	3	–	–	–
(*d*) Accidents with Tramways –	3	3	–	2	1	–	–	1	–	1	–	–	1	–
(*e*) Other Crushing Accidents	7	–	–	–	–	–	1	–	1	3	1	1	–	–
77 Hunger – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80 Weather Agencies (178, 179) –	2	–	–	–	–	–	–	–	–	2	–	–	–	–
86 (*a*) Overlaying – – – –	17	10	27	–	–	–	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise) – –	19	25	25	1	–	–	1	3	4	6	2	1	1	–
(*c*) Other Accidents (176, 181, 185)	173	69	4	14	17	7	21	25	39	36	31	29	19	–
84 Homicide (182, 183) – – –	2	–	1	–	–	–	–	–	1	–	–	–	–	–
90 Execution – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.														
87 Dropsy – – – – –	1	–	–	–	–	–	–	–	–	–	–	–	1	–
88 (*a*) Syncope – – – –	36	41	3	1	–	–	–	3	10	13	21	18	8	–
(*b*) Sudden Death (not otherwise defined)	4	2	1	–	–	–	–	1	–	–	3	1	–	–
89 (*a*) Heart Failure – – –	112	82	6	–	–	–	3	9	16	30	36	60	34	–
(*c*) Teething – – – –	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	17	22	3	17	1	1	–	–	1	5	10	1	–	–
(*f*) Dis. not Specified, Nat. Causes	68	56	41	12	–	3	3	1	13	16	14	13	8	–

Causes of Death in EDINBURGH in 1913.

	Sexes.		Age											Age not stated
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	2190	2441	631	352	88	52	192	248	358	508	709	805	688	-
I. GENERAL DISEASES.														
1 Enteric Fever	4	6	-	-	1	-	4	3	1	1	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) Smallpox — Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Smallpox — Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Smallpox — Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	29	32	19	40	2	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	16	22	4	18	11	3	1	-	-	1	-	-	-	-
8 Whooping-cough	66	55	49	70	2	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	17	14	5	16	7	-	1	1	-	1	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	1	1	-	-	-	-	-	-	-	-	-	-	-
10 Influenza	4	14	1	-	-	-	-	-	-	1	1	7	8	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	3	3	-	-	-	-	-	-	-	-	3	3	-	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	2	-	2	-	-	-	-	1	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	2	5	2	-	1	1	-	1	-	1	-	-	1	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	2	1	-	-	-	-	-	-	-	3	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	177	173	1	3	2	3	71	77	80	65	35	13	-	-
29 (*a*) Acute Phthisis	10	5	2	1	-	1	2	4	3	1	1	-	-	-
(*b*) Acute Miliary Tuberculosis	3	9	1	5	-	-	3	-	1	1	-	1	-	-
30 Tuberculous Meningitis	39	25	18	29	11	4	1	1	-	-	-	-	-	-
31 Abdominal Tuberculosis	18	21	5	14	2	4	5	5	2	-	2	-	-	-
32 Tuberculosis of Spine	2	6	-	-	2	1	2	-	1	-	-	2	-	-
33 Tuberculosis of Joints	3	4	-	1	1	-	1	1	-	-	-	3	-	-
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	26	19	7	12	1	3	4	5	6	4	2	1	-	-
36 Rickets, Osteomalacia	4	-	1	3	-	-	-	-	-	-	-	-	-	-
37 Syphilis	17	11	23	-	-	-	-	-	-	1	4	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma — 39-44	90	150	-	-	-	-	-	6	17	49	70	54	44	-
(*b*) Sarcoma — 39-44	6	5	-	-	-	-	1	1	4	1	2	2	-	-
(*c*) Malignant Disease, other or not defined — 39-44	50	100	-	-	-	-	1	3	9	27	41	43	26	-
46 Other Tumours (Situation undefined)	1	9	-	-	-	-	-	1	-	1	2	4	2	-
47 Rheumatic Fever	4	7	-	-	2	1	2	2	1	1	1	1	-	-
48 (*a*) Chronic Rheumatism	3	2	-	-	-	-	-	-	-	-	1	2	2	-
(*b*) Osteo-arthritis	2	7	-	-	-	-	-	-	-	-	3	4	2	-
(*c*) Gout	-	1	-	-	-	-	-	-	-	-	-	-	1	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	14	17	-	-	-	-	2	3	3	3	8	10	2	-
51 Exophthalmic Goitre	-	6	-	-	-	-	-	1	1	3	1	-	-	-
52 Addison's Disease	1	2	-	-	-	-	-	-	3	-	-	-	-	-
53 (*a*) Leucocythæmia	3	2	-	-	1	-	-	1	-	-	1	2	-	-
(*b*) Lymphadenoma	1	1	-	-	-	-	-	1	1	-	-	-	-	-
54 Anæmia, Chlorosis	13	25	-	1	1	-	1	2	4	6	12	10	1	-
55 (*b*) Purpura	-	2	1	-	-	-	-	-	-	-	-	1	-	-
(*c*) Hæmophilia	2	1	2	1	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	8	7	-	-	-	-	-	-	7	4	4	-	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
Encephalitis	-	2	-	-	-	-	-	-	-	1	1	-	-	-
(*a*) Cerebro-spinal Meningitis	2	-	1	-	-	1	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature, unspecified (*b*)	17	15	9	7	6	2	1	1	2	1	2	1	-	-
Locomotor Ataxy	6	1	-	-	-	-	-	-	-	2	3	2	-	-
Other Diseases of Spinal Cord	11	13	1	-	-	-	-	-	4	5	5	7	2	-
Cerebral Hæmorrhage, Apoplexy	136	189	1	-	-	-	1	5	17	32	77	105	87	-
Softening of Brain	14	20	-	-	-	-	-	-	1	2	9	10	12	-
(*a*) Hemiplegia	17	33	-	-	-	-	-	-	-	3	16	20	11	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	1	2	-	-	-	-	-	-	-	1	-	1	1	-
General Paralysis of Insane	20	7	-	-	-	-	-	5	6	10	5	1	-	-
Other Insanity	-	4	-	-	-	-	-	-	2	-	1	1	-	-
Epilepsy	8	9	-	-	1	3	2	1	1	3	4	2	-	-
Convulsions (not Puerperal) (70)	20	19	26	12	-	-	-	-	1	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuralgia, Neuritis	-	3	-	-	-	-	-	-	-	2	-	1	-	-
(*c*) Cerebral Tumour	2	8	-	-	-	-	1	-	3	2	2	2	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	1	6	-	-	1	-	1	1	2	-	1	-	1	-
Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*a*) Mastoid Disease	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	4	3	-	2	1	-	1	1	1	-	1	-	-	-
I. DISEASES OF CIRCULATORY SYSTEM.														
Pericarditis	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Acute Endocarditis	4	5	-	-	2	1	3	2	1	-	-	-	-	-
(*a*) Valvular Disease	107	102	-	-	-	5	10	14	24	41	47	49	19	-
(*b*) Fatty Degeneration of Heart	18	25	-	-	-	-	-	1	3	8	12	11	8	-
(*c*) Other Organic Diseases of Heart	116	123	3	-	-	1	5	2	18	21	56	84	49	-
Angina Pectoris	16	6	-	-	-	-	-	-	2	3	2	13	2	-
(*a*) Aneurysm	17	2	-	-	-	-	-	-	3	3	4	9	-	-
(*b*) Arterio-sclerosis	16	12	-	-	-	-	-	-	-	2	7	7	12	-
(*c*) Other Diseases of Arteries	1	-	-	-	-	-	-	-	-	-	1	-	-	-
(*a*) Cerebral Embolism, Thrombosis	18	32	-	-	-	-	2	-	1	3	7	18	19	-
(*b*) Embolism and Thrombosis, not Cerebral	4	3	-	-	-	-	1	-	1	3	1	1	-	-
Diseases of Veins	-	5	-	-	-	-	-	-	-	2	3	-	-	-
(*a*) Lymphatism, Status Lymphaticus	3	2	5	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	2	-	-	-	-	-	-	1	-	-	1	-	-	-
Hæmorrhage, Other Diseases of Circulatory System	1	-	-	-	-	-	-	-	-	1	-	-	-	-
. DISEASES OF RESPIRATORY SYSTEM.														
Diseases of Nose	-	1	-	-	-	-	-	1	-	-	-	-	-	-
(*b*) Laryngitis	3	2	2	2	-	-	-	-	-	-	-	-	1	-
(*c*) Other Diseases of Larynx (*a*)	3	-	2	-	-	-	-	-	-	-	1	-	-	-
Diseases of Thyroid	-	6	-	-	-	-	-	-	1	2	-	3	-	-
Bronchitis (89)	124	157	25	7	2	1	3	3	5	27	58	65	85	-
Broncho-pneumonia	52	66	45	35	3	-	2	2	3	3	6	9	10	-
Pneumonia	128	123	17	23	4	3	10	25	35	21	42	38	33	-
Pleurisy	12	4	-	-	-	-	1	1	2	2	5	3	2	-
(*a*) Pulmonary Apoplexy	1	2	-	-	-	-	-	-	1	1	1	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	14	19	6	4	-	-	1	-	2	2	1	8	9	-
Gangrene of Lung	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Asthma	3	3	-	-	-	-	-	-	-	1	1	2	2	-
Pulmonary Emphysema	1	1	-	-	-	-	-	-	-	-	1	1	-	-
(*a*) Fibroid Diseases of Lung	5	1	-	-	-	-	-	-	1	2	1	2	-	-
(*b*) Other Diseases of Respiratory System	4	1	2	-	-	-	-	1	1	1	-	-	-	-

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	1	1	2	–	–	–	–	–	–	–	–	–	–	–
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100)	2	4	1	–	2	–	1	–	2	–	–	–	–	–
102 Gastric Ulcer – – – –	4	17	1	–	–	–	–	4	1	4	4	4	3	–
103 Other Dis. of Stomach. Gastritis	6	16	4	3	–	–	–	–	1	2	3	6	3	–
104 Diarrhœa, Enteritis (under 2 years)	33	35	59	9	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	10	16	–	2	2	–	1	2	3	5	2	4	5	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	15	11	–	–	2	3	7	3	5	4	1	1	–	–
109 (*a*) Hernia – – – –	7	5	1	–	–	1	–	–	–	1	3	4	2	–
(*b*) Intestinal Obstruction – –	10	5	4	1	1	–	1	–	1	2	2	3	–	–
110 Other Diseases of Intestine –	13	8	–	–	–	–	3	4	3	2	6	3	–	–
111 Acute Yellow Atrophy of Liver –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	18	10	–	–	–	–	–	1	1	10	9	5	2	–
114 Gallstones – – – – –	3	4	–	–	–	–	–	1	–	2	1	3	–	–
115 Other Diseases of Liver – –	6	5	–	1	–	–	–	–	–	2	3	3	2	–
116 Diseases of Spleen – – –	–	1	–	–	–	–	–	–	–	1	–	–	–	–
117 Peritonitis, cause not specified –	2	6	–	–	1	–	2	–	1	2	1	1	–	–
118 Other Diseases of Digestive System	1	1	–	–	–	–	–	–	–	–	2	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis – – –	11	14	1	3	1	–	2	2	4	3	3	6	–	–
120 (*a*) Bright's Disease – – –	78	58	–	1	–	1	3	5	12	28	34	38	14	–
(*b*) Uræmia – – – –	6	6	–	–	–	–	–	–	–	1	–	4	7	–
122 Other Dis. of Kidney, Chyluria (121)	5	4	1	1	–	–	1	–	–	4	1	1	–	–
123 Urinary Calculus – – –	5	1	–	–	–	1	–	1	1	1	1	–	1	–
124 Diseases of Bladder – – –	7	3	–	–	–	–	–	–	–	–	2	3	5	–
125 Dis. of Urethra, Urinary Abscess	4	1	–	–	–	–	–	–	–	1	3	–	1	–
126 Diseases of Prostate – – –	12	–	–	–	–	–	–	–	–	–	3	6	3	–
127 Diseases of Male Genital Organs (not Venereal)	1	–	–	–	–	–	–	–	–	–	1	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	–	7	–	–	–	–	–	–	1	4	2	–	–	–
130 Other Diseases of Uterus – –	–	3	–	–	–	–	1	–	1	1	–	–	–	–
131 Cysts, and Other Tumours of Ovary	–	4	–	–	–	–	–	–	–	3	–	1	–	–
132 Other Dis. of Female Genit. Organs	–	1	–	–	–	–	–	1	–	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	1	–	–	–	–	–	–	1	–	–	–	–	–
(*d*) Ectopic Gestation – –	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	1	–	–	–	–	1	–	–	–	–	–	–	–
135 Puerperal Hæmorrhage – –	–	7	–	–	–	–	1	3	3	–	–	–	–	–
136 Other Accidents of Childbirth –	–	8	–	–	–	–	–	6	2	–	–	–	–	–
137 Puerperal Sepsis – – –	–	11	–	–	–	–	–	6	5	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	–	5	–	–	–	–	3	2	–	–	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	2	–	–	–	–	–	1	1	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	2	–	–	–	–	–	2	–	–	–	–	–	–
141 Puerperal Diseases of Breast –	–	1	–	–	–	–	1	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene – – –	10	8	–	–	–	–	–	–	–	–	1	7	10	–
(*b*) Noma, Cancrum Oris – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	2	1	–	–	1	1	–	–	–	1	–	–	–	–
143 Carbuncle, Boil – – – –	–	4	–	–	–	–	–	–	–	–	1	2	1	–
144 Phlegmon, Acute Abscess – –	3	2	–	1	–	1	–	–	–	–	2	–	1	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	2	3	3	–	–	–	–	–	–	–	1	–	1	–

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	7	3	-	3	-	1	1	1	3	-	1	-	-	-
147 Diseases of Joints - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	21	11	28	-	2	2	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	71	64	135	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	37	26	63	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	16	13	29	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	1	5	-	-	-	-	-	-	-	-	-	3	3	-
(*b*) Senile Decay - - -	49	119	-	-	-	-	-	-	-	-	-	30	138	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	15	5	-	-	-	-	1	2	5	6	3	1	2	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	3	1	-	-	-	-	1	1	1	1	-	-	-	-
167 Burns and Scalds (166) - -	5	12	-	3	1	-	2	-	-	4	3	4	-	-
168 Exposure to Poisonous Vapours -	-	1	-	-	-	-	-	-	-	-	-	1	-	-
169 Drowning - - - - -	17	3	-	1	1	-	5	4	1	4	2	1	1	-
170 Accidents with Fire Arms - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	5	7	-	-	1	-	-	1	1	2	4	-	3	-
173 (*a*) Accidents in Coal Mines -	-	1	-	-	-	-	-	-	-	-	1	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	2	-	-	-	-	-	1	-	-	1	-	-	-	-
175 (*a*) Accidents on Railways - -	8	-	-	-	-	-	1	3	-	2	1	1	-	-
(*b*) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	2	2	-	1	1	1	-	-	-	-	-	-	1	-
(*d*) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	-	1	-	-	1	-	-	-	-	-	-	-	-	-
186 (*a*) Overlaying - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	5	7	7	1	-	-	-	-	1	-	-	2	1	-
(*c*) Other Accidents (176, 181, 185)	46	22	1	7	4	2	4	4	2	13	10	10	11	-
184 Homicide (182, 183) - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	3	7	-	-	-	-	-	-	1	-	3	3	3	-
(*b*) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 (*a*) Heart Failure - - -	12	13	-	-	-	-	-	-	1	3	7	4	10	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	4	2	-	5	-	-	-	-	-	-	1	-	-	-
(*f*) Dis. not Specified, Nat. Causes	3	-	-	-	-	-	-	-	2	-	-	1	-	-

Causes of Death in DUNDEE in 1913.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	1356	1543	657	297	58	43	119	112	196	293	387	433	304	-
I. GENERAL DISEASES.														
1 Enteric Fever	3	4	1	-	1	-	3	1	1	-	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	22	19	12	27	1	-	1	-	-	-	-	-	-	-
7 Scarlet Fever	9	5	1	7	2	1	2	-	1	-	-	-	-	-
8 Whooping-cough	5	3	3	5	-	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	20	14	7	20	6	1	-	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Influenza	1	2	1	-	-	-	-	-	-	-	-	2	-	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	1	-	1	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	2	2	-	-	-	-	-	1	1	-	2	-	-	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	2	2	1	1	-	-	-	1	-	-	1	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-		-	-	-	-	-
24 Tetanus	-	1	-	-	-	-	-	-	1	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	78	109	1	9	4	9	36	41	39	30	14	4	-	-
29 (*a*) Acute Phthisis	4	-	1	1	-	-	2	-	-	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	-	5	-	-	1	-	2	1	1	-	-	-	-	-
30 Tuberculous Meningitis	22	25	7	28	5	3	3	-	-	-	1	-	-	-
31 Abdominal Tuberculosis	21	23	10	17	4	2	4	-	4	2	1	-	-	-
32 Tuberculosis of Spine	2	1	-	-	1	-	2	-	-	-	-	-	-	-
33 Tuberculosis of Joints	2	1	-	-	-	-	1	-	-	1	-	1	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	12	14	2	8	3	5	4	-	-	3	-	1	-	-
36 Rickets, Osteomalacia	2	2	3	1	-	-	-	-	-	-	-	-	-	-
37 Syphilis	8	10	15	-	-	-	-	1	1	-	1	-	-	-
38 Other Venereal Diseases	-	-	-	-		-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma	43	81	-	-	-	-	-	-	10	34	41	27	12	-
(*b*) Sarcoma } 39-44	4	9	-	1	-	2	1	4	1	1	-	2	1	-
(*c*) Malignant Disease, other or not defined } 39-44	30	43	-	-	-	-	1	2	7	11	20	22	10	-
46 Other Tumours (Situation undefined)	1	-	-	-	-	-	-	-	-	-	-	-	1	-
47 Rheumatic Fever	3	4	-	-	2	-	3	-	2	-	-	-	-	-
48 (*a*) Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Osteo-arthritis	-	1	-	-	-	-	-	-	-	-	1	-	-	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	8	3	-	-	-	1	1	-	2	2	3	2	-	-
51 Exophthalmic Goitre	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52 Addison's Disease	1	-	-	-	-	-	-	-	-	-	1	-	-	-
53 (*a*) Leucocythæmia	1	1	-	-	-	-	1	-	-	1	-	-	-	-
(*b*) Lymphadenoma	2	1	-	-	-	-	-	-	1	-	1	1	-	-
54 Anæmia, Chlorosis	9	6	-	1	-	-	-	-	3	3	4	3	1	-
55 (*b*) Purpura	3	-	1	-	1	-	-	-	-	-	1	-	-	-
(*o*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	4	4	-	-	-	-	-	-	1	-	3	4	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	1	4	1	-	-	-	-	2	-	-	1	1	-	-
61 (*a*) Cerebro-spinal Meningitis	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	13	15	5	8	4	2	2	1	3	1	1	1	-	-
62 Locomotor Ataxy	5	4	-	-	-	-	-	1	1	5	-	2	-	-
63 Other Diseases of Spinal Cord	8	5	-	-	-	-	-	1	2	4	2	4	-	-
64 Cerebral Hæmorrhage, Apoplexy	57	113	2	1	-	-	2	3	7	27	40	53	35	-
65 Softening of Brain	12	21	-	-	-	-	-		3	4	7	12	7	-
66 (*a*) Hemiplegia	19	23	-	-	-	-	-	1	-	-	13	16	12	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	2	1	-	-	-	-	-	-	-	2	-	1	-	-
67 General Paralysis of Insane	8	1	-	-	-	-	-	-	4	4	1	-	-	-
68 Other Insanity	1	2	-	-	-	-	-	-	1	-	1	1	-	-
69 Epilepsy	7	-	-	-	-	1	-	1	1	2	2	-	-	-
71 Convulsions (not Puerperal) (70)	14	10	17	6	1	-	-	-	-	-	-	-	-	-
72 Chorea	-	1	-	-	-	-	-	-	-	-	-	1	-	-
73 Neuralgia, Neuritis	-	3	-	-	-	-	-		2	-	-	-	1	-
74 (*c*) Cerebral Tumour	2	3	-	1	-	-	-	1	1	2	-	-	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	3	2	1	-	-	-	-	1	1	-	1	1	-	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	-	2	-	-	-	1	-	-	-	1	-	-	-	-
(*b*) Diseases of Ear	2	3	4	-	-	-	-	-	-	1	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	-	2	-	-	-	1	-	-	-	1	-	-	-	-
78 Acute Endocarditis	4	2	-	-	1	1	-	-	2	2	-	-	-	-
79 (*a*) Valvular Disease	53	94	-	-	2	2	5	9	18	27	31	42	11	-
(*b*) Fatty Degeneration of Heart	4	3	-	-	-	-	-	-	1	-	2	3	1	-
(*c*) Other Organic Diseases of Heart	46	72	-	-	1	1	2	1	7	15	30	39	22	-
80 Angina Pectoris	6	1	-	-	-	-	-	-	-	3	2	1	1	-
81 (*a*) Aneurysm	2	3	-	-	-	-	-	-	-	-	4	1	-	-
(*b*) Arterio-sclerosis	12	14	-	-	-	-	-	-	-	-	4	9	13	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	17	15	-	-	-	1	2	-	2	3	3	14	7	-
(*b*) Embolism and Thrombosis, not Cerebral	1	2	-	-	-	-	-	-	-	2	-	1	-	-
83 Diseases of Veins	-	1	-	-	-	-	-	-	-	-	1	-	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	1	2	1	2	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	2	-	1	-	-	-	-	-	-	-	-	1	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	1	-	1	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	1	1	1	-	-	-	-	-	-	-	-	1	-	-
(*c*) Other Diseases of Larynx (*a*)	1	1	1	-	1	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	-	1	-	-	-	-	-	-	-	1	-	-	-	-
90 Bronchitis (89)	96	127	52	23	-	-	2	2	3	20	37	44	40	-
91 Broncho-pneumonia	61	52	47	38	2	-	-	-	1	3	5	7	10	-
92 Pneumonia	75	57	13	21	-	1	10	3	16	16	20	21	11	-
93 Pleurisy	10	3	-	-	-	-	-	-	-	4	5	3	1	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	4	6	1	-	-	-	-	-	-	-	3	4	2	-
95 Gangrene of Lung	2	-	-	-	-	1	-	-	-	-	1	-	-	-
96 Asthma	1	1	-	-	-	-	-	-	-	1	1	-	-	-
97 Pulmonary Emphysema	1	3	-	-	-	-	-	-	-	-	-	1	3	-
98 (*a*) Fibroid Diseases of Lung	3	-	-	-	-		-	-	2	1	-	-	-	-
(*b*) Other Diseases of Respiratory System	-	1	-	-	-	-	-	-	-	-	1	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	2	-	-	-	-	-	-	-	-	1	-	1	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	1	-	1	-	-	-	-	-	-	-	-	-	-	-
102 Gastric Ulcer - - - -	9	4	-	-	-	-	-	3	2	4	3	1	-	-
103 Other Dis. of Stomach. Gastritis	13	14	17	3	1	-	-	-	-	2	2	-	2	-
104 Diarrhœa, Enteritis (under 2 years	92	74	142	24	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	14	20	-	10	3	-	-	-	2	2	9	5	3	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	8	8	-	1	3	-	3	3	2	1	2	1	-	-
109 (*a*) Hernia - - - - -	4	4	-	1	-	-	1	-	-	1	4	1	-	-
(*b*) Intestinal Obstruction - -	-	6	1	-	-	-	-	-	-	-	2	2	1	-
110 Other Diseases of Intestine -	4	3	1	-	-	-	1	1	2	1	-	-	1	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	4	4	-	-	-	-	-	1	2	3	-	1	1	-
114 Gallstones - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-
115 Other Diseases of Liver - -	1	5	-	-	-	-	-	-	-	1	1	4	-	-
116 Diseases of Spleen - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-
117 Peritonitis, cause not specified -	1	2	1	-	-	-	1	-	1	-	-	-	-	-
118 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis - - -	4	10	2	2	2	-	-	3	-	2	2	1	-	-
120 (*a*) Bright's Disease - - -	32	25	-	1	-	-	4	5	6	11	19	8	3	-
(*b*) Uræmia - - - -	2	2	-	-	-	-	-	1	-	2	1	-	-	-
122 Other Dis. of Kidney, Chyluria (121)	3	2	-	-	-	-	-	-	3	-	1	-	1	-
123 Urinary Calculus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 Diseases of Bladder - - -	4	2	-	-	-	-	1	-	-	1	2	-	2	-
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	-	-	-	1	-	-	-	-
126 Diseases of Prostate - - -	6	-	-	-	-	-	-	-	-	-	1	4	1	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus - -	-	2	-	-	-	-	-	-	-	1	-	1	-	-
131 Cysts, and Other Tumours of Ovary	-	4	-	-	-	-	-	-	1	2	1	-	-	-
132 Other Dis. of Female Genit. Organs	-	1	-	1	-	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
(*d*) Ectopic Gestation - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	1	-	-	-	-	-	-	1	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	4	-	-	-	-	1	-	3	-	-	-	-	-
136 Other Accidents of Childbirth -	-	4	-	-	-	-	1	3	-	-	-	-	-	-
137 Puerperal Sepsis - - -	-	7	-	-	-	-	2	3	2	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	2	-	-	-	-	1	1	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	2	-	-	-	-	-	2	-	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene - - -	4	6	-	-	-	-	-	-	-	-	1	2	7	-
(*b*) Noma, Cancrum Oris - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	-	2	-	-	-	-	-	-	-	2	-	-	-	-
143 Carbuncle, Boil - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-	-
144 Phlegmon, Acute Abscess - -	1	1	1	-	-	-	-	-	-	-	-	-	1	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	-	1	-	-	-	-	1	-	-	-	-	-	-	-

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	2	1	1	-	-	1	-	-	-	1	-	-	-	-
147 Diseases of Joints - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	15	11	22	4	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	63	54	117	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	44	40	84	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	10	3	13	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*b*) Senile Decay - - -	26	50	-	-	-	-	-	-	-	-	-	19	57	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	11	5	-	-	-	-	-	1	6	4	2	2	1	-
164 Poisoning by Food - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-
165 Other Accidental Poisonings -	1	-	-	-	-	-	-	-	-	-	1	-	-	-
167 Burns and Scalds (166) - -	7	11	3	9	1	3	1	-	-	-	-	1	-	-
168 Exposure to Poisonous Vapours -	4	2	-	-	-	-	2	-	2	-	-	1	1	-
169 Drowning - - - - -	8	3	1	-	-	-	2	-	1	2	2	2	1	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	3	1	-	-	-	-	2	-	-	1	1	-	-	-
173 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175 (*a*) Accidents on Railways - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-
(*b*) Acc. with Horses and Vehicles	1	-	-	-	1	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (*a*) Overlaying - - - -	15	12	27	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	3	1	2	-	-	-	-	-	1	-	-	1	-	-
(*c*) Other Accidents (176, 181, 185)	22	5	-	2	4	1	3	3	2	-	5	4	3	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	5	9	1	-	-	-	-	1	-	1	2	4	5	-
(*b*) Sudden Death (not otherwise defined)	-	2	1	-	-	-	-	-	-	-	-	-	1	-
189 (*a*) Heart Failure - - -	14	20	-	-	-	2	-	1	2	4	5	11	9	-
(*c*) Teething - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	3	5	-	8	-	-	-	-	-	-	-	-	-	-
(*f*) Dis. not Specified, Nat. Causes	4	2	4	1	-	-	-	-	-	1	-	-	-	-

Causes of Death in ABERDEEN in 1913.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	1378	1475	588	403	95	43	144	141	162	201	300	378	398	–
I. GENERAL DISEASES.														
1 Enteric Fever	3	6	–	1	1	1	2	3	1	–	–	–	–	–
2 Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Malaria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 (*a*) Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Smallpox Unvaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Vaccination Doubtful	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Measles	78	69	47	89	10	–	–	–	1	–	–	–	–	–
7 Scarlet Fever	14	18	3	14	6	4	3	–	2	–	–	–	–	–
8 Whooping-cough	25	20	15	29	1	–	–	–	–	–	–	–	–	–
9 (*a*) Diphtheria	56	55	7	64	28	7	3	2	–	–	–	–	–	–
(*c*) Croup, Membr. Laryngitis (*b*)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10 Influenza	4	4	1	–	–	–	–	–	–	–	2	2	3	–
13 Cholera Nostras	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14 Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Erysipelas	1	4	–	–	–	–	–	1	–	–	2	–	2	–
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	–	1	–	1	–	–	–	–	–	–	–	–	–	–
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	4	1	–	–	–	1	1	–	–	1	1	1	–	–
(*c*) Vaccinia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22 Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Rabies, Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Tetanus	–	1	–	–	–	–	–	1	–	–	–	–	–	–
28 Pulmonary Tuberculosis, Phthisis	97	74	1	7	1	8	48	41	21	20	14	10	–	–
29 (*a*) Acute Phthisis	2	3	–	–	–	–	1	2	1	–	1	–	–	–
(*b*) Acute Miliary Tuberculosis	–	4	1	2	–	–	–	1	–	–	–	–	–	–
30 Tuberculous Meningitis	19	27	7	19	11	3	4	1	1	–	–	–	–	–
31 Abdominal Tuberculosis	13	14	2	11	5	2	4	–	2	1	–	–	–	–
32 Tuberculosis of Spine	–	6	–	–	–	1	2	1	–	1	–	1	–	–
33 Tuberculosis of Joints	1	1	–	–	–	1	1	–	–	–	–	–	–	–
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	6	7	1	1	1	1	3	1	3	1	–	1	–	–
36 Rickets, Osteomalacia	4	3	5	2	–	–	–	–	–	–	–	–	–	–
37 Syphilis	9	7	13	1	–	–	1	–	–	–	1	–	–	–
38 Other Venereal Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45 (*a*) Carcinoma } 39-44	33	79	–	–	–	–	1	4	3	28	29	36	11	–
(*b*) Sarcoma } 39-44	6	6	–	–	–	–	1	–	3	3	3	2	–	–
(*c*) Malignant Disease, other or not defined } 39-44	23	53	–	–	–	–	–	3	4	11	17	24	17	–
46 Other Tumours (Situation undefined)	1	1	–	–	–	–	–	–	–	1	1	–	–	–
47 Rheumatic Fever	2	7	–	–	–	–	4	–	1	3	1	–	–	–
48 (*a*) Chronic Rheumatism	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(*b*) Osteo-arthritis	–	4	–	–	–	–	–	–	–	–	3	–	1	–
(*c*) Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49 Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50 Diabetes	3	5	–	–	–	–	–	2	–	1	–	1	4	–
51 Exophthalmic Goitre	–	–	–	–	–	–	–	–	–	–	–	–	–	–
52 Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–
53 (*a*) Leucocythæmia	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(*b*) Lymphadenoma	–	1	–	–	–	–	–	–	1	–	–	–	–	–
54 Anæmia, Chlorosis	4	6	–	–	–	–	–	–	–	3	4	1	2	–
55 (*b*) Purpura	1	1	–	1	–	–	–	–	–	–	–	1	–	–
(*c*) Hæmophilia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other General Diseases (*a*)	–	1	–	–	1	–	–	–	–	–	–	–	–	–
56 Alcoholism	5	4	–	–	–	–	–	2	1	1	1	2	2	–
57 Chronic Lead Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58 Other Chronic Occupational Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59 Other Chronic Poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	1	1	-	-	-	-	2	-	-	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	9	10	7	7	1	-	-	-	1	-	1	2	-	-
62 Locomotor Ataxy	1	-	-	-	-	-	-	-	-	-	1	-	-	-
63 Other Diseases of Spinal Cord	8	3	-	-	-	-	2	-	1	2	2	4	-	-
64 Cerebral Hæmorrhage, Apoplexy	67	106	1	-	-	1	1	2	4	20	42	57	45	-
65 Softening of Brain	-	1	-	-	-	-	-	-	-	-	-	-	1	-
66 (*a*) Hemiplegia	6	11	-	2	-	-	1	1	-	1	4	4	4	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	-	5	-	-	-	-	-	-	-	2	-	2	1	-
67 General Paralysis of Insane	6	3	-	-	-	-	-	3	3	1	2	-	-	-
68 Other Insanity	6	4	-	-	-	-	2	2	2	-	2	2	-	-
69 Epilepsy	7	4	-	-	1	-	1	1	4	1	2	1	-	-
71 Convulsions (not Puerperal) (70)	33	22	39	13	2	-	-	-	1	-	-	-	-	-
72 Chorea	1	-	-	-	-	-	-	-	-	-	1	-	-	-
73 Neuralgia, Neuritis	1	1	-	-	-	-	-	1	-	-	-	1	-	-
74 (*c*) Cerebral Tumour	-	7	-	1	1	1	1	-	1	1	1	-	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	2	3	-	2	-	-	-	-	1	-	-	2	-	-
75 Diseases of Eye and Annexa	-	1	-	-	-	-	-	-	-	-	-	1	-	-
76 (*a*) Mastoid Disease	-	2	-	-	-	-	1	-	1	-	-	-	-	-
(*b*) Diseases of Ear	8	1	3	2	1	2	-	-	-	1	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	-	1	1	-	-	-	-	-	-	-	-	-	-	-
78 Acute Endocarditis	-	3	-	-	-	-	-	1	1	-	-	1	-	-
79 (*a*) Valvular Disease	36	64	-	-	2	-	3	4	12	11	19	22	27	-
(*b*) Fatty Degeneration of Heart	5	6	-	-	-	-	-	1	2	-	3	1	4	-
(*c*) Other Organic Diseases of Heart	65	77	1	-	1	1	5	5	10	15	24	46	34	-
80 Angina Pectoris	9	5	-	-	-	-	-	-	-	1	4	4	5	-
81 (*a*) Aneurysm	5	2	-	-	-	-	-	-	2	-	1	2	2	-
(*b*) Arterio-sclerosis	5	9	-	-	-	-	-	-	-	-	3	8	3	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	8	14	-	-	-	-	-	-	3	2	3	3	11	-
(*b*) Embolism and Thrombosis, not Cerebral	1	1	-	-	-	-	-	-	1	1	-	-	-	-
83 Diseases of Veins	1	2	-	-	-	-	-	-	1	1	1	-	-	-
84 (*a*) Lymphatism, Status Lymphaticus	2	1	1	2	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	1	-	1	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	1	-	-	-	-	-	-	-	-	-	-	1	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	-	3	-	-	-	-	-	-	-	-	1	1	1	-
90 Bronchitis (89)	77	83	53	4	-	-	1	-	2	6	26	32	36	-
91 Broncho-pneumonia	68	49	48	47	5	-	1	-	1	1	4	4	6	-
92 Pneumonia	77	52	10	26	1	1	12	13	11	10	17	16	12	-
93 Pleurisy	4	2	-	1	-	-	1	1	1	-	1	-	1	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	6	9	7	1	-	-	1	-	-	1	-	-	5	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	1	1	-	-	-	-	-	-	-	1	-	1	-	-
97 Pulmonary Emphysema	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (*a*) Fibroid Diseases of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	1	-	-	-	-	-	-	-	-	-	1	-	-	-

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	1	2	-	1	-	1	-	-	1	-	-	-	-	-
102 Gastric Ulcer - - - -	6	6	-	-	-	-	1	-	2	1	4	2	2	-
103 Other Dis. of Stomach. Gastritis	6	9	9	-	-	-	-	-	2	-	2	2	-	-
104 Diarrhœa, Enteritis (under 2 years)	47	26	61	12	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	7	7	-	6	2	-	-	-	-	-	-	2	4	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	5	10	2	1	3	1	2	3	1	1	1	-	-	-
109 (*a*) Hernia - - - -	2	1	1	-	-	-	1	-	-	-	-	-	1	-
(*b*) Intestinal Obstruction - -	8	9	2	1	1	-	-	-	4	1	3	1	4	-
110 Other Diseases of Intestine -	13	4	1	-	1	-	-	3	-	4	6	1	1	-
111 Acute Yellow Atrophy of Liver -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	6	3	-	-	-	1	-	-	-	3	3	2	-	-
114 Gallstones - - - -	1	6	-	-	-	-	-	-	-	2	-	3	2	-
115 Other Diseases of Liver - -	2	3	-	-	1	-	-	1	-	-	-	1	2	-
116 Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified -	5	2	1	1	1	-	-	-	2	-	-	1	1	-
118 Other Diseases of Digestive System	2	-	-	-	-	-	1	-	-	-	1	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis - - -	4	9	-	2	-	2	-	-	2	3	1	2	1	-
120 (*a*) Bright's Disease - - -	32	27	-	-	-	1	1	6	5	10	15	17	4	-
(*b*) Uræmia - - - -	3	2	-	-	-	-	-	1	1	1	1	1	-	-
122 Other Dis. of Kidney, Chyluria (121)	3	2	-	-	-	-	-	1	2	-	1	1	-	-
123 Urinary Calculus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 Diseases of Bladder - - -	4	6	-	-	-	1	-	1	1	-	3	-	4	-
125 Dis. of Urethra, Urinary Abscess	2	-	-	-	-	-	-	-	-	-	1	1	-	-
126 Diseases of Prostate - - -	4	-	-	-	-	-	-	-	-	-	-	1	3	-
127 Diseases of Male Genital Organs (not Venereal)	1	-	1	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	1	-	-	-	-	-	-	1	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	2	-	-	-	-	-	-	1	1	-	-	-	-
130 Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	1	-	-	-	-	-	-	-	1	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	-	2	-	-	-	-	1	-	1	-	-	-	-	-
(*d*) Ectopic Gestation - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	1	-	-	-	-	-	1	-	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
136 Other Accidents of Childbirth -	-	4	-	-	-	-	-	2	2	-	-	-	-	-
137 Puerperal Sepsis - - -	-	6	-	-	-	-	1	4	1	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	4	-	-	-	-	3	-	1	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	3	-	-	-	-	-	1	2	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene - - -	3	3	-	-	-	-	-	-	-	-	-	1	5	-
(*b*) Noma, Cancrum Oris - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	2	1	1	-	-	-	-	-	1	1	-	-	-	-
143 Carbuncle, Boil - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	-
144 Phlegmon, Acute Abscess - -	1	2	-	1	-	-	-	1	-	-	-	1	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	2	3	2	-	-	-	1	-	-	-	-	-	2	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	1	-	-	1	-	-	-	-	-	-	-	-	-	-
147 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	1	-	-	-	-	-	1	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	4	8	11	1	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	61	34	95	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	40	32	72	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	23	20	43	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	2	4	-	-	-	-	-	-	-	-	-	3	3	-
(*b*) Senile Decay - - -	36	85	-	-	-	-	-	-	-	-	-	17	104	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	6	3	-	-	-	-	3	2	2	1	-	1	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings	-	1	-	-	-	-	-	-	-	-	1	-	-	-
167 Burns and Scalds (166) - -	11	13	1	14	2	-	2	2	-	1	2	-	-	-
168 Exposure to Poisonous Vapours -	1	-	-	-	-	-	-	-	-	-	1	-	-	-
169 Drowning - - - - -	17	6	-	1	-	-	4	6	5	3	1	1	2	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	4	-	-	-	-	-	2	-	-	1	-	1	-	-
173 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-
175 (*a*) Accidents on Railways - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Accidents with Tramways -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	1	1	-	-	-	-	-	-	1	-	1	-	-	-
186 (*a*) Overlaying - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	4	1	3	1	-	-	-	-	-	1	-	-	-	-
(*c*) Other Accidents (176, 181, 185)	27	9	-	3	4	1	6	2	5	4	1	6	4	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIX. ILL-DEFINED CAUSES.														
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	1	2	-	-	-	-	-	-	1	-	-	1	1	-
(*b*) Sudden Death (not otherwise defined)	1	-	-	-	-	-	-	-	-	-	-	1	-	-
189 (*a*) Heart Failure - - -	9	10	1	-	-	-	-	-	-	5	2	5	6	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	2	3	-	4	-	-	-	-	-	-	1	-	-	-
(*f*) Dis. not Specified, Nat. Causes	5	5	1	1	-	-	-	-	2	1	2	2	1	-

Causes of Death in PAISLEY in 1913.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	626	680	259	143	33	21	71	59	114	132	160	193	121	-
I. GENERAL DISEASES.														
1 Enteric Fever	1	-	-	-	-	-	-	-	-	1	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	22	4	7	17	2	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	-	2	-	2	-	-	-	-	-	-	-	-	-	-
8 Whooping-cough	15	19	12	21	1	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	3	1	-	4	-	-	-	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Influenza	2	1	-	-	-	-	-	1	2	-	-	-	-	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	2	4	-	-	2	-	-	-	1	1	2	-	-	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	2	1	-	1	-	-	-	-	1	-	-	1	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	41	53	2	2	-	1	28	21	21	11	8	-	-	-
29 (*a*) Acute Phthisis	1	-	-	-	-	-	-	-	1	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	1	2	-	1	-	-	1	-	-	-	1	-	-	-
30 Tuberculous Meningitis	12	9	9	8	3	1	-	-	-	-	-	-	-	-
31 Abdominal Tuberculosis	17	7	8	7	5	-	2	-	1	-	1	-	-	-
32 Tuberculosis of Spine	-	1	-	-	-	1	-	-	-	-	-	-	-	-
33 Tuberculosis of Joints	3	-	1	-	-	-	-	1	-	-	1	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	6	8	1	1	1	2	5	1	1	-	1	1	-	-
36 Rickets, Osteomalacia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 Syphilis	2	4	4	1	-	-	-	-	-	1	-	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma } 39-44	20	30	-	-	-	-	-	-	4	9	22	11	4	-
(*b*) Sarcoma } 39-44	-	3	-	-	-	-	-	-	-	-	1	1	1	-
(*c*) Malignant Disease, other or not defined } 39-44	11	21	-	-	-	-	-	-	3	9	8	9	3	-
46 Other Tumours (Situation undefined)	-	1	-	-	-	-	-	-	-	-	1	-	-	-
47 Rheumatic Fever	6	6	-	1	2	2	4	1	1	-	1	-	-	-
48 (*a*) Chronic Rheumatism	-	3	-	-	-	-	-	-	-	-	1	1	1	-
(*b*) Osteo-arthritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	4	6	-	-	-	-	-	1	2	2	2	3	-	-
51 Exophthalmic Goitre	-	1	-	-	-	-	-	-	1	-	-	-	-	-
52 Addison's Disease	1	-	-	-	-	-	-	1	-	-	-	-	-	-
53 (*a*) Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Lymphadenoma	1	-	-	-	-	-	-	-	-	-	-	1	-	-
54 Anæmia, Chlorosis	4	6	-	-	1	-	1	1	2	2	1	2	-	-
55 (*b*) Purpura	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(*c*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	1	-	-	-	-	-	-	-	1	-	-	-	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	1	-	-	-	-	-	-	-	-	-	1	-	-	-
61 (*a*) Cerebro-spinal Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	17	15	16	11	-	2	1	-	1	1	-	-	-	-
62 Locomotor Ataxy	3	-	-	-	-	-	-	-	1	1	1	-	-	-
63 Other Diseases of Spinal Cord	1	6	-	-	-	-	1	-	2	2	1	1	-	-
64 Cerebral Hæmorrhage, Apoplexy	28	44	-	-	-	-	-	-	4	11	11	28	18	-
65 Softening of Brain	1	2	-	-	-	-	-	-	1	-	-	1	1	-
66 (*a*) Hemiplegia	5	5	-	-	-	-	-	1	-	2	2	4	1	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	1	1	-	-	-	-	-	-	-	-	1	-	1	-
67 General Paralysis of Insane	3	2	-	-	-	-	-	1	1	1	2	-	-	-
68 Other Insanity	4	4	-	-	-	-	-	1	3	1	-	3	-	-
69 Epilepsy	5	3	-	1	1	-	-	1	2	2	1	-	-	-
71 Convulsions (not Puerperal) (70)	3	5	3	3	1	1	-	-	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
74 (*c*) Cerebral Tumour	1	2	-	1	-	-	1	1	-	-	-	-	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	1	-	-	1	-	-	-	-	-	-	-	-	-	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	2	2	1	1	-	-	2	-	-	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	-	1	-	-	-	1	-	-	-	-	-	-	-	-
78 Acute Endocarditis	2	4	-	-	-	1	1	1	1	2	-	-	-	-
79 (*a*) Valvular Disease	16	31	-	-	-	1	1	3	8	8	10	9	7	-
(*b*) Fatty Degeneration of Heart	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*c*) Other Organic Diseases of Heart	26	28	-	-	1	1	1	2	4	6	13	19	7	-
80 Angina Pectoris	-	1	-	-	-	-	-	-	-	-	1	-	-	-
81 (*a*) Aneurysm	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Arterio-sclerosis	9	6	-	-	-	-	-	-	-	-	4	7	4	-
(*c*) Other Diseases of Arteries	1	-	-	-	-	-	-	-	-	-	-	1	-	-
82 (*a*) Cerebral Embolism, Thrombosis	-	3	-	-	-	-	-	-	1	-	1	-	1	-
(*b*) Embolism and Thrombosis, not Cerebral	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83 Diseases of Veins	1	-	-	-	-	-	-	-	-	-	-	1	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Bronchitis (89)	46	61	21	7	2	-	2	1	3	8	20	30	13	-
91 Broncho-pneumonia	18	13	14	13	-	-	-	1	-	1	1	-	1	-
92 Pneumonia	29	22	9	10	-	-	3	3	4	10	7	5	-	-
93 Pleurisy	3	3	-	-	-	1	2	-	2	-	1	-	-	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	1	1	-	1	-	-	-	-	-	-	-	-	1	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	-	1	-	-	-	-	-	-	-	1	-	-	-	-
97 Pulmonary Emphysema	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (*a*) Fibroid Diseases of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	1	2	-	-	-	-	1	-	-	1	-	1	-	-

	Sexes.		Age											Age not stated.
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	1	1	1	–	–	–	–	–	–	–	–	1	–	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	1	1	1	–	–	–	–	–	1	–	–	–	–	–
102 Gastric Ulcer – – – –	7	3	–	–	–	–	1	1	1	4	1	1	1	–
103 Other Dis. of Stomach. Gastritis	3	9	4	–	–	–	1	–	3	–	1	3	–	–
104 Diarrhœa, Enteritis (under 2 years)	35	21	47	9	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	5	5	–	4	1	1	–	–	1	1	–	1	1	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	3	6	–	–	2	2	2	1	2	–	–	–	–	–
109 (*a*) Hernia – – – –	2	4	1	–	–	–	–	–	1	1	–	3	–	–
(*b*) Intestinal Obstruction – –	2	3	2	–	–	–	–	–	–	–	2	1	–	–
110 Other Diseases of Intestine –	4	1	2	–	–	–	1	–	1	–	1	–	–	–
111 Acute Yellow Atrophy of Liver –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	5	2	–	–	–	–	–	–	–	4	2	1	–	–
114 Gallstones – – – –	2	3	–	–	–	–	–	–	–	–	2	2	1	–
115 Other Diseases of Liver – –	1	2	–	–	–	–	–	–	1	2	–	–	–	–
116 Diseases of Spleen – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117 Peritonitis, cause not specified –	1	2	–	–	1	–	–	1	–	–	1	–	–	–
118 Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis – – –	2	4	–	–	–	1	1	1	2	–	1	–	–	–
120 (*a*) Bright's Disease – – –	14	9	–	–	1	–	1	2	3	4	9	3	–	–
(*b*) Uræmia – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122 Other Dis. of Kidney, Chyluria (121)	1	–	–	–	–	–	–	–	–	1	–	–	–	–
123 Urinary Calculus – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 Diseases of Bladder – – –	4	1	–	–	–	–	–	–	1	1	–	3	–	–
125 Dis. of Urethra, Urinary Abscess	3	–	–	–	–	–	–	–	–	2	1	–	–	–
126 Diseases of Prostate – – –	6	–	–	–	–	–	–	–	–	–	3	2	1	–
127 Diseases of Male Genital Organs (not Venereal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
130 Other Diseases of Uterus – –	–	1	–	–	–	–	–	–	–	1	–	–	–	–
131 Cysts. and Other Tumours of Ovary	–	1	–	–	–	–	–	–	1	–	–	–	–	–
132 Other Dis. of Female Genit. Organs	–	1	–	–	–	–	–	1	–	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage – –	–	3	–	–	–	–	–	–	3	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Ectopic Gestation – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
135 Puerperal Hæmorrhage – –	–	2	–	–	–	–	–	–	2	–	–	–	–	–
136 Other Accidents of Childbirth –	–	2	–	–	–	–	–	1	1	–	–	–	–	–
137 Puerperal Sepsis – – –	–	1	–	–	–	–	–	–	1	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	–	2	–	–	–	–	1	1	–	–	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	2	–	–	–	–	–	1	1	–	–	–	–	–
141 Puerperal Diseases of Breast –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene – – –	–	3	–	–	–	–	–	–	–	–	–	2	1	–
(*b*) Noma, Cancrum Oris – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
143 Carbuncle, Boil – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144 Phlegmon, Acute Abscess – –	1	1	2	–	–	–	–	–	–	–	–	–	–	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	1	1	–	–	–	–	–	–	1	–	–	–	1	–

	Sexes.		Age											Age not stated.
	Males.	Females.	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	3	–	–	1	1	1	–	–	–	–	–	–	–	–
147 Diseases of Joints – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149 Other Dis. of Locomotor Syst. (148)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. MALFORMATIONS.														
150 Congenital Malformations – –	6	6	9	2	–	–	–	1	–	–	–	–	–	–
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth – – –	19	21	40	–	–	–	–	–	–	–	–	–	–	–
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	18	16	34	–	–	–	–	–	–	–	–	–	–	–
152 Other Diseases peculiar to Early Infancy	3	2	5	–	–	–	–	–	–	–	–	–	–	–
153 Lack of Care – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. OLD AGE.														
154 (*a*) Senile Dementia – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Senile Decay – – –	18	43	–	–	–	–	–	–	–	–	–	16	45	–
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) – – –	8	2	–	–	–	–	1	1	2	4	–	2	–	–
164 Poisoning by Food – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
165 Other Accidental Poisonings –	1	1	–	–	–	–	–	–	1	1	–	–	–	–
167 Burns and Scalds (166) – –	1	3	–	2	–	–	–	–	–	–	1	1	–	–
168 Exposure to Poisonous Vapours –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
169 Drowning – – – – –	1	1	–	–	–	–	–	–	1	1	–	–	–	–
170 Accidents with Fire Arms – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
171 Accidents with Instruments and Weapons	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172 Accidental Falls – – –	3	2	–	1	1	–	–	1	–	1	–	1	–	–
173 (*a*) Accidents in Coal Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Accidents in Other Mines –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Accidents in Quarries – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174 Accidents with Machinery –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175 (*a*) Accidents on Railways – –	2	–	–	–	1	–	–	–	–	–	–	–	1	–
(*b*) Acc. with Horses and Vehicles	2	4	–	2	2	–	–	–	–	–	–	1	1	–
(*c*) Accidents with Motor Vehicles	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Accidents with Tramways –	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(*e*) Other Crushing Accidents –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
177 Hunger – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180 Weather Agencies (178, 179) –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 (*a*) Overlaying – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Suffocation (otherwise) –	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(*c*) Other Accidents (176, 181, 185)	9	5	–	–	1	1	2	2	1	3	–	3	1	–
184 Homicide (182, 183) – – –	–	1	–	–	–	–	1	–	–	–	–	–	–	–
190 Execution – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV. ILL-DEFINED CAUSES.														
187 Dropsy – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188 (*a*) Syncope – – – –	1	1	2	–	–	–	–	–	–	–	–	–	–	–
(*b*) Sudden Death (not otherwise defined)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 (a) Heart Failure – – –	9	8	–	–	–	–	1	–	2	5	4	4	1	–
(*c*) Teething – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Ill-defined Diseases (*b*, *d*)	3	4	–	5	–	–	–	–	–	–	2	–	–	–
(*f*) Dis. not Specified, Nat. Causes	4	–	–	1	–	–	–	–	–	1	–	1	1	–

Causes of Death in LEITH in 1913.

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
All Causes	675	588	255	121	41	14	48	72	120	122	157	198	115	-
I. GENERAL DISEASES.														
1 Enteric Fever	1	1	-	-	1	-	1	-	-	-	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) (*b*) Smallpox (*c*) — Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) (*b*) Smallpox (*c*) — Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) (*b*) Smallpox (*c*) — Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	12	13	6	18	1	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	7	3	-	4	3	1	2	-	-	-	-	-	-	-
8 Whooping-cough	26	30	33	22	1	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	1	4	1	4	-	-	-	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Influenza	1	1	-	-	-	-	-	-	-	-	-	2	-	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	2	1	-	-	-	-	-	-	-	-	1	1	1	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	1	1	-	-	-	-	-	-	1	-	-	-	1	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	58	48	1	5	2	3	14	26	32	12	9	1	1	-
29 (*a*) Acute Phthisis	-	1	-	-	-	1	-	-	-	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	1	1	1	-	-	-	-	1	-	-	-	-	-	-
30 Tuberculous Meningitis	20	13	10	12	10	1	-	-	-	-	-	-	-	-
31 Abdominal Tuberculosis	3	9	4	3	2	-	2	1	-	-	-	-	-	-
32 Tuberculosis of Spine	1	1	-	-	1	-	-	1	-	-	-	-	-	-
33 Tuberculosis of Joints	-	1	-	-	1	-	-	-	-	-	-	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	6	3	3	3	-	-	2	-	-	-	-	-	1	-
36 Rickets, Osteomalacia	-	1	1	-	-	-	-	-	-	-	-	-	-	-
37 Syphilis	-	2	2	-	-	-	-	-	-	-	-	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma } 39-44	29	37	-	-	-	-	-	1	9	9	18	22	7	-
(*b*) Sarcoma } 39-44	1	1	-	-	-	-	-	-	-	1	-	1	-	-
(*c*) Malignant Disease, other or not defined } 39-44	11	11	-	1	-	-	-	1	-	5	5	7	3	-
46 Other Tumours (Situation undefined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47 Rheumatic Fever	4	4	-	-	-	1	3	2	1	-	-	1	-	-
48 (*a*) Chronic Rheumatism	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*b*) Osteo-arthritis	1	-	-	-	-	-	-	-	-	1	-	-	-	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	2	1	-	-	-	-	1	-	-	-	1	1	-	-
51 Exophthalmic Goitre	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52 Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53 (*a*) Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Lymphadenoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54 Anæmia, Chlorosis	3	7	-	1	-	-	-	1	1	3	2	1	1	-
55 (*b*) Purpura	1	-	-	-	-	-	-	-	-	-	-	1	-	-
(*b*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	4	2	-	-	-	-	-	3	1	1	1	-	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	7	5	3	3	3	-	-	-	-	3	-	-	-	-
62 Locomotor Ataxy	1	-	-	-	-	-	-	-	-	1	-	-	-	-
63 Other Diseases of Spinal Cord	2	3	1	-	-	-	-	-	1	-	1	2	-	-
64 Cerebral Hæmorrhage, Apoplexy	49	44	-	-	-	-	-	-	3	12	24	37	17	-
65 Softening of Brain	1	2	-	-	-	-	-	-	-	-	1	1	1	-
66 (*a*) Hemiplegia	2	1	-	-	-	-	-	-	-	1	2	-	-	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	1	-	-	-	-	-	-	-	-	-	-	1	-	-
67 General Paralysis of Insane	12	2	-	-	-	-	-	1	5	4	4	-	-	-
68 Other Insanity	-	2	-	-	-	-	-	-	1	-	1	-	-	-
69 Epilepsy	4	-	-	-	-	-	1	-	2	1	-	-	-	-
71 Convulsions (not Puerperal) (70)	10	4	11	3	-	-	-	-	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	1	2	-	-	-	-	-	-	2	-	1	-	-	-
74 (*c*) Cerebral Tumour	1	1	-	-	1	1	-	-	-	-	-	-	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	-	3	-	-	-	-	1	-	-	-	-	-	2	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	3	1	-	-	-	1	1	1	-	-	1	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	1	2	1	-	1	-	-	-	1	-	-	-	-	-
78 Acute Endocarditis	2	-	-	-	-	-	-	-	1	1	-	-	-	-
79 (*a*) Valvular Disease	25	39	-	-	1	-	4	4	11	8	9	20	7	-
(*b*) Fatty Degeneration of Heart	7	7	-	-	-	-	-	1	1	-	2	5	5	-
(*c*) Other Organic Diseases of Heart	18	28	-	-	1	1	3	-	3	5	12	18	3	-
80 Angina Pectoris	5	1	-	-	-	-	-	-	-	1	2	2	1	-
81 (*a*) Aneurysm	5	1	-	-	-	-	-	-	2	1	3	-	-	-
(*b*) Arterio-sclerosis	4	-	-	-	-	-	-	-	-	-	2	1	1	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	8	7	-	-	-	-	-	-	2	-	4	6	3	-
(*b*) Embolism and Thrombosis, not Cerebral	1	-	-	-	-	-	-	-	-	-	1	-	-	-
83 Diseases of Veins	1	-	-	-	-	-	-	-	-	-	-	-	1	-
84 (*a*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage. Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	1	-	-	1	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Larynx (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Bronchitis (89)	40	45	9	5	1	-	-	2	-	12	13	20	23	-
91 Broncho-pneumonia	23	15	19	9	2	-	-	2	1	1	2	1	1	-
92 Pneumonia	42	28	8	13	2	1	3	3	12	11	6	10	1	-
93 Pleurisy	3	1	1	1	-	-	-	-	1	-	-	1	-	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	2	4	1	-	-	-	-	-	-	-	1	2	2	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	2	-	-	-	-	-	-	-	-	-	-	2	-	-
97 Pulmonary Emphysema	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (*a*) Fibroid Diseases of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	3	-	2	-	-	-	-	-	-	-	-	-	1	-
102 Gastric Ulcer	2	4	-	-	-	-	1	1	1	1	-	1	1	-
103 Other Dis. of Stomach. Gastritis	3	5	3	-	-	-	-	1	1	-	1	1	1	-
104 Diarrhœa, Enteritis (under 2 years)	20	15	30	5	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	3	1	-	-	-	-	-	-	-	-	1	1	2	-
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis	1	1	-	-	2	-	-	-	-	-	-	-	-	-
109 (*a*) Hernia	2	1	-	-	-	-	-	-	-	-	1	1	1	-
(*b*) Intestinal Obstruction	3	1	2	-	1	-	-	-	-	-	1	-	-	-
110 Other Diseases of Intestine	1	-	-	-	-	-	-	-	-	1	-	-	-	-
111 Acute Yellow Atrophy of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver	2	3	-	-	-	-	-	1	2	-	2	-	-	-
114 Gallstones	-	1	-	-	-	-	-	-	-	-	-	1	-	-
115 Other Diseases of Liver	1	1	-	-	-	-	-	-	-	1	-	1	-	-
116 Diseases of Spleen	1	1	1	-	-	-	-	1	-	-	-	-	-	-
117 Peritonitis, cause not specified	3	1	-	1	-	-	-	1	1	1	-	-	-	-
118 Other Diseases of Digestive System	-	1	-	-	-	-	-	1	-	-	-	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis	5	1	2	1	1	-	-	1	-	-	1	-	-	-
120 (*a*) Bright's Disease	12	12	-	-	-	-	-	-	1	10	8	4	1	-
(*b*) Uræmia	2	-	-	-	-	-	-	1	1	-	-	-	-	-
122 Other Dis. of Kidney, Chyluria (121)	1	1	-	-	-	-	-	-	-	1	-	1	-	-
123 Urinary Calculus	1	1	-	-	-	-	-	1	-	-	-	1	-	-
124 Diseases of Bladder	1	-	-	-	-	-	-	-	-	-	-	-	1	-
125 Dis. of Urethra, Urinary Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 Diseases of Prostate	3	-	-	-	-	-	-	-	1	1	-	-	1	-
127 Diseases of Male Genital Organs (not Venereal)	1	-	1	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	1	-	-	-	-	-	1	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	1	-	-	-	-	-	-	1	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Uncontrollable Vomiting	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Ectopic Gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136 Other Accidents of Childbirth	-	1	-	-	-	-	-	-	1	-	-	-	-	-
137 Puerperal Sepsis	-	2	-	-	-	-	-	1	1	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	3	-	-	-	-	1	2	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	5	-	-	-	-	1	3	1	-	-	-	-	-
140 (*a*) Puerperal Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases	-	2	-	-	-	-	1	-	1	-	-	-	-	-
141 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*b*) Noma, Cancrum Oris	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*)	-	1	-	-	-	-	-	-	-	1	-	-	-	-
143 Carbuncle, Boil	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144 Phlegmon, Acute Abscess	3	-	-	-	-	-	-	-	1	-	1	1	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	2	1	2	-	-	-	-	-	-	-	-	-	1	-

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated.
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	2	1	-	1	-	-	1	-	-	1	-	-	-	-
147 Diseases of Joints - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	8	1	8	-	-	1	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	26	20	46	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	10	7	17	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	3	-	3	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Senile Decay - - -	7	13	-	-	-	-	-	-	-	-	-	5	15	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	6	1	-	-	-	-	1	2	2	1	-	1	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
167 Burns and Scalds (166) - -	3	3	1	3	1	-	-	-	-	1	-	-	-	-
168 Exposure to Poisonous Vapours -	2	-	-	-	-	-	-	-	-	-	2	-	-	-
169 Drowning - - - - -	10	2	-	-	1	-	-	-	3	2	2	3	1	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	3	1	-	-	-	-	-	-	2	-	1	1	-	-
173 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	3	-	-	-	-	-	2	-	-	-	-	1	-	-
175 (*a*) Accidents on Railways - -	2	-	-	-	-	-	-	1	1	-	-	-	-	-
(*b*) Acc. with Horses and Vehicles	2	1	-	-	1	-	-	1	-	1	-	-	-	-
(*c*) Accidents with Motor Vehicles	2	-	-	-	-	-	-	-	2	-	-	-	-	-
(*d*) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger - - - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	-
180 Weather Agencies (178-179) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (*a*) Overlaying - - - -	6	6	12	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	1	2	3	-	-	-	-	-	-	-	-	-	-	-
(*c*) Other Accidents (176, 181, 185)	5	2	-	-	-	-	1	-	1	-	1	2	2	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	-	2	1	-	-	-	-	-	-	1	-	-	-	-
(*b*) Sudden Death (not otherwise defined)	-	1	1	-	-	-	-	-	-	-	-	-	-	-
189 (*a*) Heart Failure - - -	7	9	1	-	-	-	-	1	1	3	4	4	2	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	1	-	-	-	-	-	-	-	-	-	1	-	-	-
(*f*) Dis. not Specified, Nat. Causes	5	-	2	1	-	1	-	-	-	-	-	1	-	-

Causes of Death in GREENOCK in 1913.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	742	664	279	222	37	29	65	91	103	131	149	173	127	-
I. GENERAL DISEASES.														
1 Enteric Fever	4	2	-	-	-	2	1	1	2	-	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) Smallpox — Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Smallpox — Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Smallpox — Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	16	18	5	27	1	1	-	-	-	-	-	-	-	-
7 Scarlet Fever	9	9	2	10	5	1	-	-	-	-	-	-	-	-
8 Whooping-cough	25	24	20	27	2	-	-	-	-	-	-	-	-	-
9 (*a*) Diphtheria	2	8	-	9	1	-	-	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	-	2	1	1	-	-	-	-	-	-	-	-	-	-
10 Influenza	-	1	-	-	-	-	-	-	-	-	-	1	-	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	4	-	-	-	-	-	-	1	-	-	3	-	-	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	5	1	-	-	-	-	1	-	4	1	-	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	65	44	2	4	1	4	15	31	20	19	9	4	-	-
29 (*a*) Acute Phthisis	4	1	1	-	-	-	3	1	-	-	-	-	-	-
(*b*) Acute Miliary Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30 Tuberculous Meningitis	10	14	8	10	2	2	2	-	-	-	-	-	-	-
31 Abdominal Tuberculosis	9	9	3	9	2	1	1	1	1	-	-	-	-	-
32 Tuberculosis of Spine	4	2	-	2	2	-	1	-	1	-	-	-	-	-
33 Tuberculosis of Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	11	7	4	6	2	3	3	-	-	-	-	-	-	-
36 Rickets, Osteomalacia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 Syphilis	2	-	2	-	-	-	-	-	-	-	-	-	-	-
38 Other Venereal Diseases	-	1	1	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma } 39-44	21	17	-	-	-	-	-	1	1	4	10	18	4	-
(*b*) Sarcoma } 39-44	-	1	-	-	-	-	-	-	1	-	-	-	-	-
(*c*) Malignant Disease, other or not defined } 39-44	12	20	-	-	-	-	-	1	4	6	14	4	3	-
46 Other Tumours (Situation undefined)	-	1	-	-	-	-	-	1	-	-	-	-	-	-
47 Rheumatic Fever	1	2	-	-	-	-	1	1	-	-	-	1	-	-
48 (*a*) Chronic Rheumatism	2	2	-	-	-	-	-	-	-	1	2	-	1	-
(*b*) Osteo-arthritis	-	1	-	-	-	-	-	-	-	-	1	-	-	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Diabetes	4	2	-	-	-	1	-	-	-	3	-	1	1	-
51 Exophthalmic Goitre	-	1	-	-	-	-	-	1	-	-	-	-	-	-
52 Addison's Disease	-	1	-	-	-	-	-	-	-	1	-	-	-	-
53 (*a*) Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Lymphadenoma	1	1	-	-	1	-	1	-	-	-	-	-	-	-
54 Anæmia, Chlorosis	6	4	1	-	-	-	-	2	1	4	1	1	-	-
55 (*b*) Purpura	-	2	-	-	1	-	-	-	-	-	-	-	1	-
(*c*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	2	-	-	-	-	-	-	-	2	-	-	-	-	-
57 Chronic Lead Poisoning	1	-	-	-	-	-	-	-	1	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	1	-	-	-	-	1	-	-	-	-	-	-	-	-
61 (*a*) Cerebro-spinal Meningitis	1	1	-	-	1	-	-	1	-	-	-	-	-	-
(*c*) Meningitis, Basal, Nature unspecified (*b*)	20	12	7	13	2	2	1	2	-	3	2	-	-	-
62 Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63 Other Diseases of Spinal Cord	3	2	-	1	-	-	1	1	1	1	-	-	-	-
64 Cerebral Hæmorrhage, Apoplexy	50	38	-	-	1	-	-	1	4	16	24	19	23	-
65 Softening of Brain	2	2	-	-	-	-	-	-	-	1	3	-	-	-
66 (*a*) Hemiplegia	9	6	-	-	-	-	-	-	-	2	2	9	2	-
(*c*) Paralysis, Cause or Nature unspecified (*b*)	3	-	-	-	-	1	-	-	-	-	-	2	-	-
67 General Paralysis of Insane	5	1	-	-	-	-	-	1	-	4	1	-	-	-
68 Other Insanity	4	1	-	-	-	-	-	-	-	3	-	1	1	-
69 Epilepsy	2	1	-	-	-	-	-	1	1	-	1	-	-	-
71 Convulsions (not Puerperal) (70)	8	6	7	7	-	-	-	-	-	-	-	-	-	-
72 Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
74 (*c*) Cerebral Tumour	1	2	-	-	-	1	-	1	-	-	-	1	-	-
(*d*) Other Diseases of Nervous System (*a*, *b*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (*a*) Mastoid Disease	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(*b*) Diseases of Ear	2	1	-	-	1	2	-	-	-	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78 Acute Endocarditis	-	1	-	-	-	-	-	-	1	-	-	-	-	-
79 (*a*) Valvular Disease	16	30	-	-	-	-	2	1	10	7	10	12	4	-
(*b*) Fatty Degeneration of Heart	2	2	-	-	-	-	-	-	-	2	1	1	-	-
(*c*) Other Organic Diseases of Heart	28	26	-	-	1	1	1	1	3	3	13	20	11	-
80 Angina Pectoris	5	3	-	-	-	-	-	-	1	1	3	2	1	-
81 (*a*) Aneurysm	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*b*) Arterio-sclerosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (*a*) Cerebral Embolism, Thrombosis	3	3	-	-	-	-	-	1	1	-	-	3	1	-
(*b*) Embolism and Thrombosis, not Cerebral	1	1	-	1	-	-	-	1	-	-	-	-	-	-
83 Diseases of Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84 (*a*) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Dis. of Lymphatic System	-	2	1	-	-	-	-	-	-	-	-	1	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (*b*) Laryngitis	2	1	2	-	-	-	-	-	-	-	-	1	-	-
(*c*) Other Diseases of Larynx (*a*)	-	1	-	-	-	-	-	-	1	-	-	-	-	-
88 Diseases of Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Bronchitis (89)	37	51	21	12	-	-	1	1	6	4	18	9	16	-
91 Broncho-pneumonia	21	21	14	24	1	-	-	1	-	-	-	-	2	-
92 Pneumonia	56	31	16	23	2	3	5	4	4	9	8	11	2	-
93 Pleurisy	3	-	-	1	-	-	1	-	-	1	-	-	-	-
94 (*a*) Pulmonary Apoplexy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Pulmonary Congestion (*c*, *d*)	1	3	1	-	-	-	-	-	2	1	-	-	-	-
95 Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma	-	1	-	-	-	-	-	-	-	-	1	-	-	-
97 Pulmonary Emphysema	3	-	-	-	-	-	-	-	-	-	1	2	-	-
98 (*a*) Fibroid Diseases of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	1	1	1	-	-	-	1	-	-	-	-	-	-	-
102 Gastric Ulcer - - - -	1	2	-	-	1	-	-	-	-	1	-	1	-	-
103 Other Dis. of Stomach. Gastritis	-	6	-	1	-	-	-	1	2	-	1	1	-	-
104 Diarrhœa, Enteritis (under 2 years)	23	26	39	10	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	4	3	-	3	1	1	-	-	1	-	-	-	1	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	1	5	-	-	-	1	1	1	1	-	2	-	-	-
109 (*a*) Hernia - - - -	1	2	1	-	-	-	-	-	-	1	-	1	-	-
(*b*) Intestinal Obstruction - -	1	4	-	-	-	-	1	-	-	2	1	1	-	-
110 Other Diseases of Intestine -	3	2	-	-	-	-	-	2	-	-	1	2	-	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	2	1	-	-	-	-	-	-	-	2	-	1	-	-
114 Gallstones - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-
115 Other Diseases of Liver - -	4	7	-	1	1	-	-	-	-	3	2	1	3	-
116 Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified -	1	-	-	-	-	-	-	1	-	-	-	-	-	-
118 Other Diseases of Digestive System	2	-	1	-	-	-	-	-	-	-	1	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis - - -	8	3	1	2	1	-	2	1	1	2	-	1	-	-
120 (*a*) Bright's Disease - - -	11	6	-	-	-	-	1	1	4	4	2	3	2	-
(*b*) Uræmia - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-
122 Other Dis. of Kidney, Chyluria (121)	-	1	-	-	-	-	-	-	-	1	-	-	-	-
123 Urinary Calculus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 Diseases of Bladder - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	-
125 Dis. of Urethra, Urinary Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 Diseases of Prostate - - -	6	-	-	-	-	-	-	-	1	-	1	1	6	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
(*c*) Uncontrollable Vomiting -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Ectopic Gestation - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	-	2	-	-	-	-	1	-	1	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	6	-	-	-	-	-	3	2	1	-	-	-	-
136 Other Accidents of Childbirth -	-	4	-	-	-	-	-	3	1	-	-	-	-	-
137 Puerperal Sepsis - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	2	-	-	-	-	1	1	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	3	-	-	-	-	-	1	2	-	-	-	-	-
140 (*a*) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Other Puerperal Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene - - -	3	2	-	-	-	-	-	-	-	-	-	3	2	-
(*b*) Noma, Cancrum Oris - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other Gangrene (*c*) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143 Carbuncle, Boil - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
144 Phlegmon, Acute Abscess - -	4	4	3	1	-	-	1	-	-	-	1	2	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Age not stated
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded) -	1	2	-	2	-	1	-	-	-	-	-	-	-	-
147 Diseases of Joints - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	4	2	6	-	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	21	20	41	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	36	18	54	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	1	3	4	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	-
(*b*) Senile Decay - - -	14	33	-	-	-	-	-	-	-	-	-	17	30	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	-
164 Poisoning by Food - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
167 Burns and Scalds (166) - -	6	3	-	3	-	-	1	-	-	2	-	2	1	-
168 Exposure to Poisonous Vapours -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
169 Drowning - - - - -	14	2	-	1	-	-	2	6	3	3	1	-	-	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-
173 (*a*) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	2	-	-	-	-	-	1	-	1	-	-	-	-	-
175 (*a*) Accidents on Railways - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(*b*) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (*a*) Overlaying - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	-	4	3	-	-	-	-	-	-	1	-	-	-	-
(*c*) Other Accidents (176, 181, 185)	29	3	-	2	2	-	7	4	3	5	5	1	3	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (*a*) Syncope - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	-
(*b*) Sudden Death (not otherwise defined)	1	1	2	-	-	-	-	-	-	-	-	-	-	-
189 (*a*) Heart Failure - - -	8	12	1	-	1	-	1	1	2	2	2	6	4	-
(*c*) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	3	5	-	7	-	-	-	-	-	1	-	-	-	-
(*f*) Dis. not Specified, Nat. Causes	5	3	3	1	-	-	1	1	1	1	-	-	-	-

Causes of Death in LANARK—MIDDLE WARD, in 1913.

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes	1567	1442	848	396	88	59	124	149	204	252	324	344	221	-
I. GENERAL DISEASES.														
1 Enteric Fever	3	3	-	1	1	1	1	1	1	-	-	-	-	-
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 (*a*) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Smallpox Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	40	37	15	59	3	-	-	-	-	-	-	-	-	-
7 Scarlet Fever	12	17	1	11	11	3	2	1	-	-	-	-	-	-
8 Whooping-cough	54	53	64	42	-	-	1	-	-	-	-	-	-	-
9 (*a*) Diphtheria	9	11	2	12	4	1	1	-	-	-	-	-	-	-
(*c*) Croup, Membr. Laryngitis (*b*)	1	1	-	2	-	-	-	-	-	-	-	-	-	-
10 Influenza	5	3	-	-	-	-	-	4	-	1	1	1	1	-
13 Cholera Nostras	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Erysipelas	2	4	1	-	-	-	1	-	-	1	2	-	1	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 (*a*) Pyæmia, Septicæmia (not Puerperal) (*b*)	1	1	1	1	-	-	-	-	-	-	-	-	-	-
(*c*) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	1	1	-	1	1	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	91	82	1	3	11	10	42	32	37	25	11	-	1	-
29 (*a*) Acute Phthisis	-	3	-	-	-	-	1	-	1	-	1	-	-	-
(*b*) Acute Miliary Tuberculosis	3	1	1	-	1	-	-	1	1	-	-	-	-	-
30 Tuberculous Meningitis	34	33	20	28	11	3	-	5	-	-	-	-	-	-
31 Abdominal Tuberculosis	30	28	18	26	5	4	-	2	1	1	-	1	-	-
32 Tuberculosis of Spine	1	3	-	-	-	-	-	2	-	2	-	-	-	-
33 Tuberculosis of Joints	1	1	-	1	-	-	1	-	-	-	-	-	-	-
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	15	8	6	3	2	-	6	4	1	1	-	-	-	-
36 Rickets, Osteomalacia	1	-	-	1	-	-	-	-	-	-	-	-	-	-
37 Syphilis	1	2	2	-	-	-	-	-	1	-	-	-	-	-
38 Other Venereal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45 (*a*) Carcinoma } 39-44	33	59	-	-	-	-	-	2	10	18	32	25	5	-
(*b*) Sarcoma } 39-44	6	2	-	-	-	-	2	-	2	1	3	-	-	-
(*c*) Malignant Disease, other or not defined } 39-44	18	28	-	1	-	-	-	2	3	11	11	10	8	-
46 Other Tumours (Situation undefined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47 Rheumatic Fever	6	8	-	-	2	2	1	3	2	2	2	-	-	-
48 (*a*) Chronic Rheumatism	-	2	-	-	-	-	-	-	-	-	-	2	-	-
(*b*) Osteo-arthritis	1	1	-	-	-	-	-	-	-	-	1	1	-	-
(*c*) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Scurvy	1	-	-	1	-	-	-	-	-	-	-	-	-	-
50 Diabetes	6	18	-	-	-	-	4	1	3	7	2	5	2	-
51 Exophthalmic Goitre	1	2	-	-	-	-	-	-	1	1	1	-	-	-
52 Addison's Disease	2	-	-	-	-	-	1	-	-	1	-	-	-	-
53 (*a*) Leucocythæmia	2	1	-	-	-	1	-	-	-	1	1	-	-	-
(*b*) Lymphadenoma	3	1	1	-	-	1	-	2	-	-	-	-	-	-
54 Anæmia, Chlorosis	2	12	-	1	-	-	-	-	2	3	2	6	-	-
55 (*b*) Purpura	4	-	-	1	1	-	1	-	-	-	-	1	-	-
(*c*) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*d*) Other General Diseases (*a*)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Alcoholism	1	1	-	-	-	-	-	1	1	-	-	-	-	-
57 Chronic Lead Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	1	–	–	–	–	–	–	–	1	–	–	–	–	–
61 (*a*) Cerebro-Spinal Meningitis	6	1	1	–	2	1	–	2	–	1	–	–	–	–
(*c*) Meningitis, Basal, Nature unspecified (*b*)	41	40	36	30	5	3	3	–	–	3	1	–	–	–
62 Locomotor Ataxy	3	2	–	–	–	–	–	–	1	2	–	2	–	–
63 Other Diseases of Spinal Cord	7	4	1	–	–	–	1	–	4	–	4	1	–	–
64 Cerebral Hæmorrhage, Apoplexy	74	91	–	–	–	–	1	2	11	19	47	47	38	–
65 Softening of Brain	5	4	–	1	–	–	1	1	–	–	–	4	2	–
66 (*a*) Hemiplegia	6	6	–	–	–	1	–	–	1	1	3	2	4	–
(*c*) Paralysis, Cause or Nature unspecified (*b*)	1	–	–	–	–	–	–	–	–	–	–	–	1	–
67 General Paralysis of Insane	7	2	–	–	–	–	–	3	2	3	1	–	–	–
68 Other Insanity	1	2	–	–	–	–	–	–	–	–	2	–	1	–
69 Epilepsy	5	3	1	1	–	–	2	1	2	1	–	–	–	–
71 Convulsions (not Puerperal) (70)	17	11	20	7	1	–	–	–	–	–	–	–	–	–
72 Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
73 Neuralgia, Neuritis	1	–	–	–	–	–	–	–	–	–	1	–	–	–
74 (*c*) Cerebral Tumour	1	1	–	–	–	1	–	–	–	–	1	–	–	–
(*d*) Other Diseases of Nervous System (*a*, *b*)	2	2	1	–	–	–	–	–	–	–	3	–	–	–
75 Diseases of Eye and Annexa	–	–	–	–	–	–	–	–	–	–	–	–	–	–
76 (*a*) Mastoid Disease	2	–	–	–	1	–	1	–	–	–	–	–	–	–
(*b*) Diseases of Ear	2	3	1	1	–	1	1	1	–	–	–	–	–	–
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis	1	2	–	–	–	1	–	–	–	1	–	–	1	–
78 Acute Endocarditis	–	6	–	–	–	–	2	1	2	1	–	–	–	–
79 (*a*) Valvular Disease	37	49	–	–	2	1	4	2	10	14	23	22	8	–
(*b*) Fatty Degeneration of Heart	8	9	–	–	–	–	–	–	3	1	7	5	1	–
(*c*) Other Organic Diseases of Heart	50	45	2	–	1	–	3	5	10	14	24	24	12	–
80 Angina Pectoris	9	6	–	–	–	–	–	–	–	1	6	7	1	–
81 (*a*) Aneurysm	5	–	–	–	–	–	–	–	–	3	1	1	–	–
(*b*) Arterio-sclerosis	13	7	–	–	–	–	–	–	–	–	4	7	9	–
(*c*) Other Diseases of Arteries	–	–	–	–	–	–	–	–	–	–	–	–	–	–
82 (*a*) Cerebral Embolism, Thrombosis	4	6	–	–	–	–	–	–	–	2	3	2	3	–
(*b*) Embolism and Thrombosis, not Cerebral	1	–	–	–	–	–	–	–	–	–	1	–	–	–
83 Diseases of Veins	1	–	–	–	–	–	–	–	–	–	1	–	–	–
84 (*a*) Lymphatism, Status Lymphaticus	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–
85 Hæmorrhage, Other Diseases of Circulatory System	1	–	–	–	–	–	–	1	–	–	–	–	–	–
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–
87 (*b*) Laryngitis	2	4	1	5	–	–	–	–	–	–	–	–	–	–
(*c*) Other Diseases of Larynx (*a*)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
88 Diseases of Thyroid	–	–	–	–	–	–	–	–	–	–	–	–	–	–
90 Bronchitis (89)	113	70	39	12	1	2	–	2	5	15	39	47	21	–
91 Broncho-pneumonia	66	63	67	38	–	–	–	1	2	3	7	6	5	–
92 Pneumonia	84	51	18	19	5	1	4	8	16	24	14	20	6	–
93 Pleurisy	6	1	1	1	1	–	2	–	–	1	–	1	–	–
94 (*a*) Pulmonary Apoplexy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Pulmonary Congestion (*c*, *d*)	8	7	1	4	2	–	–	–	–	1	1	2	4	–
95 Gangrene of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–
96 Asthma	1	–	–	–	–	–	–	–	1	–	–	–	–	–
97 Pulmonary Emphysema	–	1	–	–	–	–	–	–	1	–	–	–	–	–
98 (*a*) Fibroid Diseases of Lung	3	–	–	–	–	–	–	–	–	–	1	2	–	–
(*b*) Other Diseases of Respiratory System	–	–	–	–	–	–	–	–	–	–	–	–	–	–

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	–	2	1	–	–	–	–	–	–	–	–	–	1	–
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	–	2	–	–	1	1	–	–	–	–	–	–	–	–
102 Gastric Ulcer – – – –	3	4	–	–	–	–	1	2	1	2	1	–	–	–
103 Other Dis. of Stomach. Gastritis	25	17	8	9	–	–	–	–	–	3	2	5	5	–
104 Diarrhœa, Enteritis (under 2 years)	89	93	151	31	–	–	–	–	–	–	–	–	–	–
105 Diarrhœa, Enteritis (over 2 years)	13	22	–	11	3	–	2	2	–	2	2	5	8	–
107 Intestinal Parasites (106) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108 Appendicitis, Typhlitis – –	11	4	–	–	4	4	2	1	1	1	1	1	–	–
109 (*a*) Hernia – – – –	4	1	1	–	–	–	–	–	–	–	–	3	1	–
(*b*) Intestinal Obstruction – –	8	6	4	–	–	1	1	–	–	1	4	3	–	–
110 Other Diseases of Intestine –	5	3	1	–	–	–	–	1	2	–	2	2	–	–
111 Acute Yellow Atrophy of Liver –	–	1	–	–	–	–	–	1	–	–	–	–	–	–
112 Hydatids of Liver – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113 Cirrhosis of Liver – – –	6	6	–	–	–	–	1	2	1	4	–	3	1	–
114 Gallstones – – – – –	–	5	–	–	–	–	–	–	–	1	2	2	–	–
115 Other Diseases of Liver – –	2	3	1	–	–	–	–	–	–	2	1	–	1	–
116 Diseases of Spleen – – –	–	–	–	–	–	–	–	–	–	–	–	–		–
117 Peritonitis, cause not specified –	3	3	1	–	–	1	–	2	1	1	–	–	–	–
118 Other Diseases of Digestive System	1	1	–	–	–	–	–	–	1	–	1	–	–	–
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis – – – –	8	8	–	5	–	1	1	–	3	1	2	2	1	–
120 (*a*) Bright's Disease – – –	24	20	–	1	–	–	–	3	6	10	12	10	2	–
(*b*) Uræmia – – – –	1	3	–	–	–	–	1	–	2	1	–	–	–	–
122 Other Dis. of Kidney, Chyluria (121)	4	4	–	–	–	–	2	–	2	2	1	1	–	–
123 Urinary Calculus – – –	–	1	–	–	–	–	–	–	–	1	–	–	–	–
124 Diseases of Bladder – – –	5	1	–	–	–	–	–	–	1	1	2	2	–	–
125 Dis. of Urethra, Urinary Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–
126 Diseases of Prostate – – –	6	–	–	–	–	–	–	–	–	–	–	3	3	–
127 Diseases of Male Genital Organs (not Venereal)	1	–	–	–	–	–	–	–	–	–	1	–	–	–
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129 Uterine Tumour (non-Cancerous)	–	1	–	–	–	–	–	–	–	–	–	1	–	–
130 Other Diseases of Uterus – –	–	2	–	–	–	–	–	1	1	–	–	–	–	–
131 Cysts, and Other Tumours of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–
132 Other Dis. of Female Genit. Organs	–	2	–	–	–	–	–	2	–	–	–	–	–	–
133 Non-Puerperal Diseases of Breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (*a*) Abortion, Miscarriage – –	–	3	–	–	–	–	–	2	1	–	–	–	–	–
(*c*) Uncontrollable Vomiting –	–	4	–	–	–	–	1	1	1	1	–	–	–	–
(*d*) Ectopic Gestation – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Other Diseases and Accidents of Pregnancy (*b*)	–	1	–	–	–	–	–	–	1	–	–	–	–	–
135 Puerperal Hæmorrhage – –	–	10	–	–	–	–	–	5	4	1	–	–	–	–
136 Other Accidents of Childbirth	–	7	–	–	–	–	2	1	4	–	–	–	–	–
137 Puerperal Sepsis – – –	–	11	–	–	–	–	1	6	4	–	–	–	–	–
138 Puerp. Albuminuria, Convulsions	–	5	–	–	–	–	2	2	–	1	–	–	–	–
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	–	1	–	–	–	–	–	–	1	–	–	–	–	–
140 (*a*) Puerperal Insanity – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Other Puerperal Diseases –	–	3	–	–	–	–	–	2	1	–	–	–	–	–
141 Puerperal Diseases of Breast –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (*a*) Senile Gangrene – – –	3	1	–	–	–	–	–	–	–	–	–	3	1	–
(*b*) Noma, Cancrum Oris – –	1	1	–	1	–	–	–	1	–	–	–	–	–	–
(*d*) Other Gangrene (*c*) – –	2	1	–	–	1	–	–	–	–	–	2	–	–	–
143 Carbuncle, Boil – – – –	1	1	1	–	–	–	–	–	–	–	1	–	–	–
144 Phlegmon, Acute Abscess – –	8	1	2	–	–	–	–	1	–	2	3	1	–	–
145 Ulcer, Other Diseases of Skin and Cellular Tissue	2	–	1	1	–	–	–	–	–	–	–	–	–	–

	Sexes.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	9	2	1	3	2	2	2	-	1	-	-	-	-	-
147 Diseases of Joints - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
150 Congenital Malformations - -	21	27	48	-	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
151 (*a*) Premature Birth - - -	72	55	127	-	-	-	-	-	-	-	-	-	-	-
(*b*) Congenital Debility, Icterus, Sclerema (*c*, *d*, *e*)	66	42	108	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	18	16	34	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
154 (*a*) Senile Dementia - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(*b*) Senile Decay - - -	31	42	-	-	-	-	-	-	-	-	-	27	46	-
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	4	3	-	-	-	-	-	-	3	2	1	1	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings -	2	1	-	-	-	-	1	1	-	1	-	-	-	-
167 Burns and Scalds (166) - -	3	8	1	7	-	1	1	-	1	-	-	-	-	-
168 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169 Drowning - - - - -	7	3	-	-	-	2	3	2	1	-	-	1	1	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	3	2	-	-	-	-	-	-	2	1	-	-	2	-
173 (*a*) Accidents in Coal Mines -	30	-	-	-	-	2	9	7	8	3	1	-	-	-
(*b*) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175 (*a*) Accidents on Railways - -	13	3	-	1	1	-	-	2	2	6	3	1	-	-
(*b*) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*c*) Accidents with Motor Vehicles	1	1	-	-	1	-	-	1	-	-	-	-	-	-
(*d*) Accidents with Tramways -	-	1	-	-	-	-	-	-	-	-	1	-	-	-
(*e*) Other Crushing Accidents -	1	-	-	-	-	1	-	-	-	-	-	-	-	-
177 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) -	-	2	1	-	-	-	-	-	-	-	-	1	-	-
186 (*a*) Overlaying - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(*b*) Suffocation (otherwise) - -	3	4	5	1	-	-	-	-	-	1	-	-	-	-
(*c*) Other Accidents (176, 181, 185)	24	3	1	-	1	5	1	3	3	3	4	2	4	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-
188 (*a*) Syncope - - - -	1	4	-	-	-	-	-	-	1	1	2	-	1	-
(*b*) Sudden Death (not otherwise defined)	2	-	1	-	-	-	-	-	-	1	-	-	-	-
189 (*a*) Heart Failure - - -	12	16	2	-	-	-	-	1	4	7	4	5	5	-
(*c*) Teething - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(*e*) Other Ill-defined Diseases (*b*, *d*)	5	3	-	8	-	-	-	-	-	-	-	-	-	-
(*f*) Dis. not Specified, Nat. Causes	14	11	13	3	-	-	-	1	-	1	2	4	1	-

YEAR 1913.

COUNTIES—**Aberdeen and Kincardine.**

PUBLIC HEALTH DISTRICT—**Aberdeen** (Burgh).

Population—Census 1901, - - 153,503.
Do. Do. 1911, - - 163,891.
Do. estimated to middle of 1913, 161,242.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	3872	70	49	3851	1997	1854
Illegitimate Births -	429	55	35	409	224	185
Marriages -	1349	-	-	-	-	-
Deaths - - -	2809	200	244	2853	1378	1475

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·0	23·9	-
Marriage-rate - - - - -	8·4	-	-
Death-rate—All Causes - - -	17·4	17·7	15·3
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—153.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	6	-	1	1	1	2	3	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	78	69	47	89	10	-	-	-	1	-	-	-	-
*Scarlet Fever - - - - -	14	18	3	14	6	4	3	-	2	-	-	-	-
*Whooping-cough - - - -	25	20	15	29	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	56	55	7	64	28	7	3	2	-	-	-	-	-
Influenza - - - - - -	4	4	1	-	-	-	-	-	-	-	2	2	3
Erysipelas - - - - -	1	4	-	-	-	-	-	1	-	-	2	-	2
Phthisis, Pulmonary Tuberculosis -	99	77	1	7	1	8	49	43	22	20	15	10	-
Tuberculous Meningitis - - -	19	27	7	19	11	3	4	1	1	-	-	-	-
Abdominal Tuberculosis - - -	13	14	2	11	5	2	4	-	2	1	-	-	-
Other Tuberculous Diseases - -	7	18	2	3	1	3	6	3	3	2	-	2	-
Cancer, Malignant Disease - -	62	138	-	-	-	-	2	7	10	42	49	62	28
Rheumatic Fever - - - -	2	7	-	-	-	-	4	-	1	3	1	-	-
Meningitis - - - - -	9	10	7	7	1	-	-	-	1	-	1	2	-
Organic Heart Disease - - -	115	156	2	-	3	1	8	11	25	27	50	74	70
Bronchitis - - - - -	77	83	53	4	-	-	1	-	2	6	26	32	36
Pneumonia (all forms) - - -	145	101	58	73	6	1	13	13	12	11	21	20	18
Other Diseases of Respiratory Organs	12	15	7	2	-	-	2	1	1	2	3	2	7
*Diarrhœa and Enteritis (under 2 years)	47	26	61	12	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	5	10	2	1	3	1	2	3	1	1	1	-	-
All Liver Diseases (not Malignant) -	10	12	-	-	1	1	-	1	-	6	3	6	4
Other Diseases of Digestive System (under 2 years)	11	5	14	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	39	38	-	2	-	3	1	7	8	14	17	20	5
Puerperal Sepsis - - - -	-	6	-	-	-	-	1	4	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	18	-	-	-	-	4	7	7	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	105	74	178	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	69	32	7	20	6	1	14	10	12	10	7	8	6
Suicide - - - - - -	6	3	-	-	-	-	3	2	2	1	-	1	-
Other Defined Diseases - - -	327	409	112	37	11	7	18	22	44	49	97	128	211
Diseases Ill-defined or Unknown -	18	20	2	5	-	-	-	-	3	6	5	9	8
Total - - - -	1378	1475	588	403	95	43	144	141	162	201	300	378	398

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Ballater** (Burgh).

Population—Census 1901, - - 1,247.
Do. Do. 1911, - - 1,240.
Do. estimated to middle of 1913, 1,195.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	23	0	3	26	15	11
Illegitimate Births -	2	0	2	4	1	3
Marriages - -	5	-	-	-	-	-
Deaths - -	16	1	2	17	8	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·2	21·8	-
Marriage-rate - - - - - -	4·2	-	-
Death-rate—All Causes - - - -	13·4	14·2	12·7
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—115.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·4.

CAUSES OF DEATH (corrected for transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	4	-	-	-	-	-	-	-	-	2	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-		-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	5	3	-	-	-	-	-	-	-	-	-	7
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	8	9	3	-	-	-	-	-	-	-	3	2	9

YEAR 1913.

COUNTY—**Aberdeen**.

PUBLIC HEALTH DISTRICT—**Ellon** (Burgh).

Population—Census 1901, - - - 1,527.
Do. Do. 1911, - - - 1,307.
Do. estimated to middle of 1913, 1,213.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	36	3	0	33	17	16
Illegitimate Births -	9	2	0	7	5	2
Marriages - -	43	–	–	–	–	–
Deaths - - -	20	1	3	22	9	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·7	27·2	–
Marriage-rate - - - - -	35·4	–	–
Death-rate—All Causes - - - -	16·5	18·1	14·9
Do. —Phthisis - - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	0·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—121
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	2	–	–	–	–	–	–	–	–	1	–	2
Bronchitis - - - - -	–	2	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	3	1	–	–	–	–	–	–	–	–	1	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	1	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	3	1	–	–	–	–	–	–	–	1	3	3
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	1	–	–	–
Total - - - -	9	13	4	–	–	–	2	–	–	1	3	5	7

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Fraserburgh** (Burgh).

Population—Census 1901, - - - 9,109.
Do. Do. 1911, - - - 10,574.
Do. estimated to middle of 1913, 10,518.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	340	5	9	344	183	161
Illegitimate Births -	33	1	2	34	21	13
Marriages - -	77	-	-	-	-	-
Deaths - - -	138	3	10	145	79	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·3	32·7	-
Marriage-rate - - - - -	7·3	-	-
Death-rate—All Causes - - - -	13·1	13·8	14·3
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	1	2	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	1	1	1	1	-	-	-
Tuberculous Meningitis - - -	3	1	1	2	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	5	-	-	-	-	-	-	-	1	1	4	2
Rheumatic Fever - - - -	-	2	-	-	-	-	-	1	-	1	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	9	-	-	-	-	1	1	-	-	5	3	2
Bronchitis - - - - -	4	5	2	-	-	-	-	-	-	1	2	2	2
Pneumonia (all forms) - - -	13	6	9	3	-	-	1	1	-	-	3	1	1
Other Diseases of Respiratory Organs	3	1	-	1	-	-	-	-	1	1	1	-	-
*Diarrhœa and Enteritis (under 2 years)	5	1	4	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	3	-	-	-	-	-	1	2	-	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	-	2	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	9	2	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	1	-	1	1	-	-	-	2	1	1	1	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	20	16	5	-	3	-	1	2	3	3	4	5	10
Diseases Ill-defined or Unknown -	1	1	1	1	-	-	-	-	-	-	-	-	-
Total - - - -	79	66	38	12	5	2	5	11	10	9	17	19	17

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Huntly** (Burgh).

Population—Census 1901, - - - 4,136.
Do. Do. 1911, - - - 4,229.
Do. estimated to middle of 1913, 4,100.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	117	6	2	113	54	59
Illegitimate Births -	23	6	0	17	10	7
Marriages - -	63	–	–	–	-	–
Deaths - - -	74	4	6	76	34	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·5	27·6	–
Marriage-rate - - - - -	15·4	–	–
Death-rate—All Causes - - - -	18·0	18·5	15·8
Do. —Phthisis - - - -	–	0·2	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	2	–	–	–	–	–	–	–	–	–	–	2
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	2	–	2	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	4	8	–	–	–	–	1	–	–	1	2	5	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	6	–	–	–	–	1	–	1	1	–	3	4
Bronchitis - - - - -	2	2	1	–	–	–	–	–	–	1	–	1	1
Pneumonia (all forms) - - -	3	2	1	1	–	–	–	–	1	–	–	2	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	3	–	–	–	–	1	–	1	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	7	1	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	10	13	1	–	–	–	1	–	–	1	2	5	13
Diseases Ill-defined or Unknown -	1	2	–	–	–	–	–	–	1	–	–	2	–
Total - - - -	34	42	12	4	–	–	4	1	5	4	4	18	24

YEAR 1913.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Inverurie** (Burgh).

Population—Census 1901, - - - 3,058.
Do. Do. 1911, - - - 3,960.
Do. estimated to middle of 1913, 4,016.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	87	4	2	85	37	48
Illegitimate Births -	16	4	1	13	7	6
Marriages - -	48	–	–	–	–	–
Deaths - - -	57	3	3	57	27	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·7	21·2	–
Marriage-rate - - - - - -	12·0	–	–
Death-rate—All Causes - - - -	14·2	14·2	12·7
Do. —Phthisis - - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	1	1	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	–	–	–	–	–	1	1	–	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	5	–	–	–	–	–	–	2	–	1	2	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	3	–	1	1	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	3	–	–	–	2	–	–	–	1	1	2	1
Bronchitis - - - - - -	2	2	–	–	–	–	–	–	–	1	–	1	2
Pneumonia (all forms) - - -	3	1	–	1	–	–	–	–	–	–	2	1	–
Other Diseases of Respiratory Organs	1	–	–	–	1	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	2	–	–	–	–	–	–	–	2	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	5	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	9	–	–	–	–	–	2	1	–	3	2	8
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	27	30	9	3	3	3	1	4	3	4	8	8	11

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Kintore** (Burgh).

Population—Census 1901, - - - 789.
Do. Do. 1911, - - - 818.
Do. estimated to middle of 1913, 796.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	0	0	16	8	8
Illegitimate Births -	3	0	0	3	1	2
Marriages - -	6	–	–	–	–	–
Deaths - - -	4	0	2	6	3	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·1	20·1	–
Marriage-rate - - - - - -	7·5	–	–
Death-rate—All Causes - - - -	5·0	7·5	6·2
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Bronchitis - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	1	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	3	3	–	–	–	–	–	–	1	–	3	1	1

YEAR 1913.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Old Meldrum** (Burgh).

Population—Census 1901, - - - 1,197.
Do. Do. 1911, - - - 1,110.
Do. estimated to middle of 1913, 1,052.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	1	4	31	16	15
Illegitimate Births -	8	1	3	10	5	5
Marriages - -	10	-	-	-	-	-
Deaths - - -	26	0	1	27	8	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·6	29·5	-
Marriage-rate - - - - - -	9·5	-	-
Death-rate—All Causes - - - -	24·7	25·7	18·8
Do. —Phthisis - - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—258.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—32·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age.										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1
Pneumonia (all forms) - - -	-	2	1	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	10	1	-	-	-	1	1	-	1	-	4	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	8	19	8	2	-	-	1	1	2	1	2	4	6

YEAR 1913.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Peterhead** (Burgh).

Population—Census 1901, - - - - 11,794.
Do. Do. 1911, - - - - 13,613.
Do. estimated to middle of 1913, 13,526.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	410	11	3	402	213	189
Illegitimate Births -	36	4	1	33	18	15
Marriages - -	96	–	–	–	–	–
Deaths - - -	198	14	11	195	89	106

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	30·3	29·7	–
Marriage-rate - - - - - -	7·1	–	–
Death-rate—All Causes - - - -	14·6	14·4	14·3
Do. —Phthisis - - - -	–	0·4	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—117.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	3	3	–	1	3	–	2	–	–	–	–	–	–
*Whooping-cough - - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	2	1	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	2	–	–	–	–	2	–	1	2	1	–	–
Tuberculous Meningitis - - -	3	3	2	3	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	2	4	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	2	–	–	1	–	–	1	–	1	–	–	–
Cancer, Malignant Disease - -	3	4	–	–	–	–	–	–	–	1	5	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	12	1	–	–	–	1	1	–	1	2	7	5
Bronchitis - - - - - -	6	9	2	1	1	–	2	–	–	–	3	3	3
Pneumonia (all forms) - - -	4	5	3	6	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	2	2	–	1	1	–	–	–	–	–	–	–	2
*Diarrhœa and Enteritis (under 2 years)	3	3	5	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	1	–	1	–	–	–	–	–	–	1	–	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	–	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	9	15	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	4	2	2	–	–	–	–	1	1	3	–	1
Suicide - - - - - - -	–	2	–	–	–	–	–	–	1	–	–	1	–
Other Defined Diseases - - -	26	36	9	2	2	–	–	4	2	9	7	10	17
Diseases Ill-defined or Unknown -	3	1	1	1	–	–	–	–	1	–	1	–	–
Total - - - -	89	106	47	22	11	–	10	7	8	15	23	22	30

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Rosehearty** (Burgh).

Population—Census 1901, - - - 1,185.
Do. Do. 1911, - - - 1,308.
Do. estimated to middle of 1913, 1,289.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	0	2	35	19	16
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	9	–	–	–	–	–
Deaths - - -	17	0	3	20	8	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·6	27·2	–
Marriage-rate - - - - -	7·0	–	–
Death-rate—All Causes - - - -	13·2	15·5	13·0
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Bronchitis - - - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	1	1	2	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	2	–	2	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	–	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	–	–	–	–	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	3	–	–	–	–	–	–	1	1	–	1	2
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	8	12	5	2	1	–	–	–	1	1	–	6	4

YEAR 1913.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Turriff** (Burgh).

Population—Census 1901, - - - 2,273.
Do. Do. 1911, - - - 2,346.
Do. estimated to middle of 1913, 2,279.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	55	1	0	54	30	24
Illegitimate Births -	9	1	0	8	2	6
Marriages - -	46	-	-	-	-	-
Deaths - - -	36	1	0	35	17	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·1	23·7	-
Marriage-rate - - - - -	20·2	-	-
Death-rate—All Causes - - - -	15·8	15·4	11·9
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65 -	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	2	-	-	-	-	-	-	-	-	-	1	2
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	2	-	1	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	8	12	2	1	-	-	-	-	2	-	2	2	11
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	-	-	1	-	1	1
Total - - - -	17	18	4	2	-	-	1	1	3	3	2	5	14

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Aberdeen** (County District).

Population—Census 1901, - - - 21,716.
Do. Do. 1911, - - - 22,876.
Do. estimated to middle of 1913, 22,318.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	465	26	14	453	225	228
Illegitimate Births -	63	20	11	54	24	30
Marriages - -	73	–	–	–	–	–
Deaths - - -	506	233	30	303	160	143

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·8	20·3	–
Marriage-rate - - - - -	3·3	–	–
Death-rate—All Causes - - - -	22·7	13·6	12·0
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
*Scarlet Fever - - - - -	3	2	–	1	2	1	–	–	–	1	–	–	–
*Whooping-cough - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	1	–	1	–	1	1	–	–	–	–	–	–
Influenza - - - - - -	1	3	–	–	–	–	–	–	–	–	1	2	1
Erysipelas - - - - -	1	1	–	–	–	–	–	–	–	–	2	–	–
Phthisis, Pulmonary Tuberculosis -	10	8	–	–	1	–	7	4	3	1	2	–	–
Tuberculous Meningitis - - -	2	1	1	–	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	2	1	1	1	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	3	–	1	–	–	1	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	15	18	–	–	–	–	–	–	1	4	6	13	9
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	14	11	–	–	–	1	–	–	–	2	5	11	6
Bronchitis - - - - -	13	14	5	1	–	–	–	–	–	–	1	3	17
Pneumonia (all forms) - - -	18	6	5	4	–	–	–	1	2	1	4	3	4
Other Diseases of Respiratory Organs	1	3	–	–	–	–	–	–	–	1	–	2	1
*Diarrhœa and Enteritis (under 2 years)	3	4	6	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	1	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	1	1	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	2	–	–	–	–	–	–	–	1	2	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	7	14	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	9	3	1	1	1	–	3	–	1	2	1	2	–
Suicide - - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases - - -	48	48	8	3	1	2	4	4	3	9	6	9	47
Diseases Ill-defined or Unknown -	1	2	–	2	–	–	–	–	–	–	–	1	–
Total - - - - -	160	143	43	16	9	8	17	11	11	24	31	48	85

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Alford** (County District).

Population—Census 1901, - - 10,280.
Do. Do. 1911, - - - 9,495.
Do. estimated to middle of 1913, 8,988.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	217	3	7	221	122	99
Illegitimate Births -	46	1	4	49	30	19
Marriages - -	35	–	–	–	–	–
Deaths - - -	101	2	17	116	56	60

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·1	24·6	–
Marriage-rate - - - - -	3·9	–	–
Death-rate—All Causes - - - -	11·2	12·9	11·2
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	3	–	–	–	–	–	3	1	–	–	2	–
Tuberculous Meningitis - - -	2	1	–	2	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Tuberculous Diseases - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	7	1	–	–	–	–	1	–	3	2	4	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	6	–	–	–	1	–	–	–	1	–	4	5
Bronchitis - - - - - -	5	7	4	–	–	–	–	–	–	–	2	1	5
Pneumonia (all forms) - - -	5	6	3	–	1	–	–	1	–	–	–	3	3
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	1	–	–	–	–	–	–	–	–	2	2	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	7	3	10	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	–	–	1	–	–	–	1	1	–	1	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	14	15	1	–	–	–	–	1	1	3	3	6	14
Diseases Ill-defined or Unknown -	2	4	–	–	–	–	–	–	1	1	1	1	2
Total - - - -	56	60	19	5	3	1	–	9	5	11	11	23	29

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Deer** (County District).

Population—Census 1901, - - - 29,847.
Do. Do. 1911, - - - 28,439.
Do. estimated to middle of 1913, 27,127.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	676	7	16	685	340	345
Illegitimate Births -	110	3	13	120	55	65
Marriages - -	137	-	-	-	-	-
Deaths - - -	390	12	20	398	189	209

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·9	25·3	
Marriage-rate - - - - - -	5·1	-	-
Death-rate—All Causes - - - -	14·4	14·7	12·5
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	3	5	2	1	4	-	-	1	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	3	2	1	1	2	-	-	-	-	-	-	-
Influenza - - - - - - -	2	4	-	-	-	-	-	-	-	-	1	3	2
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	16	13	1	-	-	3	12	6	4	1	1	1	-
Tuberculous Meningitis - - -	3	2	3	-	1	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	1	1	-	-	-	-	-
Cancer, Malignant Disease - -	10	14	-	-	-	-	-	1	2	4	3	11	3
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	18	15	-	-	-	-	1	1	2	4	9	9	7
Bronchitis - - - - - -	8	12	5	-	-	-	-	-	-	2	1	7	5
Pneumonia (all forms) - - -	15	11	10	3	1	-	1	-	2	2	2	2	3
Other Diseases of Respiratory Organs	1	4	-	4	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	2	2	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	3	-	-	-	-	-	1	1	-	-	1	-
All Liver Diseases (not Malignant) -	2	3	-	-	-	-	-	-	-	1	-	2	2
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	7	7	-	-	-	1	1	1	-	2	4	3	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	14	9	22	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	10	3	3	3	-	-	2	-	-	3	1	-	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	65	80	10	-	4	1	4	6	2	6	12	28	72
Diseases Ill-defined or Unknown -	6	11	1	1	-	-	-	-	-	1	3	5	6
Total - - - -	189	209	65	17	12	8	23	18	14	27	37	73	104

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Deeside** (County District).

Population—Census 1901, - - - 12,683.
Do. Do. 1911, - - - 12,218.
Do. estimated to middle of 1913, 11,684.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	208	1	8	215	121	94
Illegitimate Births -	29	1	7	35	20	15
Marriages - -	41	-	-	-	-	-
Deaths - - -	136	4	16	148	79	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·8	18·4	-
Marriage-rate - - - - -	3·5	-	-
Death-rate—All Causes - - - -	11·6	12·7	10·7
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	2	-	-	-	-	1	4	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	8	10	-	-	-	-	-	-	2	1	6	5	4
Rheumatic Fever - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	16	-	-	-	-	1	1	-	1	2	6	13
Bronchitis - - - - -	2	7	-	1	-	-	-	-	-	-	-	2	6
Pneumonia (all forms) - - -	10	2	-	1	-	-	-	1	-	3	-	7	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	1	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	1	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	2	1	1	-	-	-	1	1	1	1	1	1
Suicide - - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-
Other Defined Diseases - - -	22	21	4	2	-	-	-	-	2	4	4	6	21
Diseases Ill-defined or Unknown -	2	2	-	-	-	1	-	1	-	-	-	1	1
Total - - - -	79	69	16	5	-	3	2	11	9	11	13	30	48

YEAR 1913.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Ellon** (County District).

Population—Census 1901, - - - 14,915.
Do. Do. 1911, - - - 13,917.
Do. estimated to middle of 1913, 13,207.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	357	7	17	367	192	175
Illegitimate Births -	67	5	14	76	40	36
Marriages - -	41	–	–	–	–	–
Deaths - - -	147	3	17	161	80	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	27·0	27·8	–
Marriage-rate - - - - - -	3·1	–	–
Death-rate—All Causes - - - -	11·1	12·2	10·7
Do. —Phthisis - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	1·2	–
Do- —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	2	–	1	–	–	–	–	–	1	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	4	–	–	–	–	–	5	–	–	–	–	1
Tuberculous Meningitis - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	4	2	3	–	–	1	–	–	1	–	–	–	1
Other Tuberculous Diseases - -	1	2	1	–	1	–	–	–	–	–	–	1	–
Cancer, Malignant Disease - -	8	8	–	–	–	1	–	1	1	1	3	4	5
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	10	7	–	–	–	–	1	2	–	2	2	3	7
Bronchitis - - - - - -	2	3	1	–	–	–	–	–	–	–	2	1	1
Pneumonia (all forms) - - -	5	3	1	–	1	1	–	–	–	1	–	1	3
Other Diseases of Respiratory Organs	2	2	–	–	–	–	–	–	–	–	–	1	3
*Diarrhœa and Enteritis (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	2	–	–	–	1	1	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	13	8	21	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	8	1	–	–	1	–	1	2	3	1	–	–	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	20	30	2	4	1	–	2	–	2	4	3	9	23
Diseases Ill-defined or Unknown -	1	2	–	–	–	–	–	–	–	–	2	–	1
Total - - - - -	80	81	34	5	4	5	6	12	7	10	12	20	46

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Garioch** (County District).

Population—Census 1901, - - - 14,710.
Do. Do. 1911, - - - 13,980.
Do. estimated to middle of 1913, 13,327.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	339	10	10	339	177	162
Illegitimate Births -	63	8	8	63	35	28
Marriages - -	59	-	-	-	-	-
Deaths - - -	171	4	21	188	92	96

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·4	25·4	-
Marriage-rate - - - - -	4·4	-	-
Death-rate—All Causes - - - -	12·8	14·1	12·3
Do. —Phthisis - - - -	-	0·8	
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	2	-	1	2	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	4	-	-	-	1	3	2	1	1	2	-	-
Tuberculous Meningitis - - -	1	1	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	2	-	-	1	-	-	1	1	-	-	-	-
Other Tuberculous Diseases - -	2	2	-	-	-	1	1	-	-	-	1	1	-
Cancer, Malignant Disease - -	5	10	-	-	-	-	1	1	1	-	2	3	7
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	2	-	-	-	-	1	-	-	2	-	-	-
Organic Heart Disease - - -	11	8	-	-	-	-	-	-	-	2	4	8	5
Bronchitis - - - - -	7	5	2	-	-	-	-	-	-	-	1	3	6
Pneumonia (all forms) - - -	7	7	7	1	-	-	-	-	-	1	1	3	1
Other Diseases of Respiratory Organs	1	1	-	1	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	3	5	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	-	1	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	7	16	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	2	-	4	1	-	1	-	1	-	1	-	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	22	32	5	-	1	-	-	-	2	3	5	11	27
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	-	-	-	1	-	3	-
Total - - - -	92	96	35	10	5	2	9	7	8	11	19	32	50

YEAR 1913.
COUNTY—**Aberdeen**.
PUBLIC HEALTH DISTRICT—**Huntly** (County District).

Population—Census 1901, - - - 7,618.
Do. Do. 1911, - - - 6,953.
Do. estimated to middle of 1913, 6,562.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	189	11	8	186	109	77
Illegitimate Births -	43	7	5	41	18	23
Marriages - -	12	-	-	-	-	-
Deaths - - -	106	3	7	110	49	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·8	28·3	-
Marriage-rate - - - - - -	1·8	-	-
Death-rate—All Causes - - - -	16·2	16·8	14·2
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—124.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	-	1	1	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	9	-	-	-	-	-	-	-	-	5	2	7
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	7	-	-	-	-	-	1	-	1	2	2	7
Bronchitis - - - - - -	2	6	3	-	-	-	-	-	2	-	1	-	2
Pneumonia (all forms) - - -	4	4	1	-	-	-	-	-	1	-	2	1	3
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	3	-	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	1	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	11	14	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	1	-	-	1	-	1	-
Suicide - - - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-
Other Defined Diseases - - -	14	14	1	2	1	-	1	3	-	-	3	4	13
Diseases Ill-defined or Unknown -	1	3	-	1	-	-	-	1	-	-	1	-	1
Total - - - -	49	61	23	3	1	1	2	9	7	2	16	11	35

YEAR 1913.
COUNTY—**Aberdeen.**
PUBLIC HEALTH DISTRICT—**Turriff** (County District).

Population—Census 1901, - - - 12,238.
Do. Do. 1911, - - - 11,331.
Do. estimated to middle of 1913, 10,733.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	283	8	8	283	140	143
Illegitimate Births -	62	5	5	62	25	37
Marriages - -	56	-	-	-	-	-
Deaths - - -	136	2	11	145	79	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·4	26·4	-
Marriage-rate - - - - -	5·2	-	-
Death-rate—All Causes - - - -	12·7	13·5	11·7
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	1	-	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	4	2	-	-	-	-	3	1	1	1	-	-	-
Cancer, Malignant Disease - -	6	10	-	-	-	-	-	-	1	2	2	4	7
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	5	-	-	-	1	1	-	1	2	3	2	2
Bronchitis - - - - - -	4	2	2	-	-	-	-	-	-	-	1	1	2
Pneumonia (all forms) - - -	7	2	3	1	-	1	-	-	1	-	1	-	2
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	4	-	-	-	-	1	-	-	-	3	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	6	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	1	-	1	-	-	1	-	-	1	1	1	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	32	22	4	-	2	-	1	2	2	2	5	9	27
Diseases Ill-defined or Unknown -	7	6	5	1	1	-	-	-	1	-	3	1	1
Total - - - -	79	66	24	4	3	2	8	3	9	9	20	22	41

YEAR 1913.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Campbeltown** (Burgh).

Population—Census 1901, - - - 8,286.
Do. Do. 1911, - - - 7,625.
Do. estimated to middle of 1913, 7,211.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	172	4	6	174	85	89
Illegitimate Births -	21	1	3	23	8	15
Marriages - -	43	–	–	–	–	–
Deaths - - -	111	6	3	108	49	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·9	24·1	–
Marriage-rate - - - - -	6·0	–	–
Death-rate—All Causes - - - -	15·4	15·0	13·8
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	2	2	–	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	3	–	–	–	–	2	1	2	2	–	–	–
Tuberculous Meningitis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	–	1	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	3	–	–	–	–	–	–	–	3	–	2	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	1	1	–	–	–	–	1	–	–	–	–	–
Organic Heart Disease - - -	7	8	–	–	–	–	1	1	1	2	2	6	2
Bronchitis - - - - - -	3	7	4	–	–	–	–	–	–	–	–	4	2
Pneumonia (all forms) - - -	2	5	1	1	–	–	–	–	1	–	–	1	3
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	2	3	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	1	–	–	–	1	–	–	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	4	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	8	–	–	–	–	–	1	2	2	–	1	2	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	11	15	–	–	–	–	–	–	2	4	5	5	10
Diseases Ill-defined or Unknown -	2	3	–	–	1	–	–	–	1	–	–	–	3
Total - - - -	49	59	16	4	4	1	6	6	9	11	10	20	21

YEAR 1913.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Dunoon** (Burgh).

Population—Census 1901, - - - 6,779.
Do. Do. 1911, - - - 6,859.
Do. estimated to middle of 1913, 6,634.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	115	9	5	111	59	52
Illegitimate Births -	11	4	4	11	10	1
Marriages - -	30	–	–	–	–	–
Deaths - - -	134	27	9	116	58	58

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·3	16·7	–
Marriage-rate - - - - - -	4·5	–	–
Death-rate—All Causes - - - -	20·2	17·5	14·4
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	1	–	–	1	–	–	–	–	–	–	–
Influenza - - - - - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	6	1	–	1	–	–	1	2	2	–	1	–	–
Tuberculous Meningitis - - -	1	1	–	–	–	1	–	–	–	1	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	–	–	–	–	1	–	1	–	–	–	–
Cancer, Malignant Disease - -	8	6	–	–	–	–	–	1	–	2	1	9	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	5	–	–	–	1	–	–	–	1	1	3	2
Bronchitis - - - - - -	2	5	–	–	–	–	–	–	1	1	–	2	3
Pneumonia (all forms) - - -	4	1	1	–	–	–	–	–	–	1	1	–	2
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	2	–	–	–	–	–	–	–	–	1	–	1
Suicide - - - - - - -	2	–	–	–	–	–	1	1	–	–	–	–	–
Other Defined Diseases - - -	19	28	2	–	1	–	–	2	4	4	4	9	21
Diseases Ill-defined or Unknown -	3	2	–	–	–	–	–	–	–	1	–	1	3
Total - - - -	58	58	11	2	2	3	4	6	8	12	9	25	34

YEAR 1913.

COUNTY—**Argyll**.

PUBLIC HEALTH DISTRICT—**Inveraray** (Burgh).

Population—Census 1901, - - - 678.
Do. Do. 1911, - - - 533.
Do. estimated to middle of 1913, 482.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	3	0	0	3	2	1
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	5	-	-	-	-	-
Deaths - - -	12	1	1	12	3	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	6·2	6·2	-
Marriage-rate - - - - -	10·4	-	-
Death-rate—All Causes - - -	24·9	24·9	17·7
Do. —Phthisis - - - -	-	2·1	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—333.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	3	-	-	-	-	-	-	-	1	-	-	3
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - -	3	9	1	-	-	-	-	1	-	3	-	-	7

YEAR 1913.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Lochgilphead** (Burgh).

Population—Census 1901, - - - 1,313.
Do. Do. 1911, - - - 921.
Do. estimated to middle of 1913, 804.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	1	0	11	6	5
Illegitimate Births -	3	0	0	3	1	2
Marriages - -	6	-	-	-	-	-
Deaths - - -	11	0	3	14	5	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	14·9	13·7	-
Marriage-rate - - - - - -	7·5	-	-
Death-rate—All Causes - - -	13·7	17·4	13·0
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—27·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	1	-	-	-	-	-	-	-	-	2	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	-	3	1
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	5	-	-	-	-	-	1	-	2	-	2	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	5	9	1	-	-	-	-	1	-	2	2	6	2

YEAR 1913.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Oban** (Burgh).

Population—Census 1901, - - - 5,427.
Do. Do. 1911, - - - 5,557.
Do. estimated to middle of 1913, 5,388.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	112	6	0	106	46	60
Illegitimate Births -	16	5	0	11	3	8
Marriages - -	53	–	–	–	–	–
Deaths - - -	128	22	5	111	52	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·8	19·7	–
Marriage-rate - - - - - -	9·8	–	–
Death-rate—All Causes - - -	23·8	20·6	19·9
Do. —Phthisis - - - -	–	1·9	–
Do. —All Tuberculosis - -	–	3·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	3	1	–	3	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	5	–	–	–	–	5	3	1	1	–	–	–
Tuberculous Meningitis - - -	–	2	2	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	4	1	1	–	–	1	1	1	–	–	–	–
Cancer, Malignant Disease - -	6	3	–	–	–	–	–	–	–	3	1	2	3
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	5	2	–	–	–	–	–	–	1	–	1	2	3
Bronchitis - - - - - -	3	7	1	1	–	–	–	–	–	1	3	1	3
Pneumonia (all forms) - - -	2	2	1	–	1	–	–	–	–	–	1	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	–	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	7	6	–	–	–	–	–	–	1	1	4	3	4
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	1	1	–	1	–	–	1	–	1	2	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	20	2	1	–	1	–	2	1	3	3	4	11
Diseases Ill-defined or Unknown -	2	2	1	1	–	–	–	–	–	–	–	1	1
Total - - - -	52	59	12	8	3	2	7	8	5	10	15	14	27

YEAR 1913.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Tobermory** (Burgh).

Population—Census 1901, - - - 1,175.
Do. Do. 1911, - - - 988.
Do. estimated to middle of 1913, 913.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	0	0	16	10	6
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	2	-	-	-	-	-
Deaths - - -	18	0	2	20	9	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·5	17·5	-
Marriage-rate - - - - - -	2·2	-	-
Death-rate—All Causes - - -	19·7	21·9	16·3
Do. —Phthisis - - - - -	-	2·2	-
Do. —All Tuberculosis - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	1	-	-	1	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	7	-	-	-	-	1	1	1	-	1	1	6
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	9	11	-	-	1	-	3	2	1	1	2	2	8

YEAR 1913.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Ardnamurchan** (County District).

Population—Census 1901, - - - 3,231.
Do. Do. 1911, - - - 2,822.
Do. estimated to middle of 1913, 2,633.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males	Females
Births - - -	40	1	2	41	22	19
Illegitimate Births -	4	0	1	5	2	3
Marriages - -	6	-	-	-	-	-
Deaths - - -	41	0	3	44	17	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·2	15·6	-
Marriage-rate - - - - - -	2·3	-	-
Death-rate—All Causes - - -	15·6	16·7	12·2
Do. —Phthisis - - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	2·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—49.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	2	-	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	-	1	1	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	-	-	2	1
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	2	1	-	-	-	-	-	-	-	-	1	1	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	1	1	-	-	1	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	14	1	-	-	-	-	-	-	-	2	5	12
Diseases Ill-defined or Unknown -	-	2	-	-	-	-	-	1	-	-	1	-	-
Total - - - - -	17	27	2	2	-	1	4	3	1	2	5	9	15

YEAR 1913.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Cowal** (County District).

Population—Census 1901, - - - 7,730.
Do. Do. 1911, . - - †8,194.
Do. estimated to middle of 1913, 7,024.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	116	0	5	121	66	55
Illegitimate Births -	7	0	2	9	2	7
Marriages - -	22	-	-	-	-	-
Deaths - - -	119	8	14	125	66	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·5	17·2	-
Marriage-rate - - - - -	3·1	-	-
Death-rate—All Causes - - -	16·9	17·8	15·1
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	2	-	1	-	1	-	-	-	-	-	-	-
Influenza - - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	-	2	1	-	1	-	-
Tuberculous Meningitis - - -	2	-	1	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	8	5	-	-	-	-	-	-	1	1	4	5	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	6	-	-	-	1	1	1	1	2	1	3	6
Bronchitis - - - - -	1	6	2	-	-	-	-	-	-	-	1	1	3
Pneumonia (all forms) - - -	2	1	1	-	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	1	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	3	-	-	-	-	-	-	-	1	2	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	1	-	-	2	-	-	-	1	1	-
Suicide - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	25	23	3	-	1	-	1	-	1	3	5	13	21
Diseases Ill-defined or Unknown -	2	3	1	-	-	-	-	-	-	-	1	2	1
Total - - - -	66	59	11	6	1	3	6	4	4	8	20	26	36

† Including 830 men of Royal Navy.

YEAR 1913.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Islay** (County District).

Population—Census 1901, - - - 7,805.
Do. Do. 1911, - - - 7,130.
Do. estimated to middle of 1913, 6,731.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	106	0	4	110	53	57
Illegitimate Births -	19	0	4	23	11	12
Marriages - -	14	-	-	-	-	-
Deaths - - -	113	1	8	120	58	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·7	16·3	-
Marriage-rate - - - - - -	2·1	-	-
Death-rate—All Causes - - -	16·8	17·8	14·2
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·3	-
Do —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—55.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	3	1	-	2	-	1	1	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	3	1	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	6	-	1	-	-	2	1	2	1	-	1	-
Tuberculous Meningitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	5	-	-	-	-	-	-	-	3	1	4	4
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	5	-	-	-	-	-	-	-	-	3	5	2
Bronchitis - - - - - -	4	7	-	-	-	-	-	-	-	-	1	4	6
Pneumonia (all forms) - - -	4	1	-	-	-	-	-	-	1	-	1	3	-
Other Diseases of Respiratory Organs	1	5	-	1	-	-	-	-	-	1	1	2	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	1	-	-	-	-	-	-	2	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	25	24	1	1	-	-	-	1	2	1	6	10	27
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	2	-
Total - - - -	58	62	6	7	1	2	3	2	5	8	13	33	40

YEAR 1913.

COUNTY—**Argyll.**

PUBLIC HEALTH DISTRICT—**Kintyre** (County District).

Population—Census 1901, - - - 7,136.
Do. Do. 1911, - - - 6,660.
Do. estimated to middle of 1913, 6,321.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	137	1	3	139	66	73
Illegitimate Births -	21	0	0	21	9	12
Marriages - -	23	–	–	–	–	–
Deaths - - -	74	0	13	87	47	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·7	22·0	–
Marriage-rate - - - - -	3·6	–	–
Death-rate—All Causes - - -	11·7	13·8	12·3
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	3	–	–	1	–	2	2	2	1	–	–	–
Tuberculous Meningitis - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	4	–	–	–	–	–	–	–	–	1	1	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	6	–	–	–	–	1	–	–	1	–	2	4
Bronchitis - - - - -	2	5	–	–	–	–	–	–	–	–	–	4	3
Pneumonia (all forms) - - -	3	2	1	–	–	–	–	–	–	–	1	3	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	2	–	–	–	1	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	1	–	–	–	–	–	1	–	–	2	2	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	16	13	2	–	–	–	1	1	4	2	1	10	8
Diseases Ill-defined or Unknown -	4	–	–	–	–	–	–	–	–	–	1	1	2
Total - - - -	47	40	9	1	1	3	5	7	6	5	7	23	20

YEAR 1913.

COUNTY—**Argyll**.

PUBLIC HEALTH DISTRICT—**Lorn** (County District).

Population—Census 1901, - - - 10,220.
Do. Do. 1911, - - - †11,087.
Do. estimated to middle of 1913, 9,692.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	188	1	6	193	94	99
Illegitimate Births -	8	0	3	11	4	7
Marriages -	36	–	–	–	–	–
Deaths - - -	125	1	17	141	76	65

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·4	19·9	-
Marriage-rate - - - - ..	3·7	–	
Death-rate—All Causes - - -	12·9	14·5	12·2
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	-	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—47.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	3	-	-	-	-	5	1	-	1	-	1	1
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	2	-	-	-	1	2	2	-	-	-	-	-
Cancer, Malignant Disease - -	6	7	-	-	-	-	-	-	-	2	4	3	4
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	6	-	-	-	-	-	-	1	-	3	4	6
Bronchitis - - - - -	2	2	-	1	-	-	-	-	-	1	1	-	1
Pneumonia (all forms) - - -	1	5	1	-	-	-	-	-	2	-	-	1	2
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	..	-	-	-	-	2	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	1	-	-	-	-	1	-	-	-	3	1	1
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	-	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	1	-	1	-	-	1	1	1	2	2	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	22	27	1	1	-	-	1	3	1	3	5	15	19
Diseases Ill-defined or Unknown -	9	5	-	-	-	-	-	-	-	1	2	2	9
Total - - - -	76	65	9	4	-	1	10	8	5	10	22	27	45

† Including 1009 men of Royal Navy.

YEAR 1913.
COUNTY—**Argyll.**
PUBLIC HEALTH DISTRICT—**Mid-Argyll** (County District).

Population—Census 1901, - - - 7,698.
Do. Do. 1911, - - - 7,127.
Do. estimated to middle of 1913, 6,751.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	97	2	4	99	51	48
Illegitimate Births -	3	0	1	4	3	1
Marriages - -	15	–	–	–	–	–
Deaths - - -	136	39	5	102	49	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·4	14·7	–
Marriage-rate - - - - -	2·2	–	–
Death-rate—All Causes - - -	20·1	15·1	12·3
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·1	–

Infantile Mortality Rate (Deaths of Childern of under One Year per 1000 Births), corrected—51.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	2	–	–	–	1	3	–	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	–	–	–	–	1	1	–	–	–	–	–
Cancer, Malignant Disease - -	3	5	–	–	–	–	–	–	–	3	–	3	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Organic Heart Disease - - -	6	5	–	–	–	–	–	–	–	1	3	3	4
Bronchitis - - - - -	4	3	1	–	–	–	–	–	–	1	1	3	1
Pneumonia (all forms) - - -	3	4	1	–	–	–	1	–	–	1	1	1	2
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	2	–	–	–	–	–	1	–	2	–	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	–	–	–	1	–	1	–	–	–	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	16	24	–	–	–	–	–	1	4	5	8	7	15
Diseases Ill-defined or Unknown -	3	5	1	1	–	–	–	–	1	1	1	2	1
Total - - - -	49	53	5	1	1	1	7	3	6	15	16	21	26

YEAR 1913.
COUNTY—**Argyll**.
PUBLIC HEALTH DISTRICT—**Mull** (County District).

Population—Census 1901, - - - 6,164.
Do. Do. 1911, - - - 5,399.
Do. estimated to middle of 1913, 5,042.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	64	1	3	66	36	30
Illegitimate Births -	7	0	0	7	5	2
Marriages - -	10	-	-	-	-	-
Deaths - - -	80	1	6	85	49	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	12·7	13·1	-
Marriage-rate - - - - -	2·0	-	-
Death-rate—All Causes - - -	15·9	16·9	12·1
Do. —Phthisis - - - -	-	2·0	-
Do. —All Tuberculosis - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—15.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	2	-	-	-	-	6	1	1	2	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	3	-	-	-	-	-	-	-	2	1	4	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	11	6	-	-	-	-	-	-	-	-	3	4	10
Bronchitis - - - - -	-	3	-	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms) - - -	1	1	1	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	1	-		1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	-	1	-	-	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	-	-	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	13	-	-	-	-	1	1	2	2	1	6	13
Diseases Ill-defined or Unknown -	4	3	-	-	-	-	-	-	-	-	1	2	4
Total - - - -	49	36	1	2	-	-	7	4	4	7	9	17	34

YEAR 1913.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Ardrossan** (Burgh).

Population—Census 1901, - - - 6,077.
Do. Do. 1911, - - - 5,760.
Do. estimated to middle of 1913, 5,488.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	148	0	3	151	71	80
Illegitimate Births -	7	0	1	8	5	3
Marriages - -	31	–	–	–	–	–
Deaths - - -	75	4	13	84	46	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - ..	27·0	27·5	–
Marriage-rate - - - - -	5·6	–	–
Death-rate—All Causes - - -	13·7	15·3	16·1
Do. —Phthisis - - - -	–	0·4	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—126.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	1	..	–	–	–	–	–	–	..	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	..	–	–	–	–	–	–
*Whooping-cough - - - - -	–	1	–	1	–	–	–	–	–	..	–	–	–
*Diphtheria and Croup - - - -	2	–	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	..	1	1	–	–	–	–	..
Tuberculous Meningitis - - -	–	–	–	..	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - ..	–	1	–	–	–	–		–	–	1	–	..	–
Other Tuberculous Diseases - -	1	1	–	1	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	–	3	–	–	..	–	–	–	1	–	..	2	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–		–	–	..	–	–
Meningitis - - - - - -	4	1	1	2	–	1	1	–	–	–	..		–
Organic Heart Disease - - -	3	7	–	–	–	–	1	–	–	1	1	5	2
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	..	–	–
Pneumonia (all forms) - - -	1	2	2	–	–	–	–		–	–	.	–	1
Other Diseases of Respiratory Organs	2	–	–	1	–		.	1	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	1	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	1	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–		–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–		–
Congenital Debility and Malformation, including Premature Birth	7	6	12	1	–	–	–	–		.		..	–
Violent Deaths, excluding Suicide -	4	–	–	1	1	–	–	1	–	..	1	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	15	10	2	–	–	1	–	1	3	3	3	4	8
Diseases Ill-defined or Unknown -	1	5	–	–	–	–	–	1	1	1	1	–	2
Total - - - -	46	38	19	8	2	2	3	6	5	7	7	12	13

YEAR 1913.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Ayr** (Burgh).

Population—Census 1901, - - - 28,697.
Do. Do 1911, - - - 32,986.
Do. estimated to middle of 1913, 33,350.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	847	12	14	849	422	427
Illegitimate Births -	84	4	6	86	39	37
Marriages - -	264	–	–	–	–	–
Deaths - - -	586	83	14	517	244	273

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·4	25·5	–
Marriage-rate - - - - - -	7·9	–	–
Death-rate—All Causes - - -	17·6	15·5	15·7
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	1	–	1	–	1	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	3	5	–	7	1	–	–	–	–	–	–	–	
*Scarlet Fever - - - - - -	3	1	–	1	2	–	–	1	–	–	–	–	–
*Whooping-cough - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	2	–	3	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	2	1	–	–	–	1	1	–	–	–	–	1	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	16	17	–	1	–	1	10	8	5	4	3	1	–
Tuberculous Meningitis - - -	4	3	1	4	1	–	–	1	–	–	–	–	–
Abdominal Tuberculosis - - -	2	3	2	1	–	–	1	–	–	1	–	–	–
Other Tuberculous Diseases - -	5	4	1	3	1	–	1	1	1	–	–	1	–
Cancer, Malignant Disease - -	17	27	–	1	–	–	–	1	3	10	14	9	6
Rheumatic Fever - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Meningitis - - - - - -	2	4	1	1	2	–	1	–	–	1	–	–	–
Organic Heart Disease - - -	15	31	–	–	–	–	3	3	4	5	4	17	10
Bronchitis - - - - - -	19	17	5	4	–	1	1	–	2	–	7	8	8
Pneumonia (all forms) - - -	25	17	10	7	1	1	2	3	4	1	6	5	2
Other Diseases of Respiratory Organs	6	4	1	2	1	–	–	–	1	1	1	1	2
*Diarrhœa and Enteritis (under 2 years)	7	6	10	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	4	3	–	3	1	2	–	–	–	–	–	1	–
All Liver Diseases (not Malignant) -	2	5	–	–	–	–	–	1	1	2	1	2	–
Other Diseases of Digestive System (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	10	9	1	1	1	–	1	–	4	1	4	5	1
Puerperal Sepsis - - - -	–	2	–	–	–	–	–	1	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	2	2	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	18	15	33	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	15	2	2	1	–	–	4	4	2	2	–	1	1
Suicide - - - - - - -	2	1	–	–	–	–	–	–	–	–	2	–	1
Other Defined Diseases - - -	57	73	10	4	1	2	3	4	8	4	15	37	42
Diseases Ill-defined or Unknown -	6	13	4	2	–	1	1	–	–	1	4	5	1
Total - - - -	244	273	83	51	12	10	31	30	38	33	61	94	74

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Cumnock and Holmhead** (Burgh).

Population—Census 1901, - - - 3,088.
Do. Do. 1911, - - - 3,417.
Do. estimated to middle of 1913, 3,367.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	107	4	2	105	50	55
Illegitimate Births -	5	2	0	3	2	1
Marriages - -	33	–	–	–	–	–
Deaths - - -	46	4	3	45	28	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·8	31·2	–
Marriage-rate - - - - -	9·8	–	–
Death-rate—All Causes - - -	13·7	13·4	12·4
Do. —Phthisis - - - -	–	0·3	–
Do. —All Tuberculosis - -	–	0·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Erysipelas - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	1	–	–	–	–	–	–	–	–	2	2	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	3	–	–	–	–	–	–	1	1	–	2	2
Bronchitis - - - - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	4	–	2	–	–	–	–	–	–	1	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	1	–	–	–	–	1	–	–	–	–	–
Puerperal Sepsis - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	–	–	–	2	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	9	1	–	–	1	–	–	1	3	2	3	4
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	2	–	–	–	–
Total - - - -	28	17	6	1	1	1	–	4	4	5	6	9	8

YEAR 1913.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Darvel** (Burgh).

Population—Census 1901, - - - 3,070.
Do. Do. 1911, - - - 3,590.
Do. estimated to middle of 1913, - 3,576.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	80	0	3	83	36	47
Illegitimate Births -	3	0	0	3	2	1
Marriages - -	29	–	–	–	–	–
Deaths - - -	42	1	7	48	21	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22·4	23·2	–
Marriage-rate - - - - -	8·1	–	–
Death-rate—All Causes - - -	11·7	13·4	14·9
Do. —Phthisis - - - -	–	2·0	–
Do. —All Tuberculosis - -	–	2·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—84.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	2	–	–	–	–	2	1	2	1	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	3	–	–	–	–	–	–	–	1	1	–	1
Bronchitis - - - - -	2	3	1	–	–	–	–	–	–	–	–	3	1
Pneumonia (all forms) - - -	2	1	2	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	1	–	1	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	1	–	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	2	–	–	–	–	–	–	1	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	2	–	–	–	–	–	–	1	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	3	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	–	1	1	–	1	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	8	–	1	–	–	–	–	1	–	2	5	5
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	21	27	7	4	1	1	2	3	5	2	5	10	8

YEAR 1913.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Galston** (Burgh).

Population—Census 1901, - - - 4,876.
Do. Do. 1911, - - - 5,296.
Do. estimated to middle of 1913, 5,199.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	135	2	0	133	69	64
Illegitimate Births -	10	1	0	9	4	5
Marriages - -	55	–	–	–	–	–
Deaths - - -	69	0	2	71	31	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·0	25·6	–
Marriage-rate - - - - - -	10·6	–	–
Death-rate—All Causes - - -	13·3	13·7	15·1
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	5	–	1	–	–	1	2	2	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	9	–	–	–	–	–	–	1	2	2	5	1
Rheumatic Fever - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	3	–	–	–	–	–	–	1	–	3	2	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	3	3	2	3	–	–	–	–	1	–	–	–	–
Other Diseases of Respiratory Organs	5	3	1	1	1	–	–	–	–	2	–	2	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	4	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	1	–	–	–	1	1	1	–	–	–	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	11	8	1	1	1	–	–	1	1	2	2	5	5
Diseases Ill-defined or Unknown -	–	2	–	–	–	–	–	1	–	–	–	1	–
Total - - - -	31	40	11	7	2	1	3	5	6	6	7	16	7

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Girvan** (Burgh).

Population—Census 1901, - - - 4,024.
Do. Do. 1911, - - - 4,473.
Do. estimated to middle of 1913, 4,412.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	93	0	2	95	47	48
Illegitimate Births -	4	0	1	5	2	3
Marriages - -	19	-	-	-	-	-
Deaths - - -	63	5	6	64	22	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·1	21·5	-
Marriage-rate - - - - - -	4·3	-	-
Death-rate—All Causes - - -	14·3	14·5	12·6
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -		0·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	1	-	-	-	-	-	-	-	-	3	-	1
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	2	1	-	1	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	3	-	-	-	-	-	-	-	1	-	2	-
Bronchitis - - - - - -	2	5	1	-	-	-	-	-	-	-	-	2	4
Pneumonia (all forms) - - -	3	1	2	-	-	-	-	-	-	1	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	1	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	3	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	2	-	-	-	-	-	-	1	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	16	1	-	1	-	-	-	2	1	4	6	6
Diseases Ill-defined or Unknown -	2	5	1	-	-	-	-	-	-	1	-	2	3
Total - - - -	22	42	11	1	2	1	3	2	3	4	8	13	16

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Irvine** (Burgh).

Population—Census 1901, - - - 9,618.
Do. Do. 1911, - - - 10,179.
Do. estimated to middle of 1913, 9,940.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	285	4	2	283	144	139
Illegitimate Births -	13	0	1	14	10	4
Marriages - -	64	-	-	-	-	-
Deaths - - -	159	2	18	175	92	83

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·7	28·5	-
Marriage-rate - - - - - -	6·4	-	-
Death-rate—All Causes - - -	16·0	17·6	17·8
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—124.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	4	4	-	8	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	5	-	-	1	1	5	3	4	1	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	8	-	-	-	-	-	1	1	1	8	1	-
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	8	3	-	2	1	1	1	1	-	-	-	-
Organic Heart Disease - - -	5	10	-	-	1	-	1	1	1	2	1	3	5
Bronchitis - - - - - -	5	2	3	1	-	-	-	-	-	-	-	3	-
Pneumonia (all forms) - - -	7	8	6	-	1	-	-	1	1	1	1	1	3
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	5	5	9	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	2	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	1
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	2	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	3	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	2	2	1	2	-	1	-	2	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	25	23	2	3	-	2	1	-	2	4	6	12	16
Diseases Ill-defined or Unknown -	5	1	-	3	-	-	-	-	-	1	-	2	-
Total - - - -	92	83	35	19	9	6	10	7	12	13	17	22	25

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Kilmarnock** (Burgh).

Population—Census 1901, - - - 34,165.
Do. Do. 1911, - - - 34,728.
Do. estimated to middle of 1913, 35,065.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	880	13	14	881	437	444
Illegitimate Births -	66	3	4	67	38	29
Marriages - -	273	–	–	–	–	–
Deaths - - -	439	55	45	429	220	209

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·1	25·1	–
Marriage-rate - - - - - -	7·8	–	–
Death-rate—All Causes - - -	12·5	12·2	13·3
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—79.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	2	–	–	–	1	1	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	4	5	1	2	4	2	–	–	–	–	–	–	–
*Whooping-cough - - - -	2	–	–	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	19	17	–	–	1	1	9	6	10	7	1	1	–
Tuberculous Meningitis - - -	3	5	1	2	2	2	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	5	–	3	–	–	2	1	–	–	–	–	–
Other Tuberculous Diseases - -	5	–	–	–	–	2	2	–	–	–	1	–	–
Cancer, Malignant Disease - -	11	24	–	–	–	–	–	1	4	8	10	7	5
Rheumatic Fever - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	4	2	2	–	–	–	–	1	–	–	–	–
Organic Heart Disease - - -	15	16	–	–	–	2	2	2	2	3	11	5	4
Bronchitis - - - - - -	21	10	6	1	1	–	–	–	1	3	4	10	5
Pneumonia (all forms) - - -	9	14	4	6	1	–	–	–	2	2	4	2	2
Other Diseases of Respiratory Organs	3	3	–	1	–	–	–	–	–	1	1	2	1
*Diarrhœa and Enteritis (under 2 years)	7	2	8	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	3	1	4	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	9	11	–	1	1	–	2	1	4	7	3	1	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	19	12	31	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	10	2	1	–	–	–	–	1	–	2	4	2	2
Suicide - - - - - - -	1	1	–	–	–	–	1	–	1	–	–	–	–
Other Defined Diseases - - -	63	67	10	7	1	1	4	10	9	12	16	28	32
Diseases Ill-defined or Unknown -	8	5	2	–	–	–	–	–	–	1	6	4	–
Total - - - -	220	209	70	29	14	11	24	24	35	46	62	63	51

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Kilwinning** (Burgh).

Population—Census 1901, - - - 4,566.
Do. Do. 1911, - - - 4,945.
Do. estimated to middle of 1913, 4,852.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	176	2	3	177	82	95
Illegitimate Births -	7	0	1	8	3	5
Marriages - -	36	–	–	–	–	–
Deaths - - -	72	1	13	84	39	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	36·3	36·5	–
Marriage-rate - - - - - -	7·4	–	–
Death-rate—All Causes - - -	14·8	17·3	18·0
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–		–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–		–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–		–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–		–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	1	–	–	–	–	–	3	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	2	–	–	1	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	–	–	–	1	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	3	8		–	–	–	–	1	1	2	6	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	2	–	–	–	–	–	–	1	–	3	1	–
Bronchitis - - - - - -	1	–	–	–	–	–	–	–		–	–	–	1
Pneumonia (all forms) - - -	1	6	2	–	–	1	–	1	2	1	–	–	–
Other Diseases of Respiratory Organs	1	1	2	–	–		–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	1	1	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	–	1	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	9	1	10	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	2	–	–	–	–	–	2	1	2	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	18	–	–	3	1	–	–	2	2	1	7	10
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	–	–	2	–
Total - - - -	39	45	16	3	4	3	1	8	7	9	11	11	11

YEAR 1913.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Largs** (Burgh).

Population—Census 1901, - - - 3,344.
Do. Do. 1911, - - - 3,724.
Do. estimated to middle of 1913, 3,674.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	45	4	2	43	22	21
Illegitimate Births -	2	0	0	2	0	2
Marriages - -	13	-	-	-	-	-
Deaths - - -	50	7	8	51	24	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	12·2	11·7	-
Marriage-rate - - - - - -	3·5	-	-
Death-rate—All Causes - - -	13·6	13·6	11·8
Do. —Phthisis - - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	-	-	-	-	1	2	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	-	-	1	1	-	-	1	-	-
Cancer, Malignant Disease - -	3	6	-	-	-	-		-	1	2	4	-	2
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1		-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - - - -	1	2	-	1	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - - -	1	4	-	-	-	-	-	-	-	1	-	1	3
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-		1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-		-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	1	-	-	-	2
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	7	2	-	-	-	-	-	-	1	3	7	4
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	1	1	-	-	-
Total - - - -	24	27	4	1	-	1	1	1	5	5	9	11	13

YEAR 1913.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Maybole** (Burgh).

Population—Census 1901, - - - 5,892.
Do. Do. 1911, - - - 4,889.
Do. estimated to middle of 1913, 4,498.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	91	6	1	86	44	42
Illegitimate Births -	6	2	0	4	2	2
Marriages - -	31	-	-	-	-	-
Deaths - - -	86	8	12	90	36	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·2	19·1	-
Marriage-rate - - - - -	6·9	-	-
Death-rate—All Causes - - -	19·1	20·0	19·4
Do. —Phthisis - - - -	-	1·8	-
Do. —All Tuberculosis - -	-	2·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—186.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	3	2	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	3	5	-	-	-	1	5	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	2	-	-	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	-	3	1	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	-	-	1	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	6	8	-	-	-	-	-	-	2	-	5	4	3
Bronchitis - - - - - -	2	4	2	1	-	-	-	-	-	-	-	2	1
Pneumonia (all forms) - - -	4	3	3	2	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	1	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	-	-	-	-	1	-	-	2	-	3	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	1	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	14	1	-	-	-	2	-	1	1	1	4	8
Diseases Ill-defined or Unknown -	1	2	1	2	-	-	-	-	-	-	-	-	-
Total - - - -	36	54	16	10	2	1	9	1	5	8	10	15	13

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Newmilns and Greenholm** (Burgh).

Population—Census 1901, - - - 4,467.
Do. Do. 1911, - - - 4,806.
Do. estimated to middle of 1913, 4,709.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	94	1	5	98	58	40
Illegitimate Births -	3	0	1	4	2	2
Marriages - -	35	–	–	–	–	–
Deaths - - -	47	1	4	50	19	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·0	20·8	–
Marriage-rate - - - - -	7·4	–	–
Death-rate—All Causes - - -	10·0	10·6	11·2
Do. —Phthisis - - - -	–	0·2	–
Do. —All Tuberculosis - -	–	0·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Rheumatic Fever - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	5	–	–	–	–	–	–	–	1	1	3	2
Bronchitis - - - - -	1	3	–	–	–	–	–	–	–	–	1	1	2
Pneumonia (all forms) - - -	–	4	2	1	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	1	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	–	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	1	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	12	–	1	–	–	–	1	2	2	–	5	9
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	19	31	6	5	–	–	1	1	4	5	3	10	15

YEAR 1913.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Prestwick** (Burgh).

Population—Census 1901, - - - 3,211.
Do. Do. 1911, - - - 4,879.
Do. estimated to middle of 1913, - 5,069.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	79	2	5	82	37	45
Illegitimate Births -	2	0	2	4	1	3
Marriages - -	15	-	-	-	-	-
Deaths - - -	50	3	12	59	32	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·6	16·2	-
Marriage-rate - - - - -	3·0	-	-
Death-rate—All Causes - - -	9·9	11·6	11·0
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts —4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	1	-	1	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	1	-	-	-	-	-	-	-	1	1	3	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	4	-	-	-	-	-	-	1	2	2	1	2
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	3	-
Pneumonia (all forms) - - -	2	1	2	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	1	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	-	-	-	1	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	-	-	1	-	-	-	-	-	3	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	11	1	1	-	-	1	2	-	1	6	4	3
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	1	-	-	-	-	-
Total - - - -	32	27	7	3	1	1	1	4	3	4	13	16	6

YEAR 1913.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Saltcoats** (Burgh).

Population—Census 1901, - - - 8,120.
Do. Do. 1911, - - - 8,585.
Do. estimated to middle of 1913, 8,382.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	243	4	1	240	126	114
Illegitimate Births -	9	0	1	10	4	6
Marriages - -	66	-	-	-	-	-
Deaths - - -	115	4	22	133	55	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·0	28·6	-
Marriage-rate - - - - -	7·9	-	-
Death-rate—All Causes - - -	13·7	15·9	15·6
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	1	1	1	-		-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	-	-	1	3	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	6	-	-	-	-	-	-	-	3	4	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	13	-	-	1	-	-	-	2	-	5	5	1
Bronchitis - - - - - -	3	4	1	-	-	-	-	1	-	1	1	1	2
Pneumonia (all forms) - - -	5	5	3	2		1		1	-	1	-	1	1
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	-	-	1	-	1	1
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	-	-	1	1	2	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	5	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	1	-	1	-	-	2	3	1	-	-	1	-
Suicide - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	13	27	1	2	1	-	-	-	1	3	5	8	19
Diseases Ill-defined or Unknown -	3	2	1	-	-	-	-	-	1	-	-	1	2
Total - - - -	55	78	25	8	3	1	3	7	7	13	16	22	28

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Stewarton** (Burgh).

Population—Census 1901, - - - 2,919.
Do. Do. 1911, - - - 2,841.
Do. estimated to middle of 1913, 2,723.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	64	1	2	65	32	33
Illegitimate Births -	3	0	2	5	2	3
Marriages - -	24	-	-	-	-	-
Deaths - - -	34	0	8	42	21	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·5	23·9	-
Marriage-rate - - - - -	8·8	-	-
Death-rate—All Causes - - -	12·5	15·4	14·7
Do. —Phthisis - - - -	-	2·6	-
Do. —All Tuberculosis - -	-	2·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—31.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	2	-	-	-	-	2	1	2	1	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	1	1	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	3	6	-	-	-	1	-	-	-	1	4	2	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	1	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	6	-	-	-	-	2	-	-	-	-	4	3
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	-	-	1	-	-	1	2
Total - - - -	21	21	2	1	1	1	5	3	3	3	7	10	6

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Troon** (Burgh).

Population—Census 1901, - - - 4,764.
Do. Do. 1911, - - - 6,628.
Do. estimated to middle of 1913, 6,799.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	129	3	5	131	63	68
Illegitimate Births -	9	2	4	11	7	4
Marriages - -	29	–	–	–	–	–
Deaths - - -	63	2	9	70	33	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·0	19·3	–
Marriage-rate - - - - -	4·3	–	–
Death-rate—All Causes - - -	9·3	10·3	11·2
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected 69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5	10-	15	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–		–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	5	–	–	–	2	2	1	3	–	–	–	–
Tuberculous Meningitis - - -	1	1	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	4	–	–	–	–	–	–	–	–	1	1	2
Rheumatic Fever - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - -	1	1	2	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	6	–	–	–	–	–	1	–	1	2	6	1
Bronchitis - - - - -	2	1	–	–	–	–	–	–	–	–	1	–	2
Pneumonia (all forms) - - -	1	1	1	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	–	–	1	1
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	–	–	–	–	1	–	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	9	12	1	–	–	–	2	–	–	2	5	4	7
Diseases Ill-defined or Unknown -	1	1	–	–	–	–	–	–	–	–	1	1	–
Total - - - -	33	37	9	2	–	4	5	3	3	5	10	14	15

YEAR 1913.
COUNTY—**Ayr**.
PUBLIC HEALTH DISTRICT—**Ayr** (County District).

Population—Census 1901, - - - 39,260.
Do. Do. 1911, - - - 42,233.
Do. estimated to middle of 1913, - 41,383.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1286	24	17	1279	650	629
Illegitimate Births -	98	4	11	105	53	52
Deaths - - -	251	–	–	–	–	–
Marriages - -	574	59	60	575	301	274

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·1	30·9	–
Marriage-rate - - - - - -	6·1	–	–
Death-rate—All Causes - - -	13·9	13·9	14·4
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	2	1	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	7	5	–	7	3	2	–	–	–	–	–	–	–
*Whooping-cough - - - - -	3	2	3	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	2	–	3	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis. Pulmonary Tuberculosis -	16	15	2	2	1	3	6	5	9	1	2	–	–
Tuberculous Meningitis - - -	10	3	3	7	–	1	1	–	–	1	–	–	–
Abdominal Tuberculosis - - -	4	2	4	–	1	–	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	5	1	1	1	–	–	2	1	1	–	–	–
Cancer, Malignant Disease - -	12	27	–	–	–	–	–	1	5	8	7	11	7
Rheumatic Fever - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Meningitis - - - - - -	8	3	3	5	2	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	26	29	1	–	1	1	–	1	2	7	13	18	11
Bronchitis - - - - -	23	15	8	3	–	–	–	–	1	2	9	11	4
Pneumonia (all forms) - - -	32	15	18	15	–	–	2	–	–	3	2	5	2
Other Diseases of Respiratory Organs	7	7	4	2	–	–	–	–	–	1	3	2	2
*Diarrhœa and Enteritis (under 2 years)	9	12	17	4	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	4	4	–	1	–	2	1	–	2	1	1	–	–
All Liver Diseases (not Malignant) -	8	10	–	–	–	–	1	1	1	2	9	4	–
Other Diseases of Digestive System (under 2 years)	4	2	5	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	10	5	–	1	2	–	1	1	2	–	3	4	1
Puerperal Sepsis - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	9	–	–	–	–	1	5	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	24	18	42	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	†17	6	–	–	1	–	6	2	4	2	3	3	1
Suicide - - - - - - -	1	1	–	–	–	–	–	1	–	1	–	–	–
Other Defined Diseases - - -	68	65	12	8	2	2	4	7	7	8	20	36	27
Diseases Ill-defined or Unknown -	4	7	2	1	–	–	–	1	1	2	–	3	1
Total - - - - -	†301	274	126	64	14	11	27	27	39	40	72	97	57

†Including 1 of unstated age.

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Carrick** (County District).

Population—Census 1901, - - - 12,570.
Do. Do. 1911, - - - 12,996.
Do. estimated to middle of 1913, 12,629.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	307	6	7	308	157	151
Illegitimate Births -	46	3	1	44	24	20
Marriages - -	56	-	-	-	-	-
Deaths - - -	146	5	26	167	84	83

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·3	24·4	-
Marriage-rate - - - - -	4·4	-	-
Death-rate—All Causes - - -	11·6	13·2	12·6
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·5	-
Do —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-		-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	1	-	1	1	1	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	3	-	1	-	1	1	1	-	-	-	-	-
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	5	-	1	-	-	3	4	5	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	1	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	-	3	-	-	-	-	1	1	1	-	-	-	-
Cancer, Malignant Disease - -	6	10	-	-	-	-	-	-	1	2	4	5	4
Rheumatic Fever - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-		-	-	-
Organic Heart Disease - - -	4	9	-	-	-	-	-	-	-	1	2	4	6
Bronchitis - - - - -	5	7	2	-	-	-	-	-	-	-	2	2	6
Pneumonia (all forms) - - -	3	3	2	-	-	-	-	1	-	1	1	1	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years)	1	1	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	3	4	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	2	-	-	-	1	2	1	1	1	3	1	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	32	25	4	1	-	-	2	-	6	3	7	15	19
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	1	-	-	-	1	-	-
Total - - - -	84	83	21	6	3	4	10	12	15	8	23	29	36

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Kilmarnock** (County District).

Population—Census 1901, - - - 24,397.
Do. Do. 1911, - - - 23,979.
Do. estimated to middle of 1913, 23,040.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	591	7	15	599	293	306
Illegitimate Births -	31	2	6	35	19	16
Marriages - -	124	-	-	-	-	-
Deaths - - -	311	13	36	334	176	158

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·7	26·0	-
Marriage-rate - - - - -	5·4	-	-
Death-rate—All Causes - - -	13·5	14·5	14·8
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	3	-	2	1	1	1	1	-	-	-	-	-
*Whooping-cough - - - -	1	5	3	2	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	3	1	3	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	16	8	-	-	1	1	5	4	3	6	1	1	2
Tuberculous Meningitis - - -	4	2	-	4	1	-	-	-	1	-	-	-	-
Abdominal Tuberculosis - - -	3	4	1	2	1	2	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	-	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	12	17	-	-	-	-	-	-	1	5	12	9	2
Rheumatic Fever - - - -	2	1	-	-	-	-	2	-	1	-	-	-	-
Meningitis - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	9	19	-	-	-	-	2	1	-	2	4	8	11
Bronchitis - - - - - -	17	6	5	-	-	-	-	1	-	2	3	8	4
Pneumonia (all forms) - - -	12	7	3	1	1	1	1	-	3	1	3	4	1
Other Diseases of Respiratory Organs	6	3	1	-	-	-	-	-	1	-	3	2	2
*Diarrhœa and Enteritis (under 2 years)	3	6	6	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	2	3	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	2	-	-	1	-	1	-	-	3	-	-	1
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	1	1	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	14	9	23	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	3	1	1	1	-	2	-	3	-	-	1	2
Suicide - - - - - -	2	-	-	-	-	-	-	2	-	-	-	-	-
Other Defined Diseases - - -	47	48	7	2	-	3	3	5	9	5	12	21	28
Diseases Ill-defined or Unknown . -	6	1	-	-	-	-	-	2	-	-	-	3	2
Total - - - -	176	158	56	21	10	8	19	18	26	24	40	57	55

YEAR 1913.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Northern Ayr** (County District).

Population—Census 1901, - - - 47,343.
Do. Do. 1911, - - - 47,403.
Do. estimated to middle of 1913, 45,738.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1215	18	21	1218	613	605
Illegitimate Births -	69	8	7	68	34	34
Marriages - -	283	–	–	–	–	–
Deaths - - -	667	69	43	641	345	296

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·6	26·6	–
Marriage-rate - - - - - -	6·2	–	–
Death-rate—All Causes - - -	14·6	14·0	14·1
Do. —Phthisis - - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	4	1	–	1	3	1	–	–	–	–	–	–	–
*Whooping-cough - - - - -	3	–	3	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	3	1	1	2	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	2	–	–	–	–	–	–	–	1	1	–	–	–
Phthisis, Pulmonary Tuberculosis -	18	19	–	1	1	1	11	10	5	5	3	–	–
Tuberculous Meningitis - - -	5	1	2	1	3	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	5	3	2	–	1	–	4	–	1	–	–	–	–
Other Tuberculous Diseases - -	6	1	1	–	1	–	–	2	1	1	1	–	–
Cancer, Malignant Disease - -	16	26	–	–	–	–	1	2	2	8	15	7	7
Rheumatic Fever - - - - -	–	2	–	–	–	–	1	–	1	–	–	–	–
Meningitis - - - - - -	3	6	1	5	1	1	–	–	–	1	–	–	–
Organic Heart Disease - - -	31	30	–	–	–	1	3	3	4	8	18	14	10
Bronchitis - - - - - -	22	16	10	4	–	–	–	–	3	–	4	13	4
Pneumonia (all forms) - - -	34	9	5	6	3	–	4	1	3	6	2	9	4
Other Diseases of Respiratory Organs	2	6	2	1	1	–	–	–	1	–	–	2	1
*Diarrhœa and Enteritis (under 2 years)	21	12	28	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	5	2	–	1	2	1	1	2	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	2	–	–	–	–	–	–	–	–	1	1	2
Other Diseases of Digestive System (under 2 years)	2	3	5	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	7	3	–	–	–	–	1	2	2	1	1	2	1
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	6	–	–	–	–	1	3	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	19	17	36	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	19	5	1	3	–	1	1	3	5	3	2	3	2
Suicide - - - - - - -	3	–	–	–	–	–	–	–	1	1	–	1	–
Other Defined Diseases - - -	103	113	10	7	4	1	7	7	12	15	31	58	64
Diseases Ill-defined or Unknown -	10	12	2	–	–	–	–	–	–	2	6	3	9
Total - - - -	345	296	109	37	21	7	35	35	44	52	84	113	104

YEAR 1913.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Aberchirder** (Burgh).

Population—Census 1901, - - - 1,141.
Do. Do. 1911, - - - 1,048.
Do. estimated to middle of 1913, 991.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	1	0	36	17	19
Illegitimate Births -	10	0	0	10	6	4
Marriages - -	2	-	-	-	-	-
Deaths - - -	36	0	1	37	14	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - - - -	37·3	36·3	-
Marriage-rate - - - - - -	2·0	-	-
Death-rate—All Causes - - -	36·3	37·3	28·6
Do. —Phthisis - - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—278.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—27·8.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	4	-	-	-	-	-	-	1	-	-	3	4
Bronchitis - - - - - -	1	4	1	-	-	-	-	-	1	-	-	-	3
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	2	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	2	-	1	-	-	-	1	-	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	5	-	-	-	-	-	-	-	1	-	1	6
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	14	23	10	1	-	-	1	2	3	1	1	4	14

YEAR 1913.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Banff** (Burgh).

Population—Census 1901, - - - 3,732.
Do. Do. 1911, - - - 3,821.
Do. estimated to middle of 1913, 3,705.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	83	3	2	82	38	44
Illegitimate Births -	9	1	0	8	3	5
Marriages - -	48	-	-		-	-
Deaths - - -	67	16	5	56	27	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·4	22·1	-
Marriage-rate - - - - - -	13·0	-	-
Death-rate—All Causes - - -	18·1	15·1	13·1
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -		0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)		1·9	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·8.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	3	-	2	-	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	1	-	2	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	2	-	-	-	-	-	-	-	1	1	-	3
Bronchitis - - - - - -	-	6	-	-	-	-	-	-	-	-	3	1	2
Pneumonia (all forms) - - -	1	2	-	1	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs	3	-	-	1	-	-	-	-	-		-	1	1
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-		-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	2	-	-	-	1	-	-	2	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	10	1	1	1	-	-	-	1	-	2	4	8
Diseases Ill-defined or Unknown -	-	2	-	-	-	-	-	1	1	-	-	-	-
Total - - - -	27	29	6	5	3	1	-	2	4	2	9	9	15

YEAR 1913.

COUNTY—**Banff**.

PUBLIC HEALTH DISTRICT—**Buckie** (Burgh).

Population—Census 1901, - - - 7,483.
Do. Do. 1911, - - - 8,897.
Do. estimated to middle of 1913, 8,889.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	297	0	5	302	143	159
Illegitimate Births -	29	0	0	29	16	13
Marriages - -	57	-	-	-	-	-
Deaths - - -	96	0	11	107	51	56

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	33·4	34·0	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - -	10·8	12·0	11·9
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected –79.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	5	-	1	1	-	1	4	1	-	-	-	-
Tuberculous Meningitis - - -	1	2	1	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	2	-	-	-	1	1	1	-	-	-	-	-
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	1	-	3	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	4	1	-	-	-	-	-	-	1	-	3	1
Bronchitis - - - - - -	2	4	1	-	-	-	-	-	-	-	-	2	3
Pneumonia (all forms) - - -	4	6	5	1	-	-	-	-	-	1	2	1	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	1	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	2	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	5	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	1	-	-	-	-	2	-	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	20	16	3	-	-	-	1	1	3	3	7	9	9
Diseases Ill-defined or Unknown -	3	1	1	-	-	-	-	-	-	-	1	2	-
Total - - - - -	51	56	24	8	1	1	6	9	6	5	15	17	15

YEAR 1913.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Charlestown of Aberlour** (Burgh).

Population—Census 1901, - - - 1,176.
Do. Do. 1911, - - - 1,272.
Do. estimated to middle of 1913, 1,247.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	0	0	20	9	11
Illegitimate Births -	2	0	0	2	0	2
Marriages -	10	-	-	-	-	-
Deaths - - -	21	1	2	22	9	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·0	16·0	-
Marriage-rate - - - - -	8·0	-	-
Death-rate—All Causes - - -	16·8	17·6	19·0
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	3·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	2	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	1	-	1	2
Bronchitis - - - - -	1	1	-	1	-	-	-	-	1	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	2	1	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	5	-	-	-	-	-	-	-	-	1	2	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	9	13	1	3	2	3	-	-	1	1	1	4	6

YEAR 1913.
COUNTY—**Banff**.
PUBLIC HEALTH DISTRICT—**Cullen** (Burgh).

Population—Census 1901, - - - 1,936.
Do. Do. 1911, - - - 1,992.
Do. estimated to middle of 1913, 1,933.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	0	1	44	19	25
Illegitimate Births -	3	0	1	4	1	3
Marriages - -	13	-	-	-	-	-
Deaths - - -	23	3	2	22	8	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·2	22·8	-
Marriage-rate - - - - -	6·7	-	-
Death-rate—All Causes - - -	11·9	11·4	9·6
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	3	-	-	-	-	-	-	1	-	2	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	2	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	2	-	-	-	-	-	-	-	1	-	1	2
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	8	14	4	1	1	2	1	1	2	2	2	2	4

YEAR 1913.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Dufftown** (Burgh).

Population—Census 1901, - - - 1,823.
Do. Do. 1911, - - - 1,626.
Do. estimated to middle of 1913, 1,526.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	30	2	2	30	15	15
Illegitimate Births -	7	2	1	6	4	2
Marriages - -	13	-	-	-	-	-
Deaths - - -	23	1	1	23	11	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·7	19·7	-
Marriage-rate - - - - - -	8·5	-	-
Death-rate—All Causes - - -	15·1	15·1	11·1
Do. —Phthisis - - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	2	-	-	-	1	-	-	1	-	-	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	2	-	2
Bronchitis - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	1	-	-	-	-	1	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	6	-	-	-	-	-	-	-	2	1	2	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - -	11	12	2	-	-	2	1	-	1	2	3	3	9

YEAR 1913.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Keith** (Burgh).

Population—Census 1901, - - - 4,753.
Do. Do. 1911, - - - 4,499.
Do. estimated to middle of 1913, 4,285.

REGISTRATION RETURNS.

	Number Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	88	8	2	82	40	42
Illegitimate Births -	13	1	1	13	8	5
Marriages - -	29	-	-	-	-	-
Deaths - - -	63	2	8	69	41	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·5	19·1	-
Marriage-rate - - - - - -	6·8	-	-
Death-rate—All Causes - - -	14·7	16·1	13·7
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	3	-	-	2	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	3	6	-	-	-	-	-	1	-	1	2	2	3
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	5	-	-	-	-	1	-	1	-	1	5	5
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	4	-	2	-	-	-	1	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	1	-	-	-	-	-	-	-	-	2	2	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	-	1	-	1	-	1	-
Suicide - - - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	-
Other Defined Diseases - - -	6	7	2	-	-	-	-	-	-	-	1	3	7
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	41	28	9	1	1	-	6	2	3	7	8	15	17

YEAR 1913.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Macduff** (Burgh).

Population—Census 1901, - - - 3,429.
Do. Do. 1911, - - - 3,411.
Do. estimated to middle of 1913, 3,286.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	95	3	6	98	52	46
Illegitimate Births -	12	1	4	15	9	6
Marriages - -	21	-	-	-	-	-
Deaths - - -	49	0	5	54	22	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·9	29·8	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - -	14·9	16·4	13·2
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—112.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15 3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	2	1	-	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	2	2	-	-	-	-	-
Tuberculous Meningitis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	-	-	1	1	5
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - -	-	3	-	-	-	-	-	-	-	-	-	3	-
Pneumonia (all forms) - - -	2	1	2	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	1	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	9	1	-	-	-	-	-	-	2	1	2	10
Diseases Ill-defined or Unknown -	2	4	2	1	-	-	-	-	-	-	1	-	2
Total - - - -	22	32	11	1	2	-	3	3	-	3	4	8	19

YEAR 1913.
COUNTY—**Banff**.
PUBLIC HEALTH DISTRICT—**Portknockie** (Burgh).

Population—Census 1901, - - - 1,596.
Do. Do. 1911, - - - 1,746.
Do. estimated to middle of 1913, 1,717.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	1	0	42	26	16
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	5	–	–	–	–	–
Deaths - - -	24	1	2	25	14	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·0	24·5	–
Marriage-rate - - - - - -	2·9	–	–
Death-rate—All Causes - - -	14·0	14·6	15·4
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—119.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	–	–	1	–	–	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	2	–	–	–	–	–	–	1	–	–	1	1
Bronchitis - - - - - -	2	2	1	–	–	–	–	–	–	–	2	1	–
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	–	1	1	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	3	–	1	1	–	–	–	–	–	–	–	–	1
Diseases Ill-defined or Unknown -	1	–	1	–	–	–	–	–	–	–	–	–	–
Total - - -	14	11	5	2	–	2	1	–	2	2	3	2	6

YEAR 1913.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Portsoy** (Burgh).

Population—Census 1901, - - - 1,878.
Do. Do. 1911, - - - 1,951.
Do. estimated to middle of 1913, 1,898.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	3	2	50	27	23
Illegitimate Births -	7	0	1	8	5	3
Marriages - -	22	-	-	-	-	-
Deaths - - -	33	5	1	29	16	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·9	26·3	-
Marriage-rate - - - - - -	11·6	-	-
Death-rate—All Causes - - -	17·4	15·3	12·2
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	2	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	3	-	-	-	-	-	-	-	2	1	-	-
Bronchitis - - - - - -	2	1	1	-	-	-	-	-	-	-	1	-	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	2	-	-	-	1	-	-	-	1	2	1	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	16	13	4	3	1	1	2	-	-	3	6	3	6

YEAR 1913.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Banff** (County District).

Population—Census 1901, - - - 18,796.
Do. Do. 1911, - - - 18,686.
Do. estimated to middle of 1913, 18,001.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	455	9	14	460	245	215
Illegitimate Births -	59	2	6	63	33	30
Marriages - -	89	-	-	-	-	-
Deaths - - -	222	14	21	229	118	111

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·3	25·6	-
Marriage-rate - - - - -	4·9	-	-
Death-rate—All Causes - - -	12·3	12·7	11·5
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	4	2	-	1	-	1	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	2	1	3	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	9	-	-	-	1	4	3	5	3	-	2	-
Tuberculous Meningitis - - -	-	2	-	-	-	1	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	1	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	1	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	7	9	-	-	-	-	-	1	-	2	6	5	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	7	-	-	-	-	-	-	-	-	1	9	5
Bronchitis - - - - -	6	8	6	1	-	-	-	-	-	1	-	1	5
Pneumonia (all forms) - - -	12	7	3	4	-	-	-	3	2	3	1	2	1
Other Diseases of Respiratory Organs	3	-	1	-	-	-	-	1	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	4	2	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	-	-	-	-	1	1	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	2	-	-	-	-	-	-	-	1	1	1	2
Puerperal Sepsis - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	10	18	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	3	2	-	-	-	-	1	-	2	1	1	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	37	35	7	1	1	1	1	2	6	2	6	12	33
Diseases Ill-defined or Unknown -	3	3	-	1	1	-	1	-	-	1	1	1	-
Total - - - -	118	111	51	14	3	4	9	12	15	17	18	35	51

YEAR 1913.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Keith** (County District).

Population—Census 1901, - - - 13,745.
Do. Do. 1911, - - - 12,453.
Do. estimated to middle of 1913, 11,733.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	293	5	16	304	169	135
Illegitimate Births -	47	3	10	54	34	20
Marriages - -	35	-	-	-	-	-
Deaths - - -	127	3	11	135	60	75

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·0	25·9	-
Marriage-rate - - - - - -	3·0	-	-
Death-rate—All Causes - - -	10·8	11·5	9·6
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—36.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15	25-	35 -	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	2	-	-	-	-	1	-	2	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	6	-	-	-	-	6	2	1	-	1	-	-
Tuberculous Meningitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	2	1	-	-	-	1	-	-	-	-	1	-
Cancer, Malignant Disease - -	11	9	-	-	-	-	-	-	1	5	2	4	8
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	9	11	-	-	-	-	-	-	1	1	2	6	10
Bronchitis - - - - - -	6	7	-	1	-	-	-	-	-	-	-	5	7
Pneumonia (all forms) - - - -	-	2	-	1	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	1	-	-	1	-	1	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	-	-	2	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	2	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	2	-	-	-	-	-	-	1	-	1	1	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	13	20	1	1	-	-	4	1	2	2	4	4	14
Diseases Ill-defined or Unknown -	4	3	1	-	-	-	-	-	3	-	1	-	2
Total - - - - -	60	75	11	3	1	1	15	4	12	8	13	24	43

YEAR 1913.
COUNTY—**Berwick**.
PUBLIC HEALTH DISTRICT—**Coldstream** (Burgh).

Population—Census 1901, - - 1,482.
Do. Do. 1911, - - - 1,375.
Do. estimated to middle of 1913, 1,303.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	0	0	24	16	8
Illegitimate Births -	3	0	0	3	1	2
Marriages - -	12	–	–	–	–	–
Deaths - - -	27	1	3	29	10	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·4	18·4	–
Marriage-rate - - - - - -	9·2	–	–
Death-rate—All Causes - - -	20·7	22·3	18·1
Do. —Phthisis - - - - -	–	3·1	–
Do. —All Tuberculosis - -	–	4·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	3	–	–	–	–	–	–	2	1	–	1	–
Tuberculous Meningitis - - -	2	–	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	3	–	–	–	–	–	–	–	–	–	2	2
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	1	–	–	–	–	–	–	–	–	1	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	2	–	–	–	–	–	–	–	1	–	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	6	1	–	1	1	–	–	–	1	–	2	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	10	19	3	3	2	2	–	–	2	3	2	7	5

YEAR 1913.
COUNTY—**Berwick**.
PUBLIC HEALTH DISTRICT—**Duns** (Burgh).

Population—Census 1901, - - - 2,206.
Do. Do. 1911, - - - 2,069.
Do. estimated to middle of 1913, 1,967.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	2	0	24	10	14
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	10	–	–	–	–	–
Deaths - - -	31	1	4	34	12	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	13·2	12·2	–
Marriage-rate - - - - - -	5·1	–	–
Death-rate—All Causes - - -	15·8	17·3	14·0
Do. —Phthisis - - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	–	1	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	1	–	–	–	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	2	–	–	–	–	–	–	–	1	–	–	3
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	16	–	1	–	–	–	3	–	–	1	3	13
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	12	22	1	1	–	–	1	4	2	1	3	4	17

YEAR 1913.

COUNTY—**Berwick.**

PUBLIC HEALTH DISTRICT—**Eyemouth** (Burgh).

Population—Census 1901, - - - 2,389.
Do. Do. 1911, - - - 2,453.
Do. estimated to middle of 1913, 2,381.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	59	0	0	59	30	29
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	13	–	–	–	–	–
Deaths - - -	36	0	1	37	18	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·8	24·8	–
Marriage-rate - - - - - -	5·5	–	–
Death-rate—All Causes - - -	15·1	15·5	15·2
Do. —Phthisis - - - - -	–	2·1	–
Do. —All Tuberculosis - -	–	2·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	3	–	–	–	–	–	3	2	–	–	–	–
Tuberculous Meningitis - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	3	–	–	–	–	–	–	1	–	1	–	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	3	–	–	–	–	–	–	1	–	3	2	–
Bronchitis - - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Pneumonia (all forms) - - -	3	–	–	1	–	–	–	–	–	1	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	6	–	–	–	–	–	–	–	1	2	3	7
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	18	19	4	1	–	–	–	3	4	2	8	5	10

YEAR 1913.
COUNTY—**Berwick.**
PUBLIC HEALTH DISTRICT—**Lauder** (Burgh).

Population—Census 1901, - - - 724.
Do. Do. 1911, - - - 659.
Do. estimated to middle of 1913, 621.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	5	5
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	2	-	-	-	-	-
Deaths - - -	15	0	0	15	7	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·1	16·1	-
Marriage-rate - - - - -	3·2	-	-
Death-rate—All Causes - - -	24·2	24·2	19·3
Do. —Phthisis - - - -	-	1·6	
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—200.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	1	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	-	5	-	-	-	-	-	-	-	-	-	3	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	7	8	2	-	1	-	-	1	-	2	2	5	2

YEAR 1913.
COUNTY—**Berwick.**
PUBLIC HEALTH DISTRICT—**East Berwick** (County District).

Population—Census 1901, - - - 9,364.
Do. Do. 1911, - - - 9,017.
Do. estimated to middle of 1913, 8,621.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	159	1	8	166	76	90
Illegitimate Births -	14	1	0	13	6	7
Marriages - -	46	–	–	–	–	–
Deaths - - -	115	0	7	122	63	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·4	19·3	–
Marriage-rate - - - - - -	5·6	–	–
Death-rate—All Causes - - -	13·3	14·2	12·5
Do. —Phthisis - - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	0·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	4	–	–	–	–	–	–	2	–	1	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Tuberculous Diseases - -	2	–	–	–	–	1	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	3	–	–	–	–	–	–	–	1	1	3	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	9	–	–	–	–	–	–	1	3	4	6	3
Bronchitis - - - - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	2	3	1	–	2	–	–	–	1	1	–	–	–
Other Diseases of Respiratory Organs	1	2	1	1	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	–	–	2	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	1	–	–	–	–	–	–	–	1	2	–	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	3	–	–	–	–	–	2	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	1	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	–	–	–	1	–	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	27	27	6	–	1	1	–	–	2	2	7	11	24
Diseases Ill-defined or Unknown -	2	2	–	1	–	–	–	–	–	–	1	2	–
Total - - - -	63	59	16	3	4	2	1	2	8	8	18	27	33

YEAR 1913.
COUNTY—**Berwick.**
PUBLIC HEALTH DISTRICT—**Middle Berwick** (County District).

Population—Census 1901, - - - 8,648.
Do. Do. 1911, - - - 8,365.
Do. estimated to middle of 1913, 8,007.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	143	4	8	147	70	77
Illegitimate Births -	8	0	4	12	7	5
Marriages - -	47	-	-	-	-	-
Deaths - - -	92	2	16	106	54	52

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·9	18·4	-
Marriage-rate - - - - -	5·9	-	-
Death-rate—All Causes - - -	11·5	13·2	11·8
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	3	-	-	-	-	2	1	4	-	-	1	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	8	11	-	-	-	-	1	-	1	3	8	6	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	11	8	1	-	-	-	-	-	1	2	2	7	6
Bronchitis - - - - -	1	4	-	-	-	-	-	-	1	-	-	2	2
Pneumonia (all forms) - - -	2	3	1	-	-	-	-	1	-	2	-	-	1
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	-	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	3	-	-	-	-	-	-	-	3	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	1	1	-	-	-	-	-	1	-	-	1
Suicide - - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-
Other Defined Diseases - - -	16	14	2	-	1	-	-	1	-	2	6	7	11
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	54	52	10	2	1	-	5	4	7	13	18	25	21

YEAR 1913.

COUNTY—**Berwick.**

PUBLIC HEALTH DISTRICT—**West Berwick** (County District).

Population—Census 1901, - - - 6,011.
Do. Do. 1911, - - - 5,705.
Do. estimated to middle of 1913, 5,437.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	101	2	8	107	62	45
Illegitimate Births -	12	0	3	15	10	5
Marriages - -	35	-	-	-	-	-
Deaths - - -	62	3	11	70	32	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·6	19·5	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - -	11·4	12·9	11·8
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	-	1	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	-	1	3	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	4	6	-	-	-	-	-	-	-	-	3	3	4
Bronchitis - - - - -	2	3	1	-	-	-	-	-	-	-	1	1	2
Pneumonia (all forms) - - -	4	2	1	-	-	-	-	1	-	-	1	3	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	1	-	-	1	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	10	-	1	-	-	1	-	1	2	2	3	12
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	1	1
Total - - - -	32	38	7	2	1	-	2	3	4	5	12	14	20

YEAR 1913.
COUNTY—**Bute.**
PUBLIC HEALTH DISTRICT—**Millport** (Burgh).

Population—Census 1901, - - - 1,670.
Do. Do. 1911, - - - 1,614.
Do. estimated to middle of 1913, 1,545.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	1	0	25	11	14
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	6	–	–	–	–	–
Deaths - - -	22	3	1	20	6	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·8	16·2	–
Marriage-rate - - - - - -	3·9	–	–
Death-rate—All Causes - - -	14·2	12·9	10·6
Do. —Phthisis - - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	–	–	–	3	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	2	–	–	–	–	–	–	1	–	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	7	–	–	–	–	–	–	2	–	–	4	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	6	14	3	1	–	1	–	–	3	–	–	8	4

YEAR 1913.
COUNTY—**Bute**.
PUBLIC HEALTH DISTRICT—**Rothesay** (Burgh).

Population—Census 1901, - - - 9,378.
Do. Do. 1911, - - - 9,299.
Do. estimated to middle of 1913, 8,951.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	147	9	5	143	63	80
Illegitimate Births -	17	6	3	14	5	9
Marriages - -	37	–	–	–	–	–
Deaths - - -	162	29	12	145	60	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·4	16·0	–
Marriage-rate - - - - - -	4·1	–	–
Death-rate—All Causes - - -	18·1	16·2	14·5
Do. —Phthisis - - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—126.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	2	1	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	4	–	–	–	1	3	2	–	–	–	1	–
Tuberculous Meningitis - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	–	–	–	1	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	–	–	–	1	–	–	–	–	–	1	–
Cancer, Malignant Disease - -	3	11	–	–	–	–	–	–	1	1	3	5	4
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	2	–	1	–	–	–	–	–	–	1	–	–	–
Organic Heart Disease - - -	1	7	–	–	–	–	–	–	–	–	1	4	3
Bronchitis - - - - - -	7	10	2	2	–	–	–	–	1	–	2	6	4
Pneumonia (all forms) - - -	4	3	1	1	–	–	–	–	–	1	2	–	2
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	1	2	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	1	–	–	–	–	–	1	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	4	9	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	–	–	–	1	–	–	–	–	1	1
Suicide - - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases - - -	23	29	1	–	–	–	–	–	1	9	9	15	17
Diseases Ill-defined or Unknown -	1	5	–	–	–	–	–	–	–	–	1	2	3
Total - - - -	60	85	18	6	1	4	6	2	5	13	19	37	34

YEAR 1913.
COUNTY—**Bute.**
PUBLIC HEALTH DISTRICT—**Arran** (County District).

Population—Census 1901, - - - 4,837.
Do. Do. 1911, - - - 4,628.
Do. estimated to middle of 1913, 4,419.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	1	3	49	23	26
Illegitimate Births -	4	1	0	3	1	2
Marriages - -	16	–	–	–	–	–
Deaths - - -	79	8	7	78	38	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·6	11·1	–
Marriage-rate - - - - -	3·6	–	–
Death-rate—All Causes - - -	17·9	17·7	13·9
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—20.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	–	–	–	–	–	1	1	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	3	–	–	–	–	1	1	1	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	5	7	–	–	–	–	–	1	1	1	3	2	4
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	1	–	–	–	–	–	–	–	–	–	5	1
Bronchitis - - - - -	–	3	–	–	–	–	–	–	–	–	–	2	1
Pneumonia (all forms) - - -	6	2	–	–	–	–	–	1	1	1	1	1	3
Other Diseases of Respiratory Organs	–	2	–	–	–	–	–	–	–	–	1	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	2	–	–	–	–	–	–	–	–	1	2	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	–	–	–	–	1	1	–	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	11	16	–	–	–	–	2	–	1	3	3	5	13
Diseases Ill-defined or Unknown -	2	2	–	–	–	–	–	–	–	1	1	2	–
Total - - - -	38	40	1	–	–	1	4	5	5	6	12	20	24

YEAR 1913.
COUNTY—**Bute.**
PUBLIC HEALTH DISTRICT—**Bute** (County District).

Population—Census 1901, - - 2,803.
Do. Do. 1911, - - - 2,552.
Do. estimated to middle of 1913, 2,408.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	38	1	3	40	18	22
Illegitimate Births -	4	1	0	3	0	3
Marriages - -	16	-	-	-	-	-
Deaths - - -	23	3	5	25	15	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·8	16·6	-
Marriage-rate - - - - - -	6·6	-	-
Death-rate—All Causes - - -	9·6	10·4	9·0
Do. —Phthisis - - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—25.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2		-	-	-	-	1	-	-	-	1	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - - -	1	1	-	-	-	-	-	-	-		1	-	1
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	5	-	-	-	-	-	-	1	1	4	1	4
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	15	10	1	3	-	-	1	1	1	1	8	4	5

YEAR 1913.
COUNTY—**Bute**.
PUBLIC HEALTH DISTRICT—**Cumbrae** (County District).

Population—Census 1901, - - - 99.
Do. Do. 1911, - - - 93.
Do. estimated to middle of 1913, 89.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1	0	1	2	0	2
Illegitimate Births -	0	0	1	1	0	1
Marriages - -	0	-	-	-	-	-
Deaths - - -	1	1	0	0	0	0

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.†

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	-	-	-
Marriage-rate - - - - -	-	-	-
Death-rate—All Causes - - -	-	-	-
Do. —Phthisis - - - -	-	-	-
Do. —All Tuberculosis - -	-	-	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	-	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-

† The Population of this District is too small for the calculation of significant rates.

YEAR 1913.
COUNTY—**Caithness.**
PUBLIC HEALTH DISTRICT—**Thurso** (Burgh).

Population—Census 1901, - - - 3,723.
Do. Do. 1911, - - - 3,335.
Do. estimated to middle of 1913, 3,132.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	0	3	69	39	30
Illegitimate Births -	19	0	3	22	13	9
Marriages - -	25	–	–	–	–	–
Deaths - - -	70	1	2	71	34	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·1	22·0	-
Marriage-rate - - - - - -	8·0	–	-
Death-rate—All Causes - - -	22·3	22·7	17·8
Do. —Phthisis - - - - -	–	1·3	-
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—145.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—31·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
*Whooping-cough - - - - -	2	3	2	–	3	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	2	–	–	–	–	–	–	1	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	2	2	–	–	–	–	2	2	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	2	–	–	1	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	2	–	–	–	–	–	–	–	–	–	1	2
Bronchitis - - - - - -	2	8	2	–	–	–	–	–	–	–	–	1	7
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	1	2	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	–	–	–	–	–	–	–	–	1	1	1	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Defined Diseases - - -	11	15	2	–	–	1	2	–	1	2	5	5	8
Diseases Ill-defined or Unknown -	7	2	2	–	–	–	–	–	–	2	2	2	1
Total - - - -	34	37	10	2	3	1	6	2	2	5	8	13	19

YEAR 1913.

COUNTY—**Caithness**.

PUBLIC HEALTH DISTRICT—**Wick** (Burgh).

Population—Census 1901, - 8,199.
Do. Do. 1911, - - 9,086.
Do. estimated to middle of 1913, 8,956.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	246	0	1	247	116	131
Illegitimate Births -	20	0	1	21	13	8
Marriages - -	47	–	–	–	–	–
Deaths - - -	141	3	10	148	54	94

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·5	27·6	–
Marriage-rate - - - - -	5·2	–	–
Death-rate—All Causes - - -	15·7	16·5	15·1
Do. —Phthisis - - - -	–	0·3	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·6	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—138.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	2	1	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	1	–	1	–	2	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	3	–	–	1	–	–	2	–	–	–	–	–
Tuberculous Meningitis - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	–	–	–	1	1	–	–	–
Cancer, Malignant Disease - -	–	8	–	–	–	–	–	1	–	1	2	4	–
Rheumatic Fever - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Meningitis - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	7	–	–	–	–	–	–	–	–	4	2	8
Bronchitis - - - - -	1	6	2	1	–	–	–	–	–	–	–	1	3
Pneumonia (all forms) - - -	5	11	6	1	–	1	–	1	1	1	1	2	2
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	5	4	7	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	1	–	–	–	1	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	2	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	2	–	1	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	8	13	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	1	–	–	1	–	–	–
Suicide - - - - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Defined Diseases - - -	18	31	3	–	–	–	1	2	3	4	3	14	19
Diseases Ill-defined or Unknown -	3	4	1	–	–	–	–	–	–	–	–	2	4
Total - - - -	54	94	34	9	2	4	3	7	6	9	10	27	37

YEAR 1913.

COUNTY—**Caithness.**

PUBLIC HEALTH DISTRICT—**Caithness** (County District).

Population—Census 1901, - - - 21,948.
Do. Do. 1911, - - - 19,589.
Do. estimated to middle of 1913, 18,386.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	362	1	5	366	194	172
Illegitimate Births -	49	0	3	52	28	24
Marriages - -	56	–	–	–	–	–
Deaths - - -	342	7	9	344	158	186

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·7	19·9	–
Marriage-rate - - - - - -	3·0	–	–
Death-rate—All Causes - - -	18·6	18·7	13·2
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	3	4	2	2	2	1	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	1	–	–	2	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis -	14	13	–	–	–	2	7	8	6	3	1	–	–
Tuberculous Meningitis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	–	–	–	1	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	3	1	1	–	1	–	–	2	–	–	–	–	–
Cancer, Malignant Disease - -	13	23	–	–	–	–	–	–	3	4	8	16	5
Rheumatic Fever - - - - -	–	4	–	–	–	–	3	–	–	–	–	1	–
Meningitis - - - - - -	2	2	2	–	1	–	–	1	–	–	–	–	–
Organic Heart Disease - - -	17	18	–	–	–	–	–	–	–	1	7	11	16
Bronchitis - - - - - -	3	13	2	–	–	1	–	–	–	–	–	3	10
Pneumonia (all forms) - - -	10	8	6	2	–	–	1	–	2	–	1	2	4
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	1	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	–	1	–	–	–	–	1	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	8	3	–	–	–	–	–	–	1	–	–	7	3
Puerperal Sepsis - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	–	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	7	10	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	10	3	1	–	–	–	1	–	2	4	1	2	2
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	53	65	3	1	–	–	3	–	1	6	10	19	75
Diseases Ill-defined or Unknown -	10	11	3	1	1	–	–	–	–	–	2	5	9
Total - - - -	158	186	33	8	9	5	18	11	18	19	30	68	125

YEAR 1913.
COUNTY—**Clackmannan.**
PUBLIC HEALTH DISTRICT—**Alloa** (Burgh).

Population—Census 1901, - - - 11,555.
Do. Do. 1911, - - - 11,893.
Do. estimated to middle of 1913, 11,544.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	287	1	6	292	143	149
Illegitimate Births -	16	0	1	17	7	10
Marriages - -	89	-	-	-	-	-
Deaths - - -	141	1	18	158	77	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·9	25·3	-
Marriage-rate - - - - - -	7·7	-	-
Death-rate—All Causes - - -	12·2	13·7	14·7
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·8.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	2	-	3	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	5	-	-	-	1	3	2	3	2	2	-	-
Tuberculous Meningitis - - -	-	2	-	1	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	2	4	1	1	-	2	-	1	1	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	9	-	-	1	-	-	-	1	1	4	5	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	3	2	3	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	8	-	-	-	-	-	1	3	2	3	3	2
Bronchitis - - - - - -	6	4	4	-	-	-	-	-	-	-	-	2	4
Pneumonia (all forms) - - -	3	4	1	1	-	-	-	-	-	2	2	1	-
Other Diseases of Respiratory Organs	2	-	-	1	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	-	-	-	-	1	-	-	2	3	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	5	10	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	-	1	-	-	1	3	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	19	23	2	1	-	-	2	2	4	2	9	9	11
Diseases Ill-defined or Unknown -	4	6	2	-	-	-	-	-	1	2	1	2	2
Total - - - -	77	81	25	11	5	3	6	8	17	14	25	23	21

YEAR 1913.
COUNTY—**Clackmannan.**
PUBLIC HEALTH DISTRICT—**Alva** (Burgh).

Population—Census 1901, - - - 4,624.
Do. Do. 1911, - - - 4,332.
Do. estimated to middle of 1913, 4,116.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	95	7	2	90	54	36
Illegitimate Births -	8	0	0	8	6	2
Marriages - -	36	–	–	–	–	–
Deaths - - -	68	1	10	77	45	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·1	21·9	–
Marriage-rate - - - - - -	8·7	–	–
Death-rate—All Causes - - -	16·5	18·7	17·3
Do. —Phthisis - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–		–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	4	–	–	–	1	–	2	2	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–		–		–	–	–
Abdominal Tuberculosis - - -	1	–	–	1	–	–	–		–		–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	5	–	–	–	–	–	–	–	–		3	3
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	–	–		–	–	–	1	–	–	–
Organic Heart Disease - - -	7	6	–	–	–	–	–	–	1	2	2	6	2
Bronchitis - - - - - -	8	4	2	1		–	1		–	–	1	3	4
Pneumonia (all forms) - - -	3	1	–	1			–	–	1	–	1	1	–
Other Diseases of Respiratory Organs	–	–	–	–				–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–				–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–		–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–		–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	–	–	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–		–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	–	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–		–	–	1	–	1	–
Suicide - - - - - - -	–	–	–	–	–	–			–	–	–	–	–
Other Defined Diseases - - -	15	10	1	–	–	1	–	3	1	3	1	8	7
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	45	32	6	3	1	2	1	5	5	8	6	24	16

YEAR 1913.
COUNTY—**Clackmannan**.
PUBLIC HEALTH DISTRICT—**Dollar** (Burgh).

Population—Census 1901, - - - 1,619.
Do. Do. 1911, - - - 1,497.
Do. estimated to middle of 1913, 1,418.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	1	0	15	10	5
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	12	-	-	-	-	-
Deaths - - -	26	2	2	26	13	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	11·3	10·6	-
Marriage-rate - - - - -	8·5	-	-
Death-rate—All Causes - - -	18·3	18·3	16·0
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	1	1	-	-	-	-	-	-	1	1	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	2	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	8	-	-	-	-	-	-	-	-	1	3	9
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	13	13	1	-	-	-	1	-	4	2	5	4	9

YEAR 1913.

COUNTY—**Clackmannan**.

PUBLIC HEALTH DISTRICT—**Tillicoultry** (Burgh).

Population—Census 1901, - - - 3,338.
Do. Do. 1911, - - - 3,105.
Do. estimated to middle of 1913, 2,944.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	65	1	0	64	33	31
Illegitimate Births -	3	0	0	3	1	2
Marriages - -	23	–	–	–	–	–
Deaths - - -	60	1	10	69	27	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·1	21·7	–
Marriage-rate - - - - - -	7·8	–	–
Death-rate—All Causes - - -	20·4	23·4	21·1
Do. —Phthisis - - - - -	–	2·0	–
Do. —All Tuberculosis - -	–	2·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	2	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	4	–	–	1	–	2	1	1	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	5	–	–	–	–	–	–	–	1	2	2	3
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	5	–	–	–	–	–	–	1	2	2	4	4
Bronchitis - - - - - -	1	2	–	–	–	–	–	–	–	–	–	3	–
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	3	–	–	–	–	1	1	–	–	–	2	–
Puerperal Sepsis - - - - -	–	2	–	–	–	–	1	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	1	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	–	–	–	–	–	–	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	12	1	–	–	1	–	1	–	–	4	9	3
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	27	42	7	1	2	1	5	5	3	4	8	21	12

YEAR 1913.
COUNTY—**Clackmannan.**
PUBLIC HEALTH DISTRICT—**Clackmannan** (County District).

Population—Census 1901, - - - 10,893.
Do. Do. 1911, - - - 10,294.
Do. estimated to middle of 1913, 9,800.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	252	4	4	252	130	122
Illegitimate Births -	12	0	1	13	5	8
Marriages - -	60	-	-	-	-	-
Deaths - - -	146	8	8	146	72	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·7	25·7	-
Marriage-rate - - - - - -	6·1	-	-
Death-rate—All Causes - - -	14·9	14·9	15·0
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-		-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -		-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	2	-	-	2	-	1	-	-	-	-		-
*Whooping-cough - - - - -	-	1	1	-	-		-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	-	1	1		-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	4	-	1	1		3	2	1	-	1	-	-
Tuberculous Meningitis - - -	-	1	-	-			-	-	1	-	-	-	-
Abdominal Tuberculosis - - -	-	2	-				1	1	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-				-	1	-	1	-	-	-
Cancer, Malignant Disease - -	2	11		-		-	-	1	2	2	2	4	2
Rheumatic Fever - - - - -	-	-			-		-	-	-	-	-	-	-
Meningitis - - - - - -	2	2	2	1	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	6	-	-	-	-	-	1	-	-	4	8	3
Bronchitis - - - - - -	8	4	5	1	-	-	-	-	-	1	2	3	-
Pneumonia (all forms) - - -	6	5	2	1	-	-	1	1	2	-	2	1	1
Other Diseases of Respiratory Organs	1	-	-	-	-		-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	2	2	-	-	-		-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	-	-	1	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	2	-	-	-	-	-	-	-	2	-	3	-
Puerperal Sepsis - - - - -	-	2	-	-	-		-	-	2	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	6	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	-	1	-	-	-	1	-	-	2	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	21	19	1	-	-	-	-	1	2	4	6	8	18
Diseases Ill-defined or Unknown -	2	-	1	-	-	-	-	-	-	-	1	-	-
Total - - - -	72	74	23	6	4	1	6	10	10	12	21	29	24

YEAR 1913.
COUNTY—**Dumbarton.**
PUBLIC HEALTH DISTRICT—**Clydebank** (Burgh).

Population—Census 1901, - - - 20,898.
Do. Do. 1911, - - - 37,548.
Do. estimated to middle of 1913, 42,510.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,418	5	31	1,444	724	720
Illegitimate Births -	34	5	8	37	23	14
Marriages - -	233	-	-	-	-	-
Deaths - - -	445	14	109	540	302	238

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	33·4	34·0	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - -	10·5	12·7	14·7
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	3	2	-	-	1	-	1	3	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	6	9	6	9	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	1	-	-	-	-	-	2	-	-	-	-	-
*Whooping-cough - - - - -	11	7	4	14	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	3	6	2	3	4	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	2	-	-	-	-	-	-	-	1	-	1	-
Erysipelas - - - - - - -	2	-	1	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	19	17	1	2	-	3	9	6	7	5	2	1	-
Tuberculous Meningitis - - -	8	7	3	7	2	1	2	-	-	-	-	-	-
Abdominal Tuberculosis - - -	7	3	1	8	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	2	-	2	-	1	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	13	13	-	-	-	-	-	-	3	8	8	4	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	12	11	16	4	1	2	-	-	-	-	-	-	-
Organic Heart Disease - - -	14	16	-	-	-	2	4	1	3	5	5	6	4
Bronchitis - - - - - -	19	11	9	3	1	-	-	1	1	4	5	3	3
Pneumonia (all forms) - - -	36	21	15	12	-	-	4	2	2	8	8	4	2
Other Diseases of Respiratory Organs	5	8	2	3	-	-	1	-	2	-	4	1	-
*Diarrhœa and Enteritis (under 2 years)	13	9	20	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	8	4	-	2	-	-	1	-	3	2	3	1	-
Puerperal Sepsis - - - -	-	4	-	-	-	-	1	3	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	8	-	-	-	-	2	4	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	31	19	50	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	16	4	-	5	1	1	6	1	4	1	1	-	-
Suicide - - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - -	56	48	20	5	1	-	3	6	10	16	17	14	12
Diseases Ill-defined or Unknown -	14	5	5	1	-	-	-	1	2	4	4	2	-
Total - - - -	302	238	157	82	11	11	36	31	39	55	57	37	24

YEAR 1913.
COUNTY—**Dumbarton.**
PUBLIC HEALTH DISTRICT—**Cove and Kilcreggan** (Burgh).

Population—Census 1901, - - - 942.
Do. Do. 1911, - - - 861.
Do. estimated to middle of 1913. 813.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	11	2	1	10	5	5
Illegitimate Births -	0	0	1	1	1	0
Marriages - -	3	-	-	-	-	-
Deaths - - -	17	2	0	15	6	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·5	12·3	-
Marriage-rate - - - - -	3·7	-	-
Death-rate—All Causes - - -	20·9	18·5	15·0
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	-	-	-	3	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	1	-	-	-	-		-	-	-	1	-	1
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	4	-	-	-	-	-	-	-	1	1	1	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	6	9	-	-	-	-	-	-	1	2	2	4	6

YEAR 1913.
COUNTY—**Dumbarton**.
PUBLIC HEALTH DISTRICT—**Dumbarton** (Burgh).

Population—Census 1901, - - - 19,985.
Do. Do. 1911, - - - 21,989.
Do. estimated to middle of 1913, 21,646.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	637	10	5	632	328	304
Illegitimate Births -	45	5	2	42	23	19
Marriages - -	112	-	-	-	-	-
Deaths - - -	330	39	20	311	152	159

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·4	29·2	-
Marriage-rate - - - - - -	5·2	-	-
Death-rate—All Causes - - -	15·2	14·4	15·4
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	4	-	-	-	1	-	1	1	1	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	13	5	9	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	14	12	-	1	1	3	5	1	6	7	2	-	-
Tuberculous Meningitis - - -	3	3	1	3	1	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	5	2	-	3	1	2	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	8	20	-	-	-	-	-	2	2	6	7	9	2
Rheumatic Fever - - - - -	4	-	-	1	-	1	1	-	-	-	1	-	-
Meningitis - - - - - -	4	2	3	2	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	18	12	-	-	1	-	2	-	2	3	1	13	8
Bronchitis - - - - - -	5	9	1	-	-	-	-	-	1	2	2	6	2
Pneumonia (all forms) - - -	5	3	1	4	-	-		-	-	1	-	1	1
Other Diseases of Respiratory Organs	1	4	-	1	-	-	-	-	-	1	-	2	1
*Diarrhœa and Enteritis (under 2 years)	4	9	11	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	-	-	1	-	-	1	-	-
All Liver Diseases (not Malignant) -	2	1	-		-	-	-	-	-	1	2	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	1	-	-	-	1	2	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	12	7	19	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	16	4	2	1	-	3	4	3	3	-	3	1	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	37	45	9	3	2	1	1	1	7	10	14	16	18
Diseases Ill-defined or Unknown -	3	4	1	-	-	1	-	-	-	1	-	2	2
Total - - - -	152	159	54	33	10	11	15	13	23	34	34	50	34

YEAR 1913.

COUNTY—**Dumbarton**.

PUBLIC HEALTH DISTRICT—**Helensburgh** (Burgh).

Population—Census 1901, - - - 8,554.
Do. Do. 1911, - - - 8,529.
Do. estimated to middle of 1913, 8,221.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	162	12	7	157	85	72
Illegitimate Births -	9	3	2	8	3	5
Marriages - -	40	-	-	-	-	-
Deaths - - -	120	11	17	126	58	68

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·7	19·1	-
Marriage-rate - - - - - -	4·9	-	-
Death-rate—All Causes - - -	14·6	15·3	14·1
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	3	-	-	3	-	-	-	-	-	-	-	-
Influenza - - - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-
Erysipelas - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	2	-	-	-	-	-	4	2	1	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	1	-	-	-	1	-	-
Cancer, Malignant Disease - -	8	7	-	-	-	-	1	-	-	-	5	7	2
Rheumatic Fever - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	5	1	-	-	-	-	-	-	1	2	3	5
Bronchitis - - - - - -	3	5	-	-	-	-	-	-	-	-	2	1	5
Pneumonia (all forms) - - -	2	3	-	1	-	-	-	-	-	-	2	1	1
Other Diseases of Respiratory Organs	2	2	-	-	-	-	-	-	1	-	-	2	1
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	-	1	-	-	-	1	1	1	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	3	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	2	-	-	-	-	1	3	-	1	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	22	1	1	-	-	1	-	2	3	4	8	16
Diseases Ill-defined or Unknown -	2	4	1	-	-	-	-	-	-	-	1	1	3
Total - - - -	58	68	12	5	3	-	4	8	7	8	18	27	34

YEAR 1913.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Kirkintilloch** (Burgh).

Population—Census 1901, - - - 10,502.
Do. Do. 1911, - - - 11,932.
Do. estimated to middle of 1913, 11,820.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	384	4	3	383	199	184
Illegitimate Births -	16	0	0	16	7	9
Marriages - -	59	-	-	-	-	-
Deaths - - -	210	36	28	202	102	100

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·5	32·4	-
Marriage-rate - - - - -	5·0	-	-
Death-rate—All Causes - - -	17·8	17·1	17·6
Do. —Phthisis - - - -	-	1·8	-
Do. —All Tuberculosis - -	-	2·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—117.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	4	5	3	5	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	1	1	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	-
Erysipelas - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	15	-	1	1	1	7	4	6	1	-	-	-
Tuberculous Meningitis - - -	3	4	4	2	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	2	-	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	8	-	-	-	-	-	-	1	3	4	4	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	5	3	7	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	11	-	-	2	-	-	1	2	4	2	2	5
Bronchitis - - - - -	6	2	2	1	-	-	-	-	-	-	2	3	-
Pneumonia (all forms) - - -	13	9	3	11	2	-	1	1	1	2	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	6	4	10	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	2	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	-	-	4	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	8	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	9	3	1	3	-	-	1	1	-	2	1	1	2
Suicide - - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-
Other Defined Diseases - - -	23	13	1	3	2	-	1	4	3	4	4	6	8
Diseases Ill-defined or Unknown -	1	4	-	-	-	-	-	-	-	1	1	1	2
Total - - - -	102	100	45	31	10	2	10	13	17	22	16	18	18

YEAR 1913.
COUNTY—**Dumbarton.**
PUBLIC HEALTH DISTRICT—**Milngavie** (Burgh).

Population—Census 1901, - - - 3,683.
Do. Do. 1911, - - - 4,530.
Do. estimated to middle of 1913, 4,553.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	95	1	3	97	58	39
Illegitimate Births -	2	0	1	3	0	3
Marriages - -	21	-	-	-	-	-
Deaths - - -	59	2	7	64	36	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·9	21·3	-
Marriage-rate - - - - - -	4·6	-	-
Death-rate—All Causes - - -	13·0	14·1	14·8
Do. —Phthisis - - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—62.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	3	1	1	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	3	-	-	-	-	-	3	2	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	4	-	-	-	-	-	-	-	2	2	4	-
Rheumatic Fever - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - - -	2	1	1	-	-	-	-	-	1	1	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	1	2	1
Bronchitis - - - - - -	3	1	-	-	-	-	-	-	2	1	-	-	1
Pneumonia (all forms) - - -	4	2	-	-	-	-	1	-	1	2	1	-	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	13	3	-	-	-	-	1	-	2	4	9	5
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	-	1	1
Total - - - -	36	28	6	3	-	-	1	4	6	9	9	17	9

YEAR 1913.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Eastern Dumbarton** (County District).

Population—Census 1901, - - - 19,923.
Do. Do. 1911, - - - 22,751.
Do. estimated to middle of 1913, 22,560.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	582	10	8	580	294	286
Illegitimate Births -	29	2	3	30	17	13
Marriages - -	121	–	–	–	–	–
Deaths - - -	406	141	39	304	172	132

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·8	25·7	–
Marriage-rate - - - -	5·4	–	–
Death-rate—All Causes - - -	18·0	13·5	14·0
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—102.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	2	2	–	4	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	1	–	–	1	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	7	7	5	9	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	11	6	–	–	–	2	2	7	3	1	2	–	–
Tuberculous Meningitis - - -	1	3	2	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	5	2	4	2	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	3	–	–	1	–	–	1	–	–	1	–	–	–
Cancer, Malignant Disease - -	10	8	–	–	–	–	–	1	1	2	5	4	5
Rheumatic Fever - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Meningitis - - - - -	2	5	3	2	–	1	–	–	–	–	–	1	–
Organic Heart Disease - - -	9	13	–	1	–	1	–	1	3	3	4	6	3
Bronchitis - - - - -	14	9	3	–	–	–	–	–	–	1	8	7	4
Pneumonia (all forms) - - -	10	7	3	4	–	–	–	–	–	3	1	4	2
Other Diseases of Respiratory Organs	–	3	–	1	–	–	–	–	–	1	–	1	–
*Diarrhœa and Enteritis (under 2 years)	4	5	7	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	8	–	1	–	–	–	3	2	1	3	1	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	17	9	25	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	16	2	–	1	–	1	3	1	4	3	2	3	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	48	37	4	5	–	–	1	5	3	6	13	22	26
Diseases Ill-defined or Unknown -	5	3	3	1	–	–	–	1	1	–	–	1	1
Total - - - -	172	132	59	37	2	5	9	20	17	23	38	50	44

YEAR 1913.
COUNTY—**Dumbarton**.
PUBLIC HEALTH DISTRICT—**Western Dumbarton** (County District).

Population—Census 1901, - - - 26,952
Do. Do. 1911, - - - 28,093.
Do. estimated to middle of 1913, 27,347.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	643	1	11	653	334	319
Illegitimate Births -	33	0	3	36	14	22
Marriages - -	189	–	–	–	–	–
Deaths - - -	348	7	46	387	188	199

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·5	23·9	–
Marriage-rate - - - - -	6·9	–	–
Death-rate—All Causes - - -	12·7	14·2	14·9
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	4	3	–	–	–	–	2	4	1	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	1	–	1	–	–	–	–	1	–	–	–	–
*Whooping-cough - - - -	4	–	2	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	6	1	3	2	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	10	12	–	–	–	1	8	6	4	1	1	1	–
Tuberculous Meningitis - - -	1	3	3	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	3	1	2	1	1	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	5	4	–	2	1	1	1	–	1	1	2	–	–
Cancer, Malignant Disease - -	10	18	–	–	–	–	–	1	5	3	6	8	5
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	6	8	6	3	2	1	2	–	–	–	–	–	–
Organic Heart Disease - - -	25	23	–	–	1	–	–	4	4	7	11	14	7
Bronchitis - - - - -	10	11	3	–	–	–	–	1	–	3	2	8	4
Pneumonia (all forms) - - -	10	7	3	6	–	–	–	1	–	2	2	–	3
Other Diseases of Respiratory Organs	3	8	2	1	–	–	–	1	–	1	–	3	3
*Diarrhœa and Enteritis (under 2 years)	7	5	11	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	2	–	1	–	–	–	1	–	–	1	–	–
All Liver Diseases (not Malignant) -	3	1	–	–	1	–	–	–	1	1	1	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	7	7	–	–	–	–	1	1	2	3	3	3	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	11	12	23	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	17	4	1	2	1	1	6	–	2	5	1	2	–
Suicide - - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases - - -	42	53	2	3	–	1	–	4	4	9	23	29	20
Diseases Ill-defined or Unknown -	6	5	1	1	1	–	1	–	1	2	1	3	–
Total - - - -	188	199	60	28	12	6	22	26	26	38	54	72	43

YEAR 1913.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Annan** (Burgh).

Population—Census 1901, - - - 4,309.
Do. Do. 1911, - - - 4,219.
Do. estimated to middle of 1913, 4,050.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	83	0	0	83	42	41
Illegitimate Births -	12	0	0	12	7	5
Marriages - -	28	–	–	–	–	–
Deaths - - -	71	0	5	76	34	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·5	20·5	–
Marriage-rate - - - - -	6·9	–	–
Death-rate—All Causes - - -	17·5	18·8	18·1
Do. —Phthisis - - - -	–	1·7	–
Do. —All Tuberculosis - -	–	2·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	1	–	–	–	–	1	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	3	–	–	–	1	–	3	1	1	–	1	–
Tuberculous Meningitis - - -	2	–	–	–	–	2	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	–	–	–	–	–	–	–	–	–	2	2	–
Rheumatic Fever - - - -	1	1	–	–	–	–	–	–	1	–	–	1	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	5	–	–	–	–	1	–	–	1	–	5	3
Bronchitis - - - - -	1	4	–	–	–	–	–	–	–	–	–	1	4
Pneumonia (all forms) - - -	2	2	1	–	–	–	1	–	–	–	–	1	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	–	–	–	–	–	–	–	–	1	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	4	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	–	1	–	–	–	1	–	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	13	–	–	–	–	–	1	1	3	4	6	5
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	34	42	8	2	2	3	3	5	6	5	7	18	17

YEAR 1913.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Dumfries** (Burgh).

Population—Census 1901, - - - 15,516.
Do. Do. 1911, - - - 16,011.
Do. estimated to middle of 1913, 15,554.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	336	8	2	330	166	164
Illegitimate Births -	30	2	0	28	14	14
Marriages - -	142	–	–	–	–	–
Deaths - - -	347	59	7	295	142	153

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·6	21·2	–
Marriage-rate - - - - -	9·1	–	–
Death-rate—All Causes - - -	22·3	19·0	19·6
Do. —Phthisis - - - -	–	2·1	–
Do. —All Tuberculosis - -	–	3·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—167.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	2	1	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	..	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	5	1	4	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	13	20	1	1	–	5	6	9	6	3	1	1	–
Tuberculous Meningitis - - -	2	1	2	–	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	5	1	–	1	1	–	–	–	1	2	–	1	–
Other Tuberculous Diseases - -	1	6	1	1	3	1	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	7	4	–	–	–	–	–	1	1	1	2	4	2
Rheumatic Fever - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Meningitis - - - - -	5	1	4	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	10	16	–	–	1	–	1	1	2	4	6	9	2
Bronchitis - - - - -	7	6	2	1	–	–	–	1	1	–	4	1	3
Pneumonia (all forms) - - -	7	6	–	3	–	1	–	–	2	1	3	2	1
Other Diseases of Respiratory Organs	3	2	1	–	–	–	–	1	–	–	1	2	–
*Diarrhœa and Enteritis (under 2 years)	10	4	12	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	6	–	–	–	1	5	1	–	1	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	1	1	–	–
Other Diseases of Digestive System (under 2 years)	1	2	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	6	4	–	–	–	–	–	–	1	4	3	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	4	–	–	–	–	1	3	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	10	8	18	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	3	–	–	1	–	–	–	–	–	2	1	2
Suicide - - - - - - -	2	1	–	–	–	–	–	1	2	–	–	–	–
Other Defined Diseases - - -	38	47	8	1	1	1	1	1	3	7	13	32	17
Diseases Ill-defined or Unknown -	3	4	1	–	–	–	–	1	–	1	1	3	–
Total - - - -	142	153	55	18	7	9	16	20	20	26	38	59	27

YEAR 1913.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Langholm** (Burgh).

Population—Census 1901, - - - 3,142.
Do. Do. 1911, - - - 2,930.
Do. estimated to middle of 1913, 2,781.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	0	0	48	24	24
Illegitimate Births -	8	0	0	8	2	6
Marriages - -	14	-	-	-	-	-
Deaths - - -	65	2	4	67	38	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·3	17·3	-
Marriage-rate - - - - -	5·0	-	-
Death-rate—All Causes - - -	23·4	24·1	21·0
Do. —Phthisis - - - -	-	1·8	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	-	-	2	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	1	2	-	-	2	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	-	-	2	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	2	-	-	-	-	-	-	-	-	2	2	1
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	2	2
Pneumonia (all forms) - - -	2	-	-	-	-	-	1	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	2	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	17	15	-	1	1	-	-	1	-	3	5	11	10
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	38	29	2	3	2	-	2	3	1	5	15	19	15

YEAR 1913.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Lochmaben** (Burgh).

Population—Census 1901, - - - 1,051.
Do. Do. 1911, - - - 1,056.
Do. estimated to middle of 1913, 1,020.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	3	0	18	5	13
Illegitimate Births -	4	1	0	3	0	3
Marriages - -	9	-	-	-	-	-
Deaths - - -	27	1	0	26	13	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·6	17·6	-
Marriage-rate - - - - - -	8·8	-	-
Death-rate—All Causes - - -	26·5	25·5	20·6
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	2	-	-	-	-	-	-	-	-	2	-	3
Bronchitis - - - - -	3	3	1	-	-	-	-	-	-	-	1	2	2
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	4	-	-	-	-	-	-	-	-	-	1	7
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	13	13	2	2	-	1	-	-	-	-	4	4	13

YEAR 1913.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Lockerbie** (Burgh).

Population—Census 1901, - - - 2,358.
Do. Do. 1911, - - - 2,455.
Do. estimated to middle of 1913, 2,388.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	52	2	1	51	30	21
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	17	-	-	-	-	-
Deaths - - -	37	2	3	38	24	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·8	21·4	-
Marriage-rate - - - - - -	7·1	-	-
Death-rate—All Causes - - -	15·5	15·9	14·2
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—59.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	-	1	-	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	3	-	-	-	-	-	-	-	1	2	3	2
Bronchitis - - - - - -	1	2	-	-	-	-	-	-	1	1	1	-	-
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	-	-	-	2	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	-	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	5	-	-	1	-	-	-	1	1	1	2	7
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	24	14	3	1	1	-	1	2	2	6	4	9	9

YEAR 1913.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Moffat** (Burgh).

Population—Census 1901, - - - 2,153.
Do. Do. 1911, - - . 2,079.
Do. estimated to middle of 1913, 1,989.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	0	1	25	9	16
Illegitimate Births -	2	0	0	2	0	2
Marriages - -	12	-	-	-	-	-
Deaths - - -	30	1	8	37	23	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	12·1	12·6	-
Marriage-rate - - - - - -	6·0	-	-
Death-rate—All Causes - - -	15·1	18·6	15·8
Do. —Phthisis - - - -	-	2·0	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	1	-	1	-	1	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	3	-	-	-	-	-	-	1	-	-	1	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	1	-	-	-	-	-	-	-	1	1	1	2
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	-	1	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	5	1	-	-	-	-	-	1	1	2	5	4
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	23	14	2	2	-	-	2	1	3	2	5	11	9

YEAR 1913.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Sanquhar** (Burgh).

Population—Census 1901, - - - 1,375.
Do. Do. 1911, - - - 1,508.
Do. estimated to middle of 1913, 1,484.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	0	1	49	24	25
Illegitimate Births -	2	0	1	3	2	1
Marriages - -	15	-	-	-	-	-
Deaths - - -	16	0	1	17	8	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	32·3	33·0	-
Marriage-rate - - - - -	10·1	-	-
Death-rate—All Causes - - -	10·8	11·5	11·3
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	2	-	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	1	-	-	1
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	2	1	-	-	-	1	-	1	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	2	-	-	-	-	1	-	-	-	-	-	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - -	8	9	4	1	-	-	5	-	1	1	1	-	4

YEAR 1913.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Annan** (County District).

Population—Census 1901, - - - 10,818.
Do. Do. 1911, - - - 10,515.
Do. estimated to middle of 1913, 10,076.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	226	1	5	232	117	115
Illegitimate Births -	30	0	2	32	17	15
Marriages - -	54	–	–	–	–	–
Deaths - - -	150	1	11	160	72	88

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·4	23·0	–
Marriage-rate - - - - -	5·4	–	–
Death-rate—All Causes - - -	14·9	15·9	14·5
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	2·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over
*Enteric Fever - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	4	2	2	2	2	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	2	1	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	2	–	1	–	–	–	1	–	–	–	–	–
Influenza - - - - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	6	–	1	–	–	3	2	2	2	–	1	–
Tuberculous Meningitis - - -	4	3	2	3	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	2	–	–	1	–	1	–	1	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	5	–	–	–	–	–	–	2	1	2	4	–
Rheumatic Fever - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Meningitis - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	11	17	–	1	–	–	–	1	–	4	4	8	10
Bronchitis - - - - -	1	3	–	1	–	–	–	–	–	–	1	1	1
Pneumonia (all forms) - - -	6	2	4	–	–	–	–	–	–	1	1	–	2
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	2	–	–	–	–	–	–	–	–	2	1	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	4	–	–	–	–	–	–	1	2	–	1	2
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	1	–	1	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	20	26	2	–	–	1	1	3	–	3	6	12	18
Diseases Ill-defined or Unknown -	4	4	1	–	–	–	–	–	–	–	–	3	4
Total - - - -	72	88	19	12	5	1	6	8	8	14	17	32	38

YEAR 1913.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Dumfries** (County District).

Population—Census 1901, - - - 8,258.
Do. Do. 1911, - - - 8,555.
Do. estimated to middle of 1913, 8,316.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	174	4	2	172	100	72
Illegitimate Births -	21	1	0	20	15	5
Marriages - -	45	–	–	–	–	–
Deaths - - -	167	64	12	115	61	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·9	20·7	–
Marriage-rate - - - - -	5·4	–	–
Death-rate—All Causes - - -	20·1	13·8	11·6
Do. —Phthisis - - - -	–	1·6	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	7	6	–	–	–	2	5	3	3	–	–	–	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	1	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	3	–	–	–	–	–	–	–	1	–	2	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	2	2	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	8	–	–	–	–	–	–	–	1	2	5	5
Bronchitis - - - - -	2	5	–	–	–	1	–	–	–	–	1	3	2
Pneumonia (all forms) - - -	2	2	–	–	1	–	–	–	–	1	1	1	–
Other Diseases of Respiratory Organs	2	–	1	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	1	–	–	–	–	1	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	2	1	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	1	–	–	–	–	–	1	–	1	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	†3	2	–	–	1	–	–	–	2	–	–	1	–
Suicide - - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases - - -	26	15	2	–	–	–	–	–	2	4	9	9	15
Diseases Ill-defined or Unknown -	2	–	2	–	–	–	–	–	–	–	–	–	–
Total - - - -	†61	54	17	3	2	4	6	5	7	8	16	22	24

† Including 1 of unstated age.

YEAR 1913.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Langholm** (County District).

Population—Census 1901, - - - 3,434.
Do. Do. 1911, - - - 3,242.
Do. estimated to middle of 1913, 3,086.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	64	2	1	63	25	38
Illegitimate Births -	6	0	1	7	2	5
Marriages - -	17	-	-	-	-	-
Deaths - - -	55	0	6	61	30	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·7	20·4	-
Marriage-rate - - - - - -	5·5	-	-
Death-rate—All Causes - - -	17·8	19·8	16·8
Do. —Phthisis - - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—159.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	-	-	-	-	1	-	1	1	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	1	1	-	-	-	1	-	1	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	4	-	-	-	-	-	-	-	1	2	3	1
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	3	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	1	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	11	-	-	-	-	2	1	-	-	2	8	8
Diseases Ill-defined or Unknown -	2	3	1	-	-	-	-	-	-	1	1	1	1
Total - - - -	30	31	10	4	-	2	5	2	5	4	5	13	11

YEAR 1913.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Lockerbie** (County District).

Population—Census 1901, - - - 8,892.
Do. Do. 1911, - - - 8,545.
Do. estimated to middle of 1913, 8,167.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	186	5	3	184	85	99
Illegitimate Births -	23	1	1	23	13	10
Marriages - -	57	-	-	-	-	-
Deaths - - -	123	8	5	120	60	60

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·8	22·5	-
Marriage-rate - - - - - -	7·0	-	-
Death-rate—All Causes - - -	15·1	14·7	13·3
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	1	1	-	1	1	-	-	-
Tuberculous Meningitis - - -	2	-	-	-	-	1	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	9	-	-	-	-	-	-	1	1	2	3	5
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	8	-	-	-	-	-	-	1	-	1	7	5
Bronchitis - - - - - -	2	4	2	-	-	-	-	-	-	1	-	2	1
Pneumonia (all forms) - - -	4	-	2	-	-	-	-	-	1	1	-	-	-
Other Diseases of Respiratory Organs	2	1	-	-	-	-	-	-	1	-	2	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	2	3	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	1	-	1	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	2	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	3	-	-	-	1	-	-	-	3	3	-	1
Suicide - - - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-
Other Defined Diseases - - -	20	24	3	-	1	-	2	1	2	3	7	10	15
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	60	60	20	3	1	3	5	2	7	11	17	23	28

YEAR 1913.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Thornhill** (County District).

Population—Census 1901, - - - 11,265.
Do, Do. 1911, - - - 11,710.
Do. estimated to middle of 1913, 11,392.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	242	2	7	247	113	134
Illegitimate Births -	22	0	2	24	12	12
Marriages - -	62	-	-	-	-	-
Deaths - - -	180	1	16	195	102	93

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·2	21·7	-
Marriage-rate - - - - - -	5·4	-	-
Death-rate—All Causes - - -	15·8	17·1	15·5
Do. —Phthisis - - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55	65	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	2	-	-	-	-	1	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	2	-	-	1	-	-	-
Tuberculous Meningitis - - -	-	2	-	-	-	2	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	3	-	-	-	-	1	-	-	1	1	1	-
Cancer, Malignant Disease - -	9	10	-	-	-	-	-	1	-	4	2	8	4
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Meningitis - - - - - -	3	-	2	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	13	-	-	-	-	-	-	1	-	2	8	7
Bronchitis - - - - - -	10	3	2	1	-	-	-	-	1	-	1	2	6
Pneumonia (all forms) - - -	15	9	3	1	-	1	-	-	3	4	2	3	7
Other Diseases of Respiratory Organs	2	3	2	-	-	-	-	-	1	-	1	1	-
*Diarrhœa and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	2	-	-	-	-	1	2	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	8	2	-	1	-	-	-	1	1	1	3	3	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	6	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	-	-	1	-	-	-	2	-	-	-	1
Suicide - - - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-
Other Defined Diseases - - -	26	29	1	1	-	-	-	4	1	4	5	18	21
Diseases Ill-defined or Unknown -	5	2	-	-	-	-	-	-	-	-	1	3	3
Total - - - -	102	93	24	7	2	3	5	8	11	17	20	48	50

YEAR 1913.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Bonnyrigg** (Burgh).

Population—Census 1901, - - . - 2,924.
Do. Do. 1911, - - - 2,955.
Do. estimated to middle of 1913, 2,858.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	64	0	0	64	28	36
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	11	-	-	-	-	-
Deaths - - -	23	0	6	29	13	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·4	22·4	-
Marriage-rate - - - - - -	3·8	-	-
Death-rate—All Causes - - -	8·0	10·1	10·0
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	10·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	10·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—31.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	-	-	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	4	-	-	-	-	-	-	1	2	1	-	1
Bronchitis - - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	1	-	-	-	1	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	3	1	1	-	-	-	-	-	-	1	5	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	13	16	2	3	1	1	-	-	2	3	2	6	9

YEAR 1913.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Dalkeith** (Burgh).

Population—Census 1901, - - - 6,797.
Do. Do. 1911, - - - 7,019.
Do. estimated to middle of 1913, 6,819.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	177	2	8	183	77	106
Illegitimate Births -	12	1	2	13	7	6
Marriages - -	67	–	–	–	–	–
Deaths - - -	114	11	20	123	54	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·0	26·8	–
Marriage-rate - - - - - -	9·8	–	–
Death-rate—All Causes - - -	16·7	18·0	17·2
Do. —Phthisis - - - - -	–	0·4	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—153.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	2	–	–	2	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	1	1	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	1	1	–	–	1	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	2	–	–	–	–	–	1	2	–	–	–	–
Tuberculous Meningitis - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	2	1	3	–	–	–	–	–	–	–	1	–
Other Tuberculous Diseases - -	–	2	–	–	–	–	–	1	–	–	–	–	1
Cancer, Malignant Disease - -	1	10	–	–	–	–	–	–	–	1	7	2	1
Rheumatic Fever - - - -	–	2	–	1	–	–	–	–	–	1	–	–	–
Meningitis - - - - - -	5	–	1	3	–	–	–	1	–	–	–	–	–
Organic Heart Disease - - -	4	8	–	–	–	–	–	–	1	1	4	5	1
Bronchitis - - - - - -	6	4	3	–	–	–	–	–	–	–	2	2	3
Pneumonia (all forms) - - -	5	3	2	4	1	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	1	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	1	4	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	3	11	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	3	–	–	2	–	–	–	–	–	–	1	–
Suicide - - - - - - -	2	1	–	–	–	–	1	–	1	–	–	1	–
Other Defined Diseases - - -	14	15	2	1	–	–	–	1	–	2	6	7	10
Diseases Ill-defined or Unknown -	1	3	1	–	–	–	–	–	–	–	–	1	2
Total - - - - -	54	69	28	14	5	1	1	5	5	5	19	20	20

YEAR 1913.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Edinburgh** (Burgh).

Population—Census 1901, - - - 317,459.
Do. Do. 1911, - - - 320,318.
Do. estimated to middle of 1913, 320,581.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	6455	280	68	6243	3141	3102
Illegitimate Births -	577	135	24	466	232	234
Marriages - -	2947	-	-	-	-	-
Deaths - - -	5010	698	319	4631	2190	2441

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·1	19·5	-
Marriage-rate - - - - -	9·2	-	-
Death-rate—All Causes - - -	15·6	14·4	14·9
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	4	6	-	-	1	-	4	3	1	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	29	32	19	40	2	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	16	22	4	18	11	3	1	-	-	1	-	-	-
*Whooping-cough - - - -	66	55	49	70	2	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	17	15	6	16	7	-	1	1	-	1	-	-	-
Influenza - - - - - -	4	14	1	-	-	-	-	-	-	1	1	7	8
Erysipelas - - - - -	3	3	-	-	-	-	-	-	-	-	3	3	-
Phthisis, Pulmonary Tuberculosis -	187	178	3	4	2	4	73	81	83	66	36	13	-
Tuberculous Meningitis - - -	39	25	18	29	11	4	1	1	-	-	-	-	-
Abdominal Tuberculosis - - -	18	21	5	14	2	4	5	5	2	-	2	-	-
Other Tuberculous Diseases - -	34	38	8	18	4	4	10	6	8	5	2	7	-
Cancer, Malignant Disease - -	146	255	-	-	-	-	2	10	30	77	113	99	70
Rheumatic Fever - - - -	4	7	-	-	2	1	2	2	1	1	1	1	-
Meningitis - - - - - -	17	15	9	7	6	2	1	1	2	1	2	1	-
Organic Heart Disease - - -	262	261	3	-	2	7	18	19	48	73	118	157	78
Bronchitis - - - - -	124	156	25	7	2	1	3	3	5	27	58	65	85
Pneumonia (all forms) - - -	180	189	62	58	7	3	12	27	38	24	48	47	43
Other Diseases of Respiratory Organs	48	40	12	6	-	-	2	3	9	11	12	19	14
*Diarrhœa and Enteritis (under 2 years)	33	35	59	9	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	15	11	-	-	2	3	7	3	5	4	1	1	-
All Liver Diseases (not Malignant) -	27	19	-	1	-	-	-	2	1	14	13	11	4
Other Diseases of Digestive System (under 2 years)	10	6	13	3	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	95	78	1	4	1	1	5	7	16	32	37	48	21
Puerperal Sepsis - - - -	-	11	-	-	-	-	-	6	5	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	28	-	-	-	-	6	15	7	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	129	101	226	-	2	2	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	97	58	12	13	9	3	15	13	6	27	21	19	17
Suicide - - - - - -	15	5	-	-	-	-	1	2	5	6	3	1	2
Other Defined Diseases - - -	549	734	96	30	13	10	23	38	82	133	227	298	333
Diseases Ill-defined or Unknown -	22	22	-	5	-	-	-	-	4	3	11	8	13
Total - - - -	2190	2441	631	352	88	52	192	248	358	508	709	805	638

YEAR 1913.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Lasswade** (Burgh).

Population—Census 1901, - - - 869.
Do. Do. 1911, - - - 880.
Do. estimated to middle of 1913, 851.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	1	1	15	7	8
Illegitimate Births -	4	0	0	4	0	4
Marriages - -	4	–	–	–	–	–
Deaths - - -	15	0	1	16	6	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·6	17·6	–
Marriage-rate - - - - -	4·7	–	–
Death-rate—All Causes - - -	17·6	18·8	19·3
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	3·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—333.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—26·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	3	1	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	–	–	–	–	–	1
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–		–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–		–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–		–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	1		–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–		–	–	–	–		–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	1	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	–	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	5	–	–	–	–	–	1	–	1	2	–	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	6	10	5	2	–	–	–	2	–	1	3	–	3

YEAR 1913.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Leith** (Burgh).

Population—Census 1901, - - - 77,439.
Do. Do. 1911, - - - 80,488.
Do. estimated to middle of 1913, 80,028.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2080	14	66	2132	1072	1060
Illegitimate Births -	106	4	27	129	67	62
Marriages - -	536	-	-	-	-	-
Deaths - - -	1130	20	153	1263	675	588

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·0	26·6	-
Marriage-rate - - - - -	6·7	-	-
Death-rate—All Causes - - -	14·1	15·8	16·5
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	1	-	-	1	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	12	13	6	18	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	7	3	-	4	3	1	2	-	-	-	-	-	-
*Whooping-cough - - - -	26	30	33	22	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	4	1	4	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Erysipelas - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1
Phthisis, Pulmonary Tuberculosis -	58	49	1	5	2	4	14	26	32	12	9	1	1
Tuberculous Meningitis - - -	20	13	10	12	10	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	3	9	4	3	2	-	2	1	-	-	-	-	-
Other Tuberculous Diseases - -	8	6	4	3	2	-	2	2	-	-	-	-	1
Cancer, Malignant Disease - -	41	49	-	1	-	-	-	2	9	15	23	30	10
Rheumatic Fever - - - -	4	4	-	-	-	1	3	2	1	-	-	1	-
Meningitis - - - - - -	7	5	3	3	3	-	-	-	-	3	-	-	-
Organic Heart Disease - - -	58	77	1	-	3	1	7	5	17	15	25	45	16
Bronchitis - - - - -	40	45	9	5	1	-	-	2	-	12	13	20	23
Pneumonia (all forms) - - -	65	43	27	22	4	1	3	5	13	12	8	11	2
Other Diseases of Respiratory Organs	8	5	2	2	-	-	-	-	1	-	1	5	2
*Diarrhœa and Enteritis (under 2 years)	20	15	30	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	2	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	5	-	-	-	-	-	1	2	1	2	2	-
Other Diseases of Digestive System (under 2 years)	7	2	8	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	19	13	2	1	1	-	-	2	2	10	9	4	1
Puerperal Sepsis - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	11	-	-	-	-	3	5	3	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	44	28	71	-	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	41	18	17	3	3	-	3	2	9	5	7	7	3
Suicide - - - - - -	6	1	-	-	-	-	1	2	2	1	-	1	-
Other Defined Diseases - - -	159	122	21	6	2	3	7	13	27	32	54	63	53
Diseases Ill-defined or Unknown -	13	12	5	1	-	1	-	1	1	4	5	5	2
Total - - - -	675	588	255	121	41	14	48	72	120	122	157	198	115

YEAR 1913.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Loanhead** (Burgh).

Population—Census 1901, - - - 3,011.
Do. Do. 1911, - - - 3,483.
Do. estimated to middle of 1913, 3,462.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	101	4	2	99	52	47
Illegitimate Births -	2	0	0	2	2	0
Marriages - -	27	-	-	-	-	-
Deaths - - -	38	2	4	40	21	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·2	28·6	-
Marriage-rate - - - - - -	7·8	-	-
Death-rate—All Causes - - -	11·0	11·6	12·4
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0 9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —141.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-		-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-		-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	1	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	1	-	3	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	1	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	1	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Bronchitis - - - - - -	3	1	1	-	-	-	-	-	-	-	-	3	-
Pneumonia (all forms) - - -	1	3	1	1	-	-	1	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	-	1	-	1	1	1	1	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	3	1	-	-	-	-		1	-	-	1	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	21	19	14	1	2	-	3	2	6	3	-	7	2

YEAR 1913.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Musselburgh** (Burgh).

Population—Census 1901, - - - 11,868.
Do. Do. 1911, - - - 15,938.
Do. estimated to middle of 1913, 16,258.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	490	2	16	504	267	237
Illegitimate Births -	29	0	5	34	17	17
Marriages - -	121	-	-	-	-	-
Deaths - - -	240	5	32	267	146	121

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	30·1	31·0	-
Marriage-rate - - - - - -	7·4	-	-
Death-rate—All Causes - - -	14·8	16·4	17·4
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—123.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	7	9	8	8	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	4	-	3	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Erysipelas - - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	7	6	-	-	-	-	2	4	3	-	3	1	-
Tuberculous Meningitis - - -	1	4	-	-	1	1	2	-	1	-	-	-	-
Abdominal Tuberculosis - - -	-	2	-	-	-	-	1	-	1	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	8	1	-	-	-	-	-	1	3	4	3	1
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	14	12	-	-	1	1	-	-	2	6	4	7	5
Bronchitis - - - - - -	4	7	1	-	-	-	-	-	1	3	3	1	2
Pneumonia (all forms) - - -	12	3	6	5	-	-	1	-	-	2	1	-	-
Other Diseases of Respiratory Organs	4	1	1		-	-		2	1	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	11	7	17	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	1	-	-	-	1	-	-	1	1	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	1	-	3	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	14	10	24	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	11	3	1	1	-	-	1	5	2	-	1	2	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	37	36	2	3	2	-	1	2	8	9	10	16	20
Diseases Ill-defined or Unknown -	5	1	1	-	-	-	-	-	-	1	1	2	1
Total - - - -	146	121	62	25	5	3	12	16	22	29	29	32	32

YEAR 1913.
COUNTY—**Edinburgh (Midlothian).**
PUBLIC HEALTH DISTRICT—**Penicuik** (Burgh).

Population—Census 1901, - - - 2,803.
Do. Do. 1911, - - - 2,736.
Do. estimated to middle of 1913, 2,625.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	2	2	66	28	38
Illegitimate Births -	2	0	1	3	2	1
Marriages - -	40	-	-	-	-	-
Deaths - - -	27	0	3	30	16	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	25·1	25·1	-
Marriage-rate - - - - - -	15·2	-	-
Death-rate—All Causes - - -	10·3	11·4	11·3
Do. —Phthisis - - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—15.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·5.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	-	-	-	2	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	4	1	-	-	-	-	-	1	-	-	1	2	1
Bronchitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	-	1	1	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	8	-	-	-	1	-	-	1	2	2	3	2
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	16	14	1	1	-	1	2	1	1	3	5	9	6

YEAR 1913.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Calder** (County District).

Population—Census 1901, - - - 19,639.
Do. Do. 1911, - - - 19,071.
Do. estimated to middle of 1913, 18,273.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	539	10	14	543	276	267
Illegitimate Births -	27	1	4	30	17	13
Marriages - -	108	-	-	-	-	-
Deaths - - -	232	7	48	273	134	139

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·5	29·7	-
Marriage-rate - - - - - -	5·9	-	-
Death-rate—All Causes - - -	12·7	14·9	15·5
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	3	-	1	1	1	1	-	-	-	-	-	-
*Whooping-cough - - - -	2	4	5	-	-	1	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	3	1	3	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	2	-	-	-	-	-	-	-	-	2	-	1
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	3	6	-	-	1	1	3	1	1	-	1	1	-
Tuberculous Meningitis - - -	2	4	1	5	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	3	1	1	-	-	1	1	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	-	1	-	1	-	-	-
Cancer, Malignant Disease - -	16	10	-	-	-	-	-	-	3	3	6	12	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	-	1	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	10	-	-	-	1	-	-	-	4	5	4	6
Bronchitis - - - - - -	8	7	2	1	-	-	-	-	1	3	2	2	4
Pneumonia (all forms) - - -	12	3	4	-	-	-	-	1	4	3	1	1	1
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	5	2	5	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	4	-	-	-	-	-	-	1	-	-	2	1
Other Diseases of Digestive System (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	5	-	-	-	-	-	1	1	2	2	2	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	3	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	16	15	30	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	9	1	-	-	1	1	-	3	2	1	-	2	-
Suicide - - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	32	44	4	2	-	-	4	2	6	11	10	14	23
Diseases Ill-defined or Unknown -	3	4	-	-	-	-	-	-	2	-	3	2	-
Total - - - -	134	139	58	16	4	5	13	11	22	28	32	43	41

YEAR 1913.

COUNTY—**Edinburgh (Midlothian)**.

PUBLIC HEALTH DISTRICT—**Gala-Water** (County District).

Population—Census 1901, - - - 7,100.
Do. Do. 1911, - - - 6,917.
Do. estimated to middle of 1913. 6,632.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	163	3	4	164	83	81
Illegitimate Births -	8	1	1	8	4	4
Marriages - -	47	–	–	–	–	–
Deaths - - -	89	2	17	104	54	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·6	24·7	–
Marriage-rate - - - - -	7·1	–	–
Death-rate—All Causes - - -	13·4	15·7	14·9
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	0·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·2	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	2	–	2	1	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	1	–	–	–	–	–	2	1	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	8	5	–	–	–	–	–	–	1	4	2	6	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	4	–	–	–	–	–	–	1	–	4	1	1
Bronchitis - - - - -	2	6	–	–	–	–	–	–	–	–	2	4	2
Pneumonia (all forms) - - -	3	1	1	–	–	–	–	–	–	–	2	1	–
Other Diseases of Respiratory Organs	3	–	–	–	–	–	–	–	1	–	1	1	–
*Diarrhœa and Enteritis (under 2 years)	2	1	1	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	7	14	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	–	–	–	–	–	–	1	–	–	2	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	13	20	–	–	1	–	2	1	1	4	6	8	10
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	–	–	2	–
Total - - - -	54	50	16	4	3	1	3	5	6	10	20	23	13

YEAR 1913.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Lasswade** (County District).

Population—Census 1901, - - - 19,749.
Do. Do. 1911, - - - 24,047.
Do. estimated to middle of 1913, 24,129.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	719	16	17	720	377	343
Illegitimate Births -	36	2	4	38	16	22
Marriages - -	111	–	–	–	–	–
Deaths - - -	354	46	30	338	179	159

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·8	29·8	–
Marriage-rate - - - - - -	4·6	–	–
Death-rate—All Causes - - -	14·7	14·0	14·1
Do. —Phthisis - - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	0·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·3	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—121.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	3	7	4	5	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	10	3	–	6	7	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	6	6	5	5	2	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	4	–	–	1	3	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	12	–	–	–	2	5	5	3	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	7	14	–	–	1	–	–	1	3	4	4	4	4
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	3	2	–	2	1	1	–	–	–	1	–	–	–
Organic Heart Disease - - -	13	11	–	1	1	–	–	–	1	5	7	6	3
Bronchitis - - - - - -	12	10	7	3	–	–	–	–	–	1	2	5	4
Pneumonia (all forms) - - -	11	5	6	2	–	–	1	1	–	1	2	3	–
Other Diseases of Respiratory Organs	4	1	–	1	–	–	–	–	–	–	–	2	2
*Diarrhœa and Enteritis (under 2 years)	10	6	14	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	1	–	–	1	1	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	3	–	2	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	1	–	–	–	–	1	–	–	1
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	4	–	–	–	–	1	–	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	21	11	32	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	11	6	1	2	–	2	3	2	1	2	1	2	1
Suicide - - - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases - - -	47	53	14	3	2	2	3	3	2	4	14	26	27
Diseases Ill-defined or Unknown -	4	3	1	2	–	–	–	–	–	–	–	2	2
Total - - -	179	159	87	36	20	8	15	13	14	20	30	50	45

YEAR 1913.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Suburban** (County District).

Population—Census 1901, - - - 19,138.
Do. Do. 1911, - - - 23,814.
Do. estimated to middle of 1913, 23,986.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	460	23	19	456	245	211
Illegitimate Births -	33	12	8	29	16	13
Marriages - -	99	–	–	–	–	–
Deaths - - -	426	184	56	298	145	153

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·2	19·0	–
Marriage-rate - - - - - -	4·1	–	–
Death-rate—All Causes - - -	17·8	12·4	12·3
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—105.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	1	-	1	1	-	-	1	-	-	-	-	-
*Whooping-cough - - - - -	-	2	1	-	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	3	-	-	-	-	-	-	-	1	2	-	1
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	9	20	-	1	-	1	4	16	5	2	-	-	-
Tuberculous Meningitis - - -	2	5	-	4	2	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	1	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - -	1	3	-	2	-	1	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	9	13	-	-	1	-	-	-	-	4	9	6	2
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	14	19	1	-	-	-	-	1	-	5	6	12	8
Bronchitis - - - - - -	6	4	2	-	-	-	-	-	-	1	2	2	3
Pneumonia (all forms) - - -	10	9	3	3	-	-	2	-	3	1	2	2	3
Other Diseases of Respiratory Organs	2	3	1	-	-	-	-	-	-	-	1	1	2
*Diarrhœa and Enteritis (under 2 years)	5	1	4	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	2	-	1	-	-	-	-	-	1	-	2	-
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	2	-	-	-	-	1	-	-	3	1	-	3
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	11	16	27	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	11	1	-	2	-	-	2	-	2	3	1	2	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	47	41	5	2	1	1	2	2	6	8	17	23	21
Diseases Ill-defined or Unknown -	3	3	1	1	-	-	-	-	-	-	1	2	1
Total - - - -	145	153	48	20	6	5	13	21	16	30	43	52	44

YEAR 1913.

COUNTY—**Elgin.**

PUBLIC HEALTH DISTRICT—**Burghead** (Burgh).

Population—Census 1901, - - - 1,595.
Do. Do. 1911, - - - 1,595.
Do. estimated to middle of 1913, 1,539.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	35	1	0	34	19	15
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	6	–	–	–	–	–
Deaths - - -	34	0	4	38	22	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex. Distribution.
Birth-rate - - - - - - -	22·7	22·1	–
Marriage-rate - - - - - -	3·9	–	–
Death-rate—All Causes - - -	22·1	24·7	22·5
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	2·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—294.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	3	1	1	3	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	1	–	1	–	–	–	–	–
Tuberculous Meningitis - - -	1	1	1	–	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	2	–	–	–	–	–	–	–	–	1	1	3
Bronchitis - - - - - -	1	1	1	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	1	1	1	–	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	2	–	–	–	–	–	–	–	–	1	2	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	1	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	2	–	–	–	–	–	–	–	2	2	3	2
Diseases Ill-defined or Unknown -	–	1	1	–	–	–	–	–	–	–	–	–	–
Total - - - -	22	16	10	3	–	1	2	1	–	2	4	8	7

YEAR 1913.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Elgin** (Burgh).

Population—Census 1901, - - - 8,407.
Do. Do. 1911, - - - 8,656.
Do. estimated to middle of 1913, 8,404.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	188	8	6	186	83	103
Illegitimate Births -	36	4	2	34	17	17
Marriages - -	95	–	–	–	–	–
Deaths - - -	139	25	9	123	55	68

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·4	22·1	–
Marriage-rate - - - - -	11·3	–	–
Death-rate—All Causes - - -	16·5	14·6	12·7
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected 97.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	2	–	2	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	–	1	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	1	–	–	–	–	–	–	–	1	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	6	–	1	–	1	4	1	2	2	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	2	–	2	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	5	–	–	–	–	–	–	2	3	1	2	1
Rheumatic Fever - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	9	–	–	–	–	1	1	–	2	3	3	6
Bronchitis - - - - -	2	2	–	–	–	–	–	–	–	1	–	–	3
Pneumonia (all forms) - - -	5	4	2	–	–	–	–	1	–	–	3	1	2
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	2	3	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	1	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	2	–	–	–	–	–	–	1	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	3	7	1	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	3	–	–	–	–	1	1	–	–	1	–	3
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	11	22	2	–	–	–	–	1	1	3	4	7	15
Diseases Ill-defined or Unknown -	2	2	–	–	–	–	–	–	–	–	2	1	1
Total - - - -	55	68	18	9	1	1	8	5	6	12	15	16	32

YEAR 1913.

COUNTY—**Elgin.**

PUBLIC HEALTH DISTRICT—**Forres** (Burgh).

Population—Census 1901, - - 4,663.
Do. Do. 1911, - - 4,421.
Do. estimated to middle of 1913, 4,212.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	76	2	2	76	36	40
Illegitimate Births -	11	1	2	12	5	7
Marriages - -	42	-	-	-	-	-
Deaths - -	60	2	5	63	29	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·0	18·0	-
Marriage-rate - - - - - -	10·0	-	-
Death-rate—All Causes - - -	14·2	15·0	12·5
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—105.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	-	-	1	1	1	-	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	3	-	-	-	-	-	-	1	3	3	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	1	1	2
Bronchitis - - - - - -	-	4	1	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	1	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	2	-	-	-	-	-	-	-	1	1	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	13	9	-	-	-	-	-	-	3	1	6	5	7
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	29	34	8	6	-	1	-	1	7	7	12	9	12

YEAR 1913.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Grantown-on-Spey** (Burgh).

Population—Census 1901, - - - 1,568.
Do. Do. 1911, - - - 1,451.
Do. estimated to middle of 1913, 1,375.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	1	3	27	15	12
Illegitimate Births -	4	1	1	4	1	3
Marriages - -	15	-	-	-	-	-
Deaths - - -	23	1	1	23	12	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·2	19·6	-
Marriage-rate - - - - -	10·9	-	-
Death-rate—All Causes - - -	16·7	16·7	15·2
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—185.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	1	-	-	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	7	-	-	-	-	-	-	-	1	-	3	5
Diseases Ill-defined or Unknown -	1	1	1	-	-	-	-	-	-	-	-	-	1
Total - - - -	12	11	5	2	-	-	1	-	1	1	-	5	8

YEAR 1913.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Lossiemouth** (Burgh).

Population—Census 1901, - - - 3,904.
Do. Do. 1911, - - - 4,207.
Do. estimated to middle of 1913, 4,125.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	124	4	3	123	61	62
Illegitimate Births -	7	0	3	10	4	6
Marriages - -	21	-	-	-	-	-
Deaths - - -	53	0	5	58	28	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	30·1	29·8	-
Marriage-rate - - - - - -	5·1	-	-
Death-rate—All Causes - - -	12·8	14·1	13·5
Do. —Phthisis - - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	-	2	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	3	-	-	-	-	-	-	2	1	1	1	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	3	-	-	-	-	-	1	-	-	2	4	-
Bronchitis - - - - - -	1	2	-	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms) - - -	2	2	1	-	-	-	-	-	-	-	1	-	2
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	2	-	-	-	-	1	1	-	1	3	-	-
Suicide - - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	6	9	2	-	-	-	1	-	-	2	1	2	7
Diseases Ill-defined or Unknown -	1	3	-	-	-	-	-	-	-	-	-	3	1
Total - - - -	28	30	8	-	1	-	4	3	5	4	9	10	14

YEAR 1913.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Rothes** (Burgh).

Population—Census 1901, - - - 1,621.
Do. Do. 1911, - - - 1,350.
Do. estimated to middle of 1913, 1,243.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	27	2	1	26	9	17
Illegitimate Births -	7	1	1	7	3	4
Marriages - -	12	-	-	-	-	-
Deaths - - -	25	1	4	28	12	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·7	20·9	-
Marriage-rate - - - - -	9·7	-	-
Death-rate—All Causes - -	20·1	22·5	17·9
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected -77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—26·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	3	-	-	-	-	-	-	1	1	1	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Bronchitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	1	-	-	-	1	1	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	6	1	-	-	-	-	-	-	2	1	1	3
Diseases Ill-defined or Unknown -	-	2	-	-	-	-	-	-	-	-	-	1	1
Total - - - -	12	16	2	2	-	1	-	3	4	3	3	4	6

YEAR 1913.
COUNTY—**Elgin.**
PUBLIC HEALTH DISTRICT—**Elgin** (County District).

Population—Census 1901, - - - 23,042.
Do. Do. 1911, - - - 21,747.
Do. estimated to middle of 1913, 20,694.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	480	13	8	475	256	219
Illegitimate Births -	75	8	7	74	34	40
Marriages - -	79	–	–	–	–	–
Deaths - - -	304	17	19	306	151	155

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·2	23·0	–
Marriage-rate - - - - -	3·8	–	–
Death-rate—All Causes - - -	14·7	14·8	12·7
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	1	2	1	2	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	2	–	–	2	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	2	–	–	1	–	1	–	–	–	–	–	–
Influenza - - - - - - -	2	–	–	1	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	6	9	–	–	–	–	3	5	1	2	3	1	–
Tuberculous Meningitis - - -	1	4	–	1	1	2	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	2	1	1	–	–	–	2	–	–	–	–	–
Other Tuberculous Diseases - -	1	3	–	2	–	–	1	–	–	–	1	–	–
Cancer, Malignant Disease - -	9	20	–	–	–	–	–	–	2	4	7	9	7
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	1	1	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	20	20	–	–	–	–	–	–	1	4	4	14	17
Bronchitis - - - - - -	4	9	2	1	–	–	–	–	–	–	2	1	7
Pneumonia (all forms) - - -	13	10	5	1	1	–	1	1	1	1	2	3	7
Other Diseases of Respiratory Organs	1	2	–	1	–	–	–	–	–	–	2	–	–
*Diarrhœa and Enteritis (under 2 years)	4	2	6	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	1	–	–	–	–	–	–	1	1	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	6	2	1	–	–	–	2	–	–	1	–	2	2
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	4	–	–	–	–	–	1	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	17	7	24	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	7	2	1	–	1	–	–	2	1	–	1	1	2
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	39	47	5	–	–	1	3	3	–	2	6	26	40
Diseases Ill-defined or Unknown -	11	4	–	1	1	–	–	–	1	–	2	3	7
Total - - - -	151	155	48	13	6	3	12	14	13	15	30	61	91

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Anstruther-Easter** (Burgh).

Population—Census 1901, - - - 1,190.
Do. Do. 1911, - - - 1,147.
Do. estimated to middle of 1913, 1,097.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	0	1	13	6	7
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	7	–	–	–	–	–
Deaths - - -	11	1	2	12	6	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	10·9	11·9	–
Marriage-rate - - - - -	6·4	–	–
Death-rate—All Causes - - -	10·0	10·9	10·3
Do. —Phthisis - - - -	–	1·8	–
Do. —All Tuberculosis - -	–	2·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	1	1	–	–		–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	–	1	–	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	3	–	–	–	–	–	–	–	1	–	1	2
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	6	6	1	1	–	–	1	1	–	3	1	1	3

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Anstruther-Wester** (Burgh).

Population—Census 1901, - - - 501.
Do. Do. 1911, - - - 552.
Do. estimated to middle of 1913, 543.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	7	0	0	7	5	2
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	1	–	–	–	–	–
Deaths - - -	3	0	1	4	3	1

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	12·9	12·9	–
Marriage-rate - - - - - -	1·8	–	–
Death-rate—All Causes - - -	5·5	7·4	6·2
Do. —Phthisis - - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - - -	3	1	1	1	–	–	–	–	–	1	–	–	1

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Auchtermuchty** (Burgh).

Population—Census 1901, - - - 1,382.
Do. Do. 1911, - - - 1,396.
Do. estimated to middle of 1913, 1,349.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	0	0	12	6	6
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	7	-	-	-	-	-
Deaths - - -	20	2	3	21	9	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	8·9	8·9	-
Marriage-rate - - - - -	5·2	-	-
Death-rate—All Causes - - -	14·8	15·6	11·1
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	3	-	-	-	-	-	-	1	-	-	2	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	2	5	-	-	-	-	-	-	-	-	-	3	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	9	12	-	-	1	1	-	1	1	1	3	6	7

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Buckhaven, Methil, & Innerleven** (Burgh).

Population—Census 1901, - - - 8,621.
Do. Do. 1911, - - - 15,149.
Do. estimated to middle of 1913, 16,030.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	507	4	10	513	239	274
Illegitimate Births -	29	1	3	31	13	18
Marriages - -	77	-	-	-	-	-
Deaths - - -	195	15	31	211	118	93

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·6	32·0	-
Marriage-rate - - - - - -	4·8	-	-
Death-rate—All Causes - - -	12·2	13·2	14·7
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —115
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	5	5	4	5	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	4	2	-	4	-	1	-	-	1	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	2	-	-	-	-	3	1	-	3	-	-	-
Tuberculous Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	1	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	10	2	-	-	-	-	-	-	3	2	3	4	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	3	6	3	5	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	8	5	-	1	-	-	-	-	2	1	2	6	1
Bronchitis - - - - - -	7	7	8	2	-	-	-	-	-	-	2	-	2
Pneumonia (all forms) - - -	4	6	3	5	1	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	3	4	-	1	-	-	-	1	1	1	1	1	1
*Diarrhœa and Enteritis (under 2 years)	6	5	8	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	1	-	1	-	-
Other Diseases of Digestive System (under 2 years)	2	2	4	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	1	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	-	-	3	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	17	7	23	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	14	3	-	2	1	2	4	2	4	1	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	16	29	4	4	2	1	2	2	3	3	6	9	9
Diseases Ill-defined or Unknown -	6	2	-	-	-	-	-	-	2	1	1	3	1
Total - - - -	118	93	59	33	6	4	10	10	20	13	17	25	14

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Burntisland** (Burgh).

Population—Census 1901, - - - 5,001.
Do. Do. 1911, - - - 4,921.
Do. estimated to middle of 1913, 4,729.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	91	2	5	94	47	47
Illegitimate Births -	5	1	1	5	3	2
Marriages - -	19	-	-	-	-	-
Deaths - - -	58	2	10	66	29	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·2	19·9	-
Marriage-rate - - - - -	4·0	-	-
Death-rate—All Causes - - -	12·3	14·0	13·9
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	5	-	-	-	-	1	1	2	2	-	-	-
Tuberculous Meningitis - - -	2	3	-	3	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	5	-	-	-	-	-	1	-	1	2	4	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	6	-	-	-	-	-	1	-	-	3	3	-
Bronchitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	3	1	-	-	-	-	-	-	-	3	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	4	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	2	-	-	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	7	2	-	-	-	-	-	2	1	1	3	5
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	1	-	1	-
Total - - - -	29	37	9	6	2	1	4	3	4	5	11	13	8

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Cowdenbeath** (Burgh).

Population—Census 1901, - - - 8,329.
Do. Do. 1911, - - - 14,029.
Do. estimated to middle of 1913, 14,769.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	469	2	4	471	226	245
Illegitimate Births -	13	1	1	13	7	6
Marriages - -	88	–	–	–	–	–
Deaths - - -	158	1	35	192	98	94

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	31·8	31·9	–
Marriage-rate - - - - -	6·0	–	–
Death-rate—All Causes - - -	10·7	13·0	14·5
Do. —Phthisis - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	1·6	–
Do —Principal Epidemic Diseases (those asterisked below.)	–	2·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—117.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	1	1	–	–	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	6	8	7	7	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	5	6	1	6	3	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	4	–	–	–	–	1	3	2	–	1	–	–
Tuberculous Meningitis - - -	4	3	5	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	5	1	2	3	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	1	2	–	1	1	–	–	–	–	–	1	–	–
Cancer, Malignant Disease - -	2	6	–	–	1	–	–	–	–	2	4	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	1	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	7	–	–	1	–	3	–	2	1	1	2	–
Bronchitis - - - - -	9	5	3	1	–	–	–	–	1	–	5	2	2
Pneumonia (all forms) - - -	9	5	5	4	–	–	–	2	1	–	1	1	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	4	2	5	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	3	–	–	–	–	–	–	1	2	–	1	–
Puerperal Sepsis - - - -	–	3	–	–	–	–	–	1	2	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	13	9	22	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	11	5	–	3	1	1	1	2	1	2	1	1	3
Suicide - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	19	20	3	1	1	–	–	3	4	2	8	11	6
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	98	94	55	30	9	3	6	13	14	10	22	19	11

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Crail** (Burgh).

Population—Census 1901, - - - 1,077.
Do. Do. 1911, - - - 1,060.
Do. estimated to middle of 1913, 1,020.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	1	1	16	6	10
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	16	–	–	–	–	–
Deaths - - -	12	1	1	12	5	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·7	15·7	–
Marriage-rate - - - - - -	15·7	–	–
Death-rate—All Causes - - -	11·8	11·8	9·4
Do. —Phthisis - - - -	–	2·0	–
Do. —All Tuberculosis - -	–	2·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)		2·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
*Whooping-cough - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	–	–	1	–	–	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	1	–	–	–	–	–	–	–	–	1	2	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	–	1	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	5	7	–	2	–	–	1	1	1	–	2	5	–

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Culross** (Burgh).

Population—Census 1901, - - - 348.
Do. Do. 1911, - - - 456.
Do. estimated to middle of 1913, 464.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	0	0	19	9	10
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	8	–	–	–	–	–
Deaths - - -	4	0	5	9	7	2

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	40·9	40·9	–
Marriage-rate - - - - - -	17·2	–	–
Death-rate—All Causes - - -	8·6	19·4	13·4
Do. —Phthisis - - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	3	–	1	–	–	–	–	–	–	1	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Diseases Ill-defined or Unknown -	–	2	–	–	–	–	–	–	–	–	–	1	1
Total - - - -	7	2	1	1	–	–	–	–	1	1	2	2	1

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Cupar** (Burgh).

Population—Census 1901, - - - 4,511.
Do. Do. 1911, - - - 4,380.
Do. estimated to middle of 1913, 4,197.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	2	1	65	30	35
Illegitimate Births -	8	1	1	8	4	4
Marriages - -	40	-	-	-	-	-
Deaths - - -	65	3	4	66	30	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·7	15·5	-
Marriage-rate - - - - -	9·5	-	-
Death-rate—All Causes - - -	15·5	15·7	12·4
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	1	-	-	1	-	-
Tuberculous Meningitis - - -	1	2	-	2	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	3	-	-	-	-	-	-	-	-	-	4	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	4	-	-	-	-	-	-	-	1	-	2	3
Bronchitis - - - - - -	2	4	1	-	-	-	-	-	-	-	-	3	2
Pneumonia (all forms) - - -	1	2	-	-	-	-	1	-	-	-	-	1	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	2	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	12	-	-	-	-	-	3	-	1	2	5	11
Diseases Ill-defined or Unknown -	3	5	-	-	-	-	-	-	-	1	-	3	4
Total - - - -	30	36	5	2	-	-	2	4	2	4	3	19	25

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Dunfermline** (Burgh).

Population—Census 1901, - - - 26,072.
Do. Do. 1911, - - - 29,213.
Do. estimated to middle of 1913, 28,861.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	677	13	9	673	339	334
Illegitimate Births -	26	5	5	26	16	10
Marriages - -	225	-	-	-	-	-
Deaths - - -	473	95	14	392	188	204

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·5	23·3	-
Marriage-rate - - - - - -	7·8	-	-
Death-rate—All Causes - - -	16·4	13·6	13·9
Do. —Phthisis - - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	16	-	-	-	-	7	3	4	7	4	-	1
Tuberculous Meningitis - - -	2	3	1	3	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	2	5	1	2	-	-	2	-	2	-	-	-	-
Other Tuberculous Diseases - -	-	3	-	1	-	-	-	-	1	-	-	1	-
Cancer, Malignant Disease - -	8	27	-	-	-	-	-	-	9	2	11	9	4
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	3	-	-	1	-	1	1	-	-	-	-	-	-
Organic Heart Disease - - -	17	25	-	-	1	-	-	1	2	6	9	14	9
Bronchitis - - - - - -	11	5	1	-	-	-	-	1	-	-	5	4	5
Pneumonia (all forms) - - -	16	10	6	5	-	-	-	1	2	6	2	3	1
Other Diseases of Respiratory Organs	4	2	1	1	-	-	-	-	-	2	1	1	-
*Diarrhœa and Enteritis (under 2 years)	2	3	5	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	5	-	-	1	1	3	-	1	1	-	-	-
All Liver Diseases (not Malignant) -	4	1	-	1	-	-	-	-	-	1	2	1	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	7	-	-	-	-	1	1	1	5	1	1	1
Puerperal Sepsis - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	-	2	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	14	12	25	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	17	6	1	4	1	-	4	3	5	2	3	-	-
Suicide - - - - - - -	5	-	-	-	-	-	2	1	2	-	-	-	-
Other Defined Diseases - - -	60	61	13	-	-	2	6	5	5	11	15	21	43
Diseases Ill-defined or Unknown -	4	4	-	-	-	-	-	-	-	3	1	3	1
Total - - - -	188	204	57	21	3	4	28	21	35	46	54	58	65

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Dysart** (Burgh).

Population—Census 1901, - - - 3,562.
Do. Do. 1911, - - - 4,197.
Do. estimated to middle of 1913, 4,186.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	140	4	0	136	69	67
Illegitimate Births -	12	0	0	12	6	6
Marriages - -	37	-	-	-	-	-
Deaths - - -	68	2	9	75	31	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	33·4	32·5	-
Marriage-rate - - - - - -	8·8	-	-
Death-rate—All Causes - - -	16·2	17·9	17·5
Do. —Phthisis - - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts —8·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-		-	-	-	-	-
*Measles - - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	4	-	-	-	1	-	3	1	-	1	-	-
Tuberculous Meningitis - - -	1	1	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	-	1	3	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	7	-	-	-	-	-	-	-	2	2	4	2
Bronchitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	1	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	2	-	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	3	-	-	-	-	1	-	1	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	2	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	1	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	2	-	2	-	-	2	-	2	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	8	-	1	-	-	-	-	-	-	1	7	2
Diseases Ill-defined or Unknown -	-	3	-	1	-	-	-	-	-	-	1	-	1
Total - - - -	31	44	11	11	-	2	6	4	6	3	8	15	9

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Earlsferry** (Burgh).

Population—Census 1901, - - - 317.
Do. Do. 1911, - - - 322
Do. estimated to middle of 1913, 312

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	4	1	0	3	2	1
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	0	–	–	–	–	–
Deaths - - -	4	0	1	5	4	1

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	12·8	9·6	–
Marriage-rate - - - - - -	0·0	–	–
Death-rate—All Causes - - -	12·8	16·0	13·8
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases - - -	1	1	–	–	–	–	1	–	–	–	–	–	1
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	1	–	–	–
Total - - -	4	1	–	–	–	–	1	–	1	1	–	1	1

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Elie, Liberty, and Williamsburgh** (Burgh).

Population—Census 1901, - - - 687.
Do. Do. 1911, - - - 692.
Do. estimated to middle of 1913, 668.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	8	2
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	1	–	–	–	–	–
Deaths - - -	15	1	1	15	8	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·0	15·0	–
Marriage-rate - - - - - -	1·5	–	–
Death-rate—All Causes - -	22·5	22·5	18·5
Do. —Phthisis - - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Birtns per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	1	–	–	–	–	–	–	–	–	–	2	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	–	–	1	–	–	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	4	–	–	–	–	–	–	–	1	–	4	1
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	8	7	–	–	–	–	–	1	–	1	3	8	2

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Falkland** (Burgh).

Population—Census 1901, - - - - 809.
Do. Do. 1911, - - - - 830.
Do. estimated to middle of 1913, 805.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	13	0	0	13	8	5
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	6	-	-	-	-	-
Deaths - - -	10	0	2	12	5	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·1	16·1	-
Marriage-rate - - - - -	7·5	-	-
Death-rate—All Causes - - -	12·4	14·9	11·3
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	3	-	-	-	-	-	-	-	-	1	1	2
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	4	-	-	-	1	-	-	-	-	-	3	3
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	5	7	-	-	-	1	-	-	-	-	2	4	5

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Inverkeithing** (Burgh).

Population—Census 1901, - - - 1,965.
Do. Do. 1911, - - - 3,291.
Do. estimated to middle of 1913, 3,462.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	103	1	3	105	52	53
Illegitimate Births -	5	0	1	6	5	1
Marriages - -	16	–	–	–	–	–
Deaths - - -	35	0	17	52	24	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·8	30·3	–
Marriage-rate - - - - - -	4·6	–	–
Death-rate—All Causes - - -	10·1	15·0	15·1
Do. —Phthisis - - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–		–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	2	–	–	–	–	2	–	–	1	–	–	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	3	–	–	–	–	–	–	2	1	1	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease - - -	2	2	–	–	–	–	–	–	1	2	1	–	–
Bronchitis - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	3	7	3	3	1	–	–	–	2	–	–	–	1
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	4	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	2	–	–	–	–	2	1	1	–	–	1	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	4	2	–	–	–	–	–	–	1	1	3	3
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	1	–	–	–	–
Total - - - -	24	28	10	5	1	–	7	2	7	5	3	5	7

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kilrenny** (Burgh).

Population—Census 1901, - - - 2,542.
Do. Do. 1911, - - - 2,557.
Do. estimated to middle of 1913, 2,469.

REGISTRATION RETURNS

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	50	1	1	50	18	32
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	12	-	-	-	-	-
Deaths - - -	36	0	3	39	16	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·3	20·3	-
Marriage-rate - - - - -	4·9	-	-
Death-rate—All Causes - - -	14·6	15·8	14·4
Do. —Phthisis - - - -	-	2·8	-
Do. —All Tuberculosis - -	-	3·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	4	-	1	-	-	1	1	1	2	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	-	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	-	-	-	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	3	-	-	-	-	-	-	-	1	-	-	5
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	2	1	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	-	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	7	1	-	-	-	-	-	-	3	1	3	4
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	16	23	6	1	-	-	2	1	2	6	2	8	11

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kinghorn** (Burgh).

Population—Census 1901, - - - 1,550.
Do. Do. 1911, - - - 1,549.
Do. estimated to middle of 1913, 1,494.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	1	1	39	16	23
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	11	-	-	-	-	-
Deaths - - -	29	1	5	33	14	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·1	26·1	-
Marriage-rate - - - - - -	7·4	-	-
Death-rate—All Causes - - -	19·4	22·1	21·1
Do. —Phthisis - - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	1	-	-	-	1	3	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - - -	1	2	-	-	-	-	-	-	-	1	1	-	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	4	-	-	-	-	-	-	-	1	4	4	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	14	19	4	1	-	-	3	1	1	3	7	8	5

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kirkcaldy** (Burgh).

Population—Census 1901, - - - 34,079.
Do. Do. 1911, - - - 39,601.
Do. estimated to middle of 1913, 40,468.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	976	3	11	984	514	470
Illegitimate Births -	48	2	7	53	28	25
Marriages - -	269	–	–	–	–	–
Deaths - - -	535	6	67	596	290	306

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·1	24·3	–
Marriage-rate - - - - -	6·6	–	–
Death-rate—All Causes - - -	13·2	14·7	15·0
Do. —Phthisis - - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected –122.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	7	6	1	8	3	–	–	1	–	–	–	–	–
*Scarlet Fever - - - - -	3	–	–	–	2	–	–	–	1	–	–	–	–
*Whooping-cough - - - -	8	8	9	7	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	6	–	5	2	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	3	–	–	–	–	–	–	–	–	1	–	2
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	9	13	–	–	2	1	5	7	3	3	1	–	–
Tuberculous Meningitis - - -	5	7	1	6	2	1	2	–	–	–	–	–	–
Abdominal Tuberculosis - - -	12	9	4	12	1	–	3	–	1	–	–	–	–
Other Tuberculous Diseases - -	4	4	1	3	1	–	2	–	1	–	–	–	–
Cancer, Malignant Disease - -	16	25	–	–	–	–	–	1	–	8	13	14	5
Rheumatic Fever - - - -	2	1	–	–	–	–	1	–	–	–	2	–	–
Meningitis - - - - - -	4	2	–	3	1	1	–	1	–	–	–	–	–
Organic Heart Disease - - -	35	36	–	–	1	3	4	2	4	11	15	16	15
Bronchitis - - - - - -	26	17	11	6	1	1	1	1	–	3	5	7	7
Pneumonia (all forms) - - -	20	14	7	5	1	–	1	4	3	2	6	4	1
Other Diseases of Respiratory Organs	2	2	–	–	–	–	1	–	–	2	1	–	–
*Diarrhœa and Enteritis (under 2 years)	11	9	15	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	1	–	–	–	–	–	–	–	1	1	–	–
All Liver Diseases (not Malignant) -	3	2	–	–	–	–	–	–	1	1	2	1	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	4	–	–	–	–	–	1	3	2	2	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	7	–	–	–	–	1	5	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	32	24	54	2	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	21	8	2	2	–	1	3	5	8	3	2	1	2
Suicide - - - - - -	5	1	–	–	–	–	–	1	2	1	1	1	–
Other Defined Diseases - - -	51	88	9	2	2	3	–	4	8	15	21	30	45
Diseases Ill-defined or Unknown -	4	7	2	1	–	–	–	–	1	2	1	3	1
Total - - - -	290	306	120	67	19	12	24	33	37	54	74	77	79

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Ladybank and Monkston** (Burgh).

Population—Census 1901, - - - - 1,340.
Do. Do. 1911, - - - 1,266.
Do. estimated to middle of 1913, 1,205.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	0	0	25	9	16
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	4	–	–	–	–	–
Deaths - - -	19	0	6	25	15	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·7	20·7	–
Marriage-rate - - - - - -	3·3	–	–
Death-rate—All Causes - - -	15·8	20·7	17·1
Do. —Phthisis - - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	3·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected 80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts -0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	1	1	–	–	–	1	–	1	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	1	–	–	–	–	–	–	1	1	1	2	1
Bronchitis - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	1	1	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	3	–	1	–	–	–	–	–	–	2	1	3
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	15	10	2	2	–	–	2	1	3	2	3	5	5

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Leslie** (Burgh).

Population—Census 1901, - - - 2,064.
Do. Do. 1911, - - - 2,142.
Do. estimated to middle of 1913, 2,084.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	0	0	54	30	24
Illegitimate Births -	2	0	0	2	0	2
Marriages - -	22	-	-	-	-	-
Deaths - - -	24	0	4	28	9	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·9	25·9	-
Marriage-rate - - - - -	10·6	-	-
Death-rate—All Causes - - -	11·5	13·4	11·6
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	-	-	-	1	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	-	-	1	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	2	-	-	-	-	-	-	-	-	-	3	2
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	1	2	-	-	-	1	-	-	-	-	-	-	2
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	4	-	-	-	-	-	-	1	-	1	1	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	9	19	4	1	2	1	1	-	2	-	3	7	7

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Leven** (Burgh).

Population—Census 1901, - - - 5,577.
Do. Do. 1911, - - - 6,559.
Do. estimated to middle of 1913, 6,540.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	173	5	10	178	87	91
Illegitimate Births -	7	1	4	10	5	5
Marriages - -	59	-	-	-	-	-
Deaths - - -	76	3	19	92	42	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·5	27·2	-
Marriage-rate - - - - - -	9·0	-	-
Death-rate—All Causes - - -	11·6	14·1	15·0
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—62.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	5	-	-	-	-	5	-	-	2	1	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	1	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	4	7	-	-	-	-	-	1	1	-	2	4	3
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	6	-	-	-	-	-	-	1	-	4	3	1
Bronchitis - - - - - -	3	4	1	1	-	-	-	-	1	-	1	2	1
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	2	-	-	-	-	1	-	-	-	-	-	2
*Diarrhœa and Enteritis (under 2 years)	2	-	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	1	1	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	2	-	1	-	-	-	-	-	-	-	1	-
Suicide - - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	14	13	3	1	1	-	-	1	4	2	5	3	7
Diseases Ill-defined or Unknown -	2	2	-	1	-	-	1	-	-	-	1	1	-
Total - - - -	42	50	11	8	2	-	9	2	10	5	15	15	15

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Lochgelly** (Burgh).

Population—Census 1901, - - - 5,522.
Do. Do. 1911, - - - 9,922.
Do. estimated to middle of 1913, 10,526.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	342	3	5	344	171	173
Illegitimate Births -	13	2	3	14	7	7
Marriages - -	83	-	-	-	-	-
Deaths - - -	110	2	22	130	68	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·5	32·7	-
Marriage-rate - - - - -	7·9	-	-
Death-rate—All Causes - - -	10·5	12·4	13·4
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	1	-	2	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	2	-	1	2	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	4	5	-	-	-	-	-	-	2	1	-	6	-
Rheumatic Fever - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-
Meningitis - - - - -	3	1	2	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	4	-	-	-	-	-	-	1	2	1	1	2
Bronchitis - - - - -	5	5	3	2	-	-	1	-	-	-	2	1	1
Pneumonia (all forms) - - -	13	8	6	5	-	-	2	4	-	-	4	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	4	6	6	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	2	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	5	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	-	-	1	-	-	-	2	1	1	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	14	1	1	-	-	1	2	3	2	9	2	5
Diseases Ill-defined or Unknown -	1	4	-	-	-	-	-	-	1	2	-	1	1
Total - - - -	68	62	31	19	2	3	6	10	13	10	16	11	9

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Markinch** (Burgh).

Population—Census 1901, - - - 1,499.
Do. Do. 1911, - - - 1,641.
Do. estimated to middle of 1913, 1,614.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	0	0	33	17	16
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	22	-	-	-	-	-
Deaths - - -	22	0	4	26	10	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·4	20·4	-
Marriage-rate - - - - -	13·6	-	-
Death-rate—All Causes - - -	13·6	16·1	13·9
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	2	-	-	2	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	1	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	3	-	-	-	-	-	-	-	-	2	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	3	-	-	-	-	-	1	-	-	-	1	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	-	1	-	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	1	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	6	-	2	-	-	-	-	-	-	1	2	4
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	10	16	2	3	2	1	1	2	-	-	3	6	6

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Newburgh** (Burgh).

Population—Census 1901, - - - 1,904.
Do. Do. 1911, - - - 1,977.
Do. estimated to middle of 1913, 1,923.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	31	0	1	32	19	13
Illegitimate Births -	1	0	1	2	2	0
Marriages - -	2	-	-	-	-	-
Deaths - - -	27	0	5	32	16	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·1	16·6	-
Marriage-rate - - - - -	1·0	-	-
Death-rate—All Causes - - -	14·0	16·6	12·7
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—31.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	-	-	-	-	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	6	-	-	-	-	-	-	1	1	2	2	2
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	1	-	-	-	1	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	3	-	1	-	-	-	-	-	1	4	2	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	16	16	1	1	-	2	-	-	2	5	7	5	9

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Newport** (Burgh).

Population—Census 1901, - - - 3,856.
Do. Do. 1911, - - - 3,643.
Do. estimated to middle of 1913, 3,468.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	0	1	44	25	19
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	14	-	-	-	-	-
Deaths - - -	41	0	8	49	26	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	12·4	12·7	-
Marriage-rate - - - - -	4·0	-	-
Death-rate—All Causes - - -	11·8	14·1	12·1
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—45.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·3.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	2	6	-	-	-	-	-	-	-	1	3	2	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	5	-	-	-	-	-	-	1	-	4	3	1
Bronchitis - - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1
Pneumonia (all forms) - - -	3	1	-	-	-	1	-	-	-	-	1	1	1
Other Diseases of Respiratory Organs	-	2	-	-	-	-	-	-	-	-	-	-	2
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	1	-	-	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	5	-	-	-	-	-	-	1	1	4	4	5
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	26	23	2	-	-	2	1	-	2	2	14	12	14

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Pittenweem** (Burgh).

Population—Census 1901, - - - 1,863.
Do. Do. 1911, - - - 1,888.
Do. estimated to middle of 1913, 1,827.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	1	5	48	32	16
Illegitimate Births -	7	0	0	7	3	4
Marriages - -	10	–	–	–	–	–
Deaths - - -	28	0	1	29	11	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·1	26·3	–
Marriage-rate - - - - -	5·5	–	–
Death-rate—All Causes - - -	15·3	15·9	14·3
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected –125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	–	–	–	1	–	1	–	–
Tuberculous Meningitis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	3	–	–	–	–	–	–	–	3	–	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	2	1	3	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	–	1	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	2	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	–	–	–	2	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	5	–	–	–	–	–	–	–	1	–	2	4
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	11	18	6	–	1	–	–	–	1	5	5	5	6

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**St. Andrews** (Burgh).

Population—Census 1901, - - - 7,621.
Do. Do. 1911, - - - 7,851.
Do. estimated to middle of 1913, 7,623.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	121	1	4	124	62	62
Illegitimate Births -	10	0	1	11	3	8
Marriages - -	33	-	-	-	-	-
Deaths - - -	87	7	8	88	41	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·9	16·3	-
Marriage-rate - - - - - -	4·3	-	-
Death-rate—All Causes - - -	11·4	11·5	11·6
Do. —Phthisis - - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	3	-	-	-	-	-	3	3	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	2	-	-	-	-	-	-	1	-	2	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	9	-	-	-	-	-	1	-	2	3	3	6
Bronchitis - - - - - -	1	3	-	-	-	-	-	-	-	-	-	1	3
Pneumonia (all forms) - - -	1	2	-	1	-	-	-	-	-	-	1	-	1
Other Diseases of Respiratory Organs	1	2	-	-	1	-	-	-	-	-	1	-	1
*Diarrhœa and Enteritis (under 2 years)	3	1	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	2	-	-	-	-	-	-	-	1	-	1	2
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	14	20	4	1	1	-	2	1	1	4	6	4	10
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	41	47	11	3	2	-	2	5	6	9	16	10	24

YEAR 1913.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Tayport** (Burgh).

Population—Census 1901 - - - 3,325.
Do. Do. 1911, - - - 3,272.
Do. estimated to middle of 1913, 3,145.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	53	0	0	53	27	26
Illegitimate Births -	7	0	0	7	2	5
Marriages - -	18	-	-	-	-	-
Deaths - - -	56	1	5	60	29	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·9	16·9	-
Marriage-rate - - - - - -	5·7	-	-
Death-rate—All Causes - - -	17·8	19·1	16·6
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—13·2.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts - 13·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	4	-	-	-	-	-	-	-	1	2	4	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	7	-	-	-	-	-	-	-	1	-	2	7
Bronchitis - - - - - -	2	2	1	-	-	-	-	-	-	1	1	1	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	-	-	2	1	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	-	-	-	-	-	-	3
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	9	11	-	-	-	-	-	2	-	-	3	6	9
Diseases Ill-defined or Unknown -	1		-	-	-	-	-	-	-	-	-	-	1
Total - - - -	29	31	7	-	-	-	-	2	1	5	9	13	23

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Cupar** (County District).

Population—Census 1901, - - - 15,004.
Do. Do. 1911, - - - 15,523.
Do. estimated to middle of 1913, 15,087.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	281	1	0	280	155	125
Illegitimate Births -	18	2	7	23	15	8
Marriages - -	71	-	-	-	-	-
Deaths - - -	261	62	30	229	98	131

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·6	18·6	-
Marriage-rate - - - - - -	4·7	-	-
Death-rate—All Causes - - -	17·3	15·2	12·4
Do. —Phthisis - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	4	4	-	-		-	1	2	4	-	1	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	3	-	3	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	13	11	-	-	-	-	-	1	1	4	3	10	5
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	17	-	-	-	-	-	-	1	4	5	5	12
Bronchitis - - - - - -	5	15	1	-	-	-	-	-	-	-	3	4	12
Pneumonia (all forms) - - -	3	2	-	-	-	1	-	-	-	-	1	1	2
Other Diseases of Respiratory Organs	2	2	-	1	-	-	-	-	-	1	-	2	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	2	-	-	-	-	1	1	-	-	1	-	-
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	1	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	5	-	-	-	-	1	-	-	1	1	-	3
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	-	2	1	1	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	4	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	5	1	-	-	-	-	1	1	2	1	-	2
Suicide - - - - - - -	1	3	-	-	-	-	1	-	1	-	-	2	-
Other Defined Diseases - - -	39	40	3	2	-	1	-	-	3	5	8	30	27
Diseases Ill-defined or Unknown -	5	8	1	-	-	1	-	-	-	1	1	2	7
Total - - - -	98	131	17	7	1	3	6	8	14	19	26	58	70

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Dunfermline** (County District).

Population—Census 1901, - - - 23,866.
Do. Do. 1911, - - - 30,293.
Do. estimated to middle of 1913, 30,616.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes	Males.	Females
Births - - -	957	5	9	961	504	457
Illegitimate Births -	37	1	4	40	22	18
Marriages - -	200	–	–	–	–	–
Deaths - - -	394	22	70	442	239	203

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·3	31·4	–
Marriage-rate - - - - - -	6·5	–	–
Death-rate—All Causes - - -	12·9	14·4	15·0
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	2	–	–	–	–	–	1	–	1	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	2	1	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	4	2	–	4	1	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	6	6	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	4	5	1	5	2	1	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Erysipelas - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	18	17	–	1	2	5	7	6	7	4	1	2	–
Tuberculous Meningitis - - -	4	3	1	4	1	–	–	–	1	–	–	–	–
Abdominal Tuberculosis - - -	4	3	1	1	2	1	1	–	1	–	–	–	–
Other Tuberculous Diseases - -	5	1	–	–	1	1	–	2	–	1	1	–	–
Cancer, Malignant Disease - -	15	18	–	–	–	–	–	–	2	10	8	7	6
Rheumatic Fever - - - -	1	1	–	–	1	–	1	–	–	–	–	–	–
Meningitis - - - - - -	3	1	–	1	–	1	1	–	–	–	–	1	–
Organic Heart Disease - - -	21	16	–	–	–	2	2	4	2	1	6	13	7
Bronchitis - - - - - -	10	11	5	1	–	–	–	–	1	–	4	4	6
Pneumonia (all forms) - - -	24	6	1	6	2	–	–	2	3	7	5	1	3
Other Diseases of Respiratory Organs	3	–	1	–	–	–	–	–	–	1	–	–	1
*Diarrhœa and Enteritis (under 2 years)	7	7	8	6	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	3	–	–	–	–	1	2	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	3	2	–	–	–	–	–	–	1	1	1	–	2
Other Diseases of Digestive System (under 2 years)	2	1	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	9	–	–	–	–	–	2	1	2	4	4	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	2	–	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	25	19	43	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	18	5	–	2	1	–	–	6	5	5	1	1	2
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	52	54	6	7	4	2	2	6	4	11	12	22	30
Diseases Ill-defined or Unknown -	4	8	–	1	–	–	–	1	2	1	1	2	4
Total - - - -	239	203	78	42	17	15	19	29	35	44	44	57	62

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Kirkcaldy** (County District).

Population—Census 1901, - - - 28,117.
Do. Do. 1911, - - - 41,041.
Do. estimated to middle of 1913, 42,393.

REGISTRATION RETURNS.

	Numbers Registered in District	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1356	21	18	1353	705	648
Illegitimate Births -	69	7	3	65	24	41
Marriages - -	252	-	-	-	-	-
Deaths - - -	549	93	51	507	260	247

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·0	31·9	-
Marriage-rate - - - - -	5·9	-	-
Death-rate—All Causes - - -	13·0	12·0	12·5
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	2	2	-	-	1	1	2	-	-		-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	2	-	3	1	-	-		-	-	-	-	-
*Whooping-cough - - - -	3	8	4	6	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	7	-	7	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1
Phthisis, Pulmonary Tuberculosis -	10	17	-	-	-	2	11	5	4	2	2	1	-
Tuberculous Meningitis - - -	8	8	2	9	2	2	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	4	1	4	-	-	1	-	1	-	1	-	-
Other Tuberculous Diseases - -	2	1	-	1	-	-	1	-	-	-	-	1	-
Cancer, Malignant Disease - -	15	18	-	1	-	-	-	1	3	4	9	13	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	6	6	5	4	-	1	2	-	-	-	-	-	-
Organic Heart Disease - - -	14	19	-	-	-	1	-	-	4	2	7	10	9
Bronchitis - - - - -	16	14	11	3	-	-	-	-	-	3	5	5	3
Pneumonia (all forms) - - -	31	13	12	12	1	-	2	2	2	3	8	-	2
Other Diseases of Respiratory Organs	3	2	-	2	-	-	-	-	-	-	2	-	1
*Diarrhœa and Enteritis (under 2 years)	13	11	22	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	-	-	-	3	-	-
Other Diseases of Digestive System (under 2 years)	4	3	6	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	4	1	1	-	-	1	1	1	-	1	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	5	.	-	-	-	2	3	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	32	27	56	1	1	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	22	8	1	2	2	1	5	9	1	4	2	2	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	62	59	11	6	3	2	8	2	13	10	13	20	33
Diseases Ill-defined or Unknown -	2	2	-	1	-	-	-	-	-	1	1	-	1
Total - - - -	260	247	133	67	13	10	37	24	29	29	55	57	53

YEAR 1913.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**St. Andrews** (County District).

Population—Census 1901, - - - 14,739.
Do. Do. 1911, - - - 15,379.
Do. estimated to middle of 1913, 14,974.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	277	2	7	282	151	131
Illegitimate Births -	15	0	3	18	13	5
Marriages - -	77	-	-	-	-	-
Deaths - - -	183	7	24	200	98	102

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·5	18·8	-
Marriage-rate - - - - -	5·1	-	-
Death-rate—All Causes - - -	12·2	13·4	12·6
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	1	-	-	-	1	-	-	1	-	-	-	-
*Whooping-cough - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	5	-	-	-	1	4	3	2	1	1	-	-
Tuberculous Meningitis - - -	-	2	-	-	-	-	-	1	1	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - -	13	12	-	-	-	-	-	1	2	3	5	8	6
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	15	-	-	-	1	-	1	1	3	4	10	7
Bronchitis - - - - -	3	4	1	-	-	-	-	-	1	-	-	-	5
Pneumonia (all forms) - - -	5	-	2	1	-	-	1	1	-	-	-	-	-
Other Diseases of Respiratory Organs	1	2	-	-	-	-	-	-	-	-	1	1	1
*Diarrhœa and Enteritis (under 2 years)	3	3	5	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	-	-	-	1	1	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	1	-	-	-	2	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	4	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	2	1	1	-	-	2	1	1	-	1	-	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	29	41	2	1	-	1	1	-	3	6	6	16	34
Diseases Ill-defined or Unknown -	3	4	-	1	-	-	-	-	1	1	-	-	4
Total - - - -	98	102	25	7	1	4	10	8	13	14	21	37	60

YEAR 1913.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Arbroath** (Burgh).

Population—Census 1901, - - - 22,398.
Do. Do. 1911, - - - 20,647.
Do. estimated to middle of 1913, 19,536.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	401	8	3	396	198	198
Illegitimate Births -	28	2	2	28	16	12
Marriages - -	119	-	-	-	-	-
Deaths - - -	368	7	14	375	168	207

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·5	20·3	-
Marriage-rate - - - - - -	6·1	-	-
Death-rate—All Causes - - -	18·8	19·2	17·5
Do. —Phthisis - - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	2·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —88.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts —7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-		-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	6	7	-	7	4	2	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	8	7	1	8	4	2	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-		-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	-		-	-	-	1
Phthisis, Pulmonary Tuberculosis -	9	13	-	-	-	-	4	10	3	2	1	2	-
Tuberculous Meningitis - - -	4	5	2	5	-	2	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	6	2	4	1	1	3	-	-	-	-	-	1
Other Tuberculous Diseases - -	5	3	-	2	-	-	2	1	2	-	1	-	-
Cancer, Malignant Disease - -	9	16	-	-	-	-	1	-	-	7	6	9	2
Rheumatic Fever - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-
Meningitis - - - - - -	3	4	2	3	1	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	12	20	-	-	-	1	2	1	1	8	6	6	7
Bronchitis - - - - - -	12	20	3	4	-	-	-	-	3	1	4	7	10
Pneumonia (all forms) - - -	11	8	1	3	-	-	2	2	-	2	-	2	7
Other Diseases of Respiratory Organs	3	1	-	2	-	-	-	-	-	1	-	-	1
*Diarrhœa and Enteritis (under 2 years)	6	6	11	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	1	-	-	2	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	2	-	-	-	-	-	-	-	2	4	-	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3		-	-	-	1	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	3	7	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	7	-	2	1	-	-	-	-	1	1	2	3
Suicide - - - - - - -	2	1	-	-	-	-	-	1	-	-	1	1	-
Other Defined Diseases - - -	52	66	5	1	1	5	1	1	4	8	14	27	51
Diseases Ill-defined or Unknown -	3	5	1	1	-	1	-	-	-	1	1	1	2
Total - - - - -	168	207	35	44	14	14	17	19	15	33	40	59	85

YEAR 1913.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Brechin** (Burgh).

Population—Census 1901, - - - 8,941.
Do. Do. 1911, - - - 8,439.
Do. estimated to middle of 1913, 8,031.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	145	3	1	143	68	75
Illegitimate Births -	17	0	0	17	8	9
Marriages - -	60	-	-	-	-	-
Deaths - - -	114	5	12	121	47	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·1	17·8	-
Marriage-rate - - - - -	7·5	-	-
Death-rate—All Causes - -	14·2	15·1	13·4
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts – 11·9

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	3	-	-	-	-	-	-	-	-	-	3	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	4	-	-	-	-	-	2	1	3	-	1	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - -	1	8	-	-	-	-	-	-	-	2	2	4	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	11	-	-	-	-	-	-	3	1	4	4	6
Bronchitis - - - - -	4	6	3	-	-	-	-	-	-	-	-	2	5
Pneumonia (all forms) - - -	6	2	2	-	-	-	-	2	-	1	2	1	-
Other Diseases of Respiratory Organs	2	3	1	1	-	1	-	-	-	-	-	1	1
*Diarrhœa and Enteritis (under 2 years)	-	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	2	-	-	-	-	2	1	1	-	-	1	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	1	1	-	-	-	-	-	-	1	2	2	-
Suicide - - - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - -	11	26	1	1	-	-	4	1	4	2	6	8	10
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	47	74	11	5	1	1	7	8	9	10	17	28	24

YEAR 1913.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Broughty-Ferry** (Burgh).

Population—Census 1901, - - - 10,484.
Do. Do. 1911, - - - 11,058.
Do. estimated to middle of 1913, 10,791.

REGISTRATION RETURNS

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	186	0	3	189	100	89
Illegitimate Births -	7	0	2	9	4	5
Marriages - -	54	-	-	-	-	-
Deaths - - -	116	4	23	135	56	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·2	17·5	-
Marriage-rate - - - - - -	5·0	-	-
Death-rate—All Causes - - -	10·7	12·5	12·2
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-		-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	5	4	-	-	-	-	3	2	2	1	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	-	-	1	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	10	-	-	-	-	-	-	1	3	2	2	4
Rheumatic Fever - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	8	10	-	-	-	-	-	-	3	1	3	5	6
Bronchitis - - - - -	5	5	1	1	-	-	-	-	1	-	1	-	6
Pneumonia (all forms) - - -	5	3	1	1	-	-	-	-	1	1	-	2	2
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-		-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	2	-	-	1	-	-	2	1	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	5	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	2	-	1	-	-	1	-	-	-	1	1	1
Suicide - - - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-
Other Defined Diseases - - -	16	27	1	2	-	-	2	2	2	7	6	10	11
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	1	-	-	-	-	-
Total - - - -	56	79	17	6	2	1	8	7	13	15	16	20	30

YEAR 1913.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Carnoustie** (Burgh).

Population—Census 1901, - - - 5,204.
Do. Do. 1911, - - - 5,358.
Do. estimated to middle of 1913, 5,202.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	93	1	1	93	47	46
Illegitimate Births -	7	0	0	7	4	3
Marriages - -	24	-	-	-	-	-
Deaths - - -	54	2	11	63	20	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·9	17·9	-
Marriage-rate - - - - -	4·6	-	-
Death-rate—All Causes - - -	10·4	12·1	10·3
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—22.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	1	1	-	-	1	-	-
Tuberculous Meningitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	4	-	-	-	-	1	-	-	-	3	-	-
Cancer, Malignant Disease - -	3	8	-	-	-	-	-	-	1	-	6	3	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	1	-	-	-	1	-
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	1	-	-	-	-	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	7	20	-	-	-	1	-	-	1	1	1	7	16
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	-	-	-	1	1	1
Total - - - -	20	43	2	1	2	2	2	3	2	1	13	14	21

YEAR 1913.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Dundee** (Burgh).

Population—Census 1901, - - - 162,982.
Do. Do. 1911, - - - 165,004.
Do. estimated to middle of 1913, 164,975.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	4098	56	19	4061	2049	2012
Illegitimate Births -	368	28	5	345	174	171
Marriages - -	1308	–	–	–	–	–
Deaths - - -	2929	109	79	2899	1356	1543

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·8	24·6	–
Marriage-rate - - - - -	7·9	–	–
Death-rate—All Causes - - -	17·8	17·6	18·2
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—162.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	4	1	–	1	-	3	1	1	-	–	–	–
Typhus Fever - - - - -	–	–	-	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	22	19	12	27	1	–	1	-	–	–	–	–	–
*Scarlet Fever - - - - -	9	5	1	7	2	1	2	–	1	–	–	–	–
*Whooping-cough - - - -	5	3	3	5	-	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	20	14	7	20	6	1	–	–	–	–	–	–	–
Influenza - - - - - -	1	2	1	–	–	–	–	–	–	–	–	2	–
Erysipelas - - - - - -	2	2	–	–	–	–	–	1	1	–	2	–	–
Phthisis. Pulmonary Tuberculosis -	82	109	2	10	4	9	38	41	39	30	14	4	–
Tuberculous Meningitis - - -	22	25	7	28	5	3	3	–	–	–	1	–	–
Abdominal Tuberculosis - - -	21	23	10	17	4	2	4	–	4	2	1	–	–
Other Tuberculous Diseases - -	16	21	2	8	5	5	9	1	1	4	-	2	–
Cancer, Malignant Disease - -	77	133	–	1	–	2	2	6	18	46	61	51	23
Rheumatic Fever - - - -	3	4	–	-	2	–	3	–	2	–	–	–	–
Meningitis - - - - -	13	15	5	8	4	2	2	1	3	1	1	1	–
Organic Heart Disease - - -	113	174	–	–	4	5	7	10	28	48	65	85	35
Bronchitis - - - - -	96	127	52	23		–	2	2	3	20	37	44	40
Pneumonia (all forms) - - -	136	109	60	59	2	1	10	3	17	19	25	28	21
Other Diseases of Respiratory Organs	24	17	4	–	1	1	–	–	2	7	11	9	6
*Diarrhœa and Enteritis (under 2 years)	92	74	142	24	–	–	–	–	–	-	–	–	–
Appendicitis and Typhlitis - -	8	8	–	1	3	–	3	3	2	1	2	1	–
All Liver Diseases (not Malignant) -	5	10	–	–	–	–	–	1	2	4	2	5	1
Other Diseases of Digestive System (under 2 years)	14	9	21	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	38	37	2	3	2	–	4	9	6	15	22	9	3
Puerperal Sepsis - - - -	–	7	-	–	–	–	2	3	2	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	14	–	–	–	–	3	7	4	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	122	105	223	4	–	–	–	–	–	-	–	–	–
Violent Deaths, excluding Suicide -	66	36	33	11	6	4	10	3	7	3	11	9	5
Suicide - - - - - - -	11	5	–	–	–	–	–	1	6	4	2	2	1
Other Defined Diseases - - -	309	393	63	29	6	5	11	17	45	83	123	166	154
Diseases Ill-defined or Unknown -	26	39	6	10	–	2	–	2	2	6	7	15	15
Total - - - - -	1356	1543	657	297	58	43	119	112	196	293	387	433	304

YEAR 1913.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Forfar** (Burgh).

Population—Census 1901, - - - 11,397.
Do. Do. 1911, - - - 10,849.
Do. estimated to middle of 1913, 10,345.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	196	4	2	194	89	105
Illegitimate Births -	22	1	1	22	8	14
Marriages - -	70	-	-	-	-	-
Deaths - - -	166	11	9	164	69	95

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·9	18·8	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - -	16·0	15·9	14·8
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	3	-	-	2	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	6	-	-	-	-	3	1	2	2	-	-	-
Tuberculous Meningitis - - -	1	2	1	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	-	-	-	1	1	-	-
Cancer, Malignant Disease - -	6	9	-	-	-	-	-	-	1	1	4	5	4
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	2	1	1	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	11	15	-	-	-	-	2	2	2	2	5	9	4
Bronchitis - - - - -	2	5	-	-	1	-	-	1	-	-	-	4	1
Pneumonia (all forms) - - -	8	6	1	2	2	1	-	-	-	-	2	-	6
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	-	1	-	-	-	1	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	1	-	-	-	1	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	23	36	-	-	-	-	1	2	8	4	6	9	29
Diseases Ill-defined or Unknown -	4	1	-	-	-	-	-	-	-	-	-	4	1
Total - - - -	69	95	13	7	6	2	6	8	14	10	21	32	45

YEAR 1913.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Kirriemuir** (Burgh).

Population—Census 1901, - - - 4,096.
Do. Do. 1911, - - - 3,776.
Do. estimated to middle of 1913, 3,573.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	2	3	43	22	21
Illegitimate Births -	3	1	2	4	3	1
Marriages - -	22	-	-	-	-	-
Deaths - - -	62	2	14	74	34	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	11·8	12·0	-
Marriage-rate - - - - - -	6·2	-	-
Death-rate—All Causes - - -	17·4	20·7	17·6
Do. —Phthisis - - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	3	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	4	-	-	-	-	-	-	-	3	2	1	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	1	-	1	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - -	3	6	-	-	-	-	-	-	1	2	2	3	1
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	5	-	-	-	-	-	-	1	1	-	1	2
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	1	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	1	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	2	-	-	-	-	2	-	-	-	-	2	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	17	13	2	-	-	-	-	-	-	4	5	10	9
Diseases Ill-defined or Unknown -	-	2	-	1	-	-	-	-	-	-	-	-	1
Total - - - -	34	40	5	3	-	-	5	1	5	11	10	17	17

YEAR 1913.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Monifieth** (Burgh).

Population—Census 1901, - - - 2,134.
Do. Do. 1911, - - - 3,098.
Do. estimated to middle of 1913, 3,198.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	70	2	2	70	30	40
Illegitimate Births -	5	1	1	5	3	2
Marriages - -	16	–	–	–	–	–
Deaths - - -	37	2	6	41	13	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·9	21·9	–
Marriage-rate - - - - - -	5·0	–	–
Death-rate—All Causes - - -	11·6	12·8	12·1
Do. —Phthisis - - - - -	–	0·3	–
Do. —All Tuberculosis - -	–	0·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—29.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	–	–	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	5	–	–	–	–	–	1	1	–	1	3	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	3	–	–	–	–	–	–	1	1	–	1	1
Bronchitis - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	2	1	–	–	–	–	–	1	–	–	1	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	2	–	–	–	–	–	–	–	–	–	1	2
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	2	–	–	–	–	–	2	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	10	1	–	–	–	–	–	–	–	–	5	8
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	13	28	2	1	1	–	1	4	3	1	3	11	14

YEAR 1913.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Montrose** (Burgh).

Population—Census 1901, - - - 12,427.
Do. Do. 1911, - - - 10,974.
Do. estimated to middle of 1913, 10,270.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	192	4	2	190	107	83
Illegitimate Births -	14	0	1	15	8	7
Marriages - -	75	–	–	–	–	–
Deaths - - -	192	15	5	182	81	101

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·7	18·5	–
Marriage-rate - - - - -	7·3	–	–
Death-rate—All Causes - - -	18·7	17·7	14·8
Do. —Phthisis - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—79.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	6	–	–	1	–	2	1	4	1	–	–	–
Tuberculous Meningitis - - -	2	–	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	6	15	–	–	–	–	–	–	1	1	2	11	6
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	9	14	–	–	–	–	–	–	1	3	4	6	9
Bronchitis - - - - -	5	7	–	1	–	–	–	–	–	–	–	4	7
Pneumonia (all forms) - - -	3	5	1	–	–	–	2	–	–	2	1	–	2
Other Diseases of Respiratory Organs	–	3	–	–	–	1	–	–	–	1	–	–	1
*Diarrhœa and Enteritis (under 2 years)	3	2	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	–	1	–	–	1	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	1	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	4	–	1	1	–	–	3	–	–	1	–	3
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	33	39	–	–	–	–	1	1	1	2	11	18	38
Diseases Ill-defined or Unknown -	4	–	–	–	–	–	–	–	–	–	2	1	1
Total - - - -	81	101	15	4	3	1	6	6	7	12	21	40	67

YEAR 1913.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Arbroath** (County District).

Population—Census 1901, - - - 8,929.
Do. Do. 1911, - - - 8,434.
Do. estimated to middle of 1913, 8,028.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	192	2	2	192	104	88
Illegitimate Births -	22	1	1	22	10	12
Marriages - -	28	-	-	-	-	-
Deaths - - -	117	8	13	122	66	56

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	23·9	23·9	-
Marriage-rate - - - - -	3·5	-	-
Death-rate—All Causes - - -	14·6	15·2	13·4
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	2	-	1	-	1	1	-	1	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	4	-	-	-	2	2	1	1	1	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	4	-	-	-	-	-	-	2	1	2	2	1
Rheumatic Fever - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	7	2	-	-	-	-	-	-	1	-	-	3	5
Bronchitis - - - - - -	2	7	-	-	-	-	-	-	1	1	1	-	6
Pneumonia (all forms) - - -	7	4	1	3	1	-	-	2	1	-	-	2	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	1	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	3	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	1	-	1	-	1	2	2	-	-	-	2	1
Suicide - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	18	23	1	1	1	1	1	-	1	1	4	9	21
Diseases Ill-defined or Unknown -	2	1	1	-	-	-	-	-	-	-	-	1	1
Total - - - -	66	56	11	9	4	6	7	5	10	5	9	19	37

YEAR 1913.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Brechin** (County District).

Population—Census 1901, - - - 13,356.
Do. Do. 1911, - - - 12,821.
Do. estimated to middle of 1913, 12,252

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	248	5	13	256	134	122
Illegitimate Births -	27	1	4	30	18	12
Marriages - -	43	–	–	–	–	–
Deaths - - -	196	56	21	161	87	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·2	20·9	–
Marriage-rate - - - - -	3·5	–	–
Death-rate—All Causes - - -	16·0	13·1	11·5
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	1	2	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis -	5	3	1	–	–	–	3	2	2	–	–	–	–
Tuberculous Meningitis - - -	–	5	–	3	1	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	1	2	–	–	–	–	–	3	–	–	–	–	–
Cancer, Malignant Disease - -	5	13	–	–	–	–	–	1	1	4	6	5	1
Rheumatic Fever - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	5	–	–	–	–	–	–	1	3	3	2	3
Bronchitis - - - - -	4	2	2	–	–	–	–	–	–	–	2	–	2
Pneumonia (all forms) - - -	8	4	5	2	–	1	–	1	1	1	–	1	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	1	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	3	1	–	–	–	1	2	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	3	1	3	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	2	–	–	–	–	–	–	–	1	–	–	2
Puerperal Sepsis - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	3	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	2	–	–	1	1	–	–	–	–	1	–	2
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Defined Diseases - - -	32	22	2	1	–	–	–	2	1	1	6	13	28
Diseases Ill-defined or Unknown -	5	3	–	–	–	–	–	–	–	–	–	4	4
Total - - - -	87	74	24	7	3	3	9	10	7	11	19	26	42

YEAR 1913.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Dundee** (County District).

Population—Census 1901, - - - 9,912.
Do. Do. 1911, - - - 9,807.
Do. estimated to middle of 1913, 9,437.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	181	3	3	181	97	84
Illegitimate Births -	17	0	0	17	11	6
Marriages - -	33	–	–	–	–	–
Deaths - - -	168	74	19	113	66	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·2	19·2	–
Marriage-rate - - - - - -	3·5	–	–
Death-rate—All Causes - - -	17·8	12·0	11·1
Do. —Phthisis - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	0·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected – 94.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts – 9·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	2	–	1	–	1	1	1	–	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	1	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	6	–	–	–	–	–	–	–	1	1	5	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	9	4	–	–	–	–	–	–	1	3	5	2	2
Bronchitis - - - - - -	1	3	–	–	–	–	–	–	–	–	–	1	3
Pneumonia (all forms) - - -	1	1	–	1	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	2	–	–	–	1	–	1	–	1	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	–	1	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	11	3	14	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	–	–	–	2	–	1	–	–	–	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Defined Diseases - - -	24	17	–	1	1	–	–	1	–	–	4	11	23
Diseases Ill-defined or Unknown -	2	1	–	–	–	–	–	–	–	1	–	–	2
Total - - - -	66	47	17	5	3	5	4	3	2	8	12	21	33

YEAR 1913.
COUNTY—**Forfar.**
PUBLIC HEALTH DISTRICT—**Forfar** (County District).

Population—Census 1901, - - - 11,822.
Do. Do. 1911, - - - 11,152.
Do. estimated to middle of 1913, 10,612.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	207	6	10	211	100	111
Illegitimate Births -	18	1	6	23	13	10
Marriages - -	39	-	-	-	-	-
Deaths - - -	154	10	17	161	81	80

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·5	19·9	-
Marriage-rate - - - - - -	3·7	-	-
Death-rate—All Causes - - -	14·5	15·2	12·5
Do. —Phthisis - - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected -33.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts -10·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	2	-	-	3	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	-	-	-	2	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	-	2	2	-	1	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	11	-	-	-	-	-	-	-	2	5	8	2
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	11	14	-	-	-	-	-	2	1	1	3	6	12
Bronchitis - - - - - -	5	9	-	-	-	-	-	1	-	-	1	3	9
Pneumonia (all forms) - - -	7	7	2	1	-	-	-	1	2	1	1	1	5
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	1	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	3	-	5	-	1	1	-	-	-	1	1	-
Suicide - - - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Other Defined Diseases - - -	28	18	-	-	-	1	3	2	4	6	5	8	17
Diseases Ill-defined or Unknown -	3	2	-	-	1	-	-	-	-	-	1	1	2
Total - - - -	81	80	7	10	5	6	6	9	10	11	19	28	50

YEAR 1913.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Cockenzie and Port Seton** (Burgh).

Population—Census 1901, - - - 1,687.
Do. Do. 1911, - - - 2,400.
Do. estimated to middle of 1913, 2,470.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	97	1	3	99	49	50
Illegitimate Births -	1	1	1	1	0	-
Marriages - -	15	-	-	-	-	-
Deaths - - -	35	2	9	42	16	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	39·3	40·1	-
Marriage-rate - - - - -	6·1	-	-
Death-rate—All Causes - - -	14·2	17·0	16·7
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	4·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	4	-	4	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	1	-	-	-	-	-	1	1	-	1	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	6	-	1	-	-	-	-	1	-	1	4	3
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	2	1	1	-	-	-	1	-	-	1	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	2	2	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-		-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	1	1	-	-	-	-	-	-	-	1	-	2
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	16	26	8	8	-	-	1	4	3	1	4	7	6

YEAR 1913.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Dunbar** (Burgh).

Population—Census 1901, - - - 3,581.
Do. Do. 1911, - - - 3,346.
Do. estimated to middle of 1913, 3,176.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	60	1	0	59	35	24
Illegitimate Births -	5	0	0	5	1	4
Marriages - -	26	–	–	–	–	–
Deaths - - -	32	2	11	41	25	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·9	18·6	–
Marriage-rate - - - - -	8·2	–	–
Death-rate—All Causes - - -	10·1	12·9	12·2
Do. —Phthisis - - - -	–	0·3	–
Do. —All Tuberculosis - -	–	0·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	–	–	–	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Organic Heart Disease - - -	6	6	–	–	–	1	–	–	–	2	4	4	1
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	1	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Defined Diseases - - -	8	6	2	–	–	–	–	–	–	3	2	1	6
Diseases Ill-defined or Unknown -	1	1	–	–	–	–	–	–	–	1	–	–	1
Total - - - -	25	16	5	3	–	1	1	–	–	6	8	8	9

YEAR 1913.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**East Linton** (Burgh).

Population—Census 1901, - - - 912.
Do. Do. 1911, - - - 877
Do. estimated to middle of 1913, 838.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	9	1	1	9	5	4
Illegitimate Births -	1	1	1	1	1	0
Marriages - -	2	-	-	-	-	-
Deaths - - -	21	10	1	12	3	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	10·7	10·7	-
Marriage-rate - - - - -	2·4	-	-
Death-rate—All Causes - - -	25·1	14·3	10·8
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	1	-	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	4	1	-	-	-	-	-	1	-	-	1	2
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	3	9	1	-	-	-	1	-	3	-	1	2	4

YEAR 1913.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Haddington** (Burgh).

Population—Census 1901, - - - 3,993.
Do. Do. 1911, - - - 4,140.
Do. estimated to middle of 1913, 4,025.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	61	0	2	63	33	30
Illegitimate Births -	3	0	1	4	2	2
Marriages - -	18	-	-	-	-	-
Deaths - - -	86	22	8	72	40	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·2	15·7	-
Marriage-rate - - - - - -	4·5	-	-
Death-rate—All Causes - - -	21·4	17·9	16·6
Do. —Phthisis - - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—159.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	-	1	-	1	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	4	-	-	-	-	2	2	-	-	-	-	-
Tuberculous Meningitis - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	6	-	-	-	-	-	-	-	3	-	4	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	4	-	-	-	-	-	-	-	3	2	2	2
Bronchitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	3	1	2	-	-	-	-	1	-	-	-	-	1
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	1	1
*Diarrhœa and Enteritis (under 2 years)	3	-	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	2	-	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	1	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	12	10	1	-	2	1	-	-	1	2	6	2	7
Diseases Ill-defined or Unknown -	4	-	-	-	-	-	-	-	-	-	3	-	1
Total - - - -	40	32	10	4	2	2	4	3	3	8	11	10	15

YEAR 1913.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**North Berwick** (Burgh).

Population—Census 1901, - - - 2,902.
Do. Do. 1911, - - - 3,246.
Do. estimated to middle of 1913, 3,206.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	3	3	57	28	29
Illegitimate Births -	3	0	0	3	0	3
Marriages - -	16	-	-	-	-	-
Deaths - - -	33	2	4	35	17	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·8	17·8	-
Marriage-rate - - - - - -	5·0	-	-
Death-rate—All Causes - - -	10·3	10·9	11·3
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below).	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	3	-	-	-	-	-	1	1	-	2	2	1
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	2	2	-	-	2	-	1	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	4	-	-	-	-	-	1	1	1	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	6	-	-	-	-	1	-	-	2	1	5	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	17	18	3	3	2	-	3	2	2	4	5	8	3

YEAR 1913.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Prestonpans** (Burgh).

Population—Census 1901, - - - 1,721.
Do. Do. 1911, - - - 1,923.
Do. estimated to middle of 1913, 1,898.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	56	1	1	56	29	27
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	5	-	-	-	-	-
Deaths - - -	27	0	10	37	14	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	29·5	29·5	-
Marriage-rate - - - - - -	2·6	-	-
Death-rate—All Causes - - -	14·2	19·5	18·9
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	4·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	3	2	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	5	-	-	1	-	-	1	1	2	1	2	-
Bronchitis - - - - - - -	1	2	-	-	-	-	-	-	-	-	2	-	1
Pneumonia (all forms) - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	1	-	-	1	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	1	5	-	-	-	-	-	-	-	1	2	1	2
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	14	23	7	5	3	-	-	1	2	6	5	4	4

YEAR 1913.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Tranent** (Burgh).

Population—Census 1901, - - - 2,766.
Do. Do. 1911, - - - 4,369.
Do. estimated to middle of 1913, 4,563.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	170	3	5	172	90	82
Illegitimate Births -	8	2	0	6	3	3
Marriages - -	42	–	–	–	–	–
Deaths - - -	66	1	15	80	35	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	37·3	37·7	–
Marriage-rate - - - - - -	9·2	–	–
Death-rate—All Causes - - -	14·5	17·5	18·3
Do. —Phthisis - - - - -	–	2·4	–
Do. —All Tuberculosis - -	–	3·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 140.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts— 3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	3	1	2	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	2	–	2	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	6	5	1	1	–	2	1	2	2	1	1	–	–
Tuberculous Meningitis - - -	2	–	–	–	1	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	2	2	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	2	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	5	1	–	–	–	–	1	–	1	2	2	1
Bronchitis - - - - - -	5	1	3	–	–	–	–	–	–	–	–	3	–
Pneumonia (all forms) - - -	2	4	4	1	–	–	–	–	1	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	3	1	2	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	2	–	–	–	–	1	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	3	–	–	–	–	–	1	1	1	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	–	–	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	6	3	2	1	1	–	–	1	1	–	3	2
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	35	45	24	11	2	4	2	6	7	5	4	11	4

YEAR 1913.
COUNTY—**Haddington**.
PUBLIC HEALTH DISTRICT—**Eastern Haddington** (County District).

Population—Census 1901, - - - 6,459.
Do. Do. 1911, - - - 6,189.
Do. estimated to middle of 1913, 5,911.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	120	1	5	124	71	53
Illegitimate Births -	16	0	4	20	10	10
Marriages - -	29	–	–	–	–	–
Deaths - - -	68	1	6	73	35	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·3	21·0	–
Marriage-rate - - - - -	4·9	–	–
Death-rate—All Causes - - -	11·5	12·4	12·1
Do. —Phthisis - - - -	–	0·3	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	–	1	1	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	2	1	–	–	–	–	2	–	–	–	–	1	–
Cancer, Malignant Disease - -	4	4	–	–	–	–	–	–	–	3	2	1	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - -	6	4	–	–	–	–	–	–	–	1	3	1	5
Bronchitis - - - - -	2	4	1	–	–	–	–	–	–	1	–	2	2
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	1	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	1	–	1	–	–	–	3	1	–	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	9	14	2	–	–	–	–	1	–	1	4	4	11
Diseases Ill-defined or Unknown -	–	2	–	–	–	–	–	–	–	–	–	–	2
Total - - - -	35	38	7	1	1	–	4	6	4	6	9	11	24

YEAR 1913.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Western Haddington** (County District).

Population—Census 1901, - - - 14,644.
Do. Do. 1911, - - - 16,764.
Do. estimated to middle of 1913, 16,633.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	396	6	10	400	201	199
Illegitimate Births -	17	3	3	17	4	13
Marriages - -	76	–	–	–	–	–
Deaths - - -	169	6	25	188	95	93

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·8	24·0	–
Marriage-rate - - - - - -	4·6	–	–
Death-rate—All Causes - - -	10·2	11·3	11·7
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	2	2	1	3	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	2	–	–	1	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	3	2	3	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	7	1	–	–	1	5	1	3	–	–	–	–
Tuberculous Meningitis - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	–	1	1	–	–	–	–	–
Cancer, Malignant Disease - -	5	6	–	–	–	–	–	–	–	2	1	5	3
Rheumatic Fever - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Meningitis - - - - - -	2	1	1	1	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	10	7	–	–	–	–	–	–	–	4	5	5	3
Bronchitis - - - - - -	10	5	3	–	–	–	–	1	1	–	1	3	6
Pneumonia (all forms) - - -	6	6	1	1	–	1	1	–	–	2	–	2	4
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	–	1	–	1
*Diarrhœa and Enteritis (under 2 years)	1	2	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	–	–	–	2
Other Diseases of Digestive System (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	5	–	1	–	–	–	–	1	3	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	–	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	9	8	16	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	–	1	–	–	–	–	–	1	–	3	–	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases - - -	21	28	4	1	1	–	–	3	3	3	6	11	17
Diseases Ill-defined or Unknown -	5	4	3	–	–	1	–	–	–	1	–	1	3
Total - - - -	95	93	40	12	5	5	7	6	12	15	19	28	39

YEAR—1913.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Fort-William** (Burgh).

Population—Census 1901, - - - 2,087.
Do. Do. 1911, - - - 2,002.
Do. estimated to middle of 1913, 1,913.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	1	2	40	22	18
Illegitimate Births -	2	0	1	3	2	1
Marriages - -	10	-	-	-	-	-
Deaths - - -	35	3	3	35	12	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·4	20·9	-
Marriage-rate - - - - - -	5·2	-	-
Death-rate—All Causes - - -	18·3	18·3	16·7
Do. —Phthisis - - - -	-	2·1	-
Do. —All Tuberculosis - -	-	2·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	1	2	-	1	-	-	-
Tuberculous Meningitis - + -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	6	-	-	-	-	1	-	-	-	4	2	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - -	1	4	-	-	-	-	-	1	-	-	-	2	2
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	7	1	-	-	-	-	-	2	2	-	-	5
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	12	23	2	1	-		3	4	3	4	5	4	9

YEAR—1913.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Inverness** (Burgh).

Population—Census 1901, - - - 23,075.
Do. Do. 1911, - - - 22,216.
Do. estimated to middle of 1913, 21,243.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	469	15	9	463	241	222
Illegitimate Births -	52	9	5	48	23	25
Marriages - -	240	-	-	-	-	-
Deaths - - -	408	19	13	402	189	213

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·1	21·8	-
Marriage-rate - - - - -	11·3	-	-
Death-rate—All Causes - - -	19·2	18·9	17·5
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	4	3	7	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	9	8	-	7	7	-	2	1	-	-	-	-	-
Influenza - - - - - -	-	3	-	-	-	-	-	1	-	-	-	-	2
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	13	19	-	-	-	1	7	7	8	6	2	-	1
Tuberculous Meningitis - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	1	1	-	-	-	1	-	-	-	1	-	-
Cancer, Malignant Disease - -	20	19	-	-	-	-	-	1	3	7	13	10	5
Rheumatic Fever - - - -	2	-	-	-	-	2	-	-	-	-	-	-	-
Meningitis - - - - -	3	2	-	3	-	-	1	1	-	-	-	-	-
Organic Heart Disease - - -	27	25	1	1	-	-	1	1	1	5	8	19	15
Bronchitis - - - - -	11	13	6	2	-	-	-	-	-	1	3	5	7
Pneumonia (all forms) - - -	12	12	4	5	1	-	1	1	5	1	2	3	1
Other Diseases of Respiratory Organs	3	1	-	-	1	-	-	-	1	-	-	1	1
*Diarrhœa and Enteritis (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	2	-	-	1	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	3	-	-	-	-	-	-	-	-	1	1	2
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	9	8	-	-	-	-	-	1	2	3	3	8	-
Puerperal Sepsis - - - -	-	5	-	-	-	-	1	3	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	11	7	18	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	7	-	-	-	-	3	1	1	2	-	3	1
Suicide - - - - - -	3	-	-	-	-	-	-	-	1	2	-	-	-
Other Defined Diseases - - -	42	61	6	4	1	1	2	1	11	6	11	26	34
Diseases Ill-defined or Unknown -	7	9	2	1	-	-	-	1	-	4	-	5	3
Total - - - -	189	213	49	26	12	5	20	22	34	37	44	81	72

YEAR 1913.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Kingussie** (Burgh).

Population—Census 1901, - - - 989.
Do. Do. 1911, - - - 1,171.
Do. estimated to middle of 1913, 1,169.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	1	0	11	6	5
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	5	–	–	...	–	–
Deaths - - -	17	3	2	16	6	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	10·3	9·4	–
Marriage-rate - - - - - -	4·3	–	–
Death-rate—All Causes - - -	14·5	13·7	13·6
Do. —Phthisis - - - - -	–	2·6	–
Do. —All Tuberculosis - -	–	2·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	2	–	–	–	–	–	1	2	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	1	–	–	–	–	–	–	–	–	–	2	–
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	1	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	1	–	–	–	–	–	–	–	–	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	5	–	–	–	–	–	–	–	1	2	1	3
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	6	10	–	1	1	–	–	1	2	2	2	3	4

YEAR 1913.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Aird** (County District).

Population—Census 1901, - - - 8,893.
Do. Do. 1911, - - - 8,758.
Do. estimated to middle of 1913, 8,419.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	144	4	7	147	77	70
Illegitimate Births -	7	1	4	10	5	5
Marriages - -	15	–	–	–	–	–
Deaths - - -	99	3	12	108	51	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·1	17·5	–
Marriage-rate - - - - -	1·8	–	–
Death-rate—All Causes - - -	11·8	12·8	10·0
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
*Whooping-cough - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	6	–	–	1	1	2	1	3	1	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	5	5	–	–	–	–	–	–	1	–	2	3	4
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	5	–	–	–	–	–	–	1	1	2	3	6
Bronchitis - - - - -	–	4	–	–	–	–	–	–	–	–	–	–	4
Pneumonia (all forms) - - -	2	1	–	–	–	–	–	–	–	–	2	–	1
Other Diseases of Respiratory Organs	3	–	–	1	–	–	–	–	–	–	2	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	2	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	2	–	1	–	–	1	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	20	25	1	–	1	1	–	1	1	2	6	5	27
Diseases Ill-defined or Unknown -	3	1	–	–	–	–	–	–	1	–	–	2	1
Total - - - -	51	57	9	3	2	3	4	2	8	4	14	14	45

YEAR 1913.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Badenoch** (County District).

Population—Census 1901, - - - 6,511.
Do. Do. 1911, - - - 6,496.
Do. estimated to middle of 1913, 6,263.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	98	3	12	107	56	51
Illegitimate Births -	14	2	8	20	13	7
Marriages - -	20	-	-	-	-	-
Deaths - - -	110	3	5	112	49	63

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·6	17·1	-
Marriage-rate - - - - -	3·2	-	-
Death-rate—All Causes - - -	17·6	17·9	14·3
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	6	-	-	-	-	3	-	1	2	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	6	8	-	-	-	-	-	-	1	2	4	3	4
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	7	-	1	-	-	1	-	-	3	3	2	7
Bronchitis - - - - - -	3	1	1	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	4	2	-	1	-	-	-	1	-	-	2	1	1
Other Diseases of Respiratory Organs	1	1	1	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	1	-	1	-	-	2	-	1	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	15	24	-	-	1	1	1	3	5	5	2	2	20
Diseases Ill-defined or Unknown -	3	6	2	-	-	-	-	-	-	-	2	1	4
Total - - - - -	49	63	8	3	1	1	8	4	8	13	14	12	40

YEAR 1913.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Harris** (County District).

Population—Census 1901, - - - 5,271.
Do. Do. 1911, - - - 5,449.
Do. estimated to middle of 1913, 5,295.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	111	2	1	110	65	45
Illegitimate Births -	7	0	0	7	3	4
Marriages - -	20	-	-	-	-	-
Deaths - - -	85	1	2	86	43	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·0	20·8	-
Marriage-rate - - - - - -	3·8	-	-
Death-rate—All Causes - - -	16·1	16·2	12·7
Do. —Phthisis - - - -	-	1·9	-
Do. —All Tuberculosis - -	-	2·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	5	-	-	-	-	2	3	4	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	-	1	-	-	1	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - - -	1	3	-	-	-	-	-	-	-	-	2	-	2
Pneumonia (all forms) - - -	3	3	1	1	1	-	1	-	1	1	-	-	-
Other Diseases of Respiratory Organs	1	3	1	1	-	-	-	-	-	-	1	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	15	16	-	1	3	-	-	-	-	1	1	4	21
Diseases Ill-defined or Unknown -	9	7	4	1	-	2	1	-	1	1	1	2	3
Total - - - -	43	43	11	5	5	2	4	6	9	4	6	7	27

YEAR 1913.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Inverness** (County District).

Population—Census 1901, - - - 9,269.
Do. Do. 1911, - - - 9,142.
Do. estimated to middle of 1913, 8,791.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	166	0	9	175	92	83
Illegitimate Births -	5	0	4	9	4	5
Marriages - -	11	–	–	–	–	–
Deaths - - -	132	46	5	91	50	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·9	19·9	–
Marriage-rate - - - - - -	1·3	–	–
Death-rate—All Causes - - -	15·0	10·4	9·1
Do. —Phthisis - - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	2	2	3	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	6	2	–	–	–	–	1	3	2	–	1	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	5	–	1	–	–	–	–	2	–	4	–	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	7	–	–	–	–	–	–	–	2	–	3	6
Bronchitis - - - - -	3	2	–	–	1	–	–	–	–	–	–	2	2
Pneumonia (all forms) - - -	4	2	1	–	–	–	–	1	–	–	–	1	3
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	1	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	3	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	1	–	1	–	–	–	1	2	1	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	15	13	2	–	–	–	1	2	–	2	1	6	14
Diseases Ill-defined or Unknown -	2	2	1	1	–	–	–	–	–	–	–	2	–
Total - - - -	50	41	13	5	1	1	2	8	6	6	6	16	27

YEAR 1913.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Lochaber** (County District).

Population—Census 1901, - - - 7,438.
Do. Do. 1911, - - - 7,039.
Do. estimated to middle of 1913, 6,703.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	109	1	11	119	68	51
Illegitimate Births -	7	0	2	9	6	3
Marriages - -	19	–	–	–	–	–
Deaths - - -	89	2	11	98	47	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·3	17·8	–
Marriage-rate - - - - -	2·8	–	–
Death-rate—All Causes - - -	13·3	14·6	11·8
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	2	1	1	1	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	4	–	–	–	–	–	2	1	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease -	1	3	–	–	–	–	–	–	–	–	1	1	2
Rheumatic Fever - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - -	1	1	–	–	–	1	1	–	–	–	–	–	–
Organic Heart Disease - - -	4	4	–	–	–	–	–	1	–	–	2	2	3
Bronchitis - - - - -	2	–	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	3	2	1	–	–	–	–	–	–	–	2	–	2
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	3	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	2	–	–	–	–	1	–	–	–	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	21	25	2	–	–	–	1	–	2	4	1	6	30
Diseases Ill-defined or Unknown -	8	3	–	–	–	–	–	2	1	–	1	3	4
Total - - - -	47	51	8	2	1	1	4	5	7	4	9	14	43

YEAR 1913.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**North Uist** (County District).

Population—Census 1901, - - - 3,891.
Do. Do. 1911, - - - 3,677.
Do. estimated to middle of 1913, 3,501.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	74	0	2	76	31	45
Illegitimate Births -	5	0	1	6	4	2
Marriages -	10	-	-	-	-	-
Deaths - - -	59	0	5	64	27	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·1	21·7	-
Marriage-rate - - - - - -	2·9	-	-
Death-rate—All Causes - - -	16·9	18·3	13·4
Do. —Phthisis - - - - -	-	3·1	-
Do. —All Tuberculosis - -	-	3·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—26.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	5	9	-	-	-	-	-	-	-	-	-	3	11
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	5	-	-	-	-	5	2	2	-	2	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	-	-	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	4	-	-	-	-	-	-	-	1	-	1	3
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	2	3	-	-	-	1	-	-	1	1	-	1	1
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	1	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	1	-	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	11	1	-	-	-	1	-	1	1	3	4	8
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	27	37	2	-	-	1	8	2	6	3	5	13	24

YEAR 1913.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**South Uist** (County District).

Population—Census 1901, - - - 8,061.
Do. Do. 1911, - - - 8,003.
Do. estimated to middle of 1913, 7,707.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	159	1	3	161	92	69
Illegitimate Births -	18	0	2	20	11	9
Marriages - -	20	–	–	–	–	–
Deaths - - -	150	1	4	153	74	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·6	20·9	–
Marriage-rate - - - - - -	2·6	–	–
Death-rate—All Causes - - -	19·5	19·9	15·9
Do. —Phthisis - - - -	–	3·1	–
Do. —All Tuberculosis - -	–	3·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	4	5	4	1	4	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	4	1	–	4	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	5	–	1	1	–	–	–	–	–	–	–	3	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	11	13	–	–	2	–	8	8	3	1	1	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	–	2	–	–	–	–	–	–
Cancer, Malignant Disease - -	5	3	–	–	–	–	–	–	–	–	1	6	1
Rheumatic Fever - - - -	1	2	–	–	1	–	2	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	3	–	–	–	–	–	–	1	1	–	2	1
Bronchitis - - - - - -	7	8	2	1	1	2	–	–	–	–	1	5	3
Pneumonia (all forms) - - -	2	1	1	–	–	–	1	1	–	–	–	–	–
Other Diseases of Respiratory Organs	1	1	1	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	2	1	2	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	–	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	3	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	–	–	2	–	–	1	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	14	25	–	–	–	–	–	2	1	1	2	13	20
Diseases Ill-defined or Unknown -	6	9	5	–	1	–	1	1	–	1	1	1	4
Total - - - -	74	79	23	11	10	2	15	12	7	4	8	31	30

YEAR 1913.
COUNTY—**Inverness.**
PUBLIC HEALTH DISTRICT—**Skye** (County District).

Population—Census 1901, - - - 14,619.
Do. Do. 1911, - - - 13,319.
Do. estimated to middle of 1913, 12,565.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	232	5	0	227	118	109
Illegitimate Births -	12	0	0	12	9	3
Marriages - -	34	-	-	-	-	-
Deaths - - -	212	4	10	218	127	91

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·5	18·1	-
Marriage-rate - - - - - -	2·7	-	-
Death-rate—All Causes - - -	16·9	17·3	12·1
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
*Whooping-cough - - - - -	1	2	1	1	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	4	2	-	-	-	-	-	-	-	-	1	1	4
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	2	-	-	-	-	2	4	4	2	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	-	-	-	-	1	-	2	-	-	-	-	-
Cancer, Malignant Disease - -	5	8	-	-	-	-	-	1	-	2	3	5	2
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - - -	2	1	1	1	-	-	-	-	-	-	-	-	1
Organic Heart Disease - - -	11	5	-	-	-	-	1	-	-	2	1	5	7
Bronchitis - - - - - -	5	3	1	-	-	-	-	-	-	1	3	3	-
Pneumonia (all forms) - - -	9	6	4	-	-	-	1	-	1	-	1	5	3
Other Diseases of Respiratory Organs	6	2	-	-	-	-	-	1	1	-	1	2	3
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	3	-	-	-	-	1	-	1	-	-	3	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	1	-	-	-	-	-	2	2	-	1	1	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	38	37	3	-	1	-	1	3	4	1	5	15	42
Diseases Ill-defined or Unknown -	17	18	4	1	-	-	-	-	1	3	4	4	18
Total - - - - -	127	91	16	3	2	1	6	14	14	12	23	46	81

YEAR 1913.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Banchory** (Burgh).

Population—Census 1901, - - - 1,475.
Do. Do. 1911, - - - 1,633.
Do. estimated to middle of 1913, 1,610.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	1	1	26	9	17
Illegitimate Births -	2	0	1	3	1	2
Marriages - -	11	–	–	–	–	–
Deaths - - -	17	0	6	23	12	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·1	16·1	–
Marriage-rate - - - - - -	6·8	–	–
Death-rate—All Causes - - -	10·6	14·3	12·9
Do. —Phthisis - - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·5.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	–	1	–	–	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	1	–	–	–	–	–	–	–	1	–	1	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	2	–	1	–	1	–	–	1	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	2	–	–	–	–	–	–	–	–	–	1	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	5	3	–	–	–	–	–	–	–	2	1	1	4
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	12	11	1	1	–	1	1	–	1	4	2	3	9

YEAR 1913.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Inverbervie** (Burgh).

Population—Census 1901, - - 1,207.
Do. Do. 1911, - - - 1,173.
Do. estimated to middle of 1913, 1,124.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	2	0	20	8	12
Illegitimate Births -	6	1	0	5	0	5
Marriages - -	9	-	-	-	-	-
Deaths - - -	17	0	2	19	11	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·6	17·8	-
Marriage-rate - - - - -	8·0	-	-
Death-rate—All Causes - - -	15·1	16·9	14·8
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	2·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—150.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—25·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	-	-	-	-	-	1	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	1	-	-	-	-	1	-	-	-	-	1	1
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	11	8	3	2	-	-	3	-	-	-	3	3	5

YEAR 1913.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Laurencekirk** (Burgh).

Population—Census 1901, - - - 1,512.
Do. Do. 1911, - - - 1,438.
Do. estimated to middle of 1913, 1,371.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	27	2	0	25	15	10
Illegitimate Births -	4	0	0	4	2	2
Marriages - -	9	–	–	–	–	–
Deaths - - -	36	0	3	39	18	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·7	18·2	–
Marriage-rate - - - - - -	6·6	–	–
Death-rate—All Causes - - -	26·3	28·4	18·7
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	0·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—320.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	–	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	3	–	–	–	–	–	–	–	–	2	–	3
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	3	–	–	–	–	–	–	–	1	–	1	1
Bronchitis - - - - - -	1	1	–	–	–	–	–	–	–	1	–	–	1
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	2	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	–	–	–	–	–	–	1
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	6	9	–	–	–	–	1	–	2	1	1	1	9
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	18	21	8	–	–	–	1	–	3	5	3	3	16

YEAR 1913.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Stonehaven** (Burgh).

Population—Census 1901, - - - 4,577.
Do. Do. 1911, . - - 4,266.
Do estimated to middle of 1913, 4,048.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	75	0	2	77	49	28
Illegitimate Births -	11	0	1	12	7	5
Marriages - -	29	–	–	–	–	–
Deaths - - -	83	11	3	75	27	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·5	19·0	–
Marriage-rate - - - - -	7·2	–	–
Death-rate—All Causes - - -	20·5	18·5	13·8
Do. —Phthisis - - - -	–	1·7	–
Do. —All Tuberculosis - -	–	2·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —26.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	5	–	–	–	–	1	–	4	1	–	1	–
Tuberculous Meningitis - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease - -	2	1	–	–	–	–	–	–	–	–	–	2	1
Rheumatic Fever - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Meningitis - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	6	–	–	–	–	–	–	–	2	2	6	4
Bronchitis - - - - -	2	4	–	–	–	–	–	–	–	–	–	3	3
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	1	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	–	–	–	1	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	2	–	–	–	–	–	1	–	–	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	20	1	–	–	–	–	–	2	2	2	5	14
Diseases Ill-defined or Unknown -	2	3	–	–	–	–	–	–	–	–	–	3	2
Total - - - -	27	48	2	3	–	–	2	2	8	6	5	22	25

YEAR 1913.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Laurencekirk** (County District).

Population—Census 1901, - - - 4,907.
Do. Do. 1911, - - - 4,668.
Do. estimated to middle of 1913, 4,451.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	119	0	1	120	68	52
Illegitimate Births -	10	0	0	10	6	4
Marriages - - -	17	–	–	–	–	–
Deaths - - -	59	3	4	60	37	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·7	27·0	–
Marriage-rate - - - - - -	3·8	–	–
Death-rate—All Causes - - -	13·3	13·5	11·5
Do. —Phthisis - - - -	–	0·2	–
Do. —All Tuberculosis - -	–	0·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	2	–	–	–	–	–	–	1	–	1	–	–
Cancer, Malignant Disease - -	3	2	–	–	–	–	–	–	–	2	1	–	2
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	2	–	–	–	–	1	1	–	–	1	1	2
Bronchitis - - - - - -	5	4	3	–	–	–	–	–	–	–	–	–	6
Pneumonia (all forms) - - -	6	1	3	1	–	–	–	–	–	–	1	2	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	–	–	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	1	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	1	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	8	1	–	–	–	–	–	–	1	1	3	10
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	37	23	16	1	1	–	2	1	1	3	6	8	21

YEAR 1913.
COUNTY—**Kincardine**.
PUBLIC HEALTH DISTRICT—**Lower Deeside** (County District).

Population—Census 1901, - - - 4,205.
Do. Do. 1911, - - . 3,934.
Do. estimated to middle of 1913, 3,736.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	67	3	4	68	33	35
Illegitimate Births -	10	2	3	11	5	6
Marriages - -	18	-	-	-	-	-
Deaths - - -	53	2	5	56	32	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·9	18·2	-
Marriage-rate - - - - - -	4·8	-	-
Death-rate—All Causes - - -	14·2	15·0	14·1
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —88.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	1	1	1	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	1	-	-	-	-	-	-	-	-	-	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - - -	3	1	-	-	-	-	-	-	-	-	-	-	4
Pneumonia (all forms) - - -	2	2	1	-	-	-	-	-	1	1	-	1	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	2	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	1	-	-	-	-	3	2	2	1	-	-	-
Suicide - - - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - -	11	10	1	-	2	-	-	-	1	2	3	5	7
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	32	24	6	1	4	-	3	3	5	7	3	9	15

YEAR 1913.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**St. Cyrus** (County District).

Population—Census 1901, - - - - 5,036.
Do. Do. 1911, - - - 4,761.
Do. estimated to middle of 1913, - 4,533.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	94	1	4	97	48	49
Illegitimate Births -	11	1	2	12	6	6
Marriages - -	26	-	-	-	-	-
Deaths - - -	72	1	6	77	36	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·7	21·4	-
Marriage-rate - - - - - -	5·7	-	-
Death-rate—All Causes - - -	15·9	17·0	14·7
Do. —Phthisis - - - -	-	1·5	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—124.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	3	2	1	4	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	5	-	-	1	4	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	-	-	-	-	-	1	-	1	-	-
Cancer, Malignant Disease - -	3	2	-	-	-	-	-	-	-	-	2	1	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	1	-	1	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	2	4	-	-	-	-	-	-	-	-	1	4	1
Bronchitis - - - - - -	2	5	1	2	-	-	-	-	-	-	1	1	2
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	1	1	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	1	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	2	-	-	-	-	-	-	-	1	1	1	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	10	1	-	-	-	-	-	-	1	4	6	9
Diseases Ill-defined or Unknown -	2	1	1	-	-	-	-	-	-	1	-	-	1
Total - - - -	36	41	12	8	1	5	1	4	3	3	11	13	16

YEAR 1913.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Stonehaven** (County District).

Population—Census 1901, - - - 5,134.
Do. Do. 1911, - - - 4,564.
Do. estimated to middle of 1913, - 4,279.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	117	2	4	119	55	64
Illegitimate Births -	17	1	3	19	8	11
Marriages - -	21	-	-	-	-	-
Deaths - - -	58	2	4	60	29	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·3	27·8	-
Marriage-rate - - - - -	4·9	-	-
Death-rate—All Causes - - -	13·6	14·0	12·2
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—59.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	3	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	2	-	-	-	-	-	-	-	-	1	4	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	5	-	-	-	1	-	-	1	1	2	1	4
Bronchitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Pneumonia (all forms) - - -	2	2	-	1	1	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	1	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	14	1	1	-	-	-	-	-	-	1	3	16
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	29	31	7	4	4	1	5	1	1	2	6	9	20

YEAR 1913.
COUNTY—**Kincardine.**
PUBLIC HEALTH DISTRICT—**Upper Deeside** (County District).

Population—Census 1901, - - 3,484.
Do. Do. 1911, - - - 3,143.
Do. estimated to middle of 1913, 2,958.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	67	1	1	67	35	32
Illegitimate Births -	9	0	1	10	4	6
Marriages - -	9	–	–	–	–	–
Deaths - - -	48	4	8	52	25	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·7	22·7	–
Marriage-rate - - - - -	3·0	–	–
Death-rate—All Causes - - -	16·2	17·6	15·3
Do. —Phthisis - - - -	–	1·4	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	1	–	–	2	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis -	3	1	–	–	–	–	1	2	1	–	–	–	–
Tuberculous Meningitis - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	2	–	–	–	–	–	–	–	–	–	1	3
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	3	1	1	1	–	–	–	–	1	–	–	–	1
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	1	–	–	–	–	1	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	1	–	–	–	–	–	–	–	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	9	12	1	–	–	1	–	–	–	2	–	7	10
Diseases Ill-defined or Unknown -	2	3	1	–	–	–	–	–	–	1	–	2	1
Total - - - -	25	27	7	2	3	2	1	2	3	3	1	10	18

YEAR 1913.
COUNTY—**Kinross.**
PUBLIC HEALTH DISTRICT—**Kinross** (Burgh).

Population—Census 1901. - - - 2,177.
Do. Do. 1911, - - - 2,618.
Do. estimated to middle of 1913, 2,621.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	62	1	3	64	29	35
Illegitimate Births -	6	0	1	7	4	3
Marriages - -	18	-	-	-	-	-
Deaths - - -	39	2	6	43	18	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	23·7	24·4	-
Marriage-rate - - - - - -	6·9	-	-
Death-rate—All Causes - - -	14·9	16·4	14·4
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	2·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	2	-	1	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	-	-	-	1	-	-	1	-	-	-
Cancer, Malignant Disease - -	1	3	-	-	-	-	-	-	-	-	1	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	6	-	-	-	1	-	-	1	-	2	1	1
Bronchitis - - - - - -	2	1	1	-	-	-	-	-	-	1	-	-	1
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	1	-	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	1	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	1	-	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	8	-	-	-	-	-	1	1	1	1	3	5
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	18	25	5	1	2	1	2	3	4	4	5	7	9

YEAR 1913.
COUNTY—**Kinross.**
PUBLIC HEALTH DISTRICT—**Kinross** (County District).

Population—Census 1901, - - - 4,804.
Do. Do. 1911, - - - 4,909.
Do. estimated to middle of 1913, 4,758.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	102	2	5	105	52	53
Illegitimate Births -	12	2	3	13	8	5
Marriages - -	17	-	-	-	-	-
Deaths - - -	69	6	8	71	26	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·4	22·1	-
Marriage-rate - - - - - -	3·6	-	-
Death-rate—All Causes - - -	14·5	14·9	12·8
Do. —Phthisis - - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	4	-	-	-	-	3	3	-	-	-	-	-
Tuberculous Meningitis - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	7	-	-	-	-	-	-	1	1	1	3	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	1	-	-	-	-	-	-	-	-	1	1	4
Bronchitis - - - - - -	2	2	-	-	-	-	-	-	-	1	-	-	3
Pneumonia (all forms) - - -	-	2	-	1	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	1	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	3	1	-	-	-	-	-	1	1	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	17	1	2	-	-	-	2	-	2	2	5	11
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	-	-	2
Total - - - -	26	45	6	6	-	1	5	5	2	5	4	10	27

YEAR 1913.
COUNTY—**Kirkcudbright**.
PUBLIC HEALTH DISTRICT—**Castle-Douglas** (Burgh).

Population—Census 1901, - - - 3,018.
Do. Do. 1911, - - - 3,016.
Do. estimated to middle of 1913, 2,909.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	2	1	46	23	23
Illegitimate Births -	5	0	1	6	2	4
Marriages - -	11	-	-	-	-	-
Deaths - - -	43	5	3	41	18	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·2	15·8	-
Marriage-rate - - - - - -	3·8	-	-
Death-rate—All Causes - - -	14·8	14·1	12·9
Do. —Phthisis - - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	2·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	1	2	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	2	1	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	5	-	-	-	-	-	-	1	1	1	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	5	-	-	-	-	-	-	-	2	1	1	4
Bronchitis - - - - - -	3	-	-	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms) - - -	1	1	-	1	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	-	1	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	5	-	-	-	-	-	-	1	-	1	2	5
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	18	23	2	4	1	1	3	1	2	4	6	5	12

YEAR 1913.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Dalbeattie** (Burgh).

Population—Census 1901, - - - 3,469.
Do. Do. 1911, - - 3,357.
Do. estimated to middle of 1913, 3,214.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	67	1	0	66	35	31
Illegitimate Births -	11	0	0	11	6	5
Marriages - -	19	–	–	–	–	–
Deaths - - -	40	2	4	42	23	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·8	20·5	–
Marriage-rate - - - - -	5·9	–	–
Death-rate—All Causes - - -	12·4	13·1	11·9
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	0·9	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	1	–	–	–	–	–	–	1	1	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	2	–	–	–	–	–	–	–	–	–	2	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	5	–	–	–	–	–	–	–	1	1	2	3
Bronchitis - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Pneumonia (all forms) - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Respiratory Organs	1	1	–	1	–	–	–	1	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	–	2	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	1	–	–	–	–	1	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	9	5	1	–	–	–	–	–	–	–	3	5	5
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	23	19	5	2	–	–	–	1	3	3	6	10	12

YEAR 1913.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Gatehouse** (Burgh).

Population—Census 1901, - - - 1,013.
Do. Do. 1911, - - - 1,032.
Do. estimated to middle of 1913, 999.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	17	0	0	17	7	10
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	2	–	–	–	–	–
Deaths - - -	22	0	0	22	10	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·0	17·0	–
Marriage-rate - - - - -	2·0	–	–
Death-rate—All Causes - - -	22·0	22·0	15·6
Do. —Phthisis - - - -	–	2·0	–
Do —All Tuberculosis - -	–	2·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	–	1	–	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	3	–	–	–	–	–	–	2	1	–	–	3
Bronchitis - - - - - -	–	3	–	–	–	–	–	–	–	–	–	1	2
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–		–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	1	–	–	–
Suicide - - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	2	–	–	1	–	–	–	–	–	2	1	2
Diseases Ill-defined or Unknown -	1	1	–	–	–	–	–	–	–	–	–	–	2
Total - - - -	10	12	–	–	1	–	1	–	2	3	2	3	10

YEAR 1913.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Kirkcudbright** (Burgh).

Population—Census 1901, - - - 2,386.
Do. Do. 1911, - - - 2,205.
Do. estimated to middle of 1913, 2,087.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	2	3	34	14	20
Illegitimate Births -	7	0	0	7	1	6
Marriages - -	17	-	-	-	-	-
Deaths - - -	40	1	6	45	25	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·8	16·3	-
Marriage-rate - - - - -	8·1	-	-
Death-rate—All Causes - - -	19·2	21·6	18·1
Do. —Phthisis - - - -	-	2·4	-
Do. —All Tuberculosis - -	-	3·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—147.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	1	-	1	-	-	1	2	-	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	1	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	2	-	-	-	-	-	-	2	-	3	1	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	1	-	-	-	-	-	-	-	-	2	1	1
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	1	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	12	2	-	-	-	-	1	3	2	3	2	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	25	20	5	2	-	2	1	3	5	3	10	6	8

YEAR 1913.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Maxwelltown** (Burgh).

Population—Census 1901, - - - 5,796.
Do. Do. 1911, - - - 6,200.
Do. estimated to middle of 1913, 6,068.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	115	0	2	117	56	61
Illegitimate Births -	8	0	0	8	3	5
Marriages - -	36	–	–	–	–	–
Deaths - - -	66	2	16	80	34	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·0	19·3	-
Marriage-rate - - - - - -	5·9	–	–
Death-rate—All Causes - - -	10·9	13·2	13·5
Do. —Phthisis - - - -	–	1·3	-
Do. —All Tuberculosis - -	–	2·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	7	–	–	–	1	3	3	1	–	–	–	–
Tuberculous Meningitis - - -	2	–	–	1	–	–	–	–	1	–	–	–	–
Abdominal Tuberculosis - - -	1	2	1	1	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	2	–	–	1	–	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	3	4	–	–	–	–	–	1	1	–	2	2	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	6	–	–	–	–	–	–	–	2	4	1	2
Bronchitis - - - - -	2	6	1	1	–	–	–	–	–	1	2	–	3
Pneumonia (all forms) - - -	5	1	–	1	1	–	–	–	1	–	2	1	–
Other Diseases of Respiratory Organs	–	2	–	–	–	–	–	–	–	–	2	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	1	–	–	–	–	–	–	–	2	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	4	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	12	8	3	2	–	–	1	–	1	2	2	–	9
Diseases Ill-defined or Unknown -	1	1	1	1	–	–	–	–	–	–	–	–	–
Total - - - -	34	46	12	9	3	1	5	4	6	7	14	4	15

YEAR 1913.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**New Galloway** (Burgh).

Population—Census 1901, - - - 376.
Do. Do. 1911, - - - 352.
Do. estimated to middle of 1913, 334.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	1	1	10	5	5
Illegitimate Births -	2	0	0	2	2	0
Marriages -	1	–	–	–	–	–
Deaths - - -	6	0	1	7	4	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	29·9	29·9	–
Marriage-rate - - - - -	3·0	–	–
Death-rate—All Causes - - -	18·0	21·0	17·4
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	4	3	–	–	–	–	–	1	–	–	2	2	2

YEAR 1913.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Eastern Kirkcudbright** (County District).

Population—Census 1901, - - - 8,021.
Do. Do. 1911, - - - 7,553.
Do. estimated to middle of 1913, 7,183.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	131	2	4	133	65	68
Illegitimate Births -	8	0	1	9	7	2
Marriages - -	29	–	–	–	–	–
Deaths - - -	98	3	14	109	49	60

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·2	18·5	–
Marriage-rate - - - - -	4·0	–	–
Death-rate—All Causes - - -	13·6	15·2	13·3
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births) corrected—60.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	2	–	–	–	1	–	3	–	2	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	1	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	6	5	–	–	–	–	–	–	–	1	4	5	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	5	7	–	–	–	–	–	–	1	–	2	4	5
Bronchitis - - - - -	4	3	–	–	–	–	–	–	2	–	–	1	4
Pneumonia (all forms) - - -	–	2	–	–	–	–	–	–	–	–	1	–	1
Other Diseases of Respiratory Organs	1	4	–	–	–	–	–	1	–	2	1	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	2	1	–	–	–	–	–	1	–	–	2	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	1	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	1	–	–	–	–	1	1	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	17	27	3	–	–	–	1	1	2	4	3	11	19
Diseases Ill-defined or Unknown -	2	1	1	–	–	–	–	–	–	–	2	–	–
Total - - - -	49	60	8	1	1	2	3	7	8	10	13	25	31

YEAR 1913.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**Northern Kirkcudbright** (County District).

Population—Census 1901, - - - 2,926.
Do. Do. 1911, - - - 2,814.
Do. estimated to middle of 1913, 2,690.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	2	1	56	33	23
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	24	-	-	-	-	-
Deaths - - -	41	2	5	44	28	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·2	20·8	-
Marriage-rate - - - - -	8·9	-	-
Death-rate—All Causes - - -	15·2	16·4	13·9
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	1	2	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	3	-	1	-	1	-	-	-	-	1	2	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	-	1	2
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	1	-	-	2
Pneumonia (all forms) - - -	2	1	-	-	-	-	-	-	-	1	-	2	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	-	-	1	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	4	1	-	-	-	-	-	-	-	5	4	4
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	28	16	6	1	1	1	1	2	-	3	9	11	9

YEAR 1913.
COUNTY—**Kirkcudbright.**
PUBLIC HEALTH DISTRICT—**Southern Kirkcudbright** (County District).

Population—Census 1901, - - - 8,363.
Do. Do. 1911, - - - 8,257.
Do. estimated to middle of 1913, 7 945.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	182	1	4	185	86	99
Illegitimate Births -	26	1	2	27	12	15
Marriages - -	58	-	-	-	-	-
Deaths - - -	106	8	19	117	47	70

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·9	23·3	-
Marriage-rate - - - - -	7·3	-	-
Death-rate—All Causes - - -	13·3	14·7	13·5
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	4	-	-	-	-	-	2	-	3	1	-	-
Tuberculous Meningitis - - -	-	2	-	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	8	7	-	-	-	-	-	-	1	2	3	6	3
Rheumatic Fever - - - - -	-	2	-	-	-	-	1	-	-	1	-	-	-
Meningitis - - - - - -	2	1	1	-	-	-	1	1	-	-	-	-	-
Organic Heart Disease - - -	4	8	-	-	-	-	-	-	-	1	3	5	3
Bronchitis - - - - - -	2	4	-	-	-	-	-	-	-	2	-	-	4
Pneumonia (all forms) - - -	3	5	1	2	-	-	-	-	-	2	1	-	2
Other Diseases of Respiratory Organs	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	1	1	-	-	-	-	-	-	2	1	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	5	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	2	-	-	1	-	-	1	-	-	-	1	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	15	22	1	-	2	-	1	1	2	3	4	10	13
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	1	-	-	-	-	-
Total - - - -	47	70	14	4	4	-	3	6	4	17	14	24	27

YEAR 1913.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**Western Kirkcudbright** (County District).

Population—Census 1901, - - - 4,015.
Do. Do. 1911, - - - 3,581.
Do. estimated to middle of 1913, 3,360.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	61	1	4	64	27	37
Illegitimate Births -	6	1	1	6	3	3
Marriages - -	13	-	-	-	-	-
Deaths - - -	34	2	9	41	20	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·2	19·0	-
Marriage-rate - - - - -	3·9	-	-
Death-rate—All Causes - - -	10·1	12·2	11·6
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	1	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	5	-	-	-	-	-	-	-	-	2	1	2
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	3	1	-
Pneumonia (all forms) - - -	2	1	-	1	-	-	-	-	-	-	-	2	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	1	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	1	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	1	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	4	1	-	-	-	-	-	1	1	-	7	3
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	20	21	5	2	-	1	3	-	2	1	7	13	7

YEAR 1913.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Airdrie** (Burgh).

Population—Census 1901, - - - 22,288.
Do. Do. 1911, - - - 24,388.
Do. estimated to middle of 1913, 23,981.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	753	3	9	759	365	394
Illegitimate Births -	37	1	3	39	18	21
Marriages - -	218	–	–	–	–	–
Deaths - - -	307	2	38	343	166	177

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·4	31·7	–
Marriage-rate - - - - -	9·1	–	–
Death-rate—All Causes - - -	12·8	14·3	15·8
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	2	5	2	5	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	5	–	3	2	1	–	–	–	–	–	–	–
*Whooping-cough - - -	4	2	2	4	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	4	–	1	2	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis -	14	10	–	–	–	–	7	6	6	2	2	1	–
Tuberculous Meningitis - - -	4	1	1	2	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	3	–	2	1	–	–	1	–	1	–	–	–
Other Tuberculous Diseases - -	2	3	1	–	1	1	1	1	–	–	–	–	–
Cancer, Malignant Disease - -	8	12	–	1	–	–	1	2	4	6	3	2	1
Rheumatic Fever - - - - -	1	1	–	–	–	1	1	–	–	–	–	–	–
Meningitis - - - - - -	2	4	1	4	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	13	19	–	–	–	–	2	1	2	5	9	8	5
Bronchitis - - - - - -	9	8	–	1	–	–	–	–	1	2	2	5	6
Pneumonia (all forms) - - -	17	18	7	11	–	–	–	4	1	3	3	4	2
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	5	6	7	4	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	3	1	–	1	–	–	3	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	7	3	1	1	1	1	–	2	–	–	3	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	1	3	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	14	13	27	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	8	6	–	3	–	–	2	1	–	2	3	2	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	36	41	7	2	1	–	2	2	5	5	10	19	24
Diseases Ill-defined or Unknown -	9	9	4	2	–	–	–	–	1	1	4	5	1
Total - - - -	166	177	62	48	10	4	20	24	21	27	39	47	41

YEAR 1913.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Biggar** (Burgh).

Population—Census 1901, - - - 1,366.
Do. Do. 1911, - - - 1,326.
Do. estimated to middle of 1913, 1,270

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	0	0	16	12	4
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	8	-	-	-	-	-
Deaths - - -	19	3	1	17	9	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	12·6	12·6	-
Marriage-rate - - - - - -	6·3	-	-
Death-rate—All Causes - - -	15·0	13·4	10·8
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	3	-	-	-	-	-	-	-	-	-	3	-
Rheumatic Fever - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	1	-	1	-
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	1	-	-	-	-	-	-	1	-	-	3	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	9	8	-	-	1	-	-	-	2	2	1	8	3

YEAR 1913.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Coatbridge** (Burgh).

Population—Census 1901, - - - 36,991.
Do. Do. 1911, - - - 43,286.
Do. estimated to middle of 1913, 43,189.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1398	15	9	1392	744	648
Illegitimate Births -	74	9	3	68	38	30
Marriages - -	239	–	–	–	–	–
Deaths - - -	708	27	42	723	398	325

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	32·4	32·2	–
Marriage-rate - - - - -	5·5	–	–
Death-rate—All Causes - - -	16·4	16·7	18·1
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	2·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 126.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	7	4	3	7	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	2	1	–	3	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	7	11	8	10	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	4	2	2	2	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Erysipelas - - - - - -	1	1	–	–	–	–	–	1	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis -	23	27	–	–	1	6	10	15	11	4	3	–	–
Tuberculous Meningitis - - -	5	8	2	9	1	1	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	7	9	2	7	3	–	3	1	–	–	–	–	–
Other Tuberculous Diseases - -	7	5	–	3	–	1	–	1	4	–	1	2	–
Cancer, Malignant Disease - -	17	16	–	–	–	–	–	–	3	9	11	9	1
Rheumatic Fever - - - - -	3	–	–	–	–	1	1	1	–	–	–	–	–
Meningitis - - - - - -	6	7	4	6	3	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	30	26	1	–	1	–	–	4	3	10	9	22	6
Bronchitis - - - - - -	36	22	17	6	–	–	–	–	3	3	13	8	8
Pneumonia (all forms) - - -	43	33	21	21	2	–	3	6	5	6	6	5	1
Other Diseases of Respiratory Organs	10	2	4	1	1	1	–	1	–	–	3	1	–
*Diarrhœa and Enteritis (under 2 years)	8	9	16	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	3	2	–	–	–	–	–	–	1	3	–	1	–
Other Diseases of Digestive System (under 2 years)	1	1	1	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	10	–	1	1	1	–	2	3	5	2	–	–
Puerperal Sepsis - - - - -	–	2	–	–	–	–	–	2	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	3	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	40	27	67	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	33	7	1	4	–	2	5	8	4	7	4	4	1
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	90	72	25	9	5	–	3	7	13	21	29	23	27
Diseases Ill-defined or Unknown -	11	11	2	3	–	–	–	–	3	5	4	3	2
Total - - - - -	398	325	173	94	21	14	28	51	53	75	87	78	46

YEAR 1913.
COUNTIES—Lanark and Renfrew.
PUBLIC HEALTH DISTRICT—Glasgow (Burgh).

Population—Census 1901, - - - 953,800.
Do. Do. 1911, - - - 1,008,487.
Do. estimated to middle of 1913, 1,029,478.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28,822	310	179	28,691	14,615	14,076
Illegitimate Births -	1,967	171	50	1,846	940	906
Marriages - -	9,812	-	-	-	-	-
Deaths - - -	17,777	828	744	17,693	9,119	8,574

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·0	27·9	-
Marriage-rate - - - - -	9·5	-	-
Death-rate—All Causes - - -	17·3	17·2	18·9
Do. —Phthisis - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—129.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Ages										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	20	16	-	1	1	2	5	12	12	1	2	-	-
Typhus Fever - - - - -	1	5	-	-	-	-	1	1	2	1	1	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	311	267	129	413	33	2	1	-	-	-	-	-	-
*Scarlet Fever - - - - -	56	80	4	84	31	7	4	5	1	-	-	-	-
*Whooping-cough - - - -	358	391	318	411	19	1	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	103	92	32	116	37	3	6	-	1	-	-	-	-
Influenza - - - - - -	15	17	1	1	-	-	1	-	1	6	-	14	8
Erysipelas - - - - - -	33	29	16	1	-	-	-	5	7	11	7	10	5
Phthisis, Pulmonary Tuberculosis -	797	673	6	34	27	62	285	366	304	224	122	35	5
Tuberculous Meningitis - - -	173	134	77	143	46	22	10	3	3	3	-	-	-
Abdominal Tuberculosis - - -	122	91	41	86	36	15	15	5	7	4	2	2	-
Other Tuberculous Diseases - -	127	116	26	38	30	28	45	28	18	11	11	7	1
Cancer, Malignant Disease - -	461	595	1	-	2	2	7	32	96	226	352	247	91
Rheumatic Fever - - - -	23	29	-	-	2	8	12	14	6	4	3	2	1
Meningitis - - - - -	131	105	92	91	18	6	10	4	5	6	2	2	-
Organic Heart Disease - - -	539	632	5	5	11	27	63	84	134	201	265	263	113
Bronchitis - - - - -	633	634	219	87	5	3	8	20	54	128	238	314	191
Pneumonia (all forms) - - -	1027	750	454	417	40	10	58	92	144	163	190	138	71
Other Diseases of Respiratory Organs	139	121	65	45	4	4	8	11	20	25	27	30	21
*Diarrhœa and Enteritis (under 2 years)	339	298	504	133	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	44	41	-	5	15	12	18	10	8	8	7	1	1
All Liver Diseases (not Malignant) -	62	62	1	4	-	1	1	2	15	29	42	16	13
Other Diseases of Digestive System (under 2 years)	53	44	88	9	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	306	266	2	12	15	8	28	48	65	126	124	113	31
Puerperal Sepsis - - - -	-	54	-	-	-	-	14	24	16	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	120	-	-	-	-	25	58	35	2	-	-	-
Congenital Debility and Malformation, including Premature Birth	655	508	1144	13	2	2	2	1	-	-	-	-	-
Violent Deaths, excluding Suicide -	*472	222	63	98	40	20	71	81	89	89	62	49	30
Suicide - - - - - -	42	8	-	-	-	1	6	10	8	15	5	4	1
Other Defined Diseases - - -	1838	1971	365	148	70	44	100	171	296	441	599	827	748
Diseases Ill-defined or Unknown -	239	203	54	31	1	4	6	14	40	64	84	93	51
Total - - - -	*9119	8574	3707	2426	485	294	810	1101	1387	1788	2145	2167	1382

* Including 1 of unspecified age.

YEAR 1913.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Hamilton** (Burgh).

Population—Census 1901, - - - 32,775.
Do. / Do. 1911, - - - 38,644.
Do. estimated to middle of 1913, 38,600.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,253	17	22	1,258	655	603
Illegitimate Births -	62	8	7	61	41	20
Marriages - -	297	-	-	-	-	-
Deaths - - -	541	24	72	589	309	280

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	32·5	32·6	-
Marriage-rate - - - - - -	7·7	-	-
Death-rate—All Causes - - -	14·0	15·3	16·5
Do. —Phthisis - - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—114.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	7	10	1	15	-	1	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	3	-	1	1	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	16	17	14	19	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	6	7	4	8	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1
Erysipelas - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	25	22	-	1	4	1	8	12	10	7	3	1	-
Tuberculous Meningitis - - -	7	7	3	7	2	1	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	6	4	5	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - - -	10	4	1	7	2	2	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	9	15	-	-	1	-	2	-	5	3	4	9	-
Rheumatic Fever - - - -	2	1	-	1	-	-	1	1	-	-	-	-	-
Meningitis - - - - - -	4	3	1	4	2	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	19	18	1	-	-	1	1	2	5	4	10	10	3
Bronchitis - - - - - -	18	15	5	3	-	-	-	2	-	6	6	6	5
Pneumonia (all forms) - - -	33	16	11	14	-	-	4	-	9	2	3	5	1
Other Diseases of Respiratory Organs	3	6	2	2	-	-	1	-	1	-	-	1	2
*Diarrhœa and Enteritis (under 2 years)	12	17	23	6	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	1	-	-	-	1	1	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	3	6	7	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	4	9	-	-	-	1	-	3	3	1	3	1	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	-	-	1	4	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	38	18	56	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	21	4	-	2	-	2	3	6	1	6	5	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	55	63	11	3	1	1	6	5	8	10	18	27	28
Diseases Ill-defined or Unknown -	8	7	-	-	-	-	-	1	2	2	3	4	3
Total - - - - -	309	280	144	100	14	12	29	33	49	42	58	64	44

YEAR 1913.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Lanark** (Burgh).

Population—Census 1901, - - - 5,359.
Do. Do. 1911, - - - 5,900.
Do. estimated to middle of 1913, 5,809.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	112	2	1	111	54	57
Illegitimate Births -	7	1	0	6	2	4
Marriages -	42	-	-	-	-	-
Deaths - - -	97	13	9	93	43	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·3	19·1	-
Marriage-rate - - - - - -	7·2	-	-
Death-rate—All Causes - - -	16·7	16·0	15·6
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	3	2	1	4	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	3	-	1	1	-	-	-
Tuberculous Meningitis - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	1	6	-	-	-	-	-	-	1	1	-	3	2
Rheumatic Fever - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	7	-	-	-	-	1	-	-	2	3	4	2
Bronchitis - - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	3	3	2	1	1	-	-	1	-	-	1	-	-
Other Diseases of Respiratory Organs	1	1	1	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	1	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	-	1	1	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	1	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	18	15	-	1	-	-	1	2	6	3	4	9	7
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - -	43	50	11	10	3	-	6	3	9	9	9	18	15

YEAR 1913.
COUNTY—**Lanark**.
PUBLIC HEALTH DISTRICT—**Motherwell** (Burgh).

Population—Census 1901, - - - 31,144.
Do. Do. 1911, , - - 40,380.
Do. estimated to middle of 1913, 41,109.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1343	7	15	1351	659	692
Illegitimate Births -	39	1	4	42	21	21
Marriages -	258	–	–	–	–	–
Deaths - - -	515	1	54	568	301	267

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	32·7	32·9	–
Marriage-rate - - - - - -	6·3	–	–
Death-rate—All Causes - - -	12·5	13·8	15·6
Do. —Phthisis - - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	11	8	5	13	-	-	-	1	-	-	-	-	-
*Scarlet Fever - - - - - -	7	7	-	8	5	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	24	24	20	28	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	5	1	4	2	-	-	-	-	-	-	-	-
Influenza - - - - - - -	2	1	-	-	-	-	-	-	-	-	1	2	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	21	18	1	1	2	3	10	8	4	5	3	2	-
Tuberculous Meningitis - -	6	5	1	7	3	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	1	1	5	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	6	3	-	1	-	-	1	5	1	1	-	-	-
Cancer, Malignant Disease - -	14	17	-	-	-	-	-	2	4	8	8	5	4
Rheumatic Fever - - - - -	3	1	-	-	-	-	2	2	-	-	-	-	-
Meningitis - - - - - -	3	6	5	4	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	10	-	-	-	-	-	1	2	6	9	-	-
Bronchitis - - - - - -	20	17	6	2	-	-	-	-	-	5	11	10	3
Pneumonia (all forms) - - -	30	18	7	8	1	-	4	7	11	5	3	1	1
Other Diseases of Respiratory Organs	6	6	2	1	-	1	1	1	1	2	2	-	1
*Diarrhœa and Enteritis (under 2 years)	15	9	22	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	1	-	-	1	-	-	-	1	-	1	-	-
All Liver Diseases (not Malignant) -	5	1	-	-	-	-	-	1	2	2	-	1	-
Other Diseases of Digestive System (under 2 years)	3	3	6	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	9	9	-	1	-	-	2	1	2	4	3	2	3
Puerperal Sepsis - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	7	-	-	-	-	1	4	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	22	22	44	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	14	2	2	2	1	-	-	3	2	4	-	2	-
Suicide - - - - - - -	1	3	-	-	-	-	-	-	2	-	1	1	-
Other Defined Diseases - - -	59	58	10	6	2	-	3	5	12	16	14	30	19
Diseases Ill-defined or Unknown -	2	3	1	-	1	-	-	-	-	1	1	1	-
Total - - - -	301	267	136	91	18	6	26	41	46	59	57	57	31

YEAR 1913.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Rutherglen** (Burgh).

Population—Census 1901, - - - 18,593.
Do. Do. 1911, - - - 24,319.
Do. estimated to middle of 1913, 24,701.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	655	3	21	673	319	354
Illegitimate Births -	22	1	8	29	14	15
Marriages - -	204	–	–	–	–	–
Deaths - - -	267	7	70	330	172	158

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·5	27·2	–
Marriage-rate - - - - -	8·3	–	–
Death-rate—All Causes - - -	10·8	13·4	14·8
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	4	3	1	6	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	2	–	–	2	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	8	8	8	7	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	4	1	1	3	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	12	4	–	–	1	1	5	–	2	5	2	–	–
Tuberculous Meningitis - - -	3	2	1	2	–	–	1	–	1	–	–	–	–
Abdominal Tuberculosis - - -	2	2	–	2	–	–	1	–	1	–	–	–	–
Other Tuberculous Diseases - -	1	1	2	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	7	16	–	1	–	–	–	1	1	7	9	2	2
Rheumatic Fever - - - -	1	1	–	1	–	1	–	–	–	–	–	–	–
Meningitis - - - - - -	2	1	1	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	18	–	–	–	3	1	–	6	1	6	4	5
Bronchitis - - - - - -	10	7	–	–	–	–	–	–	1	4	5	6	1
Pneumonia (all forms) - - -	17	11	8	4	2	–	1	2	1	4	3	2	1
Other Diseases of Respiratory Organs	3	–	–	2	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	5	5	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	3	–	–	–	2	–	1	1	1	–	–	–
All Liver Diseases (not Malignant) -	3	3	–	1	–	1	–	–	1	2	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	10	4	–	–	–	–	–	2	1	5	3	2	1
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	17	13	30	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	3	1	–	1	–	3	1	1	2	–	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Defined Diseases - - -	42	47	2	2	–	3	1	2	8	12	12	23	24
Diseases Ill-defined or Unknown -	5	4	–	3	–	–	–	2	1	–	2	1	–
Total - - - -	172	158	60	40	6	11	13	12	26	44	43	41	34

YEAR 1913.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Wishaw** (Burgh).

Population—Census 1901, - - - 20,873.
Do. Do. 1911, - - - 25,263.
Do. estimated to middle of 1913 25,322.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	869	12	10	867	420	447
Illegitimate Births -	42	3	8	47	21	26
Marriages - -	158	-	-	-	-	-
Deaths - - -	329	4	35	360	197	163

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	34·3	34·2	-
Marriage-rate - - - - - -	6·2	-	-
Death-rate—All Causes - - -	13·0	14·2	15·4
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	3	-	-	3	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	8	10	11	7	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	6	-	4	4	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	2	1	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	8	9	-	-	1	1	3	4	2	5	1	-	-
Tuberculous Meningitis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	4	2	3	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	5	2	1	1	1	-	1	1	1	-	-	1	-
Cancer, Malignant Disease - -	12	9	-	-	-	-	-	1	1	5	4	10	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - - -	2	3	3	-	-	-	-	1	1	-	-	-	-
Organic Heart Disease - - -	16	15	-	-	-	1	-	2	1	8	7	6	6
Bronchitis - - - - - -	20	9	9	3	-	-	-	-	-	3	3	8	3
Pneumonia (all forms) - - -	13	13	9	8	-	-	1	-	3	1	1	2	1
Other Diseases of Respiratory Organs	-	6	2	-	-	-	-	1	-	-	-	3	-
*Diarrhœa and Enteritis (under 2 years)	5	8	10	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	1	-	-	1	-	1	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	4	2	3	3	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	5	-	1	1	-	-	1	1	2	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	24	17	39	2	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	10	5	1	2	-	2	3	3	1	-	2	1	-
Suicide - - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	48	32	12	7	2	2	-	3	7	9	12	14	12
Diseases Ill-defined or Unknown -	10	1	-	1	-	-	-	-	2	2	1	2	3
Total - - -	197	163	104	49	10	7	9	18	20	37	34	47	25

YEAR 1913.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Lower Lanark** (County District).

Population—Census 1901, - - - 20,877.
Do. Do. 1911, - - - 28,484.
Do. estimated to middle of 1913, 29,127.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	714	8	11	717	358	359
Illegitimate Births -	23	0	6	29	14	15
Marriages - -	118	–	–	–	–	–
Deaths - - -	427	118	48	357	207	150

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·5	24·6	–
Marriage-rate - - - - - -	4·1	–	–
Death-rate—All Causes - - -	14·7	12·3	13·1
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	1	–	2	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	3	2	–	3	2	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	6	–	3	2	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	4	2	2	3	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	3	–	–	–	–	–	–	–	–	–	1	2
Erysipelas - - - - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis -	7	14	–	1	–	4	5	6	5	–	–	–	–
Tuberculous Meningitis - - -	5	2	1	3	1	2	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	4	2	2	1	–	1	–	–	1	–	–	–
Other Tuberculous Diseases - -	2	–	–	–	–	–	–	1	–	1	–	–	–
Cancer, Malignant Disease - -	11	8	–	–	–	–	1	–	4	4	3	1	6
Rheumatic Fever - - - - -	1	1	–	–	–	–	1	1	–	–	–	–	–
Meningitis - - - - - -	5	9	5	6	1	–	1	–	–	1	–	–	–
Organic Heart Disease - - -	23	9	1	–	1	1	1	2	4	8	8	2	4
Bronchitis - - - - - -	12	11	7	5	–	–	–	–	–	1	4	4	2
Pneumonia (all forms) - - -	21	5	6	6	–	–	1	1	2	5	3	1	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	4	2	6	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	–	1	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	6	–	–	1	–	–	–	3	1	2	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	3	–	–	–	–	–	3	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	11	11	20	1	–	–	–	–	1	–	–	–	–
Violent Deaths, excluding Suicide -	33	3	2	2	2	–	9	8	3	5	2	3	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	45	48	6	5	1	4	2	3	1	8	17	18	28
Diseases Ill-defined or Unknown -	7	4	–	2	–	–	–	–	1	3	–	4	1
Total - - - -	207	150	61	43	12	11	22	25	25	38	41	35	44

YEAR 1913.
COUNTY—**Lanark**.
PUBLIC HEALTH DISTRICT—**Middle Lanark** (County District).

Population—Census 1901, - - - - 178,637.
Do. Do. 1911, - - - - 202,663.
Do. estimated to middle of 1913, 200,706.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	6,908	67	75	6,916	3,512	3,404
Illegitimate Births -	317	33	37	321	171	150
Marriages - -	1,322	–	–	–	–	–
Deaths - - -	2,937	168	240	3,009	1,567	1,442

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	34·4	34·5	–
Marriage-rate - - - - - -	6·6	–	–
Death-rate—All Causes - - -	14·6	15·0	16·0
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—123.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	3	3	–	1	1	1	1	1	1	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	40	37	15	59	3	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	12	17	1	11	11	3	2	1	–	–	–	–	–
*Whooping-cough - - - - -	54	53	64	42	–	–	1	–	–	–	–	–	–
*Diphtheria and Croup - - -	10	12	2	14	4	1	1	–	–	–	–	–	–
Influenza - - - - - - -	5	3	–	–	–	–	–	4	–	1	1	1	1
Erysipelas - - - - - -	2	4	1	–	–	–	1	–	–	1	2	–	1
Phthisis, Pulmonary Tuberculosis -	91	85	1	3	11	10	43	32	38	25	12	–	1
Tuberculous Meningitis - - -	34	33	20	28	11	3	–	5	–	–	–	–	–
Abdominal Tuberculosis - - -	30	28	18	26	5	4	–	2	1	1	–	1	–
Other Tuberculous Diseases - -	20	13	7	4	3	–	7	7	2	3	–	–	–
Cancer, Malignant Disease - -	57	89	–	1	–	–	2	4	15	30	46	35	13
Rheumatic Fever - - - -	6	8	–	–	2	2	1	3	2	2	2	–	–
Meningitis - - - - - -	41	40	36	30	5	3	3	–	–	3	1	–	–
Organic Heart Disease - - -	105	117	2		3	2	9	8	25	32	60	58	23
Bronchitis - - - - - -	113	70	39	12	1	2	–	2	5	15	39	47	21
Pneumonia (all forms) - - -	150	114	85	57	5	1	4	9	18	27	21	26	11
Other Diseases of Respiratory Organs	20	13	3	10	3	–	2	–	2	2	2	5	4
*Diarrhœa and Enteritis (under 2 years)	89	93	151	31	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	11	4	–	–	4	4	2	1	1	1	1	1	–
All Liver Diseases (not Malignant) -	8	15	1	–	–	–	1	3	1	7	3	5	2
Other Diseases of Digestive System (under 2 years)	21	10	26	5	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	33	31	–	6	–	1	2	3	11	12	14	12	3
Puerperal Sepsis - - - -	–	11	–	–	–	–	1	6	4	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	34	–	–	–	–	5	13	13	3	–	–	–
Congenital Debility and Malformation, including Premature Birth	159	124	283	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	87	28	8	9	3	11	15	16	17	15	9	5	7
Suicide - - - - - - -	4	3	–	–	–	–	–	–	3	2	1	1	–
Other Defined Diseases - - -	326	316	68	36	13	11	21	27	40	60	102	138	126
Diseases Ill-defined or Unknown -	36	34	17	11	–	–	–	2	5	10	8	9	8
Total - - - -	1567	1442	848	396	88	59	124	149	204	252	324	344	221

YEAR 1913.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Upper Lanark** (County District).

Population—Census 1901, - - 40,145.
Do. Do. 1911, - - - 42,978.
Do. estimated to middle of 1913, 42,072.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,140	12	22	1,150	580	570
Illegitimate Births -	70	1	9	78	40	38
Marriages - -	242	-	-	-	-	-
Deaths - - -	520	21	32	531	263	268

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	27·1	27·3	-
Marriage-rate - - - - - -	5·8	-	-
Death-rate—All Causes - - -	12·4	12·6	12·7
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	3	2	-	4	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	6	2	8	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	7	6	-	4	6	3	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis -	17	19	-	1	-	1	12	8	5	4	2	3	-
Tuberculous Meningitis - - -	3	3	1	2	2	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	1	2	1	2	1	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	1	2	-	1	-	-	1	1	-	-	-	-	-
Cancer, Malignant Disease - -	22	26	-	-	1	-	-	-	4	5	12	18	8
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	4	3	1	2	-	-	-	1	2	-	1	-	-
Organic Heart Disease - - -	29	30	-	-	-	-	3	-	2	6	14	22	12
Bronchitis - - - - - -	17	15	6	1	-	-	-	1	1	1	7	8	7
Pneumonia (all forms) - - -	17	21	7	10	1	1	1	2	1	2	2	6	5
Other Diseases of Respiratory Organs	7	5	1	-	-	-	-	1	-	1	4	2	3
*Diarrhœa and Enteritis (under 2 years)	5	3	7	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	6	-	-	1	1	2	1	1	-	1	-	-
All Liver Diseases (not Malignant) -	2	3	1	-	-	-	-	1	-	-	-	1	2
Other Diseases of Digestive System (under 2 years)	3	2	4	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	7	-	-	1	-	-	1	2	3	1	3	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	7	-	-	-	-	2	5	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	22	17	39	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	17	4	1	2	1	2	6	5	2	-	2	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	60	79	5	2	-	1	1	7	8	15	22	31	47
Diseases Ill-defined or Unknown -	8	2	1	-	-	-	-	-	1	1	3	2	2
Total - - - -	263	268	84	33	17	11	28	35	30	38	71	97	87

YEAR 1913.
COUNTY—**Linlithgow**.
PUBLIC HEALTH DISTRICT—**Armadale** (Burgh).

Population—Census 1901, - - - 3,921.
Do. Do. 1911, - - - 4,739.
Do. estimated to middle of 1913, 4,749.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	160	3	1	158	77	81
Illegitimate Births -	6	0	1	7	4	3
Marriages - -	26	-	-	-	-	-
Deaths - - -	60	0	11	71	35	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	33·7	33·3	-
Marriage-rate - - - - - -	5·5	-	-
Death-rate—All Causes - - -	12·6	15·0	16·3
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—184.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	-	2	-	3	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	1	-	-	-	-	-	-	2	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	4	-	-	-	1	-	1	-	1	-	2	-
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	3	1	3	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	12	8	20	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	-	1	-	2	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	14	1	-	1	-	-	1	1	2	1	7	6
Diseases Ill-defined or Unknown -	-	2	-	2	-	-	-	-	-	-	-	-	-
Total - - - -	35	36	29	4	1	1	-	5	4	9	1	11	6

YEAR 1913.

COUNTY—**Linlithgow.**

PUBLIC HEALTH DISTRICT—**Bathgate** (Burgh).

Population—Census 1901, - - - 6,786.
Do. Do. 1911, - - - 8,226.
Do. estimated to middle of 1913, 8,247.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	252	1	5	256	119	137
Illegitimate Births -	6	0	1	7	4	3
Marriages - -	68	-	-	-	-	-
Deaths - - -	103	0	20	123	73	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	30·6	31·0	-
Marriage-rate - - - - - -	8·2	-	-
Death-rate—All Causes - - -	12·5	14·9	16·2
Do. —Phthisis - - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—129.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	5	-	2	2	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	2	-	-	-	-	-	1	-	-	1	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	-	-	-	-	-	1	-	-	1	1	1	-
Tuberculous Meningitis - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	3	1	2	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	6	3	-	-	-	-	2	-	1	3	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	8	-	-	-	-	1	2	1	1	1	6	2
Bronchitis - - - - - -	4	3	2	1	-	-	-	-	-	1	2	1	-
Pneumonia (all forms) - - -	1	1	-	1	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	4	3	5	2	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	5	2	5	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	1	2	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	7	12	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	1	-	1	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	18	14	-	3	-	1	2	1	3	3	5	4	10
Diseases Ill-defined or Unknown -	1	1	2	-	-	-	-	-	-	-	-	-	-
Total - - - -	73	50	33	15	2	1	9	4	7	11	15	14	12

YEAR 1913.
COUNTY—**Linlithgow**.
PUBLIC HEALTH DISTRICT—**Borrowstounness** (Burgh).

Population—Census 1901, - - - 9,306.
Do. Do. 1911, - - - 10,862.
Do. estimated to middle of 1913, - 10,815.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	312	1	1	312	147	165
Illegitimate Births -	12	0	0	12	6	6
Marriages - -	50	–	–	–	–	–
Deaths - - -	129	0	10	139	72	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·8	28·8	–
Marriage-rate - - - - -	4·6	–	–
Death-rate—All Causes - - -	11·9	12·9	14·2
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	8	4	4	8	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	4	1	2	3	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	4	2	–	4	2	–	–	–	–	–	–	–	–
Influenza - - - - - -	2	–	–	–	–	–	1	1	–	–	–	–	–
Erysipelas - - - - -	1	1	–	–	–	–	–	1	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	7	–	–	–	–	2	5	2	1	1	–	–
Tuberculous Meningitis - - -	1	1	–	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	–	2	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	2	–	–	–	–	–	–	1	1	1	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	10	–	–	–	–	–	–	–	1	2	6	3
Bronchitis - - - - -	7	7	1	2	–	–	–	–	–	1	3	5	2
Pneumonia (all forms) - - -	3	1	–	3	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	4	1	1	1	–	–	–	–	1	–	2	–	–
*Diarrhœa and Enteritis (under 2 years)	3	4	6	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	1	–	–	–	–	1	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	3	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	3	1	–	1	–	–	–	–	1	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	15	15	4	2	–	–	1	–	–	–	9	7	7
Diseases Ill-defined or Unknown -	2	1	1	–	–	–	–	–	–	–	1	1	–
Total - - - -	72	67	29	30	3	–	4	7	6	6	21	21	12

YEAR 1913.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Linlithgow** (Burgh).

Population—Census 1901, - - - 4,279.
Do. Do. 1911, - - - 4,002.
Do. estimated to middle of 1913, - 3,801.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	93	1	0	92	47	45
Illegitimate Births -	5	0	0	5	3	2
Marriages -	32	-	-	-	-	-
Deaths - - -	42	0	8	50	24	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·4	24·2	-
Marriage-rate - - - - - -	8·4	-	-
Death-rate—All Causes - - -	11·0	13·2	13·0
Do. —Phthisis - - - -	-	1·6	-
Do. —All Tuberculosis - -	-	2·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	2	-	-	-	-	2	1	-	1	1	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	3	4	-	-	-	-	-	-	-	1	4	2	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	-	2	1
Bronchitis - - - - - -	2	2	1	-	-	-	-	-	-	-	-	-	3
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	-	1	-	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	4	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	6	-	-	-	-	-	1	-	-	1	3	8
Diseases Ill-defined or Unknown -	-	2	-	1	-	-	-	-	-	-	-	-	1
Total - - - -	24	26	7	1	-	-	5	2	-	4	7	11	13

YEAR 1913.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Queensferry** (Burgh).

Population—Census 1901, - - - 1,850.
Do. Do. 1911, - - - 3,510.
Do. estimated to middle of 1913, 3,419.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	59	0	3	62	29	33
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	10	–	–	–	–	–
Deaths - - -	31	0	7	38	18	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·3	18·1	–
Marriage-rate - - - - - -	2·9	–	–
Death-rate—All Causes - - -	9·1	11·1	16·3
Do. —Phthisis - - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—145.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	–	–	1	–	–	–	1	–	–	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	1	–	–	–	–	–	–	–	1	–	3	–
Bronchitis - - - - - -	2	1	1	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	2	2	2	2	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	2	–	–	–	–	–	–	–	–	1	1	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	–	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	9	2	–	–	–	–	–	–	3	1	2	2
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	18	20	9	4	–	1	1	1	1	4	3	10	4

YEAR 1913.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Whitburn** (Burgh).

Population—Census 1901, - - - 1,442.
Do. Do. 1911, - - - 1,876.
Do. estimated to middle of 1913, 1,904.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	69	3	0	66	32	34
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	11	–	–	–	–	–
Deaths - - -	16	0	2	18	9	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	36·2	34·7	–
Marriage-rate - - - - - -	5·8	–	–
Death-rate—All Causes - - -	8·4	9·5	10·2
Do. —Phthisis - - - - -	–	0·5	–
Do. —All Tuberculosis - -	–	0·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	–	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	–	–	–	–	–	–	–	–	–	1	–	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms) - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	2	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	–	1	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	3	3	–	1	–	–	–	–	2	–	1	1	1
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	9	9	5	1	–	–	–	1	2	2	2	2	3

YEAR 1913.
COUNTY—**Linlithgow.**
PUBLIC HEALTH DISTRICT—**Bathgate** (County District).

Population—Census 1901, - - - 25,214.
Do. Do. 1911, - - - 31,725
Do. estimated to middle of 1913, 32,014.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,095	6	23	1,112	585	527
Illegitimate Births -	53	0	6	59	25	34
Marriages - -	169	–	–	–	–	–
Deaths - - -	340	3	65	402	212	190

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	34·2	34·7	–
Marriage-rate - - - - -	5·3	–	–
Death-rate—All Causes - - -	10·6	12·6	13·4
Do. —Phthisis - - - -	–	0·6	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —88.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts —5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	2	–	–	–	–	–	–	2	–	1	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - -	2	10	1	6	3	–	2	–	–	–	–	–	–
*Whooping-cough - - - -	4	5	5	4	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	3	1	3	–	–	1	–	–	–	–	–	–
Influenza - - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	7	11	–	–	–	2	3	6	2	1	2	2	–
Tuberculous Meningitis - - -	–	2	1	–	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	6	8	5	4	2	–	1	2	–	–	–	–	–
Other Tuberculous Diseases - -	4	3	–	3	–	1	1	1	1	–	–	–	–
Cancer, Malignant Disease - -	12	6	–	–	–	–	–	–	4	3	4	4	3
Rheumatic Fever - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	10	1	5	4	–	1	1	–	–	–	–	–	–
Organic Heart Disease - - -	18	27	1	–	–	–	4	–	5	3	9	17	6
Bronchitis - - - - -	19	6	6	–	1	–	1	–	–	3	2	8	4
Pneumonia (all forms) - - -	11	7	6	2	1	–	–	1	–	1	4	3	–
Other Diseases of Respiratory Organs	5	3	1	2	2	–	–	–	–	2	–	–	1
*Diarrhœa and Enteritis (under 2 years)	7	7	12	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	1	–	–	–	–	1	2	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	6	4	–	–	–	1	1	–	4	2	–	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	28	19	45	2	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	24	4	–	3	1	1	4	1	7	5	4	2	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases - - -	36	50	4	4	4	2	1	4	6	7	15	17	22
Diseases Ill-defined or Unknown -	6	5	2	2	–	–	–	1	–	1	3	1	1
Total - - - -	212	190	98	43	14	8	22	20	32	28	44	55	38

YEAR 1913.
COUNTY—**Linlithgow**.
PUBLIC HEALTH DISTRICT—**Linlithgow** (County District).

Population—Census 1901, - - - 12,910.
Do. Do. 1911, - - - 15,215.
Do. estimated to middle of 1913, 15,177.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	470	6	10	474	252	222
Illegitimate Births -	29	1	5	33	13	20
Marriages - -	65	-	-	-	-	-
Deaths - - -	295	126	14	183	89	94

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·0	31·2	-
Marriage-rate - - - - - -	4·3	-	-
Death-rate—All Causes - - -	19·4	12·1	12·4
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	1	1	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	3	3	5	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	4	-	2	2	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	3	-	-	-	-	-	-	-	-	-	1	2
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	9	-	-	1	1	3	4	1	1	1	-	-
Tuberculous Meningitis - - -	2	-	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	1	-	1	2	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	4	8	-	-	-	-	-	-	2	3	2	2	3
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	9	11	-	-	-	-	1	-	-	4	2	10	3
Bronchitis - - - - - -	2	5	3	-	-	-	-	-	-	-	1	1	2
Pneumonia (all forms) - - -	6	1	5	-	-	-	-	1	-	1	-	-	-
Other Diseases of Respiratory Organs	-	2	-	-	-	-	-	1	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	2	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	4	-	-	-	-	1	-	-	1	1	2	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	13	8	21	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	2	1	2	2	-	-	2	-	1	2	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	21	24	4	4	1	1	1	4	2	2	5	6	15
Diseases Ill-defined or Unknown -	3	3	1	1	-	-	1	-	-	-	2	1	-
Total - - - -	89	94	46	15	9	2	11	14	5	14	17	23	27

YEAR 1913.
COUNTY—**Nairn.**
PUBLIC HEALTH DISTRICT—**Nairn** (Burgh).

Population—Census 1901, - - - 4,487.
Do. Do. 1911, - - - 4,661.
Do. estimated to middle of 1913, 4,535.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	86	2	0	84	49	35
Illegitimate Births -	10	2	0	8	7	1
Marriages - -	51	-	-	-	-	-
Deaths - - -	59	1	7	65	39	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·0	18·5	-
Marriage-rate - - - - - -	11·2	-	-
Death-rate—All Causes - - -	13·0	14·3	12·9
Do. —Phthisis - - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts —9·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	-	-	2	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	2	1	1
Bronchitis - - - - - -	2	2	-	-	1	-	-	-	-	1	-	-	2
Pneumonia (all forms) - - -	1	1	1	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	2	-	1	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	2	-	-	-	-	-	-	-	1	2	-	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	1	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	1	-	1	1	-	1	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	19	10	1	-	-	-	-	-	2	2	5	6	13
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	39	26	9	2	2	1	2	1	2	4	11	10	21

YEAR 1913.
COUNTY—**Nairn.**
PUBLIC HEALTH DISTRICT—**Nairn** (County District).

Population—Census 1901, - - - 4,804.
Do. Do. 1911, - - - 4,658.
Do. estimated to middle of 1913, 4,461.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	94	2	1	93	47	46
Illegitimate Births -	7	0	0	7	3	4
Marriages - -	14	-	-	-	-	-
Deaths - - -	55	4	5	56	24	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·1	20·8	-
Marriage-rate - - - - - -	3·1	-	-
Death-rate—All Causes - - -	12·3	12·6	11·0
Do. —Phthisis - - - -	-	0·2	-
Do. —All Tuberculosis - -	-	0·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—129.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - -	4	4	-	-	-	-	-	-	1	1	3	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	5	-	-	-	-	-	-	-	-	2	3	2
Bronchitis - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	2	3	2	1	-	-	-	-	-	-	-	1	1
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	2	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	1	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	12	1	1	-	-	-	-	2	1	1	4	8
Diseases Ill-defined or Unknown -	1	1	1	-	-	-	1	-	-	-	-	-	
Total - - - -	24	32	12	2	-	-	1	1	3	4	8	11	14

YEAR 1913.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**Kirkwall** (Burgh).

Population—Census 1901, - - - 3,711.
Do. Do. 1911, - - - 3,810.
Do. estimated to middle of 1913, 3,696.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	72	8	1	65	41	24
Illegitimate Births -	7	0	0	7	4	3
Marriages - -	29	-	-	-	-	-
Deaths - - -	55	5	3	53	25	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·5	17·6	-
Marriage-rate - - - - - -	7·8	-	-
Death-rate—All Causes - - -	14·9	14·3	11·6
Do. —Phthisis - - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	-	-	1	-	-	-	1
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - -	2	6	-	-	-	-	-	-	1	2	1	3	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	-	1	3
Bronchitis - - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	3
Pneumonia (all forms) - - -	1	2	1	-	1	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	12	7	1	-	-	-	-	1	-	2	1	3	11
Diseases Ill-defined or Unknown -	-	2	1	-	-	-	-	-	-	-	-	-	1
Total - - - -	25	28	5	2	1	-	1	3	3	5	3	10	20

YEAR 1913.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**Stromness** (Burgh).

Population—Census 1901, - - - 2,450.
Do. Do. 1911, - - - 1,653.
Do. estimated to middle of 1913, 1,562.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	1	1	26	14	12
Illegitimate Births -	3	0	0	3	2	1
Marriages - -	12	–	–	–	–	–
Deaths - - -	24	0	1	25	10	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·6	16·6	–
Death-rate—All Causes - - -	7·7	–	–
Do. —Phthisis - - - -	15·4	16·0	12·9
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·6	–
	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	2	–	–	–	–	–	–	–	–	1	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Bronchitis - - - - - -	2	4	–	–	–	–	–	–	–	–	–	1	5
Pneumonia (all forms) - - -	–	2	–	1	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	–	1	1	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	3	5	–	–	–	–	–	–	–	–	1	1	6
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	10	15	1	1	–	–	–	1	1	1	3	3	14

YEAR 1913.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**Mainland** (County District).

Population—Census 1901, - - - 10,144.
Do. Do. 1911, - - - 9,304.
Do. estimated to middle of 1913, 8,792.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	137	3	6	140	68	72
Illegitimate Births -	6	0	0	6	3	3
Marriages - -	51	–	–	–	–	–
Deaths - - -	132	1	5	136	67	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·6	15·9	–
Marriage-rate - - - - -	5·8	–	–
Death-rate—All Causes - - -	15·0	15·5	11·4
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	2	–	–	–	–	–	–	–	–	–	–	2
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	4	–	–	–	–	3	2	1	–	–	2	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	4	–	–	–	–	–	–	–	1	–	2	3
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	1	–	–	–	–	1	–	–	–	1	–	–
Organic Heart Disease - - -	13	4	–	–	–	–	–	1	–	–	4	5	7
Bronchitis - - - - -	8	5	–	–	–	–	–	–	–	–	1	1	11
Pneumonia (all forms) - - -	2	2	1	–	–	–	–	–	–	–	1	1	1
Other Diseases of Respiratory Organs	1	2	–	–	–	–	1	–	1	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	2	–	–	–	–	–	1	–	–	1	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	5	2	–	–	1	1	–	–	2	–	2	1	–
Suicide - - - - - -	3	–	–	–	–	–	–	–	–	2	–	1	–
Other Defined Diseases - - -	20	33	2	–	–	–	2	4	6	–	2	10	27
Diseases Ill-defined or Unknown -	2	5	–	–	–	–	–	–	–	1	–	–	6
Total - - - -	67	69	7	–	1	1	7	9	11	5	12	24	59

YEAR 1913.
COUNTY—**Orkney.**
PUBLIC HEALTH DISTRICT—**North Isles** (County District).

Population—Census 1901, - - - 7,845.
Do. Do. 1911, - - - 7,095.
Do. estimated to middle of 1913, 6,681.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	141	2	5	144	68	76
Illegitimate Births -	9	0	1	10	4	6
Marriages - -	36	–	–	–	–	–
Deaths - - . -	74	1	6	79	37	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·1	21·6	–
Marriage-rate - - - - -	5·4	–	–
Death-rate—All Causes - - -	11·1	11·8	8·3
Do. —Phthisis - - - -	–	0·3	–
Do. —All Tuberculosis - -	–	0·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6 9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	2	–	–	–	–	1	–	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	–	–	1	–	–	1	–	–
Cancer, Malignant Disease - -	4	3	–	–	–	–	–	–	–	–	2	3	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	12	–	–	–	–	1	–	1	2	4	8	2
Bronchitis - - - - -	–	3	–	–	–	–	–	–	–	–	–	1	2
Pneumonia (all forms) - - -	1	2	–	–	–	–	–	–	–	1	–	–	2
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	4	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	1	–	–	–	–	–
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	17	7	–	–	–	–	–	–	1	1	1	3	18
Diseases Ill-defined or Unknown -	3	3	–	–	–	–	–	–	1	–	–	2	3
Total - - - -	37	42	6	–	–	–	3	2	4	6	10	18	30

YEAR 1913.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**South Ronaldshay** (County District).

Population—Census 1901, - - - 2,707.
Do. Do. 1911, - - - 2,395.
Do. estimated to middle of 1913, 2,243.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	0	0	54	29	25
Illegitimate Births -	3	0	0	3	2	1
Marriages - -	15	-	-	-	-	-
Deaths - - -	62	0	1	63	28	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·1	24·1	-
Marriage-rate - - - - - -	6·7	-	-
Death-rate—All Causes - - - -	27·6	28·1	18·7
Do. —Phthisis - - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—167.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-
*Whooping-cough - - - - -	1	2	3	-	-	-		-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	1	-	-	1	-	-
Tuberculous Meningitis - - -	-	2	-	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	1	-	-	-	-	-	1	-	-	-	2	-
Bronchitis - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	1	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	1	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	1	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - -	11	19	-	-	-	-	-	-	-	1	3	5	21
Diseases Ill-defined or Unknown -	-	3	-	-	-	-	-	1	-	-	-	1	1
Total - - - -	28	35	9	3	-	3	2	5	1	2	6	10	22

YEAR 1913.
COUNTY—**Orkney**.
PUBLIC HEALTH DISTRICT—**Walls** (County District).

Population—Census 1901, - - - 1,842.
Do. Do. 1911, - - - 1,640.
Do. estimated to middle of 1913, 1,539.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	0	2	30	16	14
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	4	–	–	–	–	–
Deaths - - -	14	0	0	14	7	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·2	19·5	–
Marriage-rate - - - - -	2·6	–	–
Death-rate—All Causes - - -	9·1	9·1	6·2
Do. —Phthisis - - - -	–	2·6	–
Do. —All Tuberculosis - -	–	3·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	3	–	–	–	–	3	–	–	–	–	–	1
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis - - - - -	2	–	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	2	4	–	–	–	–	–	–	–	1	–	1	4
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	7	7	–	–	–	–	3	1	–	1	–	2	7

YEAR 1913.

COUNTY—**Peebles.**

PUBLIC HEALTH DISTRICT—**Innerleithen** (Burgh).

Population—Census 1901, - - - 2,181.
Do. Do. 1911, - - - 2,547.
Do. estimated to middle of 1913, 2,536.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	0	4	38	18	20
Illegitimate Births -	2	0	0	2	0	2
Marriages - -	17	–	–	..	–	–
Deaths - - -	30	0	7	37	14	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·4	15·0	–
Marriage-rate - - - - -	6·7	–	–
Death-rate—All Causes - - -	11·8	14·6	14·1
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—79.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	3	–	–	–	–	1	1	1	–	–	–	–
Tuberculous Meningitis - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Bronchitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	2	1	–	–	–	–	–	–	1	–	1	1	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	2	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	11	–	–	–	–	–	–	1	1	4	4	9
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	14	23	3	1	–	–	3	1	4	5	5	5	10

YEAR 1913.
COUNTY—**Peebles.**
PUBLIC HEALTH DISTRICT—**Peebles** (Burgh).

Population—Census 1901, - - - 5,266.
Do. Do. 1911, - - - 5,579.
Do. estimated to middle of 1913, 5,451.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	97	1	3	99	55	44
Illegitimate Births -	16	0	1	17	12	5
Marriages - -	29	–	–	–	–	–
Deaths - - -	81	4	6	83	44	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·8	18·2	–
Marriage-rate - - - - - -	5·3	–	–
Death-rate—All Causes - - -	14·9	15·2	14·9
Do. —Phthisis - - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	2	–	3	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	3	–	–	–	–	–	–	–	–	–	1	2
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	2	–	–	–	–	2	1	–	2	1	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	10	6	–	–	–	–	–	–	–	2	4	8	2
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	2	–	–	–	–	–	–	1	–	–	1	1
Bronchitis - - - - - -	1	2	1	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	–	2	–	1	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	1	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	1	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	2	–	–	–	–	–	–	–	1	2	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	1	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	1	–	–	–	–	1	2	–	–	1	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	11	9	2	–	1	1	–	–	1	1	2	4	8
Diseases Ill-defined or Unknown -	2	3	–	1	–	–	–	–	–	–	–	4	–
Total - - - -	44	39	8	5	1	1	3	4	3	7	12	22	17

YEAR 1913.
COUNTY—**Peebles.**
PUBLIC HEALTH DISTRICT—**Peebles** (County District).

Population—Census 1901, . . . 7,619.
Do. Do. 1911, . . . 7,132.
Do. estimated to middle of 1913, 6,773.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births – – –	115	1	3	117	65	52
Illegitimate Births –	11	0	0	11	6	5
Marriages – –	29	–	–	–	–	–
Deaths – – –	69	5	10	74	41	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate – – – – – –	17·0	17·3	–
Marriage-rate – – – – –	4·3	–	–
Death-rate—All Causes – – –	10·2	10·9	10·4
Do. —Phthisis – – – –	–	0·3	–
Do. —All Tuberculosis – –	–	0·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—34.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas – – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis –	–	2	–	–	–	–	1	–	1	–	–	–	–
Tuberculous Meningitis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease – –	6	4	–	–	–	–	–	1	1	–	4	2	2
Rheumatic Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis – – – – –	1	–	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease – – –	1	7	–	–	–	–	1	–	1	1	1	2	2
Bronchitis – – – – –	2	2	–	–	–	–	–	–	–	–	–	3	1
Pneumonia (all forms) – – –	3	–	–	–		–	–	–	–	–	–	3	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis – –	–	1	–	1	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) –	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease – –	2	3	–	–	–	–	–	–	–	1	2	1	1
Puerperal Sepsis – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	–	1	–	–	–	1	–	–	–	–	–	–
Violent Deaths, excluding Suicide –	2	2	–	1	–	–	–	–	–	–	–	1	2
Suicide – – – – – –	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Defined Diseases – – –	19	9	2	–	–	–	–	–	2	2	1	6	15
Diseases Ill-defined or Unknown –	2	1	–	–	–	–	–	–	–	–	–	3	–
Total – – – –	41	33	4	3	–	–	4	1	5	4	8	22	23

YEAR 1913.
COUNTY—**Perth**.
PUBLIC HEALTH DISTRICT—**Aberfeldy** (Burgh).

Population—Census 1901, - - - 1,508.
Do. Do. 1911, - - - 1,592.
Do. estimated to middle of 1913, 1,554.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	1	1	25	15	10
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	8	–	–	–	–	–
Deaths - - -	20	1	4	23	11	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·1	16·1	–
Marriage-rate - - - - -	5·1	–	–
Death-rate—All Causes - - -	12·9	14·8	12·8
Do. —Phthisis - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	–	–	–	1	–	1	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	1	–	–	–	–	–	–	–	–	2	–	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	1	–	1	–	1
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	1	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	7	–	–	–	–	1	–	1	–	1	4	4
Diseases Ill-defined or Unknown -	–	1	–	–	1	–	–	–	–	–	–	–	–
Total - - - -	11	12	–	–	2	–	2	1	2	1	4	6	5

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Abernethy** (Burgh).

Population—Census 1901, - - - 623.
Do. Do. 1911, - - - 593.
Do. estimated to middle of 1913, 565.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	0	0	8	6	2
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	10	-	-	-	-	-
Deaths - - -	5	1	2	6	4	2

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	14·2	14·2	-
Marriage-rate - - - - -	17·7	-	-
Death-rate—All Causes - - -	8·8	10·6	8·1
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	1	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	4	2	-	-	-	-	1	1	-	-	1	-	3

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Alyth** (Burgh).

Population—Census 1901, - - - 1,965.
Do. Do. 1911, - - - 1,860.
Do. estimated to middle of 1913, 1,771.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	0	0	30	15	15
Illegitimate Births -	5	0	0	5	3	2
Marriages - -	18	-	-	-	-	-
Deaths - - -	32	2	7	37	13	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·9	16·9	-
Marriage-rate - - - - -	10·2	-	-
Death-rate—All Causes - - -	18·1	20·9	17·2
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	1	-	-	1	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	2	-	-	-	-	-	-	1	1	-	-	1
Bronchitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - -	1	1	-	1	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	13	-	-	-	-	-	-	-	2	2	5	7
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	13	24	3	2	1	-	2	1	2	4	4	8	10

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Auchterarder** (Burgh).

Population—Census 1901, - - - 2,308.
Do. Do. 1911, - - - 2,294.
Do. estimated to middle of 1913, 2,210.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	38	2	3	39	25	14
Illegitimate Births -	4	1	2	5	4	1
Marriages - ..	12	-	-	-	-	-
Deaths - - -	31	2	4	33	20	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·2	17·6	-
Marriage-rate - - - - -	5·4	-	-
Death-rate—All Causes - - -	14·0	14·9	12·4
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	..	0·0	
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—128.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	..	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	..	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	..	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	..	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	-	-	1	-	1
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	..	-	-	-	-	-	-
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	-	1	1	1
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	..	-	-	-
Pneumonia (all forms) - - -	2	1	-	1	-	-	-	1	-	-	-	-	1
Other Diseases of Respiratory Organs	-	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	..	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	..	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	..	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	6	1	-	-	-	-	-	-	1	2	6	4
Diseases Ill-defined or Unknown -	1	2	-	-	-	-	-	2	-	-	1	-	-
Total - - - -	20	13	5	2	-	-	-	3	-	1	6	7	9

YEAR 1913.

COUNTY—**Perth.**

PUBLIC HEALTH DISTRICT—**Blairgowrie** (Burgh).

Population—Census 1901, - - - 3,378.
Do. Do. 1911, - - - 3,249.
Do. estimated to middle of 1913, 3,106.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	56	2	2	56	26	30
Illegitimate Births -	11	1	0	10	4	6
Marriages - -	22	–	–	–	–	–
Deaths - - -	72	8	5	69	31	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·0	18·0	–
Marriage-rate - - - - - -	7·1	–	–
Death-rate—All Causes - - -	23·2	22·2	18·0
Do. —Phthisis - - - - -	–	1·9	–
Do. —All Tuberculosis - -	–	2·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	1	–	–	1	–	1	1	1	–	1	1	–
Tuberculous Meningitis - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	5	–	–	–	–	–	–	–	–	2	5	2
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	9	–	–	–	1	–	–	–	1	1	4	4
Bronchitis - - - - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	1	1	–	1	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	1	–	–	1	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	2	–	–	–	–	–	–	1	1	2	–	1
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	2	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	–	–	–	–	–	1	1	–	–	–	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	7	12	2	1	–	–	–	–	–	1	1	7	7
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	1	–	–
Total - - - -	31	38	8	3	2	1	2	2	3	3	8	20	17

YEAR 1913.
COUNTY—**Perth**.
PUBLIC HEALTH DISTRICT—**Callander** (Burgh).

Population—Census 1901, - - - 1,458.
Do. Do. 1911, - - - 1,504.
Do. estimated to middle of 1913, 1,460.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	19	1	0	18	9	9
Illegitimate Births -	2	1	0	1	0	1
Marriages - -	9	–	–	–	–	–
Deaths - - -	20	0	4	24	8	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·0	12·3	–
Marriage-rate - - - - -	6·2	–	–
Death-rate—All Causes - - -	13·7	16·4	14·5
Do. —Phthisis - - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	0·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	2	–	–	–	1	–	–	–	1	1	2	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Bronchitis - - - - -	1	2	–	–	–	–	–	–	–	–	–	2	1
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	2	–	–	–	–	–	–	1	–	1	–	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	1	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	3	6	1	–	–	–	–	1	–	–	1	3	3
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	8	16	1	1	–	1	–	1	3	1	3	9	4

YEAR 1913.

COUNTY—**Perth.**

PUBLIC HEALTH DISTRICT—**Coupar-Angus** (Burgh).

Population—Census 1901, - - - 2,064.
Do. Do. 1911, - - - 2,095.
Do. estimated to middle of 1913, 2,028.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	0	2	51	30	21
Illegitimate Births -	8	0	1	9	4	5
Marriages - -	10	–	–	–	–	–
Deaths - - -	31	1	1	31	14	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·2	25·1	–
Marriage-rate - - - - -	4·9	–	–
Death-rate—All Causes - - -	15·3	15.3	12·3
Do. —Phthisis - - - -	–	0·0	–
Do. —All Tuberculosis - -	–	0·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—39.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	1	–	–	–	2
Bronchitis - - - - -	2	1	2	–	–	–	–	–	–	1	–	–	–
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	2	–	2	–	–	–	–	–	–	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	11	–	1	–	–		–	1	–	–	4	13
Diseases Ill-defined or Unknown -	–	2	–	–	–	–	–	–	–	1	–	–	1
Total - - - -	14	17	2	3	–	–	–	–	2	2	2	4	16

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Crieff** (Burgh).

Population—Census 1901, - - - 5,208.
Do. Do. 1911, - - - 5,571.
Do. estimated to middle of 1913, 5,453.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	83	5	3	81	44	37
Illegitimate Births -	8	3	2	7	4	3
Marriages - -	33	-	-	-	-	-
Deaths - - -	73	7	12	78	30	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	15·2	14·9	-
Marriage-rate - - - - -	6·1	-	-
Death-rate—All Causes - - -	13·4	14·3	12·6
Do. —Phthisis - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·6.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	1	1	2	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	10	-	-	-	-	-	-	-	3	5	5	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	6	-	-	-	-	-	1	-	1	2	4	1
Bronchitis - - - - -	1	6	1	-	-	-	1	-	-	-	2	-	3
Pneumonia (all forms) - - -	1	2	1	-	-	-	1	-	-	-	-	-	1
Other Diseases of Respiratory Organs	1	3	-	-	-	-	-	-	-	1	-	1	2
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	1	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	3	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	-	-	-	1	1	1	1
Suicide - - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	10	12	1	-	1	1	-	-	2	2	3	6	6
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	30	48	9	-	2	1	3	2	4	9	15	17	16

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Doune** (Burgh).

Population—Census 1901, - - - 930.
Do. Do. 1911, - - - 893.
Do. estimated to middle of 1913, 854.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	13	0	0	13	4	9
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	11	-	-	-	-	-
Deaths - - -	12	0	0	12	4	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·2	15·2	-
Marriage-rate - - - - - -	12·9	-	-
Death-rate—All Causes - - -	14·1	14·1	13·0
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - - -	1	3	-	-	-	-	-	-	-	-	1	2	1
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	3	-	-	-	-	-	-	-	-	-	2	3
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	4	8	-	-	-	-	-	-	1	-	2	5	4

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Dunblane** (Burgh).

Population—Census 1901, - - - 2,516.
Do. Do. 1911, - - - 2,978.
Do. estimated to middle of 1913, 2,973.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	1	2	55	26	29
Illegitimate Births -	8	0	0	8	4	4
Marriages - -	20	-	-	-	-	-
Deaths - - -	40	2	6	44	20	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·2	18·5	-
Marriage-rate - - - - -	6·7	-	-
Death-rate—All Causes - - -	13·5	14.8	13·7
Do. —Phthisis - - - -	-	2·4	-
Do. —All Tuberculosis - -	-	2·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	4	-	-	-	-	1	1	2	1	1	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Cancer, Malignant Disease - -	3	1	-	-	-	-	-	-	1	1	-	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	1	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	3	4	-	-	-	-	-	1	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	8	7	1	1	-	-	-	-	1	1	1	3	7
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-
Total - - - -	20	24	6	1	-	-	1	2	9	3	5	7	10

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Perth** (Burgh).

Population—Census 1901, - - - 33,995.
Do. Do. 1911, - - - 35,854.
Do. estimated to middle of 1913, 34,704.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	686	16	17	687	353	334
Illegitimate Births -	51	6	4	49	27	22
Marriages - -	302	–	–	–	–	–
Deaths - - -	583	79	20	524 -	251	273

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·8	19·8	–
Marriage-rate - - - - -	8·7	–	–
Death-rate—All Causes - - -	16·8	15·1	14·8
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—115.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	3	4	–	–	–	–	3	2	2	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	4	2	3	2	–	–	–	–	1	–	–	–	–
*Diphtheria and Croup - - -	4	4	1	3	2	2	–	–	–	–	–	–	–
Influenza - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	22	14	–	–	–	–	9	18	7	2	–	–	–
Tuberculous Meningitis - - -	7	2	2	3	–	1	2	–	1	–	–	–	–
Abdominal Tuberculosis - - -	3	5	–	4	2	–	1	–	–	–	1	–	–
Other Tuberculous Diseases - -	3	3	2	1	1	–	–	–	–	1	–	1	–
Cancer, Malignant Disease - -	11	23	–	–	–	–	–	1	1	7	10	13	2
Rheumatic Fever - - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Meningitis - - - - - -	4	3	–	1	1	1	1	3	–	–	–	–	–
Organic Heart Disease - - -	25	29	–	1	–	1	1	2	5	12	7	10	15
Bronchitis - - - - -	15	25	5	–	–	–	–	–	1	3	7	12	12
Pneumonia (all forms) - - -	12	12	3	6	1	1	1	2	2	–	5	1	2
Other Diseases of Respiratory Organs	2	3	–	–	–	–	–	–	–	1	1	2	1
*Diarrhœa and Enteritis (under 2 years)	5	4	8	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	2	–	–	1	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	3	4	–	–	–	–	–	1	–	2	1	3	–
Other Diseases of Digestive System (under 2 years)	3	2	5	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	7	–	–	–	–	2	–	3	3	1	2	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	4	–	–	–	–	1	2	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	24	18	42	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	16	2	1	–	1	1	5	2	1	4	–	2	1
Suicide - - - - - -	3	1	–	–	–	–	–	1	2	1	–	–	–
Other Defined Diseases - - -	68	90	6	2	1	–	4	5	13	14	21	34	58
Diseases Ill-defined or Unknown -	8	6	1	1	–	–	–	1	–	–	3	4	4
Total - - - -	251	273	79	26	11	7	31	42	40	50	57	86	95

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Rattray** (Burgh).

Population—Census 1901, - - - 2,019.
Do. Do. 1911, - - - 1,730.
Do. estimated to middle of 1913, 1,606.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	0	0	39	15	24
Illegitimate Births -	7	0	0	7	1	6
Marriages - -	7	–	–	–	–	–
Deaths - - -	23	0	6	29	18	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·3	24·3	
Marriage-rate - - - - - -	4·4	–	–
Death-rate—All Causes - - -	14·3	18·1	14·9
Do. —Phthisis - - - - -	–	3·7	
Do. —All Tuberculosis - -	–	4·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	2	–	–	–	–	2	–	1	–	2	–	1
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	2	–	–	–	–	–	–	–	–	–	2	3
Bronchitis - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	2	–	–	2	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	–	–	–	1	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	3	3	2	–	–	–	–	–	–	1	1	1	1
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	1	–	–	–	–	–	–
Total - - -	18	11	3	3	–	1	3	–	1	1	5	7	5

YEAR 1913.
COUNTY—**Perth**.
PUBLIC HEALTH DISTRICT—**Blairgowrie** (County District).

Population—Census 1901, - - - 9,963.
Do. Do. 1911, - - - 9,830.
Do. estimated to middle of 1913, 9,453.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	173	4	3	172	82	90
Illegitimate Births -	9	2	2	9	4	5
Marriages - -	34	-	-	-	-	-
Deaths - - -	107	5	25	127	63	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·3	18·2	-
Marriage-rate - - - - - -	3·6	-	-
Death-rate—All Causes - - -	11·3	13·4	11·8
Do —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	2	4	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	1	-	-	-	-	2	-	-	2	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	8	-	-	-	-	-	-	-	1	1	3	5
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	10	11	-	-	-	-	-	1	1	-	3	5	11
Bronchitis - - - - - -	4	4	2	1	-	-	-	-	-	-	-	1	4
Pneumonia (all forms) - - -	3	3	-	-	-	-	1	-	-	1	1	2	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	1	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	-	-	-	-	-	1	-	-	2	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	1	-	-	-	1
Suicide - - - - - - -	2	-	-	-	-	-	1	-	-	-	-	1	-
Other Defined Diseases - - -	20	25	2	-	-	-	-	-	2	6	5	15	15
Diseases Ill-defined or Unknown -	1	3	-	-	-	-	-	-	-	1	1	2	-
Total - - - -	63	64	14	4	-	1	7	1	5	13	13	31	38

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Central Perth** (County District).

Population—Census 1901, - - - 11,099.
Do. Do. 1911, - - - 10,417.
Do. estimated to middle of 1913, 9,901.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	198	4	21	215	107	108
Illegitimate Births -	17	2	14	29	16	13
Marriages - -	41	-	-	-	-	-
Deaths - - -	149	14	24	159	73	86

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·0	21·7	-
Marriage-rate - - - - -	4·1	-	-
Death-rate—All Causes - - -	15·0	16·1	13·8
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	6	2	-	-	-	-	1	3	2	2	-	-	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	6	-	-	-	-	-	-	-	2	1	6	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	8	17	-	-	1	-	-	2	3	2	5	6	6
Bronchitis - - - - -	4	5	-	1	-	-	-	-	2	1	-	2	3
Pneumonia (all forms) - - -	6	1	1	-	-	-	-	-	2	2	1	-	1
Other Diseases of Respiratory Organs	4	3	-	1	-	-	-	-	1	-	1	-	4
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	1	-	-	-	-	2	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	5	3	-	-	-	-	1	-	-	1	3	3	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	4	-	-	-	-	2	-	-	-	-	-	2
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	23	35	2	-	1	1	3	1	1	5	3	13	28
Diseases Ill-defined or Unknown -	4	3	1	-	-	-	-	-	-	1	1	3	1
Total - - - -	73	86	12	4	3	1	8	7	11	16	15	35	47

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Highland Perth** (County District).

Population—Census 1901, - - - 13,389.
Do. Do. 1911, - - - 12,900.
Do. estimated to middle of 1913, 12,337.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	165	5	7	167	75	92
Illegitimate Births -	10	1	3	12	6	6
Marriages - -	26	–	–	–	–	–
Deaths - - -	176	36	18	158	81	77

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	13·4	13·5	–
Marriage-rate - - - - - -	2·1	–	–
Death-rate—All Causes - - -	14·3	12·8	10·6
Do —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	7	–	–	–	1	2	2	2	1	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	2	–	1	–	–	1	–	–	1	–	–	–
Cancer, Malignant Disease - -	8	11	–	–	–	–	–	–	–	2	4	8	5
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	17	12	–	–	–	–	–	–	1	2	4	8	14
Bronchitis - - - - - -	6	4	1	–	–	–	–	1	–	1	2	2	3
Pneumonia (all forms) - - -	3	3	1	–	–	–	–	–	–	–	1	1	3
Other Diseases of Respiratory Organs	–	2	–	–	–	–	–	–	–	–	2	–	–
*Diarrhœa and Enteritis (under 2 years)	2	1	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	1	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	–	1	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	3	–	–	–	–	–	1	1	1	1	–	3
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	29	27	–	–	–	–	2	–	2	2	6	10	34
Diseases Ill-defined or Unknown -	3	1	1	–	–	–	–	–	1	–	1	1	–
Total - - - -	81	77	7	2	–	2	7	5	7	11	24	31	62

YEAR 1913.
COUNTY—**Perth**.
PUBLIC HEALTH DISTRICT—**Perth** (County District).

Population—Census 1901, - - - 20,683.
Do. Do. 1911, - - - 20,852.
Do. estimated to middle of 1913, 20,151.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	426	6	17	437	207	230
Illegitimate Births -	42	2	6	46	21	25
Marriages - -	98	-	-	-	-	-
Deaths - - -	279	7	33	305	155	150

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·1	21·7	-
Marriage-rate - - - - -	4·9	-	-
Death-rate—All Causes - - -	13·8	15·1	13·2
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	12	-	-	-	-	7	7	4	2	2	-	-
Tuberculous Meningitis - - -	1	2	-	1	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	10	19	-	-	-	-	-	-	-	3	5	17	4
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	15	26	-	-	-	1	1	-	3	3	3	12	18
Bronchitis - - - - -	7	13	2	-	-	-	-	-	1	1	3	2	11
Pneumonia (all forms) - - -	15	5	4	5	-	-	-	-	-	1	5	3	2
Other Diseases of Respiratory Organs	2	4	1	1	-	-	-	1	-	-	-	3	-
*Diarrhœa and Enteritis (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	3	3	-	1	1	3	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Digestive System (under 2 years)	2	1	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	9	2	-	-	-	1	-	2	1	2	1	3	1
Puerperal Sepsis - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	7	6	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	4	1	-	1	-	-	1	-	2	-	1	2
Suicide - - - - - -	3	-	-	-	-	-	-	-	-	2	1	-	-
Other Defined Diseases - - -	55	46	3	1	2	1	-	1	3	4	15	20	51
Diseases Ill-defined or Unknown -	3	4	-	-	-	-	-	-	1	1	-	2	3
Total - - - -	155	150	30	11	6	9	8	13	15	21	36	63	93

YEAR 1913.
COUNTY—**Perth.**
PUBLIC HEALTH DISTRICT—**Western Perth** (County District).

Population—Census 1901, - - - 10,177.
Do. Do. 1911, - - - 10,130.
Do. estimated to middle of 1913, 9,762.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District	To District from Elsewhere.	Both Sexes.	Males.	Female
Births - - -	174	5	11	180	85	95
Illegitimate Births -	11	0	5	16	6	10
Marriages - -	47	-	-	-	-	-
Deaths - - -	109	8	17	118	59	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·8	18·4	-
Marriage-rate - - - - - -	4·8	-	-
Death-rate—All Causes - - -	11·2	12·1	11·6
Do. —Phthisis - - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	1	-	-	-	-	-	1	1	2	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	-	-	-	-	1	1	-	-	-	-	-
Cancer, Malignant Disease - -	5	5	-	-	-	-	-	1	1	-	1	4	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	11	-	-	-	-	-	-	2	2	4	5	4
Bronchitis - - - - - -	2	6	3	-	-	-	-	-	-	1	1	1	2
Pneumonia (all forms) - - -	3	3	1	-	1	-	-	1	1	-	-	2	-
Other Diseases of Respiratory Organs	1	3	-	-	-	-	-	-	-	-	2	-	2
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	3	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	1	-	-	1	1	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	18	19	1	-	-	-	1	-	1	1	7	7	19
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	-	-	-	-	3	1	-
Total - - - -	59	59	16	3	2	-	2	6	7	7	22	22	31

YEAR 1913.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Barrhead** (Burgh).

Population—Census 1901, - - - 9,855.
Do. Do. 1911, - - - 11,387.
Do. estimated to middle of 1913, - 11,316.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	322	2	3	323	169	154
Illegitimate Births -	12	1	3	14	7	7
Marriages - -	76	–	–	–	–	–
Deaths - - -	155	4	20	171	76	95

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·5	28·5	–
Marriage-rate - - - - - -	6·7	–	–
Death-rate—All Causes - - -	13·7	15·1	16·9
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	2·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	5	8	7	6	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	1	–	2	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis -	4	10	1	–	–	1	4	4	3	1	–	–	–
Tuberculous Meningitis - - -	2	2	2	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	4	–	3	–	1	–	–	–	1	–	–	–
Other Tuberculous Diseases - -	1	1	–	1	1	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	7	–	–	–	–	–	–	–	1	3	6	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	3	2	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	9	–	–	–	–	1	1	1	2	3	4	1
Bronchitis - - - - - -	6	2	2	1	–	–	1	–	–	–	–	2	2
Pneumonia (all forms) - - -	4	2	–	–	–	–	–	–	2	1	1	2	–
Other Diseases of Respiratory Organs	1	4	–	1	–	–	–	–	2	1	–	1	–
*Diarrhœa and Enteritis (under 2 years)	5	2	4	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	3	–	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	2	–	–	–	–	–	–	–	1	1	2	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	10	4	13	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	3	1	–	2	–	–	–	–	1	–	–	1	–
Suicide - - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	13	29	1	2	1	1	2	3	1	5	4	9	13
Diseases Ill-defined or Unknown -	4	1	–	–	1	–	–	–	–	–	2	2	–
Total - - - - -	76	95	35	23	5	3	9	10	10	15	14	30	17

YEAR 1913.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Gourock** (Burgh).

Population—Census 1901, - - - 5,261.
Do. Do. 1911, - - - 7,442.
Do. estimated to middle of 1913, 7,652.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	186	6	4	184	91	93
Illegitimate Births -	6	2	2	6	1	5
Marriages - -	31	-	-	-	-	-
Deaths - - -	84	3	19	100	41	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·3	24·0	-
Marriage-rate - - - - -	4·1	-	-
Death-rate—All Causes - - -	11·0	13·1	13·3
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·3

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	5	-	-	-	-	2	2	2	1	-	-	-
Tuberculous Meningitis - - -	2	2	-	2	-	1	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	-	-	2	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	5	-	-	-	-	-	-	1	3	2	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	5	2	-	-	-	-	-	1	1	1	1	1	2
Bronchitis - - - - -	2	4	-	-	-	-	-	-	-	-	1	2	3
Pneumonia (all forms) - - -	2	2	1	-	-	-	-	-	-	-	-	1	2
Other Diseases of Respiratory Organs	-	2	-	-	-	-	-	-	-	1	1	-	-
*Diarrhœa and Enteritis (under 2 years)	2	4	4	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	2	-	-	-	-	2	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	3	-	-	-	-	-	-	-	1	-	2	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	1	1	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	16	1	-	-	-	-	1	3	5	6	6	3
Diseases Ill-defined or Unknown -	-	3	-	-	-	-	-	-	-	-	1	-	2
Total - - - -	41	59	17	6	1	1	7	7	8	14	12	14	13

YEAR 1913.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Greenock** (Burgh).

Population—Census 1901, - - - 68,911.
Do. Do. 1911, - - - 75,140.
Do. estimated to middle of 1913, 77,156.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,389	12	18	2,395	1,294	1,101
Illegitimate Births -	123	7	10	126	68	58
Marriages - - -	540	–	–	–	–	–
Deaths - - -	1,455	84	35	1,406	742	664

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·0	31·0	-
Marriage-rate - - - - - -	7·0	–	–
Death-rate—All Causes - - -	18·9	18·2	18·5
Do. —Phthisis - - - - -	–	1·5	–
Do. —All Tuberculosis - -	–	2·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	4	2	-	-	-	2	1	1	2	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	16	18	5	27	1	1	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	9	9	2	10	5	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	25	24	20	27	2	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	10	1	10	1	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	4	-	-	-	-	-	-	1	-	-	3	-	-
Phthisis, Pulmonary Tuberculosis -	69	45	3	4	1	4	18	32	20	19	9	4	-
Tuberculous Meningitis - - -	10	14	8	10	2	2	2	-	-	-	-	-	-
Abdominal Tuberculosis - - -	9	9	3	9	2	1	1	1	1	-	-	-	-
Other Tuberculous Diseases - -	16	9	4	8	4	3	4	-	1	1	-	-	-
Cancer, Malignant Disease - -	33	38	-	-	-	-	-	2	6	10	24	22	7
Rheumatic Fever - - - - -	1	2	-	-	-	-	1	1	-	-	-	1	-
Meningitis - - - - - -	20	12	7	13	2	2	1	2	-	3	2	-	-
Organic Heart Disease - - -	51	62	-	-	1	1	3	2	15	13	27	35	16
Bronchitis - - - - - -	37	51	21	12	-	-	1	1	6	4	18	9	16
Pneumonia (all forms) - - -	77	52	30	47	3	3	5	5	4	9	8	11	4
Other Diseases of Respiratory Organs	9	6	3	1	-	-	1	-	3	2	2	3	-
*Diarrhœa and Enteritis (under 2 years)	23	26	39	10	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	5	-	-	-	1	1	1	1	-	2	-	-
All Liver Diseases (not Malignant) -	7	8	-	1	1	-	-	-	-	5	2	3	3
Other Diseases of Digestive System (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	20	9	1	2	1	-	3	2	5	6	3	4	2
Puerperal Sepsis - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	18	-	-	-	-	2	8	7	1	-	-	-
Congenital Debility and Malformation, including Premature Birth	61	40	101	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	54	14	3	6	3	-	13	10	9	11	6	3	4
Suicide - - - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-
Other Defined Diseases - - -	163	153	19	17	7	8	6	16	19	43	41	69	71
Diseases Ill-defined or Unknown -	18	22	6	8	1	-	2	3	3	4	2	7	4
Total - - - -	742	664	279	222	37	29	65	91	103	131	149	173	127

YEAR 1913.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Johnstone** (Burgh).

Population—Census 1901, - - 11,155.
Do. Do. 1911, - - 12,045.
Do. estimated to middle of 1913. 11,812.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	333	3	3	333	184	149
Illegitimate Births -	12	0	1	13	9	4
Marriages - -	95	-	-	-	-	-
Deaths - - -	163	0	24	187	82	105

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·2	28·2	-
Marriage-rate - - - - -	8·0	-	-
Death-rate—All Causes - - -	13·8	15·8	17·5
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —114.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	6	6	4	8	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	3	1	2	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	6	-	-	-	-	4	3	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	2	-	-	1	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	3	2	1	1	1	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	7	-	-	-	-	-	-	-	4	3	3	2
Rheumatic Fever - - - -	1	1	-	-	-	-	1	-	-	-	-	1	-
Meningitis - - - - -	2	-	1	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	5	11	-	-	-	-	-	1	1	2	3	8	1
Bronchitis - - - - -	6	7	2	1	-	-	-	1	-	-	-	5	4
Pneumonia (all forms) - - -	7	5	2	1	-	-	1	2	1	2	2	1	-
Other Diseases of Respiratory Organs	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	3	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	3	-	-	-	2	1	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	3	-	-	-	-	1	-	1	-	2	-	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	-	2	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	11	7	18	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	-	1	1	-	-	-	-	-	2	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	16	31	3	1	-	-	2	-	2	5	9	14	11
Diseases Ill-defined or Unknown -	1	2	-	1	-	-	-	-	-	-	1	-	1
Total - - - -	82	105	38	19	3	6	13	10	8	15	23	32	20

YEAR 1913.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Paisley** (Burgh).

Population—Census 1901, - - - 79,363.
Do. Do. 1911, - - - 84,455.
Do. estimated to middle of 1913, 85,439.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,188	19	24	2,193	1,166	1,027
Illegitimate Births -	116	7	9	118	66	52
Marriages - -	652	-	-	-	-	-
Deaths - - -	1,284	45	67	1,306	626	680

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·6	25·7	-
Marriage-rate - - - - -	7·6	-	-
Death-rate—All Causes - - -	15·0	15·3	16·9
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	22	4	7	17	2	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	15	19	12	21	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	1	-	4	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	2	1	-	-	-	-	-	1	2	-	-	-	-
Erysipelas - - - - - -	2	4	-	-	2	-	-	-	1	1	2	-	-
Phthisis, Pulmonary Tuberculosis -	42	53	2	2	-	1	28	21	22	11	8	-	-
Tuberculous Meningitis - - -	12	9	9	8	3	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	17	7	8	7	5	-	2	-	1	-	1	-	-
Other Tuberculous Diseases - -	10	11	2	2	1	3	6	2	1	-	3	1	-
Cancer, Malignant Disease - -	31	54	-	-	-	-	-	-	7	18	31	21	8
Rheumatic Fever - - - -	6	6	-	1	2	2	4	1	1	-	1	-	-
Meningitis - - - - -	17	15	16	11	-	2	1	-	1	1	-	-	-
Organic Heart Disease - - -	44	66	-	-	1	4	3	6	13	16	24	28	15
Bronchitis - - - - -	46	61	21	7	2	-	2	1	3	8	20	30	13
Pneumonia (all forms) - - -	47	35	23	23	-	-	3	4	4	11	8	5	1
Other Diseases of Respiratory Organs	6	7	-	1	-	1	4	-	2	2	1	1	1
*Diarrhœa and Enteritis (under 2 years)	35	21	47	9	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	3	6	-	-	2	2	2	1	2	-	-	-	-
All Liver Diseases (not Malignant) -	8	7	-	-	-	-	-	-	1	6	4	3	1
Other Diseases of Digestive System (under 2 years)	6	5	11	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	16	13	-	-	1	1	2	3	5	4	10	3	-
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	11	-	-	-	-	1	3	7	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	43	43	83	2	-	-	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide -	21	17	-	5	5	1	3	3	3	7	1	7	3
Suicide - - - - - - -	8	2	-	-	-	-	1	1	2	4	-	2	-
Other Defined Diseases - - -	146	186	16	15	6	3	8	11	33	36	40	87	77
Diseases Ill-defined or Unknown -	17	13	2	6	-	-	1	-	2	6	6	5	2
Total - - - -	626	680	259	143	33	21	71	59	114	132	160	193	121

YEAR 1913.
COUNTY—**Renfrew**.
PUBLIC HEALTH DISTRICT—**Port-Glasgow** (Burgh).

Population—Census 1901, - - - 16,857.
Do. Do. 1911, - - - 17,749.
Do. estimated to middle of 1913, 17,314.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	624	2	9	631	324	307
Illegitimate Births -	14	1	3	16	6	10
Marriages - -	165	–	–	–	–	–
Deaths - - -	323	10	36	349	178	171

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	36·0	36·4	–
Marriage-rate - - - - - -	9·5	–	–
Death-rate—All Causes - - -	18·7	20·2	22·0
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	2·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	2·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	2	–	–	–	–	–	–	1	1	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	5	2	1	6	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	1	2	–	1	2	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	3	6	5	4	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	3	1	3	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	12	5	1	–	–	–	4	6	5	–	1	–	–
Tuberculous Meningitis - - -	2	5	3	2	1	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	4	1	3	1	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	6	–	2	2	–	2	–	1	–	–	–	–
Cancer, Malignant Disease - -	10	7	–	–	–	–	–	–	2	4	8	3	–
Rheumatic Fever - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	4	–	–	3	–	–	–	1	–	–	–	–	–
Organic Heart Disease - - -	7	18	–	–	–	–	–	2	4	4	5	4	6
Bronchitis - - - - - -	12	16	3	1	–	–	–	–	1	2	4	11	6
Pneumonia (all forms) - - -	17	14	12	10	–	1	–	2	4	–	2	–	–
Other Diseases of Respiratory Organs	3	4	–	1	–	–	–	–	–	1	1	4	–
*Diarrhœa and Enteritis (under 2 years)	7	8	11	4	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	4	–	–	–	–	1	1	–	1	–	1	–	–
All Liver Diseases (not Malignant) -	1	2	1	–	–	–	–	–	–	1	1	–	–
Other Diseases of Digestive System (under 2 years)	2	3	4	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	5	3	–	–	–	–	1	–	4	1	1	1	–
Puerperal Sepsis - - - - -	–	2	–	–	–	–	1	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	3	–	–	–	–	1	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	11	11	22	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	12	4	1	2	1	–	4	2	2	2	2	–	–
Suicide - - - - - - -	1	1	–	–	–	–	–	–	2	–	–	–	–
Other Defined Diseases - - -	43	42	5	5	1	–	3	2	4	9	6	28	22
Diseases Ill-defined or Unknown -	6	3	–	–	–	–	1	–	–	4	2	2	–
Total - - - -	178	171	73	47	8	2	19	18	32	28	34	54	34

YEAR 1913.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Renfrew** (Burgh).

Population—Census 1901, - - - 9,296.
Do. Do. 1911, - - - 12,565.
Do. estimated to middle of 1913, 12,830.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	365	0	8	373	196	177
Illegitimate Births -	11	0	1	12	6	6
Marriages - -	55	–	–	–	–	–
Deaths - - -	140	2	34	172	89	83

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	28·4	29·1	–
Marriage-rate - - - - -	4·3	–	–
Death-rate—All Causes - - -	10·9	13·4	15·1
Do. —Phthisis - - - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·2	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	2	–	–	1	1	–	–	–	–	–	–	–
*Whooping-cough - - - -	3	4	4	3	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	6	–	–	–	–	1	6	2	1	–	–	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	5	6	–	–	–	–	–	–	1	4	3	2	1
Rheumatic Fever - - - -	2	–	–	–	–	–	2	–	–	–	–	–	–
Meningitis - - - - -	2	–	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	10	–	–	–	1	1	2	2	2	3	3	4
Bronchitis - - - - -	5	2	2	–	–	–	–	–	–	–	–	3	2
Pneumonia (all forms) - - -	10	5	2	7	1	–	–	–	–	2	2	1	–
Other Diseases of Respiratory Organs	2	1	1	1	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	3	3	5	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	2	–	–	–	3	–	–	–	–	1	–	–
All Liver Diseases (not Malignant) -	–	1	–	1	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	2	–	–	–	–	–	1	–	–	1	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	4	–	–	–	–	–	–	4	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	7	12	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	10	–	–	2	1	–	2	–	1	1	2	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	21	23	4	2	2	–	1	3	5	3	5	12	7
Diseases Ill-defined or Unknown -	4	2	1	1	–	–	–	–	2	–	–	2	–
Total - - - -	89	83	33	21	7	6	7	12	17	13	18	24	14

YEAR 1913.

COUNTY—**Renfrew.**

PUBLIC HEALTH DISTRICT—**Upper Renfrew** (County District).

Population—Census 1901, - - - 25,218.
Do. Do. 1911, - - - 34,541.
Do. estimated to middle of 1913, 35,341.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	794	23	23	794	403	391
Illegitimate Births -	36	11	10	35	21	14
Marriages - -	170	--	–	–	–	–
Deaths - - -	639	274	49	414	200	214

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	22·5	22·5	–
Marriage-rate - - - - -	4·8	–	–
Death-rate—All Causes - - -	18·1	11·7	12·6
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	3	1	2	2	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	5	7	6	5	–	–	1	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	3	1	2	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	4	2	–	–	–	–	–	–	1	–	–	3	2
Erysipelas - - - - -	1	2	–	–	–	–	–	1	–	1	1	–	–
Phthisis, Pulmonary Tuberculosis -	16	27	–	–	–	1	15	9	9	5	4	–	–
Tuberculous Meningitis - - -	6	4	1	7	1	–	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	3	–	2	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	5	1	1	3	–	–	–	1	1	–	–	–	–
Cancer, Malignant Disease - -	17	21	–	–	–	–	–	–	3	9	7	12	7
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	6	1	2	3	2	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	11	25	–	–	–	–	1	2	2	3	11	8	9
Bronchitis - - - - -	9	8	2	–	1	–	1	–	–	–	3	4	6
Pneumonia (all forms) - - -	10	8	4	2	–	–	–	2	3	3	2	2	–
Other Diseases of Respiratory Organs	5	4	2	1	–	–	–	–	1	1	1	1	2
*Diarrhœa and Enteritis (under 2 years)	10	2	11	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	3	–	–	–	–	–	–	–	–	1	2	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	9	7	–	–	–	–	1	2	4	2	3	3	1
Puerperal Sepsis - - - -	–	3	–	–	–	–	1	–	2	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	15	11	26	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	6	–	3	–	–	2	1	2	2	1	–	1
Suicide - - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Defined Diseases - - -	51	59	4	3	2	–	2	7	5	12	15	25	35
Diseases Ill-defined or Unknown -	7	6	1	2	–	–	–	–	1	2	3	1	3
Total - - - -	200	214	65	34	7	1	26	26	35	40	52	61	67

YEAR 1913.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Lower Renfrew** (County District).

Population—Census 1901, - - - 21,969.
Do. Do. 1911, - - - 23,742.
Do. estimated to middle of 1913, 23,286.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	460	8	13	465	246	219
Illegitimate Births -	20	3	3	20	12	8
Marriages - -	108	–	–	–	–	–
Deaths - - -	276	45	46	277	141	136

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·8	20·0	–
Marriage-rate - - - - - -	4·6	–	–
Death-rate—All Causes - - -	11·9	11·9	12·5
Do. —Phthisis - - - -	–	1·1	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·7	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	2	1	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	3	4	2	3	2	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	13	12	-	-	1	1	6	7	6	4	-	-	-
Tuberculous Meningitis - - -	1	1	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	3	-	1	-	-	-	2	1	-	-	1	-
Other Tuberculous Diseases - -	-	2	-	-	1	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	10	9	-	-	-	-	-	2	3	4	4	4	2
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	12	12	-	-	-	-	1	2	1	4	4	8	4
Bronchitis - - - - - -	10	9	1	1	-	-	-	-	1	2	3	7	4
Pneumonia (all forms) - - -	13	15	3	6	-	1	1	-	3	2	4	2	6
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	2	-	-	-	-	-	-	-	2	1	1	1
Other Diseases of Digestive System (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	6	-	2	-	-	-	-	2	1	4	2	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	3	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	9	1	-	1	-	-	-	1	3	-	2	3	-
Suicide - - - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-
Other Defined Diseases - - -	33	47	8	-	1	1	1	1	6	6	12	14	30
Diseases Ill-defined or Unknown -	4	2	1	1	-	-	-	-	-	1	-	3	-
Total - - - -	141	136	34	23	6	4	12	16	27	27	35	45	48

YEAR 1913.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Cromarty** (Burgh).

Population—Census 1901, - - - 1,242.
Do. Do. 1911, - - - 1,928.
Do. estimated to middle of 1913, 1,831.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	0	0	30	19	11
Illegitimate Births -	1	0	0	1	1	-
Marriages -	9	-	-	-	-	-
Deaths - - -	34	2	2	34	22	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·4	16·4	-
Marriage-rate - - - - -	4·9	-	-
Death-rate—All Causes - - -	18·6	18·6	21·7
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	2·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	2	-	-	-	-	-	-	-	-	1	-	2
Bronchitis - - - - -	2	3	-	-	-	-	-	-	-	-	1	2	2
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	1	-	-	-	-	-	2	2	-	1	-	1
Suicide - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - -	5	3	-	-	-	-	1	-	1	-	3	-	3
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	1	1	-	
Total - - - -	22	12	2	2	1	-	4	3	3	1	8	2	8

YEAR 1913.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Dingwall** (Burgh).

Population—Census 1901, - - - 2,519.
Do. Do. 1911, - - - 2,639.
Do. estimated to middle of 1913, 2,572.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	45	1	3	47	20	27
Illegitimate Births -	2	0	3	5	4	1
Marriages - -	32	–	–	–	–	–
Deaths - - -	48	11	2	39	23	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·5	18·3	–
Marriage-rate - - - - -	12·4	–	–
Death-rate—All Causes - - -	18·7	15·2	13·6
Do. —Phthisis - - - -	–	1·6	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	1	–	–	–	–	1	2	–	–	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	3	–	–	–	–	–	–	–	–	1	1	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	3	–	–	–	–	–	–	–	–	1	–	1	1
Bronchitis - - - - -	–	5	1	–	–	–	–	–	–	–	–	3	1
Pneumonia (all forms) - - -	3	–	1	–	–	–	–	–	–	–	1	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	–	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	–	–	1	–	–	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	6	2	–	1	–	–	–	–	–	1	1	7
Diseases Ill-defined or Unknown -	2	1	–	–	–	–	–	1	–	–	–	1	1
Total - - - -	23	16	5	–	1	–	1	3	–	3	5	9	12

YEAR 1913.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Fortrose** (Burgh).

Population—Census 1901, - - - 1,065.
Do. Do. 1911, - - - 970.
Do. estimated to middle of 1913, 915.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	2	0	14	8	6
Illegitimate Births -	3	2	0	1	0	1
Marriages - -	2	-	-	-	-	-
Deaths - - -	26	8	2	20	8	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·5	15·3	-
Marriage-rate - - - - -	2·2	-	-
Death-rate—All Causes - - -	28·4	21·9	15·6
Do. —Phthisis - - - -	-	0·0	-
Do. —All Tuberculosis - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	3	-	-	-	-	-	-	1	2	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	-	-	2
Bronchitis - - - - - -	-	3	-	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	4	-	-	-	-	-	-	1	-	-	-	6
Diseases Ill-defined or Unknown	1	-	-	-	-	-	-	-	-	1	-	-	-
Total - - - -	8	12	-	-	-	-	-	-	2	3	2	2	11

YEAR 1913.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Invergordon** (Burgh).

Population—Census 1901, - - - 1,047.
Do. Do. 1911, - - - 1,051.
Do. estimated to middle of 1913, 1,015.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	1	1	19	13	6
Illegitimate Births -	4	0	0	4	3	1
Marriages - -	12	-	-	-	-	-
Deaths - - -	29	2	2	29	15	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·7	18·7	-
Marriage-rate - - - - - -	11·8	-	-
Death-rate—All Causes - - -	28·6	28·6	23·4
Do. —Phthisis - - - -	-	3·0	-
Do. —All Tuberculosis - -	-	3·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	-	1	1	-	-	-	1
Tuberculous Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	2	-	-	-	-	-	1	1	-	1	-	-
Bronchitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	2	1	-	1	-	-	-	1	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	-	1	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	2	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	6	-	-	-	-	-	-	1	1	1	2	5
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	1	-	-	-	1
Total - - - - -	15	14	1	1	-	-	-	3	6	2	2	3	11

YEAR 1913.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Stornoway** (Burgh).

Population—Census 1901, - - - 3,885.
Do. Do. 1911, - - - 3,806.
Do. estimated to middle of 1913, 3,654.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	0	1	58	34	24
Illegitimate Births -	5	0	1	6	6	0
Marriages - -	15	–	–	–	–	–
Deaths - - -	54	1	2	55	24	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·6	15·9	–
Marriage-rate - - - - - -	4·1	–	–
Death-rate—All Causes - - -	14·8	15·1	14·2
Do. —Phthisis - - - -	–	1·4	–
Do. —All Tuberculosis - -	–	1·6	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	4	–	–	–	–	2	2	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	5	–	–	–	–	–	–	–	1	2	1	2
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	2	–	–	–	1	–	–	–	–	–	3	4
Bronchitis - - - - - -	1	3	1	–	–	1	–	–	–	1	–	–	1
Pneumonia (all forms) - - -	1	2	1	2	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	–	–	–	–	–	–	–	2	1	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	–	–	–	–	–	–	–	–	1
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	10	10	–	–	1	–	–	–	2	1	3	5	8
Diseases Ill-defined or Unknown -	–	2	–	–	–	–	–	–	–	–	–	1	1
Total - - - -	24	31	4	2	1	2	2	2	4	3	7	11	17

YEAR 1913.
COUNTY—**Ross and Cromarty**.
PUBLIC HEALTH DISTRICT—**Tain** (Burgh).

Population—Census 1901, - - - 1,645
Do. Do. 1911, - - - 1,599.
Do. estimated to middle of 1913, 1,533.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	32	0	1	33	21	12
Illegitimate Births -	2	0	0	2	1	1
Marriages - -	31	–	–	–	–	–
Deaths - - -	24	0	2	26	9	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	20·9	21·5	–
Marriage-rate - - - - - -	20·2	–	–
Death-rate—All Causes - - -	15·7	17·0	13·5
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	0·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —30.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	3	–	–	–	–	–	–	–	–	–	2	3
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	3	–	–	–	–	–	–	–	–	2	1	1
Bronchitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms) - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	2	–	–	–	–	–	–	–	2	1	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	1	–	–	–	–	–	1	–	–	–	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	1	6	–	–	–	–	–	–	–	–	1	4	2
Diseases Ill-defined or Unknown -	1	2	–	–	–	–	–	–	–	–	2	1	–
Total - - - -	9	17	1	–	–	–	–	1	–	3	6	9	6

YEAR 1913.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Black Isle** (County District).

Population—Census 1901, - - 6,331.
Do. Do. 1911, - - - 8,922.
Do. estimated to middle of 1913, 8,479.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	110	0	4	114	62	52
Illegitimate Births -	7	0	2	9	6	3
Marriages - -	14	-	-	-	-	-
Deaths - - -	84	1	11	94	53	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	13·0	13·4	-
Marriage-rate - - - - - -	1·7	-	-
Death-rate—All Causes - - -	9·9	11·1	12·3
Do. —Phthisis - - - - -	-	0·5	-
Do. —All Tuberculosis - -	-	0·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—35
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	1	-	-	-	-	1	3	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	4	5	-	-	-	-	-	-	1	-	5	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	6	8	-	-	-	-	-	-	-	1	4	5	4
Bronchitis - - - - - -	3	1	-	-	-	-	-	-	-	-	-	1	3
Pneumonia (all forms) - - -	5	2	-	-	-	-	-	-	-	2	1	2	2
Other Diseases of Respiratory Organs	2	1	1	-	-	-	-	-	-	-	-	1	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	-	1	-	-	2	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	24	15	1	-	2	-	-	-	2	1	2	9	22
Diseases Ill-defined or Unknown -	1	2	-	-	-	-	-	1	-	-	-	-	2
Total - - - -	53	41	4	-	2	-	2	5	5	5	13	22	36

YEAR 1913.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Easter Ross** (County District).

Population—Census 1901, - - - 11,181.
Do. Do. 1911, - - - 10,385.
Do. estimated to middle of 1913, 9,845.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	183	3	4	184	97	87
Illegitimate Births -	15	2	3	16	8	8
Marriages - -	27	-	-	-	-	-
Deaths - - -	175	3	9	181	92	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·6	18·7	-
Marriage-rate - - - - -	2·7	-	-
Death-rate—All Causes - - -	17·8	18·4	14·0
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	4	-	-	-	-	-	-	-	-	-	1	3
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis -	4	4	-	1	-	-	2	1	3	1	-	-	-
Tuberculous Meningitis - - -	3	-	3	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	9	9	-	-	-	-	-	-	1	2	5	7	3
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	11	4	-	-	-	-	1	-	1	1	4	2	6
Bronchitis - - - - -	3	6	-	-	-	-	-	-	-	-	-	3	6
Pneumonia (all forms) - - -	9	7	2	2	-	-	-	-	1	-	3	2	6
Other Diseases of Respiratory Organs	1	2	-	-	-	-	-	-	-	-	-	3	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	-	-	-	-	2	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	2	-	-	-	-	-	-	1	1	-	2	1
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	4	5	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	4	1	-	1	-	-	-	-	2	-	1	1
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	31	31	-	-	1	1	-	2	2	3	5	17	31
Diseases Ill-defined or Unknown -	8	9	4	-	-	1	-	1	-	1	1	2	7
Total - - - -	92	89	16	5	3	2	3	4	9	14	18	41	66

YEAR 1913.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Lews** (County District).

Population—Census 1901 - - - 25,064.
Do. Do. 1911, - - - 25,797.
Do. estimated to middle of 1913, 25,041.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	613	2	2	613	290	323
Illegitimate Births -	13	0	1	14	3	11
Marriages - -	89	-	-	-	-	-
Deaths - - -	335	1	7	341	177	164

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	24·5	24·5	-
Marriage-rate - - - - - -	3·6	-	-
Death-rate—All Causes - - -	13·4	13·6	11·4
Do. —Phthisis - - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—47.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	3	-	-	-	-	-	-	2	-	-	1	-	-
Typhus Fever - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	-	1	-	-	-	-	-	1	-	-	-
Influenza - - - - - - -	2	6	-	-	-	-	-	-	-	-	1	2	5
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	18	16	-	-	-	-	12	13	6	2	-	1	-
Tuberculous Meningitis - - -	2	1	-	-	3	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	5	4	-	1	-	1	4	1	-	-	-	2	-
Cancer, Malignant Disease - -	14	11	-	-	-	-	-	-	2	3	3	10	7
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	2	-	1	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	15	-	-	1	-	-	-	3	-	4	7	4
Bronchitis - - - - - -	11	18	-	-	1	-	1	1	1	1	6	12	6
Pneumonia (all forms) - - -	10	12	7	2	1	-	2	2	1	1	1	2	3
Other Diseases of Respiratory Organs	4	2	-	1	-	-	-	1	-	-	-	1	3
*Diarrhœa and Enteritis (under 2 years)	3	-	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	-	2	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	1	1	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	-	-	-	-	-	-	1	2	1	-	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	3	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	8	-	-	-	-	-	-	3	1	2	2	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	66	59	8	7	1	-	-	3	1	5	10	27	63
Diseases Ill-defined or Unknown -	10	8	4	-	-	-	-	1	-	-	4	3	6
Total - - - -	177	164	29	17	8	2	19	30	19	18	33	67	99

YEAR 1913.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Mid-Ross** (County District).

Population—Census 1901, - - - 12,953.
Do. Do. 1911, - - - 11,887.
Do. estimated to middle of 1913, 11,235.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	189	1	8	196	108	88
Illegitimate Births -	19	0	5	24	13	11
Marriages - -	34	-	-	-	-	-
Deaths - - -	193	3	16	206	94	112

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·8	17·4	-
Marriage-rate - - - - - -	3·0	-	-
Death-rate—All Causes - - -	17·3	18·3	13·3
Do. —Phthisis - - - -	-	1·2	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —61.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age.										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	4	-	-	-	-	-	-	-	-	-	1	4
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	7	7	-	-	-	-	-	6	-	3	2	3	-
Tuberculous Meningitis - - -	2	1	1	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	7	8	-	-	-	-	-	1	2	3	3	4	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-
Organic Heart Disease - - -	5	8	-	-	-	-	-	1	-	1	1	4	6
Bronchitis - - - - - -	2	6	-	-	-	-	-	-	-	2	2	2	2
Pneumonia (all forms) - - -	9	4	1	-	-	-	-	1	1	2	2	4	2
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	4	-	-	-	-	-	-	-	1	-	-	3
Other Diseases of Digestive System (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	6	-	-	-	-	-	-	1	1	-	5	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	3	-	-	-	-	1	-	1	1	1	-	3
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	42	49	-	-	-	-	-	7	4	3	5	21	51
Diseases Ill-defined or Unknown -	8	4	4	-	1	-	-	2	-	1	-	2	2
Total - - - -	94	112	12	1	2	-	4	20	9	18	16	46	78

YEAR 1913.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**South-Western** (County District).

Population—Census 1901, - - - 4,106.
Do. Do. 1911, - - - 3,622.
Do. estimated to middle of 1913, 3,389.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	0	2	68	29	39
Illegitimate Births -	4	0	2	6	2	4
Marriages - -	15	–	–	–	–	–
Deaths - - -	44	1	3	46	20	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	19·5	20·1	–
Marriage-rate - - - -	4·4	–	–
Death-rate—All Causes - - -	13·0	13·6	8·9
Do. —Phthisis - - - -	–	1·8	–
Do. —All Tuberculosis - -	–	2·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	4	–	–	–	–	1	1	3	1	–	–	–
Tuberculous Meningitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	–	–	–	1	2
Bronchitis - - - - -	–	2	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	1	1	1	–	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	3	–	–	–	–	–	–	1	–	1	2	2
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	2	–	–	–	–	1	–	–	–	1	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	10	8	–	–	–	–	1	–	1	–	2	5	9
Diseases Ill-defined or Unknown -	–	1	–	–	–	–	–	–	–	–	–	–	1
Total - - - -	20	26	3	–	–	1	3	1	5	2	5	11	15

YEAR 1913.
COUNTY—**Ross and Cromarty.**
PUBLIC HEALTH DISTRICT—**Western** (County District).

Population—Census 1901, - - - 5,412.
Do. Do. 1911, - - - 4,758.
Do. estimated to middle of 1913, 4,448.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	58	0	2	60	36	24
Illegitimate Births -	3	0	1	4	1	3
Marriages - -	7	–	–	–	–	–
Deaths - - -	65	0	9	74	36	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	13·0	13·5	–
Marriage-rate - - - - -	1·6	–	–
Death-rate—All Causes - - -	14·6	16·6	10·5
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected - 67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	3	–	–	–	–	–	3	–	–	1	–	–
Tuberculous Meningitis - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	2	–	–	–	–	–	–	–	1	1	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	3	–	–	–	–	–	–	–	1	–	1	3
Bronchitis - - - - -	2	6	2	–	–	–	–	–	–	1	1	1	3
Pneumonia (all forms) - - -	2	1	–	–	–	–	1	–	–	–	–	1	1
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	–	1	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	–	–	2	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	4	2	–	1	–	–	1	–	1	–	–	2	1
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	16	18	1	–	–	–	–	–	2	1	1	4	25
Diseases Ill-defined or Unknown -	4	–	1	–	–	–	–	1	–	–	–	–	2
Total - - - -	36	38	4	1	1	–	3	5	3	4	4	13	36

YEAR 1913.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Hawick** (Burgh).

Population—Census 1901, - - - 17,303.
Do. Do. 1911, - - - 16,877.
Do. estimated to middle of 1913, 16,188.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	292	8	3	287	142	145
Illegitimate Births -	23	1	1	23	10	13
Marriages - -	99	-	-	-	-	-
Deaths - - -	249	7	10	252	129	123

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·0	17·7	-
Marriage-rate - - - - -	6·1	-	-
Death-rate—All Causes - - -	15·4	15·6	15·7
Do. —Phthisis - - - -	-	1·0	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	1	2	1	1	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-
Phthisis, Pulmonary Tuberculosis -	10	6	-	-	-	-	5	2	8	1	-	-	-
Tuberculous Meningitis - - -	2	1	-	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	3	-	1	1	-	2	-	1	-	-	-	-
Other Tuberculous Diseases - -	3	2	-	-	-	1	1	2	-	-	1	-	-
Cancer, Malignant Disease - -	3	13	-	-	-	-	-	1	1	3	5	4	2
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	2	2	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - -	13	8	-	-	-	-	-	-	1	2	5	8	5
Bronchitis - - - - -	5	7	2	-	1	-	-	-	-	2	1	1	5
Pneumonia (all forms) - - -	6	6	-	1	1	-	1	1	2	1	4	1	-
Other Diseases of Respiratory Organs	3	1	-	2	-	-	-	1	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	4	2	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	2	-	-	-	-	1	2	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	-	1	1	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	6	-	-	-	-	-	-	1	1	5	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	6	14	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	5	3	-	1	1	-	-	-	2	1	1	1	1
Suicide - - - - - -	3	-	-	-	-	-	-	-	2	-	-	1	-
Other Defined Diseases - - -	48	43	2	2	1	1	5	2	4	9	14	29	22
Diseases Ill-defined or Unknown -	5	4	-	-	-	-	-	-	1	-	3	2	3
Total - - - -	129	123	27	13	6	3	15	12	25	21	42	49	39

YEAR 1913.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Jedburgh** (Burgh).

Population—Census 1901, - - - 3,136.
Do. Do. 1911, - - - 2,752.
Do. estimated to middle of 1913, 2,571.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	3	2	38	17	21
Illegitimate Births -	4	0	1	5	1	4
Marriages - -	16	-	-	-	-	-
Deaths - - -	54	3	4	55	22	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·2	14·8	-
Marriage-rate - - - - - -	6·2	-	-
Death-rate—All Causes - - -	21·0	21·4	20·3
Do. —Phthisis - - - - -	-	1·9	-
Do. —All Tuberculosis - -	-	1·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—79.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	1	1	-	-	2	-	1
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	1	1	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Organic Heart Disease - - -	3	7	-	-	-	-	1	-	-	2	2	3	2
Bronchitis - - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - -	1	4	1	-	-	-	-	-	1	1	-	1	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	3	-	-	-	-	-	1	-	-	-	2	2
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	1	-	-	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	9	-	-	-	-	-	1	-	1	2	5	6
Diseases Ill-defined or Unknown -	4	-	-	1	-	-	-	1	-	-	-	-	2
Total - - - -	22	33	3	1	1	-	3	4	2	5	7	12	17

YEAR 1913.
COUNTY—**Roxburgh.**
PUBLIC HEALTH DISTRICT—**Kelso** (Burgh).

Population—Census 1901, - - - - 4,008.
Do. Do. 1911, - - - 3,982.
Do. estimated to middle of 1913, 3,835.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	82	3	0	79	43	36
Illegitimate Births -	1	0	0	1	0	1
Marriages - -	26	-	-	-	-	-
Deaths - - -	80	7	2	75	43	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·4	20·6	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - -	20·9	19·6	17·0
Do. —Phthisis - - - -	-	1.0	-
Do. —All Tuberculosis - -	-	2.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	-	-	2	1	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	2	1	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	-	1	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - -	2	3	-	-	-	-	-	-	-	-	2	1	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	-	-	1	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	10	2	-	-	-	-	1	-	-	-	3	6	2
Bronchitis - - - - - -	2	2	-	-	-	-	-	-	-	1	-	2	1
Pneumonia (all forms) - - -	5	1	-	-	-	-	-	1	-	1	1	2	1
Other Diseases of Respiratory Organs	2	1	-	-	-	1	-	-	-	1	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	2	-	-	-	-	-	2	1	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	5	1	5	-	-	-	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	1	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	5	13	1	-	-	-	-	-	-	-	3	5	9
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	43	32	8	4	-	1	2	4	4	6	11	19	16

YEAR 1913.
COUNTY—**Roxburgh**.
PUBLIC HEALTH DISTRICT—**Melrose** (Burgh).

Population—Census 1901, - - - 2,195.
Do. Do. 1911, - - - 2,166.
Do. estimated to middle of 1913, 2,083.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	26	0	0	26	13	13
Illegitimate Births -	0	0	0	0	0	0
Marriages - -	12	–	–	–	–	–
Deaths - - -	47	17	0	30	14	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	12·5	12·5	–
Marriage-rate - - - - -	5·8	–	–
Death-rate—All Causes - - -	22·6	14·4	12·2
Do. —Phthisis - - - -	–	2·4	–
Do. —All Tuberculosis - -	–	2·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	3	2	–	–	–	–	–	1	1	2	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	2	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	1	2	–	–	–	–	–	–	–	–	–	2	1
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	6	8	–	–	–	–	1	–	–	1	1	1	10
Diseases Ill-defined or Unknown -	1	–	–	–	–	–	–	–	–	–	–	1	–
Total - - - -	14	16	1	–	1	–	1	1	1	3	3	7	12

YEAR 1913.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Hawick** (County District).

Population—Census 1901, - - - 3,265.
Do. Do. 1911, - - - 3,258.
Do. estimated to middle of 1913, 3,142.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	7	0	44	19	25
Illegitimate Births -	11	3	0	8	4	4
Marriages - -	29	-	-	-	-	-
Deaths - - -	39	1	0	38	29	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·2	14·0	-
Marriage-rate - - - - -	9·2	-	-
Death-rate—All Causes - - -	12·4	12·1	11·8
Do. —Phthisis - - - -	-	0·3	-
Do. —All Tuberculosis - -	-	0·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Organic Heart Disease - - -	5	1	-	-	-	-	-	-	1	-	2	-	3
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	1	-	-	2
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	-	1	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	1	1	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	11	6	1	-	1	-	-	1	-	-	4	4	6
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	1	-	1
Total - - - -	29	9	4	-	3	-	-	2	2	1	7	7	12

YEAR 1913.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Jedburgh** (County District).

Population—Census 1901, - - - 5,257.
Do. Do. 1911, - - - 4,855.
Do. estimated to middle of 1913 4,596.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	74	1	4	77	39	38
Illegitimate Births -	10	0	2	12	5	7
Marriages - -	22	-	-	-	-	-
Deaths - - -	51	2	4	53	24	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·1	16·8	-
Marriage-rate - - - - -	4·8	-	-
Death-rate—All Causes - - -	11·1	11·5	11·2
Do. —Phthisis - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	-	1	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	-	-	1	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	4	3	-	-	-	-	-	1	-	-	3	1	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	1	-	-	-	-	-	-	-	1	2	-	1
Bronchitis - - - - - -	1	3	1	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - -	1	2	-	-	-	-	-	-	1	-	-	-	2
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	3	-	1	-	-	-	-	1	-	-	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	3	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	-	1	-	1	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	6	9	-	-	-	-	-	-	-	-	3	4	8
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	1	1
Total - - - -	24	29	7	1	-	1	-	2	3	4	8	11	16

YEAR 1913.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Kelso** (County District).

Population—Census 1901, - - - 6,653.
Do. Do. 1911, - - - 6,321.
Do. estimated to middle of 1913, 6,026.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	109	3	3	109	63	46
Illegitimate Births -	16	1	0	15	6	9
Marriages - -	44	–	–	–	–	–
Deaths - - -	79	1	7	85	36	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	18·1	18·1	–
Marriage-rate - - - - -	7·3	-	–
Death-rate—All Causes - - -	13·1	14·1	13·8
Do. —Phthisis - - - -	–	0·2	–
Do. —All Tuberculosis - -	–	0·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	5-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	2	2	2	2	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	1	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	8	–	–	–	–	–	–	–	2	4	2	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	8	–	–	–	–	–	1	–	2	6	1	6
Bronchitis - - - - -	2	2	1	–	–	–	–	–	–	–	–	2	1
Pneumonia (all forms) - - -	–	2	–	–	–	–	–	–	–	–	1	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	–	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	–	2	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	–	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	–	2	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	12	16	1	–	–	–	–	1	1	6	6	6	7
Diseases Ill-defined or Unknown -	1	3	–	–	–	–	–	–	–	1	1	1	1
Total - - - -	36	49	8	4	2	–	2	4	4	11	20	12	18

YEAR 1913.
COUNTY—**Roxburgh**.
PUBLIC HEALTH DISTRICT—**Liddesdale** (County District).

Population—Census 1901, - - - 1,872.
Do. Do. 1911, - - - 1,934.
Do. estimated to middle of 1913, 1,879.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	32	3	2	31	14	17
Illegitimate Births -	3	0	0	3	2	1
Marriages - -	12	-	-	-	-	-
Deaths - - -	25	0	0	25	15	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·0	16·5	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - -	13·3	13·3	10·7
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	2	-	-	-	-	-	-	-	-	-	1	2
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	1
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	6	3	-	-	-	-	-	-	-	-	2	2	5
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	15	10	2	-	-	-	1	1	1	2	4	6	8

YEAR 1913.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Melrose** (County District).

Population—Census 1901, - - - 5,115.
Do. Do. 1911, - - - 5,047.
Do. estimated to middle of 1913, 4,853.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	103	2	6	107	61	46
Illegitimate Births -	3	0	5	8	7	1
Marriages - -	26	–	–	–	–	–
Deaths - - -	62	3	4	63	32	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	21·2	22·0	–
Marriage-rate - - - - -	5·4	–	–
Death-rate—All Causes - - -	12·8	13·0	11·3
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·4	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	3	–	–	1	–	2	–	1	–	1	–	–
Tuberculous Meningitis - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	2	7	–	–	–	–	–	–	2	–	4	1	2
Rheumatic Fever - - - -	–	1	–	–	–	–	–	–	–	–	1	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	9	3	–	–	–	–	–	–	–	2	3	1	6
Bronchitis - - - - -	3	4	3	1	1	–	–	–	–	–	–	–	2
Pneumonia (all forms) - - -	–	2	–	–	–	–	–	–	–	1	–	1	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	2	–	–	1	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant) -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	–	1	–	–	–	–	1	–	1	–	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	4	7	–	–	1	–	–	–	2	1	2	2	3
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	–	–	–	–	1	1	–
Total - - - -	32	31	8	1	5	–	2	2	6	7	12	6	14

YEAR 1913.
COUNTY—**Selkirk**.
PUBLIC HEALTH DISTRICT—**Galashiels** (Burgh).

Population—Census 1901, - - - 13,615.
Do. Do. 1911, - - - 14,531.
Do. estimated to middle of 1913, 14,216.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	262	7	5	260	127	133
Illegitimate Births -	31	3	1	29	16	13
Marriages - -	84	-	-	-	-	-
Deaths - - -	203	7	8	204	104	100

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	18·4	18·3	-
Marriage-rate - - - - -	5·9	-	-
Death-rate—All Causes - - -	14·3	14·4	14·7
Do. —Phthisis - - - -	-	0·6	-
Do. —All Tuberculosis - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	2	2	-	1	2	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	2	-	1	3	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	6	-	-	-	-	2	4	2	-	-	-	1
Tuberculous Meningitis - - -	2	4	2	3	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	3	1	-	-	-	-	3	-	-	1	-	-	-
Cancer, Malignant Disease - -	12	14	-	-	-	-	-	-	3	5	10	5	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	2	-	-	1	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - -	8	11	-	-	-	-	1	-	1	2	4	8	3
Bronchitis - - - - - -	4	8	1	-	1	-	-	-	-	1	2	4	3
Pneumonia (all forms) - - -	8	3	-	1	2	-	1	-	-	-	2	2	3
Other Diseases of Respiratory Organs	2	3	1	-	-	-	1	-	1	1	-	-	1
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	2	-	-	-	-	-	1	1	1	-	-	-
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	3	-	-	-	-	-	1	2	-	1	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	3	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	2	-	1	-	-	-	-	1	2	1	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	32	28	5	1	-	-	-	-	6	6	13	16	13
Diseases Ill-defined or Unknown -	2	4	-	-	-	-	-	-	-	2	-	4	-
Total - - - -	104	100	26	9	8	1	8	9	17	23	33	42	28

YEAR 1913.
COUNTY—**Selkirk**.
PUBLIC HEALTH DISTRICT—**Selkirk** (Burgh).

Population—Census 1901, - - - 5,655.
Do. Do. 1911, - - - 5,886.
Do. estimated to middle of 1913, 5,728.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	3	4	93	47	46
Illegitimate Births -	3	0	2	5	1	4
Marriages - -	34	–	–	–	–	–
Deaths - - -	60	1	10	69	31	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	16·1	16·2	–
Marriage-rate - - - - -	5·9	–	–
Death-rate—All Causes - - -	10·5	12·0	11·7
Do. —Phthisis - - - -	–	1·2	–
Do. —All Tuberculosis - -	–	1·7	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—22.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	3	–	–	–	–	2	1	2	1	1	–	–
Tuberculous Meningitis - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	2	–	–	–	–	–	1	1	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	8	–	–	–	–	–	–	–	1	1	3	4
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	6	–	–	–	–	–	–	–	1	–	2	1	2
Bronchitis - - - - -	1	2	–	–	–	–	–	–	–	–	–	1	2
Pneumonia (all forms) - - -	1	1	–	–	–	–	–	–	–	–	–	2	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	–	–	–	–	–	–	–	1	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	1	–	–	–	–	1	–	–	–	–	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	1	–	–	–	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	17	–	–	–	–	1	–	3	2	2	9	8
Diseases Ill-defined or Unknown -	2	1	–	–	–	–	–	–	–	–	2	1	–
Total - - - -	31	38	2	2	–	–	5	2	8	5	10	18	17

YEAR 1913.
COUNTY—**Selkirk**.
PUBLIC HEALTH DISTRICT—**Selkirk** (County District).

Population—Census 1901, - - - 4,086.
Do. Do. 1911, - . - 4,184.
Do. estimated to middle of 1913, 4,057.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	70	2	2	70	31	39
Illegitimate Births -	5	0	1	6	4	2
Marriages - -	12	–	–	–	–	–
Deaths - - -	44	2	4	46	23	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·3	17·3	–
Death-rate—All Causes - - -	3·0	–	–
Do. —Phthisis - - - -	10·8	11·3	11·3
Do. —All Tuberculosis - -	–	0·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–
	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	1	–	–	–	–	–	1	1	–	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	1	3	–	–	–	–	–	–	–	–	2	1	1
Rheumatic Fever - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	–	–	–	3	–
Bronchitis - - - - - -	–	2	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	2	1	–	–	–	1	–	–	–	1	–	1	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	1	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	1	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	2	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	–	–	–	–	–	–	–	–	1	–	1	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	–	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	–	–	–	–	–	–	–	1	–	–	1	–
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	11	1	–	–	–	–	–	2	1	1	8	6
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	23	23	4	1	–	1	–	1	6	3	4	17	9

YEAR 1913.
COUNTY—**Shetland**.
PUBLIC HEALTH DISTRICT—**Lerwick** (Burgh).

Population—Census 1901, - - - 4,281.
Do. Do. 1911, - - - 4.664.
Do. estimated to middle of 1913, 4,583.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	87	2	0	85	44	41
Illegitimate Births -	5	1	0	4	4	0
Marriages - -	87	–	–	–	–	–
Deaths - - -	76	2	6	80	39	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	19·0	18·5	–
Marriage-rate - - - - - -	19·0	–	–
Death-rate—All Causes - - -	16·6	17·5	14·4
Do. —Phthisis - - - -	–	1·7	–
Do. —All Tuberculosis - -	–	2·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·1	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	2	1	2	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	3	–	–	–	–	3	1	–	3	–	1	–
Tuberculous Meningitis - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	–	–	–	1	–
Cancer, Malignant Disease - -	1	4	–	–	–	–	–	–	–	2	1	1	1
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	6	–	–	–	–	–	–	–	1	1	3	5
Bronchitis - - - - - -	1	2	1	–	–	–	–	–	–	–	–	–	2
Pneumonia (all forms) - - -	2	2	1	–	–	–	1	–	–	–	–	1	1
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	1	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	2	–	–	–	–	1	–	–	–	–	–	2
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	17	14	–	1	–	–	–	1	1	1	5	8	14
Diseases Ill-defined or Unknown -	1	3	–	–	–	–	–	–	–	–	1	1	2
Total - - - -	39	41	6	5	–	–	5	4	1	8	8	16	27

YEAR 1913.
COUNTY—**Shetland**.
PUBLIC HEALTH DISTRICT—**Mainland** (County District).

Population—Census 1901, - - - 19,109.
Do. Do. 1911, - - - 18,543.
Do. estimated to middle of 1913, 17,763.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	312	2	3	313	169	144
Illegitimate Births -	12	1	1	12	9	3
Marriages - -	39	–	–	–	–	–
Deaths - - -	300	3	17	314	136	178

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·6	17·6	–
Marriage-rate - - - - - -	2·2	–	–
Death-rate—All Causes - - -	16·9	17·7	12·2
Do. —Phthisis - - - - -	–	1·3	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·5	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—58.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	2	4	–	2	4	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	3	1	–	–	–	–	–	–	1	–	1	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	10	13	–	–	–	1	9	2	4	6	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	–	–	1	–	–	–	–	1
Cancer, Malignant Disease - -	7	12	–	–	–	–	–	1	–	5	4	4	5
Rheumatic Fever - - - - -	–	1		–	–	–	1	–	–	–	–	–	–
Meningitis - - - - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	7	23	–	–	–	–	–	1	1	5	1	7	15
Bronchitis - - - - - -	11	12	1	–	–	–	1	–	1	–	2	5	13
Pneumonia (all forms) - - -	9	2	2	2	–	–	–	–	1	–	1	2	3
Other Diseases of Respiratory Organs	5	5	–	–	1	–	1	–	1	1	2	1	3
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant) -	2	2	–	–	–	–	–	–	1	1	–	2	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	4	–	–	–	–	1	–	–	2	1	–	3
Puerperal Sepsis - - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	5	9	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	15	2	–	1	1	–	1	3	4	1	–	3	3
Suicide - - - - - - -	3	–	–	–	–	–	–	–	–	1	1	1	–
Other Defined Diseases - - -	49	81	3	–	–	–	2	–	4	5	11	18	87
Diseases Ill-defined or Unknown -	6	4	1	–	–	–	–	–	–	–	2	2	5
Total - - - -	136	178	18	6	7	1	16	10	18	28	26	46	138

YEAR 1913.
COUNTY—**Shetland**.
PUBLIC HEALTH DISTRICT—**North Isles** (County District).

Population—Census 1901, - - - 4,776.
Do. Do. 1911, - - - 4,704.
Do. estimated to middle of 1913, 4,522.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	72	0	0	72	38	34
Illegitimate Births -	2	0	0	2	2	0
Marriages - -	11	-	-	-	-	-
Deaths - - -	57	0	5	62	24	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	15·9	15·9	-
Marriage-rate - - - - - -	2·4	-	-
Death-rate—All Causes - - -	12·6	13·7	10·1
Do. —Phthisis - - - - -	-	1·5	-
Do. —All Tuberculosis - - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	4	-	-	-	-	1	2	1	2	1	-	-
Tuberculous Meningitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	3	-	-	-	-	-	-	1	-	-	1	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	4	-	-	-	-	-	-	-	-	1	5	1
Bronchitis - - - - - -	2	1	1	1	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	1	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	-	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	18	-	-	-	2	-	-	2	-	2	6	16
Diseases Ill-defined or Unknown -	1	2	-	-	-	-	-	-	-	-	2	1	-
Total - - - -	24	38	4	2	1	2	1	4	4	3	7	14	20

YEAR 1913.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Bridge of Allan** (Burgh).

Population—Census 1901, - - - 3,240.
Do. Do. 1911, - - - 3,121.
Do. estimated to middle of 1913, 2,985.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	38	3	1	36	17	19
Illegitimate Births -	1	0	0	1	1	0
Marriages - -	20	-	-	-	-	-
Deaths - - -	38	2	3	39	19	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	12·7	12·1	-
Marriage-rate - - - - - -	6·7	-	-
Death-rate—All Causes - - -	12·7	13·1	11·7
Do. —Phthisis - - - - -	-	0·7	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—28.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	1	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	-	-	2	2	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	4	-	-	-	-	1	-	-	2	1	2	2
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	2	-	-	-	1	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	1	1	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	10	1	-	-	1	-	-	-	2	-	4	9
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	19	20	1	-	-	2	2	1	2	6	5	8	12

YEAR 1913.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Denny and Dunipace** (Burgh).

Population—Census 1901, - - - 5,288.
Do. Do. 1911, - - - 5,164.
Do. estimated to middle of 1913, 4,954.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	160	4	2	158	82	76
Illegitimate Births -	9	0	1	10	3	7
Marriages - -	34	–	–	–	–	–
Deaths - - -	65	4	3	64	34	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	32·3	31·9	–
Marriage-rate - - - - -	6·9	–	–
Death-rate—All Causes - - -	13·1	12·9	14·0
Do. —Phthisis - - - -	–	1·6	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	1	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	4	–	–	1	–	2	1	2	1	1	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	5	–	–	–	1	1	–	–	–	2	–	1	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	4	6	1	–	–	–	–	–	–	1	4	3	1
Bronchitis - - - - -	1	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms) - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	–	1
*Diarrhœa and Enteritis (under 2 years)	3	1	3	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	4	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	–	–	–	2	–	–	–	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	8	10	1	1	–	1	–	1	1	3	2	4	4
Diseases Ill-defined or Unknown -	1	1	–	–	–	–	–	–	–	–	–	2	–
Total - - - -	34	30	13	3	2	2	4	2	4	9	7	12	6

YEAR 1913.
COUNTY—**Stirling**.
PUBLIC HEALTH DISTRICT—**Falkirk** (Burgh).

Population—Census 1901, - - - 29,280
Do. Do. 1911, - - - 33,574
Do. estimated to middle of 1913, 33,816

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	898	12	11	897	467	430
Illegitimate Births -	50	3	5	52	24	28
Marriages - -	209	-	-	-	-	-
Deaths - - -	483	41	30	472	255	217

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	26·6	26·5	-
Marriage-rate - - - - - -	6·2	-	-
Death-rate—All Causes - - -	14·3	14·0	15·3
Do. —Phthisis - - - -	-	1·3	-
Do. —All Tuberculosis - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	4	2	-	-	1	-	2	1	1	-	-	1	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	9	8	6	10	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	7	9	5	9	2	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	1	3	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	2	1	1	-	-	-	-	-	-	-	-	2	-
Erysipelas - - - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	18	26	-	1	-	3	11	10	13	5	1	-	-
Tuberculous Meningitis - - -	9	3	2	8	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	6	2	4	1	2	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - -	1	3	-	3	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	11	22	-	-	-	-	1	-	1	8	8	13	2
Rheumatic Fever - - - - -	-	2	-	-	-	-	1	-	-	-	-	1	-
Meningitis - - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	20	25	-	-	2	1	1	1	5	8	11	12	4
Bronchitis - - - - - -	11	13	3	1	-	-	-	-	-	1	3	9	7
Pneumonia (all forms) - - -	22	14	6	7	-	-	2	4	2	3	5	4	3
Other Diseases of Respiratory Organs	4	2	2	1	-	-	-	-	-	-	1	-	2
*Diarrhœa and Enteritis (under 2 years)	5	4	8	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	-	-	-	-	-	1	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	2	2	-	-	-	-	-	-	-	-	2	-	2
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	8	6	-	-	1	-	2	-	2	2	4	2	1
Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	1	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	26	11	36	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	18	3	1	1	2	1	4	5	1	4	2	-	-
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	60	47	8	7	-	-	2	3	7	12	18	21	29
Diseases Ill-defined or Unknown -	2	5	-	-	-	-	-	-	1	2	2	-	2
Total - - - -	255	217	85	54	16	6	28	25	38	45	58	65	52

YEAR 1913.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Grangemouth** (Burgh).

Population—Census 1901, - - - 8,999.
Do. Do. 1911, - - - 10,219.
Do. estimated to middle of 1913, 10,123.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	273	4	7	276	140	136
Illegitimate Births -	9	0	3	12	5	7
Marriages - -	54	–	–	–	–	–
Deaths - - -	126	1	18	143	82	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	27·0	27·3	–
Marriage-rate - - - - -	5·3	–	–
Death-rate—All Causes - - -	12·4	14·1	15·7
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·8	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	4	1	4	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
*Whooping-cough - - - -	3	4	1	5	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	2	–	2	–	1	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	7	3	–	–	–	–	2	3	2	3	–	–	–
Tuberculous Meningitis - - -	1	–	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	2	2	–	2	1	1	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	2	10	–	–	–	–	–	–	–	4	5	2	1
Rheumatic Fever - - - -	1	1	–	–	–	1	–	1	–	–	–	–	–
Meningitis - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	4	–	–	–	–	–	–	4	3	2	2	1
Bronchitis - - - - -	3	3	2	1	–	–	–	–	–	–	–	3	–
Pneumonia (all forms) - - -	8	4	2	–	–	1	1	2	2	1	2	1	–
Other Diseases of Respiratory Organs	3	–	1	–	–	–	–	–	–	–	2	–	–
*Diarrhœa and Enteritis (under 2 years)	1	1	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	1	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	2	–	–	–	–	–	–	–	–	1	1	–	–
Other Diseases of Digestive System (under 2 years)	1	2	2	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	3	–	–	–	–	–	–	–	–	1	–	2	–
Puerperal Sepsis - - - -	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	12	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	1	1	1	1	–	–	–	2	1	1	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	17	11	1	2	4	2	2	–	–	2	5	1	9
Diseases Ill-defined or Unknown -	2	–	–	–	–	–	1	–	–	–	1	–	–
Total - - - -	82	61	25	19	9	6	7	8	10	18	19	11	11

YEAR 1913.
COUNTY—**Stirling**.
PUBLIC HEALTH DISTRICT—**Kilsyth** (Burgh).

Population—Census 1901, - - - 7,292.
Do. Do. 1911, - - - 8,106.
Do. estimated to middle of 1913, 7,996.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	251	0	3	254	136	118
Illegitimate Births -	4	0	3	7	5	2
Marriages - -	58	–	–	–	–	–
Deaths - - -	103	0	7	110	57	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·4	31·8	–
Marriage-rate - - - - - -	7·3	–	–
Death-rate—All Causes - - -	12·9	13·8	14·6
Do. —Phthisis - - - - -	–	0·1	–
Do. —All Tuberculosis - -	–	0·5	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·9	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—138.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	1	1	2	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	2	–	2	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	1	–	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	1	1	–	–	–	–	–	–	–	1	1	–	–
Cancer, Malignant Disease - -	4	3	–	–	–	–	–	–	–	1	3	3	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	1	1	1	–	–	–	–	1	–	–	–	–	–
Organic Heart Disease - - -	8	9	–	–	–	–	1	2	1	4	4	2	3
Bronchitis - - - - - -	10	4	4	2	–	–	–	–	–	1	1	5	1
Pneumonia (all forms) - - -	3	6	2	5	–	–	–	–	1	–	–	1	–
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	6	4	9	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	1	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	6	10	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	1	–	–	–	–	1	–	–	–	2	–	–
Suicide - - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	
Other Defined Diseases - - -	7	16	1	1	–	–	1	3	2	2	1	8	4
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - - -	57	53	35	11	–	–	3	6	6	9	13	19	8

YEAR 1913.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Stirling** (Burgh).

Population—Census 1901, - - 18,403.
Do. Do. 1911, - - - 21,200.
Do. estimated to middle of 1913, 21,057.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	565	11	7	561	304	257
Illegitimate Births -	49	6	1	44	24	20
Marriages - -	200	-	-	-	-	-
Deaths - - -	340	60	26	306	134	172

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	26·8	26·6	-
Marriage-rate - - - - -	9·5	-	-
Death-rate—All Causes - - -	16·1	14·5	14·7
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	4	-	2	2	-	2	1	-	-	-	-	-
*Whooping-cough - - - -	5	4	5	3	1	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	1	1	-	-	-	-	-	1	-	-	-	-
Influenza - - - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-
Erysipelas - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	10	8	1	-	1	-	4	7	4	-	1	-	-
Tuberculous Meningitis - - -	4	1	1	2	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	3	3	1	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - -	1	1	-	-	1	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - -	6	17	-	-	1	-	1	3	-	2	10	4	2
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - - -	4	2	-	1	2	1	1	1	-	-	-	-	-
Organic Heart Disease - - -	11	22	-	-	-	-	1	3	3	5	4	10	7
Bronchitis - - - - - -	4	19	3	2	1	-	-	-	-	1	6	3	7
Pneumonia (all forms) - - -	2	8	1	2	-	-	-	-	1	2	1	2	1
Other Diseases of Respiratory Organs	2	2	-	-	-	-	-	-	-	1	1	1	1
*Diarrhœa and Enteritis (under 2 years)	6	3	8	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	2	1	-	-	1	-	2	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	6	1	-	-	-	-	1	-	1	1	2	1	1
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	11	10	21	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	4	-	-	2	-	2	1	-	4	-	1	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - -	39	49	6	1	1	1	3	4	3	11	13	22	23
Diseases Ill-defined or Unknown -	3	4	-	-	-	-	-	-	1	3	1	2	-
Total - - - -	134	172	52	15	15	2	20	22	16	33	42	46	43

YEAR 1913.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Central Stirling** (County District).

Population—Census 1901, - - - 19,217.
Do. Do. 1911, - - - 26,203.
Do. estimated to middle of 1913, 26,792.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	843	11	11	843	445	398
Illegitimate Births -	40	2	4	42	22	20
Marriages - -	133	–	–	–	–	–
Deaths - - -	346	8	35	373	198	175

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	31·5	31·5	–
Marriage-rate - - - - -	5·0	–	–
Death-rate—All Causes - - -	12·9	13·9	14·1
Do. —Phthisis - - - -	–	0·9	–
Do. —All Tuberculosis - -	–	1·8	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	1	1	–	1	1	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	3	5	–	4	2	1	1	–	–	–	–	–	–
*Whooping-cough - - - - -	1	3	1	3	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - - -	1	2	1	1	1	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	1	–	–	–	–	–	–	–	–	–	–	2
Erysipelas - - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	14	11	–	1	1	3	6	6	2	5	1	–	–
Tuberculous Meningitis - - -	3	3	2	2	–	1	1	–	–	–	–	–	–
Abdominal Tuberculosis - - -	8	5	3	6	1	1	1	–	1	–	–	–	–
Other Tuberculous Diseases - -	3	1	1	–	1	–	–	1	–	–	1	–	–
Cancer, Malignant Disease - -	10	16	–	–	–	–	–	1	1	6	5	11	2
Rheumatic Fever - - - - -	–	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis - - - - - -	4	6	1	7	1	–	–	1	–	–	–	–	–
Organic Heart Disease - - -	12	23	–	–	–	–	3	–	2	–	6	15	9
Bronchitis - - - - - -	14	12	5	1	2	–	1	–	–	1	4	8	4
Pneumonia (all forms) - - -	12	4	1	8	–	–	–	–	3	2	1	–	1
Other Diseases of Respiratory Organs	2	3	1	3	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	12	4	12	4	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	1	–	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	1	1	–	–	–	–	1	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	4	1	5	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	3	–	–	–	–	1	1	1	2	1	–	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	2	1	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	22	13	34	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	19	2	–	4	–	–	6	3	3	1	1	1	2
Suicide - - - - - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	39	41	14	4	1	–	–	2	5	7	7	20	20
Diseases Ill-defined or Unknown -	4	8	–	–	–	–	–	–	1	3	2	6	–
Total - - - -	198	175	83	50	11	6	24	17	22	28	30	61	41

YEAR 1913.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Eastern Stirling** (County District).

Population—Census 1901, - - - 39,474.
Do. Do. 1911, - - - 41,745.
Do. estimated to middle of 1913, 40,761.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,162	13	23	1,172	599	573
Illegitimate Births -	59	2	8	65	33	32
Marriages - -	227	–	–	–	–	–
Deaths - - -	606	103	47	550	278	272

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	28·5	28·8	–
Marriage-rate - - - - - -	5·6	–	–
Death-rate—All Causes - - -	14·9	13·5	14·4
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·4	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·6	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	6	5	2	9	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	3	5	–	6	1	–	1	–	–	–	–	–	–
*Whooping-cough - - - -	9	12	11	9	1	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	8	3	1	8	2	–	–	–	–	–	–	–	–
Influenza - - - - - - -	1	–	–	–	–	–	1	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	19	20	–	–	–	2	10	7	9	9	2	–	–
Tuberculous Meningitis - - -	2	1	–	1	1	–	–	–	–	–	–	1	–
Abdominal Tuberculosis - - -	4	4	–	2	3	2	1	–	–	–	–	–	–
Other Tuberculous Diseases - -	7	2	1	–	1	1	2	2	–	2	–	–	–
Cancer, Malignant Disease - -	15	15	–	–	–	–	2	–	1	4	8	11	4
Rheumatic Fever - - - -	1	1	–	–	–	–	–	–	–	1	1	–	–
Meningitis - - - - - -	6	3	5	1	1	–	1	–	–	–	1	–	–
Organic Heart Disease - - -	25	26	–	–	–	–	2	3	3	3	9	21	10
Bronchitis - - - - - -	13	12	6	–	–	–	–	–	1	3	4	5	6
Pneumonia (all forms) - - -	23	21	10	7	3	1	3	2	2	4	4	5	3
Other Diseases of Respiratory Organs	3	5	2	–	1	–	–	1	1	–	2	1	–
*Diarrhœa and Enteritis (under 2 years)	7	6	11	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	2	–	–	–	1	–	–	–	–	1	–	–
All Liver Diseases (not Malignant) -	2	3	–	–	–	–	–	–	–	–	4	–	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	4	4	–	–	1	–	1	–	2	1	1	2	–
Puerperal Sepsis - - - -	–	3	–	–	–	–	–	3	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	5	–	–	–	–	1	4	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	34	18	49	2	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	22	9	1	5	2	–	5	1	7	2	4	2	2
Suicide - - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases - - -	54	78	22	7	3	–	2	5	4	8	16	33	32
Diseases Ill-defined or Unknown -	10	7	1	4	–	–	–	1	1	1	3	3	3
Total - - - -	278	272	122	63	21	7	32	29	32	39	60	84	61

YEAR 1913.
COUNTY—**Stirling.**
PUBLIC HEALTH DISTRICT—**Western Stirling** (County District).

Population—Census 1901, - - - 11,098.
Do. Do. 1911, - - - 11,659.
Do. estimated to middle of 1913, 11,368.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	235	2	4	237	110	127
Illegitimate Births -	14	1	1	14	5	9
Marriages - -	50	–	–	–	–	–
Deaths - - -	172	22	21	171	102	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for ansfers and for Age and Sex Distribution.
Birth-rate - - - - - -	20·7	20·8	–
Marriage-rate - - - - -	4·4	–	–
Death-rate—All Causes - - -	15·1	15·0	13·8
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·3	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	1	–	–	1	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	1	1	–	–	–	–	–	–	–	1	–	–	1
Erysipelas - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	5	3	–	–	–	1	3	–	3	1	–	–	–
Tuberculous Meningitis - - -	1	1	–	–	1	–	–	–	1	–	–	–	–
Abdominal Tuberculosis - - -	2	2	–	1	–	–	2	1	–	–	–	–	–
Other Tuberculous Diseases - -	1	–	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	4	4	–	–	–	–	–	1	–	2	4	–	1
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	2	2	–	2	–	1	–	1	–	–	–	–	–
Organic Heart Disease - - -	14	10	–	–	–	–	–	–	–	4	2	7	11
Bronchitis - - - - -	5	2	1	1	1	–	–	–	–	–	1	1	2
Pneumonia (all forms) - - -	9	–	2	–	–	–	–	–	1	1	1	3	1
Other Diseases of Respiratory Organs	3	1	–	–	–	–	–	–	–	–	–	1	3
*Diarrhœa and Enteritis (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	1	–	–	–	1	–	–	–
All Liver Diseases (not Malignant) -	3	2	–	–	–	–	–	–	–	–	1	2	2
Other Diseases of Digestive System (under 2 years)	–	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	2	3	–	–	–	–	1	–	–	1	2	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	2	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	6	1	–	–	–	–	2	–	3	1	1	–	–
Suicide - - - - - -	1	1	–	–	–	–	–	–	–	–	1	1	–
Other Defined Diseases - - -	31	29	3	–	–	–	1	2	1	3	12	13	25
Diseases Ill-defined or Unknown -	*3	2	–	–	–	–	–	–	–	1	–	1	2
Total - - - -	*102	69	16	7	2	3	9	5	9	16	25	30	48

*Including 1 of unstated age.

YEAR 1913.
COUNTY—**Sutherland.**
PUBLIC HEALTH DISTRICT—**Dornoch** (Burgh).

Population—Census 1901, - - - 624.
Do. Do. 1911, - - - 741.
Do. estimated to middle of 1913, 740.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	13	0	1	14	10	4
Illegitimate Births -	1	0	1	2	2	0
Marriages - -	1	-	-	-	-	-
Deaths - - -	12	1	0	11	2	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	17·6	18·9	-
Marriage-rate - - - - -	1·4	-	-
Death-rate—All Causes - - -	16·2	14·9	13·5
Do. —Phthisis - - - -	-	1·4	-
Do. —All Tuberculosis - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	6	-	-	-	-	-	-	-	1	2	-	4
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	2	9	-	-	-	-	-	-	-	2	5	-	4

YEAR 1913.
COUNTY—**Sutherland.**
PUBLIC HEALTH DISTRICT—**Sutherland** (County District).

Population—Census 1901, - - - 20,816.
Do. Do. 1911, - - - 19,438.
Do. estimated to middle of 1913, 18,451.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	307	3	6	310	146	164
Illegitimate Births -	20	2	4	22	8	16
Marriages - -	63	-	-	-	-	-
Deaths - - -	291	2	11	300	145	155

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	16·3	16·8	-
Marriage-rate - - - - - -	3·4	-	-
Death-rate—All Causes - - -	15·8	16·3	11·6
Do. —Phthisis - - - -	-	1·1	-
Do. —All Tuberculosis - -	-	1·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—55.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	1	3	-	-	-	-	-	-	-	-	-	1	3
Erysipelas - - - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1
Phthisis, Pulmonary Tuberculosis -	8	12	-	-	-	-	7	7	2	1	2	-	1
Tuberculous Meningitis - - -	5	-	-	1	2	-	2	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	1	-	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases -	3	4	1	1	-	-	3	2	-	-	-	-	-
Cancer, Malignant Disease - -	10	15	-	-	-	-	-	-	1	3	8	9	4
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - - -	1	1	-	-	1	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	14	22	-	-	-	-	-	-	-	1	3	13	19
Bronchitis - - - - - -	3	5	-	-	-	-	-	-	1	-	-	1	6
Pneumonia (all forms) - - -	6	5	1	1	-	-	1	1	-	3	1	2	1
Other Diseases of Respiratory Organs	-	2	-	-	-	-	1	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	1	1	-	-	-	1	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	-	-	-	-	1	2
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	5	-	-	-	-	-	-	-	-	1	2	2
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	2	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	*8	3		1	1	1	1	1	-	3	1	-	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - -	65	58	3	1	-	-	1	2	4	7	4	17	84
Diseases Ill-defined or Unknown -	7	10	1	-	-	-	-	-	-	-	1	2	13
Total - - - -	*145	155	17	6	4	2	17	15	9	20	24	48	137

* Including 1 of unstated age.

YEAR 1913.
COUNTY—**Wigtown.**
PUBLIC HEALTH DISTRICT—**Newton-Stewart** (Burgh).

Population—Census 1901, - - - 2,204.
Do. Do. 1911, - - - 2,063.
Do. estimated to middle of 1913, 1,959.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	2	0	45	23	22
Illegitimate Births -	7	0	0	7	4	3
Marriages - -	19	–	–	–	–	–
Deaths - - -	27	3	1	25	10	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	24·0	23·0	–
Marriage-rate - - - - -	9·7	–	–
Death-rate—All Causes - - -	13·8	12·8	11·3
Do. —Phthisis - - - -	–	1·0	–
Do. —All Tuberculosis - -	–	1·0	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—22.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	2	–	–	–	–	–	–	1	–	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Rheumatic Fever - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	2	1	–	–	–	–	–	–	1	–	–	2	–
Bronchitis - - - - -	1	1	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms) - - -	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	1	–	–	–	–	–	–	–	–	1	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	1	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	–	1	–	–	1	–	–	–	–	–	–	–	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	3	9	–	–	–	–	–	1	–	–	–	6	5
Diseases Ill-defined or Unknown -	–	–	–	–	–	–	–	–	–	–	–	–	–
Total - - - -	10	15	1	–	2	–	–	2	1	3	1	9	6

YEAR 1913.
COUNTY—**Wigtown**.
PUBLIC HEALTH DISTRICT—**Stranraer** (Burgh).

Population—Census 1901, - - - 6,036.
Do. Do. 1911, - - - - 6,444.
Do. estimated to middle of 1913, 6,305.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	158	6	3	155	81	74
Illegitimate Births -	20	4	2	18	12	6
Marriages - -	30	–	–	–	–	–
Deaths - - -	113	15	5	103	38	65

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	25·1	24·6	–
Marriage-rate - - - - - -	4·8	–	–
Death-rate—All Causes -	17·9	16·3	14·6
Do. —Phthisis - -	–	0·8	–
Do. —All Tuberculosis - -	–	1·1	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	1·3	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - -	3	2	–	2	2	1	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	1	1	–	–	–	–	–	–	–	1	–	1	–
Phthisis, Pulmonary Tuberculosis -	3	2	–	–	–	–	–	1	3	1	–	–	–
Tuberculous Meningitis - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease - -	1	9	–	–	–	–	–	–	1	2	1	6	–
Rheumatic Fever - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis - - - - - -	–	1	–	–	–	–	–	–	–	1	–	–	–
Organic Heart Disease - - -	3	5	–	–	–	–	–	–	1	1	2	2	2
Bronchitis - - - - - -	2	3	–	–	–	–	–	–	–	–	–	1	4
Pneumonia (all forms) - - -	3	2	2	1	–	–	–	–	–	–	–	1	1
Other Diseases of Respiratory Organs	1	1	2	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	2	1	2	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	2	–	–	–	–	–	–	–	–	1	1	–	–
All Liver Diseases (not Malignant) -	–	2	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	2	–	–	–	–	–	–	–	1	–	1	1
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	4	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	1	–	–	–	–	–	–	–	–	–	–	1	–
Suicide - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	13	26	1	1	–	1	1	1	2	1	3	11	17
Diseases Ill-defined or Unknown -	–	2	–	–	–	–	–	–	1	–	–	1	–
Total - - - -	38	65	14	5	2	2	1	2	9	9	7	26	26

YEAR 1913.
COUNTY—**Wigtown.**
PUBLIC HEALTH DISTRICT—**Whithorn** (Burgh).

Population—Census 1901, - - - 1,188.
Do. Do. 1911, - - - 1,170.
Do. estimated to middle of 1913, 1,125.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	3	0	17	12	5
Illegitimate Births -	2	1	0	1	1	0
Marriages - - -	7	-	-	-	-	-
Deaths - - -	19	0	2	21	10	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	17·8	15·1	-
Marriage-rate - - - - - -	6·2	-	-
Death-rate—All Causes - - -	16·9	18·7	13·9
Do. —Phthisis - - - -	-	0·9	-
Do. —All Tuberculosis - -	-	2·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - -	1	3	-	-	-	-	-	-	-	-	-	1	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	6	-	-	-	1	-	-	-	-	1	2	6
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	10	11	-	1	1	1	1	-	-	1	1	4	11

YEAR 1913.
COUNTY—**Wigtown**.
PUBLIC HEALTH DISTRICT—**Wigtown** (Burgh).

Population—Census 1901, - - - 1,386.
Do. Do. 1911, - - - 1,369.
Do. estimated to middle of 1913, 1,318.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	0	2	30	19	11
Illegitimate Births -	2	0	2	4	3	1
Marriages - -	3	-	-	-	-	-
Deaths - - -	20	0	2	22	10	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	21·2	22·8	-
Marriage-rate - - - - - -	2·3	-	-
Death-rate—All Causes - - -	15·2	16·7	14·0
Do. —Phthisis - - - -	-	0·8	-
Do. —All Tuberculosis - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	2	3	-	-	-	-	-	-	-	-	-	4	1
Bronchitis - - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	-	2	-
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	3	3	-	-	-	-	-	1	1	-	1	2	1
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - -	10	12	4	-	-	-	-	2	2	-	1	9	4

YEAR 1913.

COUNTY—**Wigtown.**

PUBLIC HEALTH DISTRICT—**Machars** (County District).

Population—Census 1901, - - - 9,186.
Do. Do. 1911, - - - 8,853.
Do. estimated to middle of 1913, 8,467.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	188	2	7	193	109	84
Illegitimate Births -	24	0	2	26	20	6
Marriages - -	46	–	–	–	–	–
Deaths - - -	105	2	7	110	56	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - - -	22·2	22·8	–
Marriage-rate - - - - - -	5·4	–	–
Death-rate—All Causes - - -	12·4	13·0	11·3
Do. —Phthisis - - - -	–	0·7	–
Do. —All Tuberculosis - -	–	1·2	–
Do. —Principal Epidemic Diseases (those asterisked below.)	–	0·0	–

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—62.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Measles - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Scarlet Fever - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Whooping-cough - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diphtheria and Croup - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis -	4	2	–	–	–	–	1	3	1	–	1	–	–
Tuberculous Meningitis - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis - - -	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases - -	1	1	1	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease - -	4	3	–	–	–	–	–	–	–	–	1	4	2
Rheumatic Fever - - - - -	–	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis - - - - - -	1	–	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease - - -	8	11	–	–	–	–	–	1	–	1	2	8	7
Bronchitis - - - - - -	4	3	–	–	–	–	–	–	–	–	2	3	2
Pneumonia (all forms) - - -	3	4	1	–	–	–	–	–	1	–	1	2	2
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
*Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis - -	–	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant) -	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease - -	1	3	–	–	–	–	–	–	1	1	1	1	–
Puerperal Sepsis - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases and Accidents of Pregnancy and Parturition	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	–	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide -	2	3	–	–	–	–	–	–	–	–	1	1	3
Suicide - - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases - - -	22	19	5	1	–	–	–	–	2	2	6	13	12
Diseases Ill-defined or Unknown -	1	2	–	–	–	–	–	1	–	1	–	–	1
Total - - - -	56	54	12	1	–	1	2	6	7	5	15	32	29

YEAR 1913.
COUNTY—**Wigtown.**
PUBLIC HEALTH DISTRICT—**Rhins** (County District).

Population—Census 1901, - - - 12,685.
Do. Do. 1911, - - - 12,099.
Do. estimated to middle of 1913, 11,543.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	291	5	4	290	146	144
Illegitimate Births -	45	1	3	47	20	27
Marriages - -	63	-	-	-	-	-
Deaths - - -	143	0	12	155	74	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - - -	25·2	25·1	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - -	12·4	13·4	12·2
Do. —Phthisis - - - -	-	0·4	-
Do. —All Tuberculosis - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—59.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	Sexes.		Age										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	2	-	1	2	-	-	-	-	-	-	-	-
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	1	-	-	1	2	-	-	-	-	1
Tuberculous Meningitis - - -	1	1	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	5	8	-	-	-	-	-	-	1	2	3	3	4
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - - -	-	3	1	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	13	11	-	-	-	-	1	1	1	2	3	9	7
Bronchitis - - - - - -	1	2	-	1	-	-	-	-	-	1	-	-	1
Pneumonia (all forms) - - -	4	4	3	1	-	1	-	1	1	-	-	1	-
Other Diseases of Respiratory Organs	-	2	1	-	-	1	-	-	-	-	-	-	-
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	2	-	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	-	-	1	1	1	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	2	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	5	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	*5	1	-	-	-	-	-	1	1	1	1	-	1
Suicide - - - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	29	30	2	-	2	2	-	3	4	3	7	18	18
Diseases Ill-defined or Unknown -	3	4	-	-	-	-	-	-	1	1	3	1	1
Total - - - -	*74	81	17	7	6	4	5	8	10	11	18	34	34

* Including 1 of unspecified age.

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A. Maximum.	Mean of B. Minimum.	Mean of A and B.	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch	°	°	°	°	°		°	
Baltasound— T. Edmonston Saxby, L.R.C.S., Edinburgh.	50	Jan.	...	41·6	36·0	38·8	...	48	7th, 8th,	27	22nd
		Feb.	...	42·9	35·3	39·1	...	48	11th	29	21st, 22nd,
		Mar.	...	43·1	34·8	39·0	...	50	26th	23	19th
		Apl.	...	47·0	38·0	42·5	...	54	29th	24	10th, 11th
		May	...	51·4	43·2	47·3	...	57	31st	39	3rd, 19th, 20th
		June	...	54·8	45·9	50·4	...	61	4th, 15th, 20th	39	12th, 13th
		July	...	56·9	49·5	53·2	...	60	13th	45	8th
		Aug.	...	58·0	48·3	53·2	...	62	28th	40	13th
		Sept.	...	54·4	48·1	51·3	...	59	27th,	44	21st
		Oct.	...	51·6	42·9	47·3	...	57	17th, 18th,	31	23rd
		Nov.	...	48·4	40·9	44·7	...	52	2nd	34	15th
		Dec.	...	43·7	35·2	39·5	...	51	8th, 9th,	23	7th
		Year	...			**45·5**		**62**		**23**	
*Lerwick— The Meteorological Office.	59	Jan.	29·605	42·2	37·1	39·7	+0·7	48	7th	31	22nd
		Feb	29·833	43·7	36·3	40·0	+1·8	49	11th	30	21st 22nd 28th
		Mar.	29·394	43·2	35·3	39·3	+0·7	49	25th	27	18th
		Apl.	29·679	46·1	38·4	42·3	+0·8	52	23rd	24	11th
		May	29·733	50·6	43·5	47·1	+1·9	55	22nd, 29th	38	20th
		June	29·826	53·7	46·5	50·1	+0·4	62	20th	38	13th
		July	29·949	56·6	49·6	53·1	+0·3	61	30th	44	9th
		Aug.	29·896	57·5	49·3	53·4	+0·4	61	1st, 24th	42	4th, 20th
		Sept.	29·939	54·6	48·9	51·8	+1·2	59	26th	42	5th
		Oct.	29·674	52·3	44·8	48·6	+2·9	59	17th	31	23rd
		Nov.	29·346	49·2	42·5	45·9	+3·6	52	2nd, 17th, 29th	37	22nd 26th 30th
		Dec.	29·607	44·3	36·5	40·4	+0·8	51	8th	29	25th
		Year	**29·707**			**46·0**		**62**		**24**	
Deerness— M. Spence.	163	Jan.	29·434	42·2	37·2	39·7	+0·7	48	8th	31	31st
		Feb.	29·751	43·4	37·0	40·2	+1·7	47	11th 12th 25th	32	28th
		Mar.	29·302	43·5	35·9	39·7	+0·4	50	9th	30	17th, 18th
		Apl.	29·552	46·8	38·8	42·8	+0·4	54	22nd	29	11th, 12th
		May	29·638	51·0	43·9	47·5	+1·1	58	25th, 29th, 31st	38	20th
		June	29·711	56·3	46·9	51·6	+0·3	64	24th	39	13th
		July	29·853	57·3	49·8	53·6	−0·6	63	31st	46	7th, 9th
		Aug.	29·806	58·5	49·7	54·1	+0·1	65	2nd	45	10th
		Sept.	29·810	55·5	49·7	52·6	+1·1	59	4th, 26th, 27th	44	13th
		Oct.	29·557	52·8	46·5	49·7	+3·3	59	17th	32	23rd
		Nov.	29·291	48·7	41·6	45·2	+2·8	53	29th	36	26th
		Dec.	29·577	44·4	37·2	40·8	+1·1	53	9th	30	5th, 6th
		Year	**29·607**			**46·5**		**65**		**29**	
†Kirkwall— A. G. Spence.	72	Jan.	29·549	41·8	35·5	38·7	−0·8	48	1st, 2nd	29	22nd
		Feb.	29·841	43·8	35·5	39·7	+0·6	49	3rd 10th, 25th	30	28th
		Mar.	29·394	44·3	35·4	39·9	+0·2	52	25th,	28	18th
		Apl.	29·645	48·7	37·2	43·0	−0·5	56	22nd	27	11th
		May	29·728	52·9	42·6	47·8	−0·2	61	31st	38	2nd, 19th, 20th
		June	29·805	57·5	45·8	51·7	−1·2	68	15th	35	13th
		July	29·945	58·6	49·0	53·8	−1·2	65	30th, 31st	44	9th
		Aug.	29·898	59·7	48·4	54·1	−0·7	67	16th	43	10th
		Sept.	29·901	56·3	48·0	52·2	−0·2	63	27th	40	13th
		Oct.	29·650	53·5	45·5	49·5	+2·4	59	14th, 17th, 19th	31	23rd
		Nov.	29·372	49·0	41·0	45·0	+2·0	53	29th	35	6th
		Dec.	29·669	44·1	36·6	40·4	−0·4	52	8th	29	6th, 7th
		Year	**29·700**			**46·3**		**68**		**27**	

* At 7 a.m. and 9 p.m. † At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
...	...	...	...	...	29	2·74	...	0·47	30*th*	2	3	1	...	...	0	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	25	3·02	...	0·66	7*th*	6	3	1	...	...	3	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	25	5·88	...	1·10	5*th*	10	5	3	...	...	1	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	20	2·47	...	0·63	26*th*	1	3	3	...	...	2	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	19	2·65	...	0·71	18*th*	0	1	1	...	...	6	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	1·83	...	0·43	28*th*	0	1	1	0	0	9	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	15	0·93	...	0·13	27*th*	0	0	0	...	...	7	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	19	1.05	...	0·49	21*st*	0	0	1	...	...	2	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	20	1·29	...	0·55	25*th*	0	0	0	...	...	1	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	28	3·94	...	1·29	13*th*	1	0	1	...	...	1	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	30	5·41	...	0·56	11*th*	0	6	4	...	...	1	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	31	5·50	...	0·66	25*th*	7	7	0	...	...	1	...	...	...	...	...	...	...	...	...	...
					...	**36·71**		**1·29**																	
40·3	2·4	·202	81	7·8	28	4·98	...	1·10	23*rd*	6	7	0	0	17	0	14	0	1	12	23	16	6	1	1	2
40·3	1·5	·219	88	7·5	22	3·04	...	0·70	7*th*	5	5	1	0	8	6	4	3	2	1	7	14	17	5	4	3
39·4	2·0	·203	84	7·9	24	5·50	...	0·54	20*th*	8	7	0	0	13	1	13	3	1	7	12	15	13	7	3	1
41·7	1·7	·228	87	7·3	18	2·54	...	0·68	26*th*	3	0	0	0	4	7	6	4	1	11	15	11	3	4	10	1
46·5	2·2	·266	84	6·8	16	2·75	...	0·58	28*th*	0	0	0	1	2	7	10	4	5	14	12	8	9	5	3	2
49·6	2·0	·305	86	7·9	12	1·66	...	0·45	8*th*	0	0	0	0	16	8	0	8	6	6	12	11	5	5	6	1
52·7	2·1	·342	86	7·0	9	0·36	...	0·10	17*th*	0	0	0	0	5	0	0	13	5	3	5	4	6	14	11	1
52·7	2·0	·344	87	6·5	13	1·26	...	0·45	21*st*	0	0	0	1	4	3	0	10	1	4	8	11	8	11	8	1
51·6	2·1	·328	86	7·9	18	2·09	...	0·49	14*th*, 25*th*	0	0	1	0	10	2	5	14	12	7	6	8	4	5	3	1
48·7	2·6	·281	82	7·6	23	2·95	...	0·79	13*th*	1	0	0	0	11	3	5	6	8	7	15	12	9	2	2	1
46·2	2·2	·263	85	7·7	30	7·04	...	0·77	17*th*	0	7	0	0	16	0	11	1	0	0	10	16	17	11	4	1
41·1	2·1	·214	83	7·7	29	5·66	...	0·60	15*th*	11	7	0	0	14	0	13	6	1	1	3	8	15	16	11	1
					242	**39·83**		**1·10**																	
39·3	1·4	·213	89	7·1	15	1·91	−1·50	0·32	15*th*	3	3	0	1	15	0	11	3	1	2	26	20	9	0	0	1
39·6	1·5	·213	88	6·7	14	1·78	−1·08	0·44	2*nd*	3	1	1	1	10	3	2	3	1	0	7	15	12	8	3	7
39·0	1·6	·207	87	5·7	24	2·72	−0·09	0·36	30*th*	9	2	1	1	6	1	5	3	2	2	8	14	16	12	5	0
42·3	1·6	·236	88	6·8	14	1·88	−0·04	0·52	28*th*	2	2	1	0	10	5	3	9	1	4	12	16	5	4	5	4
46·5	1·9	·272	86	8·2	13	1·50	−0·42	0·29	9*th*	0	1	0	1	18	9	1	1	5	8	17	12	6	8	5	0
50·3	1·7	·321	88	7·7	13	2·69	+0·84	0·76	9*th*	0	0	0	0	14	8	0	9	2	5	11	10	5	6	12	0
52·5	2·0	·341	87	8·3	11	0·65	−2·20	0·16	4*th*	0	0	0	3	22	5	0	10	7	3	5	2	1	9	16	9
53·4	2·4	·342	84	7·8	14	1·30	−1·63	0·44	21*st*	0	0	1	1	19	5	0	13	0	0	5	8	6	6	15	9
52·1	1·9	·339	86	8·5	17	1·98	−1·28	0·53	13*th*	0	0	0	0	21	5	1	5	12	11	15	6	3	3	5	0
49·5	1·9	·306	87	6·8	21	2·53	−1·75	0·45	24*th*	0	1	0	1	11	1	0	1	8	3	17	15	7	6	3	2
45·2	1·9	·258	86	6·8	24	5·35	+1·39	0·47	25*th*, 30*th*	0	2	2	0	11	0	3	2	2	0	5	17	12	17	5	0
40·6	1·5	·221	88	6·8	26	4·50	+0·34	0·65	2*nd*	6	5	0	0	10	0	1	7	2	2	1	6	13	19	12	0
					206	**28·79**	.	**0·76**																	
39·5	1·8	·207	86	6·8	16	2·01	−1·94	0·41	30*th*	3	0	0	3	9	0	10	0	2	6	18	26	8	2	0	0
40·0	1·6	·215	87	7·4	22	2·38	−1·03	0·66	2*nd*	2	0	0	0	7	0	1	0	4	0	0	8	32	4	6	2
40·1	1·8	·212	85	6·4	25	3·92	+0·59	0·37	29*th*	7	0	0	0	10	0	4	0	4	0	10	8	18	10	10	2
44·0	1·8	·248	86	7·1	15	1·56	−0·58	0·57	28*th*	1	0	0	1	7	4	1	0	8	4	6	22	12	8	0	0
48·7	1·6	·304	89	7·7	17	2·06	+0·27	0·38	17*th*	0	0	0	0	13	2	3	0	2	4	18	4	18	4	10	2
52·2	1·8	·342	88	7·4	15	2·47	+0·81	0·75	9*th*	0	0	0	0	12	2	1	4	8	6	10	4	10	6	12	0
54·4	2·1	·364	86	6·8	14	0·71	−1·90	0·20	1*st*	0	0	0	1	7	2	0	4	14	4	6	2	0	12	16	4
55·5	1·9	·387	88	7·6	15	1·08	−1·94	0·31	21*st*	0	0	0	0	12	4	0	10	6	2	6	6	14	4	12	2
53·2	2·0	·349	86	7·8	15	2·11	−1·21	0·51	14*th*	0	0	0	1	10	1	1	2	18	4	12	2	16	4	2	0
49·8	1·8	·312	87	6·7	20	2·53	−1·69	0·58	24*th*	0	0	0	2	10	1	2	0	8	0	20	10	20	2	2	0
45·4	1·7	·264	88	6·5	25	6·50	+2·19	0·68	16*th*	2	1	0	0	5	0	3	0	2	0	4	10	28	4	12	0
41·0	1·9	·217	85	7·7	26	5·62	+0·98	0·65	2*nd*	9	1	0	0	10	0	2	0	10	0	0	4	16	10	22	0
					225	**32·95**		**0·75**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
*Wick— The Meteorological Office.	94	Jan.	29·495	41·9	36·1	39·0	+1·2	48	7th	29	26th
		Feb.	29·838	43·5	35·4	39·5	+1·6	50	3rd, 11th	30	1st
		Mar.	29·394	43·9	33·6	38·8	−0·7	52	9th	27	18th, 19th
		Apl.	29·629	46·5	37·0	41·8	−1·3	57	22nd	29	11th 12th 13th
		May	29·711	51·4	42·5	47·0	−0·3	64	25th	35	20th
		June	29·791	55·7	46·0	50·9	−1·3	64	16th	33	13th
		July	29·936	57·0	49·5	53·3	−2·0	65	3rd	43	24th
		Aug.	29·888	58·2	47·7	53·0	−1·9	70	2nd	35	20th
		Sept.	29·882	55·3	47·5	51·4	−0·5	59	10th	37	13th, 19th
		Oct.	29·632	53·7	44·9	49·3	+3·1	60	17th, 18th	32	23rd, 24th
		Nov.	29·388	49·3	39·2	44·3	+2·6	56	27th	31	6th, 8th
		Dec.	29·677	43·6	34·1	38·9	+0·5	54	18th	18	7th
		Year	**29·688**			**45·6**		**70**		**18**	
Dunrobin— D. Melville, for the Duke of Sutherland, K.G.	16	Jan.	29·605	41·8	34·3	38·1	−0·1	50	8th	29	25th, 26th
		Feb.	29·941	43·3	33·8	38·6	−0·2	49	3rd, 13th	29	18th, 21st,
		Mar.	29·505	45·3	34·4	39·9	−0·4	53	4th, 9th	28	17th, 18th
		Apl.	29·729	49·7	37·4	43·6	−0·2	60	22nd	30	11th
		May	29·794	53·2	42·7	48·0	−0·2	64	25th, 30th	36	2nd
		June	29·888	59·3	47·4	53·4	+0·2	65	5th, 16th	38	13th
		July	30·037	60·1	49·9	55·0	−1·1	68	2nd	44	7th
		Aug.	29·987	61·4	48·5	55·0	−0·8	66	16th	39	7th
		Sept.	29·969	57·0	48·4	52·7	+0·1	64	11th	39	13th
		Oct.	29·720	54·3	44·4	49·4	+2·7	62	17th	32	23rd
		Nov.	29·479	50·7	38·9	44·8	+2·6	57	28th	34	9th
		Dec.	29·795	43·7	35·0	39·4	+0·7	55	9th	24	7th, 30th
		Year	**29·787**			**46·5**		**68**		**24**	
†Fortrose— Archd. Thom.	69	Jan.	...	42·7	34·4	38·6	...	51	6th, 7th, 8th	29	26th, 27th
		Feb.	...	44·6	35·9	40·3	...	50	11th	30	22nd
		Mar.	...	45·1	34·1	39·6	...	55	29th, 30th	29	18th
		Apl.	...	48·3	38·1	43·2	...	56	29th	30	11th
		May	...	54·5	43·2	48·9	...	71	30th, 31st	36	19th
		June	...	59·9	48·0	54·0	...	65	5th, 6th	41	12th
		July	...	62·2	50·6	56·4	...	71	3rd	43	8th
		Aug.	...	62·6	50·3	56·5	...	71	16th	44	7th, 13th
		Sept.	...	59·2	47·2	53·2	...	67	4th, 7th	40	7th, 8th
		Oct.	...	55·7	43·3	49·5	...	63	19th, 20th, 21st	31	23rd
		Nov.	...	50·4	40·2	45·3	...	59	29th	34	6th
		Dec.	...	43·7	36·7	40·2	...	52	10th	22	6th, 7th
		Year				**47·1**		**71**		**22**	
Strathpeffer— The Meteorological Office.	210	Jan.	29·346	41·8	33·1	37·5	+0·8	51	8th	26	26th
		Feb.	29·724	45·5	34·6	40·1	+2·9	53	11th	27	23rd
		Mar.	29·282	47·6	33·6	40·6	+1·5	57	29th	28	18th
		Apl.	29·495	52·2	37·0	44·6	+1·0	62	24th	28	13th
		May	29·572	57·6	42·1	49·9	+1·7	70	30th	35	1st
		June	29·677	63·5	48·0	55·8	+1·7	76	15th	41	2nd, 9th, 10th
		July	29·816	65·7	50·0	57·9	+1·4	75	27th	38	24th
		Aug.	29·768	66·4	48·8	57·6	+2·6	74	1st	41	7th, 18th
		Sept.	29·739	60·8	45·7	53·3	+1·5	68	7th	37	7th
		Oct.	29·508	56·8	42·7	49·8	+4·6	68	1st	32	23rd
		Nov.	29·300	49·8	37·8	43·8	+3·4	56	17th 25th 29th	28	6th
		Dec.	29·611	45·5	34·4	40·0	+3·6	57	8th	15	6th
		Year	**29·570**			**47·6**		**76**		**15**	

* At 7 a.m. and 9 p.m. † At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Cloud. Scale 0-10.	Rain, and other Forms of Precipitation. Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Day of Month.	Weather. Number of Days with— Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog	Gale.	Wind Directions. Number of Observations at 9 A.M. and 9 P.M. N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
39·5	0·4	·234	97	7·3	15	1·32	−1·07	0·25	30*th*	3	4	0	0	9	0	11	1	0	1	18	26	9	2	2	3
39·0	0·6	·226	95	6·7	17	1·16	−0·93	0·23	7*th*	4	0	0	0	3	3	1	0	3	1	1	11	21	9	3	7
38·0	0·7	·214	94	7·2	23	3·18	+1·04	0·51	19*th*	10	2	0	0	9	2	6	3	1	1	5	9	18	19	4	2
41·6	0·7	·249	95	7·5	16	1·43	−0·39	0·51	28*th*	3	0	0	0	14	3	2	7	4	2	7	13	10	3	5	9
46·3	1·0	·290	93	7·5	18	1·70	−0·17	0·27	23*rd*	0	0	0	0	9	5	6	1	5	4	11	16	11	6	5	3
50·1	0·9	·338	93	7·6	16	2·04	+0·23	0·37	4*th*	0	0	0	0	10	9	1	3	7	5	3	9	10	5	15	3
52·5	1·0	·368	93	7·9	14	0·95	−1·79	0·15	9*th*	0	0	0	0	12	5	0	9	9	6	4	4	1	12	15	2
52·6	1·2	·364	92	7·1	18	1·31	−1·43	0·21	23*rd*	0	0	0	0	8	4	0	7	6	1	5	8	10	9	11	5
51·8	0·7	·366	95	7·3	15	2·92	+0·33	0·81	15*th*	0	0	0	0	11	2	2	5	12	8	12	9	3	5	2	4
49·6	0·9	·332	94	6·8	19	1·94	−1·29	0·30	23*rd*	1	0	0	0	3	1	7	3	6	4	20	12	10	1	3	3
44·6	0·6	·280	95	6·5	22	3·10	+0·26	0·31	18*th*	0	2	0	0	2	0	7	0	0	0	3	17	18	14	8	0
39·4	1·0	·222	92	6·6	21	3·51	+0·52	0·48	3*rd*	9	3	0	0	2	0	4	2	0	0	1	8	17	22	11	1
					214	**24·56**		**0·81**																	
37·9	1·9	·191	84	6·5	5	0·48	−2·20	0·14	24*th*	1	0	0	3	11	0	3	5	2	30	4	4	4	5	0	8
38·6	2·0	·196	84	6·0	12	1·52	−1·22	0·30	5*th*	2	0	0	4	9	0	0	0	0	8	1	2	2	16	0	27
39·5	2·3	·198	82	6·7	18	2·35	−0·02	0·48	19*th*	6	0	0	2	9	0	3	0	1	16	1	1	3	28	2	10
43·8	2·5	·232	80	5·5	12	2·00	+0·08	0·40	11*th*	2	1	0	4	6	0	0	3	1	14	2	1	6	16	1	16
48·0	2·6	·272	82	7·8	18	2·07	+0·18	0·47	9*th*	0	0	0	2	15	0	3	0	0	27	2	0	0	16	1	16
53·1	2·9	·326	80	7·4	16	3·20	+1·21	0·45	18*th*	0	0	3	2	12	0	1	1	1	15	0	0	4	16	1	22
55·6	2·7	·367	83	6·8	4	1·32	−1·32	1·07	13*th*	0	0	1	1	8	0	0	1	3	13	3	1	8	11	2	20
56·6	2·5	·386	84	7·1	11	1·19	−1·48	0·24	25*th*	0	0	0	0	12	1	0	2	1	19	0	0	1	22	3	14
53·3	2·2	·346	85	7·3	8	2·88	+0·25	1·40	15*th*	0	0	0	3	16	0	0	1	0	33	0	1	4	7	1	13
49·9	1·9	·310	87	6·8	11	1·04	−2·22	0·26	27*th*	0	0	0	0	12	0	1	0	3	20	1	3	3	18	1	13
45·0	1·6	·262	88	6·5	18	4·00	+0·80	0·48	30*th*	0	0	0	1	10	0	2	1	2	2	1	3	7	23	5	16
39·5	1·4	·214	89	8·0	19	4·27	+0·94	0·57	3*rd*	7	0	0	1	17	0	1	1	1	5	1	0	7	28	4	15
					152	**26·32**		**1·40**																	
38·9	2·1	·196	84	6·9	8	0·43	...	0·13	24*th*	1	0	0	1	12	0	0	2	6	2	12	4	8	16	12	0
40·1	1·9	·210	85	7·8	13	1·50	...	0·53	5*th*	2	0	0	0	14	2	0	2	10	12	2	2	6	6	16	0
39·1	1·8	·204	85	7·3	20	2·25	...	0·38	22*nd*	3	0	0	0	12	0	4	0	14	0	0	2	14	12	16	4
43·9	2·5	·233	81	7·8	9	0·94	...	0·31	11*th*	1	0	0	1	15	1	1	4	0	8	0	28	10	6	4	0
49·4	2·9	·283	81	6·7	16	0·52	..	0·15	10*th*	0	0	0	1	9	0	0	0	4	6	12	4	8	6	22	0
54·7	2·9	·349	81	7·5	15	2·78	...	0·67	18*th*	0	0	2	0	11	0	0	2	10	16	0	0	12	10	2	8
57·2	3·7	·362	77	6·5	7	0·90	...	0·47	13*th*	0	0	0	0	10	0	0	0	4	22	0	2	10	14	2	8
58·3	3·9	·373	76	6·3	6	0·61	...	0·23	24*th*	0	0	0	0	5	0	0	2	8	10	0	0	20	14	4	4
54·3	3·0	·339	80	6·8	10	1·64	...	0·54	14*th*	0	0	0	1	10	2	0	0	10	24	0	0	2	6	8	10
49·4	1·8	·307	88	5·2	11	0·97	...	0·37	14*th*	0	0	0	1	5	2	0	8	8	4	10	0	14	6	8	4
44·8	0·5	·285	94	7·1	19	2·71	..	0·41	20*th*	0	0	0	0	6	0	0	6	6	0	32	0	2	14	0	0
40·1	1·9	·210	85	7·8	19	2·97	...	0·41	1*st*	3	0	0	0	7	0	2	4	0	0	24	0	0	34	0	0
					153	**18·22**		**0·67**																	
36·2	1·6	·184	86	6·1	12	0·98	−2·13	0·34	31*st*	5	0	0	6	12	0	1	1	0	7	8	4	7	5	1	29
39·0	1·8	·203	86	6·2	18	2·28	−0·35	0·64	5*th*	5	0	0	3	9	0	1	0	2	1	0	4	13	6	2	28
39·5	2·2	·200	82	6·3	23	2·87	+0·28	0·35	9*th*	7	3	0	2	8	0	2	1	2	0	2	8	10	13	4	22
44·2	3·1	·224	77	5·9	15	1·64	−0·15	0·42	29*th*	2	0	0	1	6	0	1	0	3	2	4	3	14	7	5	22
49·6	3·2	·278	79	7·1	19	1·56	−0·52	0·44	17*th*	0	0	1	2	16	0	0	0	1	9	8	2	11	5	2	24
55·3	3·3	·346	79	7·1	15	3·14	+1·06	0·59	18*th*	0	0	1	0	9	2	0	3	1	3	2	6	7	8	8	22
56·7	2·9	·376	82	6·9	9	1·13	−1·94	0·40	13*th*	0	0	0	4	14	0	0	3	2	2	0	3	5	11	4	32
56·4	3·2	·364	80	7·2	12	0·85	−1·78	0·26	24*th*	0	0	0	0	10	2	0	2	1	2	1	0	8	10	3	35
52·5	2·3	·333	84	6·7	15	1·67	−0·88	0·54	15*th*	0	0	0	1	10	0	0	2	4	8	3	1	4	3	2	33
48·3	2·1	·287	85	6·0	16	1·03	−2·11	0·27	13*th*	1	0	0	2	6	0	0	0	2	9	2	8	11	6	2	22
42·8	2·3	·227	83	6·4	20	3·80	+0·86	0·49	20*th*	1	0	0	1	9	2	1	1	0	0	0	5	18	10	8	18
39·0	1·7	·205	86	6·8	21	4·68	+1·05	0·66	1*st*	7	1	0	1	9	0	1	2	0	0	0	2	16	14	9	19
					195	**25·63**		**0·66**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A. Maximum.	Mean of B. Minimum.	Mean of A and B.	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Glencarron—D. D. Munro.	504	Jan.	29·012	42·0	33·3	37·7	+0·6	55	8th	22	26th
		Feb.	29·415	44·6	34·0	39·3	+2·4	53	25th	25	20th
		Mar.	28·975	43·7	33·1	38·4	+0·1	53	29th	23	17th
		Apl.	29·179	49·2	35·3	42·3	-0·6	60	24th	26	19th
		May	29·254	53·6	40·8	47·2	-0·8	70	30th	33	15th
		June	29·369	59·0	47·6	53·3	-0·5	72	16th	40	10th
		July	29·254	61·7	48·0	54·9	-0·4	75	26th	38	8th
		Aug.	29·455	60·6	48·3	54·5	-0·4	70	15th	41	7th
		Sept.	29·422	58·8	45·3	52·1	+0·6	68	24th, 27th	37	6th, 7th
		Oct.	29·184	54·1	42·4	48·3	+3·1	64	13th	31	23rd
		Nov.	28·997	48·1	38·4	43·3	+2·6	54	23rd	32	9th
		Dec.	29·339	43·1	34·5	38·8	+1·8	52	8th	18	6th, 30th, 31st
		Year	**29·570**			**45·8**		**75**		**18**	
*Stornoway—The Meteorological Office.	51	Jan.	29·469	43·9	37·8	40·9	+2·1	50	6th, 7th, 9th	29	26th
		Feb.	29·881	45·6	37·0	41·3	+2·3	50	3rd	29	20th
		Mar.	29·446	45·1	34·6	39·9	+0·2	53	30th	29	8th 16th 18th
		Apl.	29·670	48·9	37·4	43·2	0·0	56	29th	30	2nd, 11th
		May	29·738	53·0	43·5	48·3	+1·0	60	12th	36	15th
		June	29·856	58·1	47·9	53·0	+0·6	66	15th, 18th	37	13th
		July	30·022	59·9	50·2	55·1	+0·3	66	26th	40	8th
		Aug.	29·939	60·8	49·9	55·4	+0·8	67	26th	44	19th
		Sept.	29·914	58·4	46·4	52·4	+0·9	64	4th, 5th, 27th	37	13th
		Oct.	29·663	54·0	43·9	49·0	+3·3	60	1st	33	23rd
		Nov.	29·447	49·5	40·1	44·8	+2·5	54	25th	35	22nd
		Dec.	29·787	44·7	37·9	41·3	+2·0	55	8th	23	6th
		Year	**29·736**			**47·0**		**67**		**23**	
Monach—Principal Keeper of the Lighthouse.	150	Jan.	29·309	...	...	...	...	...	...	...	...
		Feb.	29·770	...	...	...	...	...	..	...	...
		Mar.	29·315	...	...	...	...	...	...	...	...
		Apl.	29·521	...	...	...	...	...	...	...	...
		May	29·616	...	...	...	...	...	...	...	...
		June	29·756	...	...	...	...	...	..	...	...
		July	29·925	...	...	...	...	...	...	...	...
		Aug.	29·873	...	...	...	...	...	...	...	..
		Sept.	29·790	...	...	...	...	...	...	...	...
		Oct.	29·539	...	...	...	...	...	...	...	...
		Nov.	29·360	...	...	...	...	..	...	...	...
		Dec.	29·722	...	...	...	...	...	...	...	...
		Year	**29·625**								
*Castlebay (Barra) The Meteorological Office.	48	Jan.	29·431	45·0	39·6	42·3	+1·4	51	9th	32	31st
		Feb.	29·885	46·1	39·4	42·8	+1·9	49	2nd, 3rd, 11th	32	1st
		Mar.	29·463	45·4	37·0	41·2	-0·4	50	9th	31	15th
		Apl.	29·647	48 4	40·3	44·4	-0·5	56	4th	32	11th
		May	29·716	52·2	44·5	48·4	-0·5	61	12th	39	19th
		June	29·864	55·3	48·2	51·8	-1·8	66	17th	41	13th
		July	30·017	58·3	51·3	54·8	-2·4	63	24th, 26th	44	8th
		Aug.	29·960	59·2	52·6	55·9	-1·0	62	3rd, 18th, 29th	50	6th 7th 24th
		Sept.	29·874	58·1	50·6	54·4	+2·0	65	28th	43	13th
		Oct.	29·633	54·3	47·5	50·9	+4·5	60	1st	34	23rd
		Nov.	29·476	51·0	44·6	47·8	+3·2	54	16th	39	16th 19th 26th
		Dec	29·831	47·3	41·3	44·3	+2·6	53	8th	32	4th
		Year	**29·733**			**48·2**		**66**		**31**	

* At 7 a.m. and 9 p.m.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—								Wind Directions. Number of Observations at 9 A.M. and 9 P.M.							
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
37·6	2·4	·181	80	6·8	16	4·47	−5·70	1·00	30*th*	6	1	0	4	15	0	3	15	1	14	3	5	1	23	0	0
39·1	1·8	·204	85	7·4	18	7·09	−0·02	2·43	2*nd*	2	0	0	2	15	3	3	11	0	17	0	1	2	25	0	0
38·8	2·3	·192	82	8·7	23	6·61	−1·24	1·22	9*th*	12	3	0	0	25	0	3	7	3	12	0	1	0	39	0	0
42·6	3·0	·212	78	6·0	19	5·54	+0·23	0·82	19*th*	3	4	0	4	13	0	1	7	1	20	0	3	0	27	0	2
47·0	2·8	·257	80	7·8	23	5·37	+0·87	1·08	17*th*	1	3	1	4	22	0	2	10	4	19	0	2	0	26	0	1
52·1	2·2	·332	84	8·3	24	8·68	+4·64	1·63	8*th*	0	0	1	1	21	4	2	6	0	13	0	0	0	41	0	0
54·2	3·0	·337	80	7·6	13	1·85	−3·70	0·37	16*th*	0	0	0	4	21	3	0	7	0	17	2	1	0	34	1	0
54·3	3·0	·339	80	8·3	14	3·29	−4·02	1·14	21*st*	0	0	0	2	22	0	0	10	0	14	0	1	0	37	0	0
51·5	2·4	·319	84	6·7	16	3·35	−5·09	1·48	11*th*	0	0	0	5	15	2	0	17	0	23	0	0	0	19	0	1
48·6	2·9	·273	80	6·2	20	10·07	+0·61	2·69	24*th*	0	0	0	4	9	0	0	7	1	22	0	1	1	28	0	2
43·0	1·9	·236	85	8·5	24	18·40	+9·35	2·27	28*th*	0	0	1	0	22	1	3	8	0	8	0	1	0	43	0	0
39·4	1·5	·212	88	7·9	25	12·51	+2·08	1·69	15*th*	6	0	0	2	20	2	3	8	1	3	0	0	1	23	24	2
					235	**87·23**		**2·69**																	
41·1	1·8	·220	85	7·1	22	3·50	−1·75	0·61	30*th*	2	1	1	0	12	0	8	2	2	1	21	20	13	3	0	0
41·0	1·6	·223	87	7·4	22	3·39	−0·50	0·76	7*th*	2	1	0	0	16	0	6	1	6	2	4	13	20	8	2	0
39·3	1·9	·204	85	7·5	27	6·52	+2·61	0·83	12*th*	10	3	1	0	9	0	4	3	1	2	5	13	21	14	2	1
42·1	1·6	·234	88	7·4	20	3·47	+0·79	0·90	15*th*	1	2	0	0	12	2	1	3	8	5	3	14	16	6	5	0
47·2	1·8	·282	88	7·7	22	3·32	+0·87	0·68	17*th*	0	0	0	1	14	0	0	2	5	7	9	12	14	7	4	2
51·2	1·5	·338	90	8·6	19	3·58	+1·15	0·61	7*th*	0	0	1	0	17	3	2	2	11	3	1	7	17	7	11	1
53·4	1·7	·361	89	8·0	13	0·86	−2·17	0·17	16*th*	0	0	0	2	19	0	0	7	15	0	2	7	7	12	9	3
53·8	1·5	·372	89	7·9	14	1·66	−2·22	0·28	15*th*	0	0	0	2	18	0	0	10	9	0	3	5	13	10	9	3
51·2	1·5	·338	90	6·8	16	2·46	−1·62	0·41	25*th*	0	0	0	3	10	0	1	3	17	7	11	7	8	3	1	3
48·0	1·3	·302	91	7·1	20	6·32	+0·63	1·08	13*th*	1	0	0	2	14	3	3	3	1	10	11	9	16	3	5	4
45·0	1·6	·262	88	7·0	29	6·66	+1·25	0·84	19*th*	0	2	0	1	11	0	13	1	1	0	3	13	24	11	6	1
41·4	1·6	·228	88	7·0	25	5·25	−0·65	0·80	2*nd*	7	8	1	0	14	0	6	8	1	1	1	3	18	14	16	0
					249	**46·99**		**1·08**																	
41·7	...	...	...	6·1	24	4·73	−0·47	0·62	9*th*	0	1	0	1	6	0	0	1	2	4	11	23	13	7	1	0
42·9	...	...	...	6·5	16	2·66	−1·30	0·42	9*th*	0	0	0	3	6	3	0	4	6	2	2	17	11	9	4	1
41·5	...	...	...	...	24	5·26	+1·59	0·53	2*nd*	1	3	0	...	...	0	3	1	5	2	4	7	20	16	7	0
43·4	...	...	...	...	17	3·50	+0·92	0·41	27*th*	0	1	0	...	...	1	0	2	9	6	2	12	15	4	10	0
47·0	...	...	...	...	11	1·71	−0·40	0·32	31*st*	0	0	0	...	...	3	0	5	2	6	5	10	22	7	5	0
50·1	...	...	...	...	12	4·07	+1·96	0·85	28*th*	0	0	1	...	...	7	2	3	1	5	1	14	10	10	16	0
53·3	...	...	...	...	5	1·05	−1·97	0·80	9*th*	0	0	0	...	...	7	0	10	6	2	1	2	7	8	26	0
53·5	...	...	...	...	11	2·86	−0·86	0·60	25*th*	0	0	0	...	...	6	0	14	5	1	1	9	12	8	12	0
52·9	...	...	...	...	9	1·49	−2·68	0·42	12*th*	0	0	0	...	...	3	0	4	11	9	8	13	5	6	4	0
49·7	...	...	...	5·1	20	5·30	+0·55	0·90	20*th*	0	0	0	5	3	0	0	4	6	8	9	13	13	5	3	1
46·0	...	...	...	6·1	27	9·21	+4·35	0·82	12*th*	0	0	0	0	3	0	5	1	1	3	1	11	17	19	7	0
42·9	...	...	...	5·7	24	3·44	−2·10	0·61	16*th*	1	3	0	1	5	0	0	8	0	1	2	2	21	11	17	0
					200	**45·28**		**0·90**																	
43·0	1·6	·242	87	7·8	26	5·00	...	0·46	8*th*	3	4	1	0	17	0	6	2	3	9	21	13	9	4	1	0
43·7	1·6	·249	87	8·4	19	2·10	...	0·31	13*th*	4	6	2	0	21	1	1	3	3	2	13	12	8	10	1	4
42·3	2·3	·222	83	7·2	24	3·61	...	0·46	16*th*	7	12	1	0	12	0	2	3	3	4	5	11	14	13	7	2
44·5	2·4	·240	82	6·6	23	3·26	...	0·44	24*th*	4	7	0	0	13	0	1	5	7	4	9	10	8	7	9	1
48·1	2·3	·280	84	7·5	21	3·25	...	0·75	6*th*	0	0	0	0	12	3	0	3	1	15	5	7	13	9	7	2
51·6	1·7	·338	88	8·1	20	2·59	...	0·41	9*th*	0	0	1	0	18	5	2	0	4	5	8	5	6	18	13	1
54·0	1·7	·368	88	7·7	18	1·55	...	0·37	8*th*	0	0	0	1	22	6	0	7	3	4	3	3	4	13	23	2
55·1	2·0	·377	87	7·6	16	1·94	..	0·25	20*th*	0	0	0	2	15	7	0	7	3	3	3	3	12	12	16	3
53·9	2·0	·359	87	6·5	15	1·95	...	0·55	14*th*	0	0	0	1	11	1	0	5	9	13	9	2	4	6	5	7
51·2	2·1	·323	86	7·1	23	5·49	...	0·83	13*th*	1	2	0	1	13	0	1	1	6	14	10	8	7	10	5	1
48·4	2·4	·281	83	7·9	28	4·50	...	0·60	23*rd*	0	9	0	0	14	0	7	1	1	3	7	8	14	20	5	1
44·8	1·7	·257	87	8·1	24	2·93	...	0·60	2*nd*	4	11	0	1	18	0	2	8	1	1	1	3	17	15	16	0
					257	**38·17**		**0·83**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
			Inch.	°	°	°	°	°		°	
Inverness— W. G. MacConnachie, M.A.	Feet. 114	Jan.	29·473	43·0	34·5	38·8	+0·3	56	7th	28	23rd
		Feb.	29·871	45·1	35·6	40·4	+1·4	52	12th	30	18th, 20th
		Mar.	29·423	46·3	35·3	40·8	0·0	56	29th	30	18th
		Apl.	29·628	51·5	38·7	45·1	−0·2	64	24th	30	11th, 13th
		May	29·688	56·7	43·3	50·0	+0·8	74	30th	37	2nd, 3rd
		June	29·807	60·9	47·9	54·4	−0·3	72	15th	42	10th
		July	29·953	62·9	51·5	57·2	+0·2	72	3rd	41	24th
		Aug.	29·906	63·9	51·1	57·5	+0·8	73	27th, 28th	43	7th
		Sept.	29·856	59·5	48·9	54·2	+1·1	68	4th, 25th	41	5th, 6th
		Oct.	29·626	55·7	44·8	50·3	+3·4	65	13th	33	23rd
		Nov.	29·463	50·0	40·4	45·2	+3·5	56	29th	32	6th
		Dec.	29·786	44·7	36·9	40·8	+2·1	55	8th	19	7th
		Year	**29·707**			**47·9**		**74**		**19**	
Fort Augustus— Rev. Cyril von Dieckhoff, O.S.B.	73	Jan.	29·495	43·3	34·9	39·1	+1·0	53	8th, 9th	23	26th
		Feb.	29·903	44·3	34·4	39·4	+1·2	52	25th	26	6th, 18th
		Mar.	29·474	45·3	34·3	39·8	+0·1	56	29th	22	18th
		Apl.	29·657	50·5	37·1	43·8	−0·7	60	24th, 30th	25	2nd
		May	29·725	55·9	42·8	49·4	0·0	71	30th	32	2nd
		June	29·842	60·9	47·6	54·3	−0·6	74	15th, 16th	41	12th
		July	29·969	63·8	50·5	57·2	+0·1	75	3rd	36	8th
		Aug.	29·933	63·6	49·5	56·6	−0·3	73	1st	37	7th
		Sept.	29·887	59·8	46·9	53·4	+0·1	69	4th	33	7th
		Oct.	29·666	54·7	44·5	49·6	+3·0	63	17th, 19th	30	10th, 23rd
		Nov.	29·488	49·2	39·3	44·3	+2·5	55	17th	30	8th, 9th
		Dec.	29·826	44·0	34·1	39·1	+1·1	56	9th	15	31st
		Year	**29·739**			**47·2**		**75**		**15**	
Fort-William— W. T. Kilgour.	171 38	Jan.	29·531	43·4	35·8	39·6	+0·8	54	7th	24	26th
		Feb.	29·955	44·4	35·0	39·7	+0·7	50	3rd, 25th	26	21st
		Mar.	29·527	46·0	34·8	40·4	−0·2	57	29th	21	18th
		Apl.	29·700	51·4	37·0	44·2	−0·9	61	29th	28	2nd
		May	29·768	56·5	42·8	49·7	−0·3	72	30th	34	2nd
		June	29·893	62·8	48·3	55·6	+0·3	75	16th	39	13th
		July	30·016	66·0	49·9	58·0	+0·8	78	26th	39	8th
		Aug.	29·977	64·7	49·1	56·9	−0·4	72	1st	38	7th
		Sept.	29·922	61·9	46·4	54·2	+0·5	71	24th	36	7th
		Oct.	29·707	55·2	43·6	49·4	+2·0	61	1, 4, 17, 19	32	23rd
		Nov.	29·550	49·2	40·1	44·7	+2·0	54	17th	30	8th
		Dec.	29·868	44·2	35·5	39·9	+0·5	55	8th	18	31st
		Year	**29·785**			**47·7**		**78**		**18**	
Kingussie— W. de Watteville, M.D.	828	Jan.	28·686	39·2	31·2	35·2	+0·5	50	7th, 8th	15	26th
		Feb.	29·082	41·9	31·6	36·8	+1·6	50	12th	20	20th
		Mar.	28·656	42·8	31·2	37·0	+0·3	53	29th	21	18th
		Apl.	28·842	48·6	34·0	41·3	−0·2	59	24th	22	13th
		May	28·922	54·6	39·4	47·0	+0·1	68	30th	29	2nd
		June	29·033	61·2	45·5	53·4	−0·5	75	18th	39	4th, 12th
		July	29·150	65·1	47·7	56·4	+1·0	79	27th	40	8th
		Aug.	29·111	63·5	46·2	54·9	+0·7	74	1st, 27th	33	19th
		Sept.	29·081	60·4	42·2	51·3	+1·3	72	28th	27	7th
		Oct.	28·872	53·4	39·8	46·6	+2·8	63	17th	28	7th, 9th
		Nov.	28·694	47·7	36·9	42·3	+3·9	54	17th	25	6th
		Dec.	28·960	41·7	31·2	36·5	+1·1	54	9th	9	6th
		Year	**28·924**			**44·9**		**79**		**9**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
38·6	1·8	·199	85	6·6	9	1·42	− 1·04	0·52	31*st*	5	3	0	1	9	0	2	0	1	9	8	10	25	7	2	0
39·6	1·8	·208	85	7·7	11	1·96	− 0·08	0·57	4*th*	4	0	0	0	12	1	0	0	2	6	0	1	27	19	1	0
40·4	2·1	·209	83	7·1	17	2·77	+ 0·80	0·38	22*nd*	12	1	1	0	9	0	6	0	9	1	2	0	20	24	6	0
45·2	2·4	·247	83	6·7	9	1·36	− 0·12	0·30	11*th*	2	1	0	0	7	0	0	0	16	0	1	6	15	15	7	0
49·0	3·4	·268	77	7·0	9	0·87	− 0·93	0·36	3*rd*	0	0	1	1	9	0	1	0	8	8	9	2	16	12	7	0
54·3	3·2	·335	79	7·9	18	4·29	+ 2·42	0·82	19*th*	0	0	2	0	16	2	1	0	14	10	0	2	9	20	5	0
57·6	3·3	·379	80	...	6	1·19	− 1·57	0·78	13*th*	0	0	0	...	...	0	0	0	28	6	0	0	7	3	18	0
58·1	3·9	·371	76	...	11	0·91	− 1·75	0·31	24*th*	0	0	0	...	...	0	0	5	17	10	0	0	10	12	8	0
54·1	2·5	·349	83	7·5	14	2·65	+ 0·02	0·71	16*th*	0	0	0	1	12	0	0	2	12	15	2	5	2	8	12	2
50·0	2·4	·300	84	6·9	14	1·09	− 1·39	0·40	13*th*	0	0	0	2	11	1	0	3	2	14	7	3	17	14	2	0
44·4	2·0	·248	85	7·6	18	2·61	+ 0·17	0·30	25*th*	0	0	0	0	13	2	6	3	1	0	0	0	45	5	2	1
40·4	1·8	·214	86	7·8	16	3·21	+ 0·75	0·48	3*rd*	6	0	0	1	15	0	0	6	0	0	0	0	11	35	10	0
					152	**24·33**		**0·82**																	
38·7	2·1	·195	84	7·2	18	3·05	− 2·52	0·82	30*th*	4	0	1	1	12	1	1	1	8	6	7	11	22	6	1	0
38·9	1·5	·208	89	7·7	18	5·61	+ 1·54	1·15	3*rd*	2	1	0	2	16	0	0	1	7	3	2	5	28	6	3	1
39·3	1·5	·211	88	7·6	25	6·77	+ 3·09	0·75	9*th*	8	2	1	1	17	0	6	4	6	1	1	0	47	2	1	0
43·2	1·9	·238	85	7·4	16	2·76	+ 0·49	0·60	16*th*	2	0	0	3	16	1	1	5	18	2	1	3	29	1	1	0
48·1	1·8	·291	87	7·2	21	2·57	+ 0·27	0·52	3*rd*	0	0	1	1	17	0	2	3	16	9	0	3	25	5	0	1
53·8	1·6	·369	88	7·0	18	3·72	+ 1·73	0·99	9*th*	0	1	3	1	11	0	0	3	16	2	1	2	32	1	0	3
56·6	2·0	·400	87	7·7	8	1·39	− 1·57	0·47	6*th*	0	0	0	2	18	1	0	1	27	2	0	6	20	3	1	2
56·1	1·7	·401	88	7·9	9	1·21	− 2·35	0·61	21*st*	0	0	0	1	18	1	0	5	25	0	0	4	23	3	0	2
52·9	1·0	·372	93	7·4	12	1·98	− 1·90	0·54	16*th*	0	0	0	3	16	1	0	2	26	5	3	7	10	5	1	1
49·5	1·9	·306	87	7·2	16	3·31	− 0·94	0·89	13*th*	0	0	0	2	14	0	0	1	22	4	0	4	27	2	0	2
43·8	1·1	·261	92	8·5	26	7·32	+ 3·06	1·20	2*nd*	0	0	0	0	18	1	2	5	2	0	0	0	45	5	2	1
39·1	0·8	·223	93	7·4	19	5·81	− 0·01	0·89	2*nd*	4	0	0	2	17	0	2	3	8	1	0	1	44	5	0	0
					206	**45·50**		**1·20**																	
39·3	2·9	·185	78	7·6	23	6·41	− 2·66	1·60	30*th*	4	0	0	1	17	2	1	0	7	3	8	7	22	4	0	11
39·4	2·1	·201	83	8·2	19	7·43	+ 0·19	1·66	2*nd*	3	0	1	0	18	3	0	0	8	2	0	2	24	1	0	19
39·6	2·6	·193	79	7·5	26	12·17	+ 5·51	1·38	4*th*	8	1	1	0	15	0	0	0	6	1	4	3	38	3	0	7
43·4	2·9	·221	78	7·5	19	5·42	+ 1·62	0·89	16*th*	2	2	0	2	19	1	0	0	9	5	1	0	28	2	1	14
49·1	3·1	·275	78	7·7	23	5·37	+ 1·61	1·08	20*th*	1	1	0	1	19	1	1	0	7	0	5	1	23	6	2	18
54·7	3·1	·344	80	8·0	19	6·73	+ 2·93	1·82	19*th*	0	0	0	0	18	4	0	0	2	1	1	0	30	4	1	21
56·6	3·6	·357	77	7·7	9	0·90	− 4·28	0·25	16*th*	0	0	0	3	19	2	0	0	11	5	1	2	17	2	3	21
55·6	2·8	·365	82	7·2	13	2·59	− 3·43	0·95	21*st*	0	0	0	2	17	2	0	0	10	2	0	1	27	2	0	20
53·2	2·7	·333	82	7·1	13	2·69	− 4·64	1·08	11*th*	0	0	1	5	16	1	1	2	11	4	3	5	9	0	0	26
48·9	2·5	·287	83	7·1	17	6·55	− 1·08	1·57	13*th*, 24*th*	0	0	0	2	15	1	0	0	7	2	5	3	23	2	1	19
44·4	2·0	·248	85	8·4	25	14·38	+ 6·16	1·83	19*th*	0	0	0	0	19	1	0	0	0	2	1	3	36	4	1	13
40·1	1·8	·212	85	8·1	23	9·54	− 0·32	1·43	2*nd*	4	0	0	3	21	3	0	0	1	5	2	1	37	6	1	9
					229	**80·18**		**1·83**																	
35·2	1·8	·171	83	7·7	14	1·32	− 0·99	0·40	11*th*	7	0	0	3	18	0	3	1	1	10	3	9	9	18	2	9
36·3	1·8	·181	85	7·9	14	3·99	+ 1·93	0·90	2*nd*	7	0	0	1	19	0	2	1	0	1	0	1	6	30	2	15
36·4	2·2	·175	81	7·5	24	5·16	+ 3·16	...	...	9	0	1	3	20	0	4	3	2	2	1	0	12	24	11	7
41·0	2·9	·199	78	7·6	14	1·89	− 0·03	0·40	11*th*	3	0	0	1	17	0	2	1	9	8	0	7	9	13	3	10
47·4	3·9	·239	74	8·0	21	2·06	+ 0·29	0·72	8*th*	1	0	0	3	20	0	1	3	3	11	2	4	6	16	5	12
53·8	4·0	·308	75	7·8	19	2·02	+ 0·04	0·48	7*th*	0	0	1	0	16	0	2	1	1	7	1	2	17	19	7	5
55·6	4·3	·327	74	7·7	8	0·84	− 1·52	0·28	13*th*	0	0	0	1	18	0	0	15	10	1	0	0	6	13	9	8
54·6	3·6	·329	77	7·8	9	1·16	− 1·67	0·49	21*st*	0	0	0	3	20	1	0	6	6	5	1	0	4	21	8	11
50·7	2·8	·300	81	7·0	13	1·83	− 1·04	0·40	13*th*	0	0	0	3	15	1	0	2	11	7	4	11	7	8	1	9
46·7	2·5	·261	82	7·3	15	1·50	− 1·59	0·61	13*th*	0	0	0	2	15	1	2	0	3	4	3	8	18	13	2	11
42·1	2·2	·222	83	8·0	23	3·41	+ 0·46	0·42	3*rd*	0	0	0	1	17	0	3	0	1	0	0	1	12	29	5	12
36·6	1·8	·183	85	7·4	21	3·90	+ 0·97	0·75	25*th*	6	0	0	2	17	0	1	4	1	1	1	0	10	32	5	8
					195	**29·08**		...																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
§Nairn— The Meteorological Office.	82	Jan.	29·492	41·4	31·5	36·5	−0·9	53	7th	23	22nd, 23rd
		Feb.	29·862	44·6	32·6	38·6	+0·9	52	11th, 12th	24	18th
		Mar.	29·426	46·7	32·2	39·5	−0·3	56	26th, 29th	28	8th 16th 18th
		Apl.	29·637	51·5	34·4	43·0	−1·1	66	24th	23	13th
		May	29·713	57·3	40·3	48·8	−0·2	74	30th	31	2nd
		June	29·812	61·4	45·9	53·7	−1·0	72	16th	41	6th, 13th, 24th
		July	29·955	62·9	48·2	55·6	−1·8	71	3rd	38	24th
		Aug.	29·908	64·2	47·8	56·0	−0·7	73	2nd, 16th	37	20th
		Sept.	29·870	59·5	44·1	51·8	−1·1	70	25th	33	7th
		Oct.	29·646	54·8	40·6	47·7	+1·7	64	13th, 17th	30	23rd, 24th
		Nov.	29·444	49·0	37·4	43·2	+2·2	56	17th, 29th	27	6th, 7th
		Dec.	29·748	43·9	34·4	39·2	+1·7	55	8th	15	6th, 7th
		Year	**29·709**			**46·1**		**74**		**15**	
Gordon Castle— C. Webster, for the Duke of Richmond and Gordon, K.G.	107	Jan.	29·500	41·5	34·4	38·0	+0·1	56	7th	23	14th
		Feb.	29·875	46·7	34·7	40·7	+2·4	55	11th	29	5th, 20th, 24th
		Mar.	29·428	46·6	34·3	40·5	+0·4	56	25th, 29th	28	17th
		Apl.	29·631	51·6	37·2	44·4	0·0	63	24th	28	13th
		May	29·717	57·5	42·6	50·1	+1·3	71	30th	32	13th
		June	29·807	64·2	46·7	55·5	+0·9	78	4th	41	12th
		July	29·938	62·8	48·3	55·6	−1·6	74	30th	40	27th
		Aug.	29·895	64·8	48·0	56·4	−0·1	77	16th	37	20th
		Sept.	29·876	60·6	44·7	52·7	−0·6	71	27th	34	7th
		Oct.	29·644	57·7	41·9	49·8	+3·0	66	17th	31	23rd
		Nov.	29·429	50·9	38·0	44·5	+3·0	58	27th	29	6th
		Dec.	29·725	44·9	35·1	40·0	+1·2	59	9th	18	6th
		Year	**29·705**			**47·3**		**78**		**18**	
Braemar— A. M. Shirran.	1114	Jan.	28·429	37·8	29·7	33·8	−0·4	49	7th	11	26th
		Feb.	28·782	41·9	30·9	36·4	+1·9	55	13th	25	20th
		Mar.	28·348	41·5	29·8	35·7	−0·6	55	30th	15	8th
		Apl.	28·546	48·0	32·2	40·1	−0·6	57	23rd, 24th	20	13th
		May	28·621	53·6	37·6	45·6	−0·5	67	30th	28	2nd, 13th
		June	28·748	61·6	43·9	52·8	+0·1	74	18th	34	12th
		July	28·859	65·5	46·5	56·0	+0·9	77	27th	31	24th
		Aug.	28·829	63·7	43·8	53·8	0·0	74	1st, 2nd, 27th	31	18th
		Sept.	28·800	58·4	42·7	50·6	+0·8	69	7th	29	7th
		Oct.	28·593	51·4	39·6	45·5	+2·4	60	1st	27	23rd
		Nov.	28·402	46·5	35·8	41·2	+3·0	54	27th	22	6th
		Dec.	28·668	40·6	29·9	35·3	+0·8	53	8th, 9th	4	31st
		Year	**28·635**			**43·9**		**77**		**4**	
†Balmoral— J. Michie, M.V.O., and J. M. Troup.	927	Jan.	28·621	40·0	29·4	34·7	0·0	52	7th	13	26th
		Feb.	28·964	44·8	31·0	37·9	+2·9	55	13th	24	20th
		Mar.	28·554	44·5	30·8	37·7	+0·9	50	25th, 29th, 31st	18	8th
		Apl.	28·747	50·0	31·0	40·5	−0·7	60	23rd	18	13th
		May	28·814	56·8	37·6	47·2	+0·6	66	16th	27	20th
		June	28·913	64·8	44·1	54·5	+1·3	76	16th	36	4th
		July	29·051	66·3	46·5	56·4	+0·8	77	28th, 30th	31	24th
		Aug.	29·016	65·2	44·4	54·8	+0·5	77	2nd	35	18th
		Sept.	28·974	59·3	43·0	51·2	+0·9	68	11th	30	7th
		Oct.	28·763	55·3	39·9	47·6	+4·0	63	16th, 18th	28	16th, 23rd
		Nov.	28·590	48·7	35·4	42·1	+3·4	56	28th	22	6th
		Dec.	28·820	43·0	29·2	36·1	+1·1	55	8th	5	7th
		Year	**28·819**			**45·1**		**77**		**5**	

† At 9 a.m. only. § At 7 a.m. and 6 p.m.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
37·0	1·9	·184	84	7·2	12	0·72	− 1·18	0·22	24*th*	2	0	0	0	9	0	2	0	0	7	12	5	10	5	2	21
39·0	1·7	·205	86	7·4	19	2·23	+ 0·64	0·72	5*th*	2	0	0	0	5	0	1	2	0	2	1	2	5	21	0	23
39·3	1·7	·207	87	7·3	26	2·46	+ 0·63	0·30	5*th*	9	4	0	0	6	0	4	2	1	3	2	3	15	25	2	9
43·9	3·1	·221	77	6·7	15	1·18	− 0·09	0·31	11*th*	0	1	0	0	3	0	0	3	5	5	2	8	12	6	3	16
47·6	3·6	·247	75	7·1	17	1·17	− 0·50	0·23	3*rd*, 4*th*	0	1	1	0	7	0	5	0	4	12	5	4	9	10	5	13
54·7	3·1	·344	80	7·0	18	2·86	+ 1·00	0·80	18*th*	0	1	2	1	6	0	3	3	8	5	0	1	9	9	8	17
56·2	3·3	·360	79	6·7	10	1·11	− 1·66	0·35	30*th*	0	0	0	0	0	0	0	7	17	5	0	0	1	10	5	17
56·5	2·9	·374	82	7·1	8	0·76	− 1·89	0·19	25*th*	0	0	0	0	6	0	0	2	11	8	1	2	8	11	3	16
52·5	2·1	·338	86	7·2	15	2·90	+ 0·53	0·81	13*th*	0	0	0	0	7	1	0	3	11	9	4	3	2	5	1	22
48·2	2·6	·274	82	7·4	17	1·30	− 1·17	0·31	8*th*	0	0	0	0	7	0	0	1	3	7	3	9	11	8	3	17
43·5	2·1	·237	83	7·7	21	2·12	− 0·09	0·33	20*th*	1	0	0	0	10	2	9	0	0	0	0	1	12	29	2	16
39·7	1·8	·209	85	7·3	22	2·95	+ 0·87	0·52	3*rd*	7	1	0	0	6	0	1	3	0	0	0	0	6	35	5	13
					200	**21·76**		**0·81**																	
37·9	1·7	·195	86	6·1	14	1·10	− 0·94	0·24	14*th*	7	0	0	2	6	0	2	0	0	2	32	12	14	1	1	0
39·3	2·0	·202	84	7·1	12	1·12	− 0·84	0·38	5*th*	4	0	0	0	10	1	0	1	1	1	8	20	20	2	3	0
39·7	2·2	·202	82	7·9	19	2·75	+ 0·60	0·64	22*nd*	8	0	0	0	16	0	1	1	3	0	9	13	29	7	0	0
44·4	2·7	·234	80	7·9	14	0·87	− 0·91	0·19	18*th*	2	0	1	0	15	1	1	8	3	1	16	16	8	2	6	0
49·8	3·2	·280	79	6·9	16	2·71	+ 0·67	1·13	9*th*	0	0	2	1	11	2	1	0	5	2	17	11	18	2	7	0
55·0	2·8	·354	82	7·3	15	2·37	+ 0·30	0·69	6*th*	0	0	3	0	14	0	2	5	4	1	6	8	19	1	16	0
55·4	2·7	·363	83	8·1	12	0·67	− 2·43	0·16	5*th*	0	0	0	0	20	0	0	1	18	2	2	0	12	8	19	0
56·0	2·9	·368	82	7·4	13	0·89	− 2·48	0·19	21*st*, 24*th*	0	0	0	1	13	0	0	3	7	0	7	4	13	2	26	0
52·9	2·1	·344	87	7·6	12	3·46	+ 0·52	1·21	15*th*	0	0	0	2	14	0	0	0	21	0	19	6	11	0	3	0
49·5	2·5	·292	83	6·6	13	0·86	− 2·44	0·19	24*th*	0	0	0	0	7	0	0	1	8	1	20	21	8	0	3	0
44·2	2·2	·242	83	6·6	17	1·81	− 1·05	0·41	6*th*	0	0	1	2	9	0	0	0	1	0	12	8	30	8	1	0
39·9	1·8	·210	86	7·0	17	3·43	+ 0·67	0·76	3*rd*	8	0	0	0	9	0	0	2	1	0	2	11	24	10	12	0
					174	**22·04**		**1·21**																	
33·7	1·1	·171	88	...	21	4·68	+ 1·69	0·64	30*th*	11	1	0	...	...	0	4	4	0	12	2	10	32	2	0	0
35·5	1·3	·183	88	6·5	10	1·54	− 1·12	0·39	5*th*	6	1	0	0	7	0	2	2	0	0	8	2	24	16	4	0
35·4	1·5	·179	87	6·2	19	5·26	+ 2·61	1·11	5*th*	11	0	0	1	7	0	2	4	0	4	0	4	12	26	12	0
39·9	1·9	·208	85	6·6	15	3·46	+ 1·23	0·61	15*th*	9	0	0	4	11	0	1	2	10	0	0	10	24	4	10	0
46·2	2·5	·257	83	5·9	15	4·11	+ 1·81	1·41	8*th*	3	0	2	1	9	2	2	0	4	4	20	2	28	0	4	0
52·8	3·1	·319	79	6·3	14	1·61	− 0·77	0·25	4*th*	0	0	2	0	8	0	2	2	6	4	0	14	26	4	4	0
55·5	3·6	·343	77	5·2	5	0·27	− 2·56	0·13	5*th*	0	0	1	4	7	0	0	4	24	2	2	6	14	4	6	0
53·9	3·7	·316	76	6·1	11	1·02	− 2·76	0·28	24*th*	0	0	0	1	7	0	0	0	18	6	0	6	24	0	6	2
49·6	2·3	·298	84	6·7	13	2·22	− 0·86	0·43	16*th*	0	0	1	2	6	0	0	0	6	20	0	10	14	4	2	4
45·7	2·1	·260	85	6·6	19	2·32	− 1·62	0·38	19*th*, 29*th*	0	0	1	0	8	0	1	0	4	12	2	8	32	4	0	0
40·9	2·1	·213	84	6·2	20	2·21	− 1·65	0·27	2*nd*	1	0	0	1	8	0	2	0	2	0	2	4	46	6	0	0
35·2	1·8	·171	83	5·9	18	2·22	− 1·08	0·48	3*rd*	8	0	0	1	7	0	1	12	2	0	0	2	26	16	4	0
					180	**30·92**		**1·41**																	
33·1	1·7	·154	81	6·8	22	4·41	...	0·93	11*th*	9	0	0	9	20	0	7	2	0	12	10	6	14	8	10	0
35·1	1·8	·169	82	6·5	15	1·29	...	0·38	7*th*	7	0	0	4	13	0	2	2	2	0	0	4	12	28	8	0
35·6	1·7	·178	85	7·4	21	5·45	...	0·70	28*th*	12	0	0	1	15	0	2	2	4	0	4	0	12	16	24	0
40·0	1·8	·211	86	6·7	14	2·62	...	0·83	26*th*	2	0	0	3	12	0	2	8	2	0	6	4	8	20	12	0
44·7	2·1	·249	85	6·4	14	3·58	...	1·00	8*th*	0	0	2	9	17	1	5	0	4	8	0	0	22	18	10	0
52·8	2·1	·343	86	6·0	13	1·79	...	0·41	19*th*	0	0	1	6	11	0	3	4	2	2	0	0	10	26	16	0
53·2	2·1	·347	86	5·3	6	1·03	...	0·48	5*th*	0	0	1	9	10	0	2	2	2	0	0	0	14	30	14	0
50·6	2·1	·316	86	6·9	15	1·10	...	0·25	25*th*	0	0	1	4	13	0	0	6	2	4	4	4	12	22	8	0
46·1	1·8	·271	87	8·3	16	3·06	...	0·82	16*th*	0	0	1	2	19	1	0	8	6	10	6	6	2	12	10	0
44·9	1·7	·259	88	7·4	20	1·96	...	0·28	28*th*	0	0	1	2	12	0	3	2	6	4	8	4	12	18	8	0
40·2	2·0	·209	85	6·8	18	1·94	...	0·30	25*th*	1	0	0	4	11	0	6	4	0	0	2	6	6	28	14	0
34·6	1·9	·163	81	6·6	14	2·97	...	0·65	3*rd*	8	0	0	6	12	0	3	8	0	0	0	0	10	24	20	0
					188	**31·20**		**1·00**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Logie Coldstone— J. B. Anderson, The Schoolhouse.	608	Jan.	...	38·1	30·1	34·1	−1·4	52	7th	9	26th
		Feb.	...	44·4	32·1	38·3	+2·5	54	13th	26	14th, 23rd
		Mar.	...	44·4	31·8	38·1	+0·7	54	4th	25	26th
		Apl.	...	50·1	33·4	41·8	−0·5	62	23rd	19	13th
		May	...	55·3	39·7	47·5	0·0	66	16th 29th 30th	30	13th
		June	...	63·1	44·5	53·8	−0·2	75	15th, 16th	38	2nd, 4th
		July	...	64·3	48·8	56·6	+0·6	75	3rd, 27th	35	9th
		Aug.	...	65·5	45·7	55·6	+0·1	76	2nd, 28th	32	20th
		Sept.	...	58·5	44·3	51·4	−0·3	67	26th	36	16th
		Oct.	...	54·0	41·7	47·9	+3·7	64	17th	30	16th 23rd 26th
		Nov.	...	48·8	38·0	43·4	+4·6	57	17th	22	6th
		Dec.	...	41·8	29·8	35·8	0·0	57	8th	7	6th, 7th, 31st
		Year				**45·4**		**76**		**7**	
Loanhead— A. Farquharson.	747	Jan.	28·605	38·3	30·9	34·6	−1·3	52	7th	19	22nd, 26th
		Feb.	29·164	44·7	32·8	38·8	+2·8	56	13th	26	20th
		Mar.	28·748	44·5	31·8	38·2	+0·7	55	25th	25	18th
		Apl.	28·933	50·5	34·5	42·5	0·0	62	23rd	21	13th
		May	29·027	55·4	39·7	47·6	+0·3	67	30th	32	20th
		June	29·110	63·2	46·2	54·7	+1·0	76	16th	40	4th, 12th
		July	29·228	64·7	49·0	56·9	+1·1	77	27th	39	9th
		Aug.	29·203	64·6	47·3	56·0	+0·9	78	16th	38	20th
		Sept.	29·171	59·1	46·1	52·6	+1·2	68	7th	41	13th, 16th
		Oct.	28·954	54·0	42·9	48·5	+3·9	63	17th	30	23rd
		Nov.	28·761	49·7	38·1	43·9	+5·3	60	27th	26	6th
		Dec.	28·918	42·2	31·0	36·6	+0·3	56	8th, 9th	12	6th
		Year	**28·985**			**45·9**		**78**		**12**	
Aberdeen (King's Coll.)— The Meteorological Office.	90	Jan.	29·570	41·8	35·6	38·7	+1·0	50	7th	25	14th
		Feb.	29·911	44·1	36·0	40·1	+2·0	52	3rd	31	19th
		Mar.	29·480	45·6	36·0	40·8	+0·7	52	4th	29	18th
		Apl.	29·676	48·3	38·3	43·3	−0·5	56	30th	30	13th
		May	29·754	53·3	43·5	48·4	+0·1	69	25th	37	20th
		June	29·840	60·4	48·3	54·4	+0·5	68	28th	42	13th
		July	29·949	60·7	50·1	55·4	−1·8	68	2nd	40	9th
		Aug.	29·913	61·9	49·6	55·8	−0·7	74	2nd	42	12th
		Sept.	29·903	57·1	49·4	53·3	+0·3	65	11th	42	9th
		Oct.	29·688	54·0	45·8	49·9	+3·0	62	17th	33	23rd
		Nov.	29·482	50·0	41·1	45·6	+3·7	58	17th	30	6th
		Dec.	29·750	43·5	54·3	38·9	+0·9	55	8th	21	31st
		Year	**29·743**			**47·0**		**74**		**21**	
†Crathes.— J. Smith.	145	Jan.	29·499	40·8	30·9	35·9	−0·5	52	7th	19	14th
		Feb.	29·833	46·4	33·4	39·9	+2·9	58	25th	26	19th
		Mar.	29·400	46·9	33·4	40·2	+1·1	55	30th	25	8th
		Apl.	29·617	51·8	35·9	43·9	+1·0	61	22nd, 23rd	23	13th
		May	29·675	57·5	41·0	49·3	+1·4	69	25th	32	20th
		June	29·771	64·7	47·3	56·0	+1·7	74	16th	38	12th
		July	29·879	65·2	50·1	57·7	+0·4	72	2nd, 27th	37	9th
		Aug.	29·850	66·6	48·0	57·3	+1·0	79	2nd, 3rd	36	20th
		Sept.	29·833	60·1	47·4	53·8	+1·4	68	5th	39	5th
		Oct.	29·614	55·7	43·3	49·5	+3·3	64	25th	31	23rd
		Nov.	29·427	50·8	37·2	44·0	+4·0	61	27th	25	6th
		Dec.	29·690	42·8	29·4	36·1	−0·8	56	8th	13	31st
		Year	**29·674**			**47·0**		**79**		**13**	

† At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
34·6	1·1	·179	90	6·7	23	3·09	...	0·39	12*th*	8	0	0	3	13	0	2	1	0	0	27	10	8	8	4	4
36·5	1·9	·181	83	5·2	11	0·91	...	0·17	5*th*	3	0	0	3	8	0	1	1	0	1	2	6	18	8	6	14
36·4	2·0	·178	83	...	20	4·41	...	0·91	22*nd*	5	0	0	...	...	0	1	1	0	0	3	7	7	24	18	2
40·6	2·3	·207	82	...	17	2·42	...	0·50	11*th*	1	0	0	...	...	0	1	0	0	0	1	17	22	3	15	2
46·1	2·7	·251	81	6·3	17	4·10	...	1·53	8*th*	0	0	1	3	10	0	2	1	1	0	12	9	22	4	9	4
51·4	3·0	·305	80	5·7	17	2·64	...	0·95	6*th*	0	0	2	4	8	0	2	3	0	1	0	2	21	4	14	15
53·9	3·0	·334	80	6·7	8	0·85	...	0·29	5*th*	0	0	1	0	7	0	0	0	0	0	1	11	0	6	37	7
54·4	2·9	·343	81	6·3	15	1·61	...	0·31	8*th*	0	0	1	1	14	0	0	3	3	2	2	0	5	3	25	19
50·6	2·0	·318	86	7·5	16	2·61	...	0·62	13*th*	0	0	1	1	12	0	0	3	5	4	4	2	5	4	8	25
46·7	2·2	·268	85	5·8	17	1·34	...	0·30	4*th*	0	0	1	4	8	0	2	2	5	0	5	10	22	4	5	9
42·4	2·6	·217	81	...	14	1·22	...	0·25	2*nd*	0	0	0	...	...	0	2	0	1	1	0	7	14	24	8	5
35·7	1·9	·175	84	...	18	2·35	...	0·49	3*rd*	5	0	0	...	...	0	0	1	0	1	0	0	2	28	18	12
					193	**27·55**		**1·53**																	
36·0	0·9	·195	92	6·8	20	3·69	+1·77	0·71	11*th*	10	0	0	5	17	0	2	1	1	10	23	2	8	1	6	10
38·0	1·3	·203	89	5·5	11	1·14	−1·01	0·48	7*th*	3	0	0	5	9	0	1	0	6	4	4	4	11	6	6	15
38·3	1·3	·205	89	6·6	21	4·83	+2·59	0·99	28*th*	7	0	0	3	11	0	1	0	1	11	7	1	12	16	6	8
42·9	1·7	·239	87	5·7	14	2·49	+0·43	0·49	26*th*	2	0	0	8	12	0	1	5	3	3	10	6	6	6	16	5
48·6	1·9	·297	87	7·2	18	5·92	+3·77	2·11	9*th*	0	1	4	4	19	0	1	2	9	5	13	3	10	6	5	9
55·3	2·6	·364	83	7·2	14	2·36	+0·30	0·48	6*th*, 19*th*	0	0	2	5	18	0	2	1	4	6	6	1	10	8	11	13
56·6	2·7	·380	82	7·6	12	0·85	−2·12	0·22	14*th*	0	0	1	3	20	0	0	3	4	6	5	1	1	9	26	7
56·0	2·7	·374	82	7·5	15	1·34	−1·88	0·24	24*th*	0	0	1	1	17	0	0	4	5	4	2	0	6	3	18	20
52·5	1·3	·359	90	7·7	17	2·83	+0·21	0·65	16*th*	0	0	0	2	17	0	0	4	6	14	5	1	4	3	6	17
48·8	1·6	·303	88	6·7	17	1·18	−2·01	0·30	27*th*	0	0	0	7	16	0	2	1	4	9	11	0	19	5	6	7
43·9	1·6	·252	87	7·1	17	1·33	−1·66	0·31	6*th*	0	0	0	6	8	0	2	1	5	1	5	3	19	9	9	8
37·5	1·4	·197	88	4·6	19	3·01	+0·10	0·82	3*rd*	7	0	0	11	9	0	0	2	6	0	2	0	10	10	24	8
					195	**30·97**		**2·11**																	
38·9	2·1	·196	84	7·3	18	2·84	+0·66	0·66	30*th*	4	4	0	1	14	0	0	0	1	3	20	20	7	4	3	4
39·2	2·4	·193	81	6·3	10	0·76	−1·48	0·22	7*th*	1	0	0	2	8	1	1	1	2	1	3	16	16	6	6	5
40·2	2·7	·196	79	5·7	20	3·09	+0·76	1·29	22*nd*	6	1	0	4	8	1	0	2	0	2	6	15	21	8	6	2
43·7	2·6	·229	80	6·9	14	2·79	+0·70	0·63	28*th*	1	1	0	2	15	3	0	8	0	0	8	20	7	4	9	4
48·6	3·4	·262	76	6·7	15	3·10	+0·96	1·10	9*th*	0	0	1	2	12	7	0	1	2	7	16	13	9	3	5	6
53·8	4·0	·308	75	6·3	12	1·36	−0·49	0·47	4*th*	0	0	1	2	12	7	0	3	6	2	7	14	10	4	8	6
55·3	3·4	·345	78	7·1	12	1·10	−1·80	0·37	6*th*	0	0	1	2	14	0	0	11	3	5	7	6	1	2	15	12
56·2	3·6	·352	78	6·7	14	1·41	−1·67	0·29	24*th*	0	0	2	0	11	2	0	11	0	3	6	8	8	1	13	12
53·5	2·4	·343	84	7·8	15	2·10	−0·61	0·83	13*th*	0	0	0	2	17	2	0	6	7	10	9	10	5	1	2	10
50·1	3·0	·287	80	5·9	17	1·55	−1·39	0·48	5*th*	0	0	0	1	8	0	0	1	4	4	6	20	13	4	5	5
45·4	2·6	246	82	6·1	17	1·76	−1·46	0·49	6*th*	0	0	0	4	7	1	0	0	0	0	2	16	18	13	4	7
38·4	2·4	·186	81	4·7	14	1·95	−1·11	0·85	3*rd*	7	0	0	7	8	0	0	3	0	0	0	5	14	25	13	2
					178	**23·81**		**1·29**																	
35·4	1·7	·175	85	7·6	19	6·85	...	1·26	30*th*	7	4	0	6	22	0	3	2	2	2	20	22	4	2	0	8
37·4	2·0	·185	83	7·4	9	0·88	...	0·50	7*th*	1	1	0	2	15	0	2	2	2	0	10	12	8	10	4	8
38·9	2·7	·186	80	5·7	20	4·46	...	0·98	22*nd*	9	1	0	9	12	1	2	4	0	4	2	18	16	16	2	0
44·3	3·2	·223	76	6·2	13	2·81	...	0·54	29*th*	2	1	1	5	15	1	0	8	0	0	4	20	8	8	4	8
51·0	4·3	·270	72	6·7	16	6·03	...	2·76	9*th*	0	0	1	5	14	1	1	4	6	6	16	16	8	2	4	0
57·6	5·4	·327	69	6·4	15	1·46	...	0·32	19*th*	0	0	1	4	14	0	5	4	6	8	4	14	8	4	8	4
58·2	4·5	·358	74	7·6	10	1·83	...	1·21	14*th*	0	0	1	3	18	0	0	14	0	4	14	6	0	0	20	4
59·0	4·7	·362	73	6·5	13	1·38	...	0·52	16*th*	0	0	2	6	15	3	0	10	0	2	12	10	12	8	8	0
52·7	2·2	·339	86	7·2	16	3·81	...	1·24	13*th*	0	0	1	6	16	1	0	6	8	4	12	14	6	6	4	0
49·4	2·8	·285	81	6·7	18	1·24	...	0·35	5*th*	0	0	0	4	17	2	1	0	8	0	10	30	6	2	2	4
43·0	2·5	·225	81	6·4	14	0·87	...	0·34	2*nd*	0	0	0	5	14	1	1	0	0	4	4	14	22	6	0	10
35·1	1·7	·171	83	5·5	12	1·63	...	0·63	3*rd*	5	1	0	8	12	0	0	8	0	0	2	16	20	6	8	2
					175	**33·25**		**2·76**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Montrose (Royal Asylum)—J. Masson.	200	Jan.	29·447	41·5	34·1	37·8	+0·5	52	7th	25	26th
		Feb.	29·784	44·0	33·8	38·9	+1·3	52	26th	28	19th
		Mar.	29·371	45·8	34·0	39·9	+0·6	52	25th 29th 30th	26	18th
		Apl.	29·550	49·6	36·3	43·0	−0·7	58	23rd	27	13th
		May	29·626	54·5	41·9	48·2	+0·1	66	25th	35	20th
		June	29·696	60·8	47·2	54·0	−0·4	71	28th	39	12th
		July	29·815	62·7	50·3	56·5	−1·0	72	2nd	43	7th
		Aug.	29·796	63·3	49·0	56·2	−0·7	77	2nd, 3rd	41	8th
		Sept.	29·770	57·7	48·5	53·1	+0·3	64	11th, 26th	41	8th, 9th
		Oct.	29·549	54·3	44·4	49·0	+2·2	60	17th	33	24th
		Nov.	29·382	50·4	38·7	44·6	+3·6	56	17th, 18th	30	6th
		Dec.	29·614	43·3	32·7	38·0	0·0	54	9th	20	31st
		Year	**29·617**			**46·6**		**77**		**20**	
Arbroath—J. Campbell, for the Natural History Association.	68	Jan.	29·592	42·3	35·0	38·7	+0·8	52	7th	24	11th
		Feb.	29·955	45·3	34·9	40·1	+1·6	53	3rd	31	14th, 23rd
		Mar.	29·530	46·6	34·7	40·7	+0·2	52	4th, 25th	27	18th
		Apl.	29·707	49·9	37·4	43·7	−0·7	58	20th	30	11th, 13th
		May	29·779	55·1	42·9	49·0	+0·3	67	25th	35	19th
		June	29·881	60·9	48·0	54·5	0·0	72	28th	41	12th
		July	29·968	63·3	50·9	57·1	−0·4	71	2nd	43	7th, 9th
		Aug.	29·945	64·4	50·1	57·3	+0·2	80	2nd	42	20th
		Sept.	29·923	58·9	49·9	54·4	+0·9	65	11th	41	17th
		Oct.	29·724	55·3	46·2	50·8	+3·9	61	17th	34	24th
		Nov.	29·548	51·0	40·3	45·7	+4·4	57	17th, 28th	31	8th
		Dec.	29·807	44·7	34·3	39·5	+0·6	56	14th	22	6th, 31st
		Year	**29·780**			**47·6**		**80**		**22**	
†Lednathie—W. G. Lindsay, for P. Stormonth Darling.	720	Jan.	...	37·8	31·5	34·7	−0·2	49	7th, 8th	16	26th
		Feb.	...	42·7	31·0	36·9	+1·7	55	13th	25	20th, 23rd
		Mar.	...	44·6	31·5	38·1	+1·1	52	25th, 30th	21	8th
		Apl.	...	49·5	33·9	41·7	−0·3	59	23rd	21	13th
		May	...	53·9	39·6	46·8	−0·3	63	25th	30	2nd
		June	...	63·0	45·7	54·4	+1·2	73	16th, 18th	36	2nd
		July	...	65·4	48·5	57·0	+1·0	73	2nd, 26th	35	9th
		Aug.	...	65·4	46·3	55·9	+1·2	81	2nd	33	7th
		Sept.	...	58·6	44·9	51·8	+1·0	68	28th	35	3rd
		Oct.	...	52·7	41·2	47·0	+2·6	66	19th	30	10th, 23rd
		Nov.	...	47·5	37·4	42·5	+3·6	55	17th	26	6th, 8th
		Dec.	..	41·0	30·8	35·9	+0·5	53	8th	13	7th, 31st
		Year				**45·2**		**81**		**13**	
Dundee (Eastern Necropolis)—J. Carnochan, Curator of Parks.	164	Jan.	29·491	40·5	33·1	36·8	+0·2	51	7th	21	14th
		Feb.	29·867	43·7	34·0	38·9	+1·2	51	3rd	30	20th, 23rd
		Mar.	29·426	46·5	34·3	40·4	+0·8	54	31st	25	18th
		Apl.	29·606	51·2	36·5	43·9	−0·7	61	23rd	28	11th
		May	29·677	56·4	42·5	49·5	+0·2	68	16th	37	16th, 19th
		June	29·780	63·5	47·6	55·6	−0·1	73	29th	40	12th
		July	29·880	66·5	50·6	58·6	−0·1	76	2nd	40	7th
		Aug.	29·850	67·5	49·5	58·5	+1·0	80	2nd	39	7th
		Sept.	29·837	59·9	48·2	54·1	+0·6	67	7th	39	17th
		Oct.	29·628	55·4	44·6	50·0	+3·5	63	19th	35	9th, 23rd, 24th
		Nov.	29·454	49·7	39·6	44·7	+4·0	58	26th	28	8th
		Dec.	29·723	43·5	33·8	38·7	+1·2	53	9th	20	6th
		Year	**29·685**			**47·5**		**80**		**20**	

† At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.									
								Most in a Day.																		
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																		
37·5	1·6	·193	86	...	15	4·20	+2·04	1·02	14*th*	4	0	0	...	...	0	4	0	3	11	6	28	6	5	3	0
37·8	2·0	·189	83	...	11	0·84	−1·22	0·16	6*th*, 7*th*	1	0	0	...	...	1	0	11	2	1	0	12	14	12	4	0
39·4	2·3	·197	82	.	15	3·31	+1·44	1·24	22*nd*	5	1	0	...	...	0	2	3	0	3	1	29	12	11	3	0
42·8	2·4	·225	82	...	13	2·88	+0·81	0·40	18*th*	1	0	1	...	...	0	2	11	1	10	5	17	3	7	6	0
48·2	2·9	·268	80	...	12	3·52	+1·64	1·21	8*th*	0	0	1	...	...	3	2	3	3	13	4	25	3	7	4	0
53·4	3·1	·325	80	...	11	2·07	+0·12	0·40	6*th*	0	1	2	...	...	2	2	5	2	12	0	11	7	16	7	0
55·5	2·9	·354	80	...	6	1·27	−1·65	0·88	5*th*	0	0	0	...	...	0	0	10	2	6	0	13	3	19	9	0
55·9	3·0	·364	81	...	16	1·40	−1·74	0·56	30*th*	0	0	1	...	...	2	0	18	2	3	6	6	6	16	5	0
52·8	2·0	·346	87	...	17	3·18	+0·45	1·36	16*th*	0	0	1	...	...	0	0	16	12	6	0	18	1	7	0	0
48·6	1·9	·297	87	...	16	1·61	−1·22	0·20	5*th*	0	0	0	...	...	1	1	14	5	3	2	28	2	7	1	0
44·0	2·2	·240	83	...	16	1·37	−1·40	0·65	2*nd*	0	0	0	...	...	1	5	5	0	2	1	40	2	5	5	0
37·3	1·9	·186	84	...	10	1·41	−1·40	0·64	3*rd*	3	0	0	...	...	1	1	19	0	0	0	18	3	16	6	0
					158	**27·06**		**1·36**																		
38·9	1·7	·204	87	7·8	16	2·02	−0·14	0·45	28*th*	6	3	0	1	17	0	4	2	5	3	2	27	5	11	4	5	0
39·1	2·0	·200	84	6·3	12	0·66	−1·15	0·15	4*th*	1	0	0	3	11	3	1	4	12	3	2	2	25	4	4	0
39·9	2·1	·205	83	5·5	21	3·48	+1·74	1·12	22*nd*	4	0	0	7	7	0	2	3	1	3	6	8	27	9	5	0
43·6	2·4	·232	82	6·3	13	2·05	+0·29	0·37	29*th*	1	2	1	4	10	0	1	7	6	6	14	8	13	5	0	1
48·6	2·6	·280	82	7·0	16	2·38	+0·53	0·78	8*th*	0	0	1	3	16	2	4	1	12	9	12	3	15	8	2	0
54·0	3·1	·332	79	5·8	15	1·57	−0·28	0·41	18*th*	0	1	4	2	6	0	5	1	12	9	10	1	12	11	4	0
56·8	3·3	·367	79	6·4	9	0·74	−1·95	0·22	5*th*	0	0	0	1	5	2	0	12	6	9	12	7	5	5	6	0
57·8	3·5	·377	79	6·2	14	1·25	−1·63	0·42	30*th*	0	0	1	0	8	1	0	8	11	8	11	2	12	6	4	0
54·3	2·3	·357	84	8·5	16	1·95	−0·43	0·49	16*th*	0	0	0	0	19	2	1	6	19	11	10	3	6	3	2	0
50·9	2·7	·305	82	6·1	19	1·56	−0·83	0·30	13*th*	0	0	0	4	10	0	2	6	9	4	11	6	19	5	2	0
45·2	2·2	·251	84	5·3	17	1·68	−0·64	0·55	2*nd*	0	0	0	3	6	1	7	2	0	0	7	3	25	16	7	0
39·0	2·2	·195	83	4·8	12	1·17	−1·27	0·79	3*rd*	4	1	0	7	7	3	1	8	1	0	0	0	20	21	12	0
					180	**20·51**		**1·12**																		
...	...	...	...	...	16	10·09	+6·24	1·60	30*th*	8	0	0	...	...	0	2	0	4	10	8	6	20	2	12	0
...	...	...	...	...	10	1·75	−1·45	0·41	7*th*	4	0	0	...	...	1	2	2	4	0	0	4	20	16	10	0
...	...	...	...	...	20	6·14	+3·43	1·65	28*th*	9	0	0	...	...	0	4	2	0	8	4	0	10	22	16	0
...	..	...	...	. .	12	4·52	+1·44	0·83	16*th*	3	0	2	...	...	0	4	8	6	0	12	2	18	10	4	0
...	...	...	...	...	14	8·93	+6·35	2·81	9*th*	0	0	1	...	...	0	4	2	0	14	4	0	16	20	6	0
...	...	...	...	...	11	2·83	+0·08	0·66	18*th*	0	0	3	...	...	0	3	0	12	4	6	0	10	22	6	0
...	...	...	...	...	7	0·44	−3·14	0·13	14*th*	0	0	1	...	...	0	0	12	2	2	18	0	16	8	4	0
...	...	...	...	...	14	1·93	−1·94	0·34	10*th*	0	0	1	...	...	0	0	2	0	2	14	0	20	14	10	0
...	...	...	...	...	13	4·47	+0·85	1·36	16*th*	0	0	1	...	...	1	0	0	12	24	4	0	16	2	2	0
...	...	...	...	...	13	2·50	−1·96	0·93	29*th*	0	0	1	...	...	0	2	0	4	10	8	0	16	20	4	0
...	...	...	...	...	16	3·36	−1·45	0·79	2*nd*	0	0	0	...	...	2	6	0	0	2	6	0	4	30	18	0
...	...	...	...	...	10	1·52	−2·85	0·47	3*rd*	5	0	0	...	...	0	3	0	0	0	0	0	6	16	40	0
					156	**48·48**		**2·81**																		
36·6	0·8	·201	93	9·7	19	3·43	+1·16	0·46	12*th*, 28*th*	7	0	0	0	30	2	5	1	4	5	22	5	17	5	3	0
37·9	0·9	·209	92	9·1	11	0·66	−1·42	0·15	4*th*	1	0	0	0	22	3	1	5	7	3	8	1	27	27	3	0
39·2	1·3	·214	89	7·4	20	3·58	+1·70	0·73	22*nd*	5	0	0	2	13	0	4	2	3	4	3	2	39	5	4	0
43·3	1·5	·248	88	7·7	12	1·96	+0·04	0·41	29*th*	1	1	1	1	18	1	1	0	12	5	12	2	23	5	1	0
48·6	1·9	·297	87	8·1	15	3·55	+1·68	0·95	9*th*	0	0	1	1	17	2	3	0	3	6	24	4	18	3	4	0
54·6	2·5	·356	84	7·4	12	1·27	−0·72	0·31	4*th*	0	0	3	0	12	0	3	0	5	7	13	3	17	6	9	0
56·8	2·6	·386	83	7·7	6	0·60	−2·31	0·23	6*th*	0	0	0	1	12	0	0	4	17	7	11	4	10	2	7	0
56·9	2·6	·386	84	7·4	10	1·37	−1·87	0·44	30*th*	0	0	1	3	16	0	0	1	10	3	12	5	13	7	11	0
53·1	1·6	·360	89	8·8	11	2·21	−0·36	0·52	13*th*	0	0	0	0	20	1	1	2	19	20	3	3	4	8	1	0
48·8	1·5	·308	89	7·9	18	1·53	−1·11	0·25	27*th*	0	0	1	2	19	0	0	2	12	9	10	2	21	1	5	0
43·8	1·3	·257	90	8·5	20	1·79	−0·78	0·53	2*nd*	0	0	0	0	19	3	5	1	2	1	4	1	36	7	8	0
38·2	1·2	·206	90	7·7	11	1·29	−1·41	0·88	3*rd*	3	0	0	3	18	0	1	2	0	0	0	0	26	15	19	0
					165	**23·24**		**0·95**																		

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Dundee Harbour— J. H. Thompson, F.R.S.E.	20	Jan.	29·640	41·7	34·0	37·9	+0·1	52	7th	24	18th
		Feb.	30·035	44·9	35·8	40·4	+0·9	51	3rd, 26th	33	1st, 23rd
		Mar.	29·578	46·9	34·4	40·7	−0·6	53	2nd	27	18th
		Apl.	29·765	52·3	36·7	44·5	−1·8	59	21st, 22nd	31	7th
		May	29·826	56·6	41·6	49·1	−1·2	67	25th	39	20th, 21st
		June	29·938	62·8	48·3	55·6	−1·1	74	29th	42	4th
		July	30·016	64·8	51·5	58·2	−1·1	77	2nd	43	7th
		Aug.	29·979	65·6	51·6	58·6	−0·4	80	2nd, 3rd	45	7th
		Sept.	29·978	59·0	50·0	54·5	−0·3	64	24th	44	17th
		Oct.	29·781	55·5	46·1	50·8	+2·4	65	16th	37	24th
		Nov.	29·607	50·1	41·5	45·8	+3·7	57	17th	35	8th
		Dec.	29·877	44·6	36·0	40·3	+1·3	54	9th	27	6th, 31st
		Year	**29·835**			**48·0**		**80**		**24**	
Balruddery— G. Davie, for J. Martin White.	280	Jan.	29·346	41·3	31·9	36·6	−0·3	52	8th	21	14th
		Feb.	29·737	45·1	33·1	39·1	+1·1	53	12th	28	20th
		Mar.	29·294	47·2	32·8	40·0	−0·1	55	30th	24	18th
		Apl.	29·462	52·4	35·1	43·8	−0·9	61	23rd	28	11th, 13th
		May	29·540	57·0	40·9	49·0	−0·3	68	16th	35	2nd, 13th, 21st
		June	29·650	64·4	45·3	54·9	−0·8	75	16th, 29th	36	12th
		July	29·737	68·1	48·8	58·5	−0·4	75	23rd	39	7th
		Aug.	29·730	68·4	46·7	57·6	+0·6	80	3rd	37	7th
		Sept.	29·692	59·7	45·4	52·6	−1·5	68	21st	38	17th
		Oct	29·487	54·9	42·1	48·5	+2·1	64	19th	32	22nd, 24th
		Nov.	29·320	50·4	37·6	44·0	+3·3	57	17th	29	8th
		Dec.	29·572	44·8	32·5	38·7	+1·6	53	9th	20	6th, 31st
		Year	**29·547**			**46·9**		**80**		**20**	
†Kettins— W. Andrew, The Schoolhouse.	218	Jan.	...	39·5	29·7	34·6	...	48	3rd	16	26th
		Feb.	...	43·9	31·6	37·8	...	51	12th	26	19th, 20th
		Mar.	...	46·3	32·7	39·5	..	54	30th	27	8th, 13th, 25th
		Apl.	...	52·2	34·2	43·2	...	61	24th	26	13th
		May	...	57·1	40·4	48·8	...	68	16th, 30th	32	2nd, 13th
		June	...	64·7	45·6	55·2	...	76	16th, 18th	37	12th
		July	...	68·3	48·2	58·3	...	78	2nd	35	7th
		Aug.	...	68·4	46·4	57·4	...	80	2nd	34	7th
		Sept.	..	60·3	46·0	53·2	...	66	22nd	34	2nd, 3rd
		Oct.	...	54·1	41·5	47·8	...	61	19th	27	11th
		Nov.	...	48·7	37·0	42·9	...	54	7th, 27th	26	8th
		Dec.	...	43·1	31·8	37·5	...	53	8th	15	31st
		Year				**46·3**		**80**		**15**	
Perth— A. M. Rodger, The Museum.	85	Jan.	29·564	40·6	32·0	36·3	−1·0	53	7th, 8th	15	26th
		Feb.	29·958	45·0	33·0	39·0	+0·8	51	3rd, 26th	27	20th
		Mar.	29·509	47·8	34·6	41·2	+1·4	56	30th	25	18th
		Apl.	29·691	54·1	36·2	45·2	0·0	65	24th	27	5th
		May	29·757	58·2	42·5	50·3	+0·7	71	30th	33	2nd
		June	29·867	65·8	47·7	56·8	+0·9	77	16th	38	13th
		July	29·959	69·4	50·4	59·9	+1·3	78	2nd	38	7th
		Aug.	29·928	69·0	48·1	58·6	+1·0	80	2nd	37	18th, 20th
		Sept.	29·903	61·8	46·6	54·2	+0·9	70	28th	35	2nd, 3rd
		Oct.	29·702	56·8	43·2	50·0	+3·6	65	17th, 19th	30	10th 23rd 24th
		Nov.	29·531	50·5	38·9	44·7	+3·8	55	25th, 27th	26	8th
		Dec.	29·808	44·8	32·8	38·8	+0·9	56	8th, 9th	13	31st
		Year	**29·765**			**47·9**		**80**		**13**	

† At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
38·9	1·4	·210	90	7·8	18	4·02	...	0·65	12*th*	5	0	0	0	15	0	2	0	5	17	9	4	10	9	7	1
40·5	1·6	·219	87	6·8	13	0·72	...	0·15	4*th*	0	0	0	0	10	1	1	3	3	6	1	1	10	30	2	0
41·4	1·3	·233	90	6·7	23	3·89	...	1·00	22*nd*	6	5	0	0	9	0	3	2	6	6	0	0	14	32	2	0
45·4	2·5	·248	82	6·6	14	2·04	...	0·45	29*th*	1	1	1	0	9	0	1	1	6	14	7	3	11	15	3	0
49·8	2·3	·300	85	6·7	16	4·24	..	1·11	8*th*	0	0	1	0	8	0	2	3	3	23	3	1	6	19	4	0
55·5	2·8	·362	82	6·5	15	1·64	...	0·37	4*th*	0	0	1	0	6	0	3	0	1	16	7	3	3	24	6	0
57·9	3·4	·382	79	6·8	5	0·44	...	0·21	6*th*	0	0	0	0	12	0	0	3	6	28	6	2	1	12	4	0
58·5	3·6	·383	78	6·3	10	1·20	...	0·48	30*th*	0	0	1	0	4	0	0	1	5	23	4	2	9	10	8	0
55·0	2·3	·367	85	7·1	13	2·17	...	0·57	13*th*	0	0	0	0	10	1	0	0	14	26	5	0	9	5	1	0
51·5	2·4	·319	84	6·0	17	1·59	...	0·24	29*th*	0	0	1	1	7	1	0	1	9	12	9	1	16	10	4	0
46·1	1·8	·271	87	6·5	18	1·72	...	0·48	2*nd*	0	0	0	2	11	1	4	1	1	4	0	2	13	35	4	0
40·9	2·2	·211	84	6·0	12	1·34	...	0·90	3*rd*	1	0	0	2	8	0	1	3	0	1	0	0	0	40	18	0
					174	**25·1**		**1·11**																	
36·0	0·8	·197	93	6·8	16	3·39	...	0·66	13*th*	5	0	0	2	11	0	2	0	2	9	5	6	4	3	0	33
37·8	1·4	·200	89	5·7	10	0·82	...	0·17	4*th*	0	0	0	7	13	0	1	3	1	0	0	1	6	9	0	36
39·3	1·7	·207	87	5·2	20	4·30	...	0·71	28*th*	3	0	0	6	5	1	2	3	1	4	1	4	15	10	1	23
44·1	2·2	·241	82	5·3	12	2·04	...	0·43	11*th*	1	0	0	5	5	0	1	5	1	0	4	6	6	3	4	31
48·7	2·4	·286	83	5·7	11	3·82	...	0·97	9*th*	0	0	1	5	11	0	2	1	4	10	2	2	6	5	0	32
55·2	3·5	·340	78	5·6	10	1·64	...	0·35	4*th*	0	0	1	2	5	0	3	0	2	1	1	3	10	12	1	30
57·3	3·7	·364	78	5·3	6	0·56	...	0·40	6*th*	0	0	0	8	7	0	0	2	2	0	0	1	6	0	10	41
57·2	3·4	·370	79	5·5	10	1·45	...	0·67	30*th*	0	0	0	2	8	0	0	2	0	2	4	1	2	6	5	40
53·1	1·9	·351	86	6·9	10	2·13	...	0·53	13*th*	0	0	0	1	13	0	0	2	19	2	2	0	4	2	0	29
...	...	...	...	5·8	17	1·51	...	0·25	29*th*	0	0	0	2	8	0	2	5	4	6	2	5	10	1	2	27
...	..	...	...	5·4	17	2·06	...	0·53	2*nd*	0	0	0	4	7	1	3	0	0	1	0	4	14	5	4	32
..	...	...	...	...	8	1·34	...	0·57	3*rd*	4	0	0	9	7	1	0	7	0	2	1	3	3	22	10	14
					147	**25·06**		**0·97**																	
35·0	1·0	·184	90	7·0	20	7·65	...	1·65	11*th*	7	0	0	3	11	1	3	0	3	9	12	13	5	7	2	11
36·5	1·1	·195	91	6·3	15	1·19	...	0·25	5*th*	1	1	0	4	12	3	0	4	3	4	2	7	5	18	0	13
39·3	2·0	·202	84	6·5	21	5·14	...	1·03	28*th*	8	2	0	2	11	0	0	1	3	4	6	7	10	19	3	9
45·6	2·9	·242	80	5.4	15	2·39	...	0·56	29*th*	2	1	0	6	8	0	0	3	3	4	6	5	7	14	5	13
51·1	2·9	·303	80	6·6	15	6·41	...	1·88	6*th*	0	0	2	2	14	0	0	5	2	5	12	10	2	12	3	11
57·8	4·6	·349	73	6·4	12	2·17	...	0·53	18*th*	0	0	3	1	11	0	0	3	0	3	3	8	6	22	3	12
60·5	4·7	·384	73	7·4	8	0·43	...	0·13	6*th*	0	0	1	1	15	0	0	5	3	6	5	4	1	18	4	16
59·6	4·7	·371	73	6·1	13	1·29	...	0·42	30*th*	0	0	1	5	12	0	0	5	4	2	2	6	5	11	3	24
54·4	2·3	·359	85	7·3	13	2·04	...	0·75	16*th*	0	0	0	3	16	0	0	12	5	1	4	2	5	11	4	16
49·4	2·5	·292	83	5·9	16	1·94	...	0·38	29*th*	0	0	1	3	4	0	1	7	4	6	1	3	12	11	3	15
42·8	1·9	·235	85	6·3	20	2·12	..	0·32	24*th*	0	0	0	0	8	1	0	0	0	6	4	2	5	30	2	11
37·0	1·8	·186	85	4·9	13	1·04	...	0·57	3*rd*	4	0	0	9	7	1	0	7	0	2	1	3	3	22	10	14
					181	**33·81**		**1·88**																	
36·2	1·6	·184	86	6·6	18	5·04	+2·05	1·25	11*th*	9	0	0	4	12	4	1	5	8	11	13	5	6	6	2	6
37·4	1·8	·189	85	5·8	13	0·95	−1·63	0·20	7*th*	0	0	0	6	9	8	2	11	2	7	2	5	15	1	3	10
39·5	2·4	·196	81	5·4	22	5·04	+2·70	0·85	28*th*	6	0	0	6	6	2	2	4	3	6	6	5	22	12	3	1
43·4	2·8	·222	79	5·2	15	2·22	+0·10	0·47	29*th*	4	3	0	7	8	0	1	4	9	8	10	7	13	5	4	0
49·1	3·0	·277	79	6·3	14	2·75	+0·55	0·94	6*th*	1	0	2	3	15	0	1	1	3	22	5	5	11	13	1	1
55·4	4·1	·329	75	5·4	15	2·02	−0·09	0·59	24*th*	0	0	2	3	6	0	3	0	5	6	8	2	22	8	7	2
57·7	4·3	·355	74	5·8	4	0·70	−2·32	0·34	6*th*	0	0	1	2	6	0	0	7	3	9	7	1	11	7	15	2
57·5	4·1	·356	75	5·9	9	0·83	−2·48	0·29	21*st*	0	0	1	5	10	1	0	6	11	5	11	1	9	3	14	2
53·0	2·2	·342	85	6·7	10	1·84	−0·99	0·54	16*th*	0	0	1	3	13	1	0	5	14	16	0	1	14	5	1	4
48·8	2·4	·288	83	5·7	19	1·53	−1·57	0·22	27*th*	0	0	2	4	7	1	1	3	12	9	7	10	8	6	4	3
43·8	2·2	·239	83	5·2	17	2·18	−0·72	0·28	2*nd*	0	0	0	3	6	2	2	5	1	6	3	8	23	10	1	3
38·0	2·2	·187	81	4·0	10	1·22	−1·94	0·59	3*rd*	3	0	0	11	6	2	0	8	5	0	2	0	22	13	9	0
					166	**26·32**		**1·25**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Crieff— Dr. Meikle and G. Reid.	436	Jan.	29·167	39·3	31·7	35·5	−1·3	50	7th, 8th	21	26th
		Feb.	29·549	43·6	32·6	38·1	+0·2	52	13th	28	20th
		Mar.	29·122	45·5	32·5	39·0	−1·1	57	30th. 31st	20	18th
		Apl.	29·299	51·7	36·0	43·9	−0·9	62	24th	28	5th*
		May	29·373	55·8	41·2	48·5	−1·6	71	30th	35	2nd, 19th
		June	29·485	63·9	46·6	55·3	−0·9	76	16th, 29th	38	13th*
		July	29·586	68·3	49·7	59·0	+0·2	80	3rd	40	24th
		Aug.	29·557	67·8	49·1	58·5	+1·0	80	2nd	40	20th
		Sept.	29·515	60·3	46·8	53·6	+0·2	68	28th	40	2nd, 3rd
		Oct.	29·326	54·4	43·5	49·0	+2·6	60	15th, 19th	33	24th
		Nov.	29·157	49·4	38·8	44·1	+3·1	56	27th	29	8th
		Dec.	29·422	43·6	33·6	38·6	+1·5	54	9th	19	6th
		Year	**29·380**			**46·9**		**80**		**19**	
Stronvar— G. Dickson, for J. Carnegie.	422	Jan.	29·143	41·8	32·1	37·0	+0·4	53	4th	14	26th
		Feb.	29·535	45·4	32·0	38·7	+1·8	52	13th	25	19th
		Mar.	29·088	45·1	32·2	38·7	−0·1	53	25th	12	18th
		Apl.	29·281	50·7	34·6	42·7	−1·2	59	8th, 23rd	25	2nd
		May	29·347	56·3	38·0	47·2	−1·3	67	15th	30	2nd
		June	29·458	63·1	44·8	54·0	−0·7	78	30th	36	13th
		July	29·551	69·6	47·8	58·7	+1·7	80	3rd	38	24th
		Aug.	29·538	68·2	45·5	56·9	+0·9	78	2nd	35	6th, 7th
		Sept.	29·521	62·5	45·5	54·0	+2·0	72	4th	35	8th
		Oct.	29·275	56·0	42·9	49·5	+3·9	62	2nd	30	23rd
		Nov.	29·158	50·9	36·9	43·9	+4·1	57	1st	25	8th
		Dec.	29·414	43·9	32·5	38·2	+1·3	57	8th	12	31st
		Year	**29·359**			**46·6**		**80**		**12**	
†St. Andrews— The Meteorological Office.	20	Jan.	...	41·3	33·8	37·6	...	53	7th, 8th	20	14th
		Feb.	...	45·2	34·6	39·9	...	52	12th	27	23rd
		Mar.	...	47·2	35·3	41·3	...	54	30th. 31st	27	18th
		Apl.	...	51·6	37·4	44·5	...	61	22nd	30	13th
		May	...	56·3	43·4	49·9	...	69	16th	35	16th
		June	...	63·7	47·7	55·7	...	72	16th	40	12th, 13th
		July	...	64·3	50·1	57·2	...	73	2nd, 3rd	40	7th
		Aug.	...	66·8	48·6	57·7	...	79	2nd	32	18th
		Sept.	...	60·3	48·5	54·4	...	68	26th	36	17th
		Oct.	...	56·5	44·5	50·5	...	65	19th	33	10th, 22nd
		Nov.	...	50·6	38·9	44·8	...	56	17th, 27th	27	8th
		Dec.	...	44·1	34·0	39·1	...	55	9th	20	6th
		Year				**47·7**		**79**		**20**	
†Cupar— A. R. Turnbull, M.D., Fife and Kinross Asylum.	210	Jan.	...	41·6	32·3	37·0	−0·1	52	7th, 8th	20	14th, 26th
		Feb.	...	44·0	33·6	38·8	+0·9	50	3rd, 26th	28	17th
		Mar.	...	47·6	34·0	40·8	+0·9	53	30th, 31st	24	18th
		Apl.	...	50·9	36·1	43·5	−0·6	56	8th	29	13th
		May	...	54·4	41·5	48·0	−1·1	67	16th	34	15th
		June	...	62·6	46·5	54·6	−1·1	74	29th	40	11th, 12th
		July	...	66·0	50·2	58·1	+0·3	77	2nd	41	23rd
		Aug.	...	65·2	50·2	57·7	+0·9	77	2nd	36	17th
		Sept.	...	58·4	47·6	53·0	+0·1	68	28th	36	16th, 17th
		Oct.	...	54·6	42·9	48·8	+2·3	65	19th	32	23rd, 24th
		Nov.	...	49·4	38·8	44·1	+3·3	55	17th, 27th	27	7th
		Dec.	...	45·6	33·6	39·6	+1·4	54	8th	18	30th
		Year				**47·0**		**77**		**18**	

† At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
35·8	1·0	·193	92	8·7	23	5·81	+1·35	1·24	11*th*	7	0	1	0	23	0	1	1	3	27	2	5	10	12	2	0
37·8	1·7	·194	86	7·8	19	3·42	+0·15	0·57	7*th*	4	0	0	0	13	0	1	0	5	14	0	0	7	21	9	0
38·6	1·9	·198	85	7·8	24	7·27	+4·35	0·83	18*th*	7	2	1	1	16	0	3	0	4	10	0	0	4	33	11	0
43·3	2·7	·223	80	7·3	18	3·46	+1·18	0·84	29*th*	2	3	0	2	15	0	1	4	5	16	2	1	7	22	3	0
47·8	2·6	·270	81	7·9	17	2·66	+0·31	0·47	6*th*	0	0	4	0	17	0	2	1	0	28	4	0	5	22	2	0
54·7	3·6	·331	77	6·7	16	2·35	−0·55	0·40	23*rd*	0	0	1	0	11	0	4	2	1	10	0	5	6	36	0	0
57·2	4·2	·349	74	6·7	6	0·44	−2·72	0·17	13*th*	0	0	0	1	11	0	0	10	6	22	0	1	0	19	4	0
56·9	3·9	·352	76	7·2	9	0·70	−3·29	0·23	21*st*	0	0	0	2	17	0	0	4	7	22	0	0	2	22	5	0
52·9	2·5	·333	84	8·2	14	3·15	−0·13	0·94	23*rd*	0	0	1	1	20	0	0	0	1	38	1	4	2	13	1	0
48·5	2·2	·287	84	8·0	19	2·61	1·49	0·72	13*th*	0	0	1	1	20	0	1	2	1	26	4	3	7	17	2	0
43·8	2·0	·243	84	7·9	21	4·31	−0·09	0·73	2*nd*	1	0	1	0	14	0	5	5	0	12	2	0	5	31	5	0
38·6	1·8	·199	85	5·6	15	1·99	−2·32	0·67	3*rd*	2	0	0	8	10	0	2	7	6	7	0	0	0	29	13	0
					201	**38·17**		**1·24**																	
36·3	1·1	·194	91	9·5	17	8·22	−1·06	1·90	30*th*	7	0	0	0	28	0	1	1	6	0	39	4	7	0	5	0
36·7	1·1	·196	90	7·8	14	6·59	−0·36	1·01	7*th*	4	0	0	0	16	3	0	1	10	0	8	3	29	0	5	0
37·5	1·7	·191	85	8·6	23	10·86	+4·70	0·95	18*th*	10	0	0	0	21	0	3	6	9	0	3	1	25	4	14	0
42·1	2·5	·217	81	7·5	17	7·16	+2·89	1·43	15*th*	3	0	0	5	20	0	0	0	16	0	16	0	21	0	7	0
46·2	2·4	·259	84	8·8	22	6·64	+2·73	1·06	6*th*	0	0	2	0	22	1	1	0	6	0	34	1	12	3	6	0
53·5	3·0	·329	80	9·0	14	5·21	+1·27	1·26	9*th*	0	0	2	0	23	0	3	2	2	0	18	0	20	0	18	0
57·6	3·5	·374	79	6·7	5	0·50	−4·11	0·20	13*th*	0	0	0	1	12	0	0	5	6	0	9	1	10	6	25	0
55·1	3·6	·336	77	5·9	8	1·48	−4·41	0·91	21*st*	0	0	0	6	11	1	0	12	8	0	4	0	18	4	16	0
52·6	2·7	·326	81	8·1	9	4·91	−1·46	0·86	16*th*	0	1	1	0	14	0	0	1	24	0	18	0	14	1	2	0
49·6	2·1	·303	86	8·3	17	6·33	−1·21	2·10	13*th*	0	0	0	0	17	0	0	1	21	2	21	0	17	0	0	0
41·9	2·2	·222	85	9·2	27	10·56	+2·95	1·53	2*nd*	0	0	0	0	26	0	2	0	0	0	4	1	47	3	5	0
38·4	1·6	·200	87	7·8	17	6·52	−2·70	1·43	2*nd*	5	0	0	3	18	0	2	6	6	0	5	0	18	1	26	0
					190	**74·98**		**2·10**																	
...	...	..	...	...	16	3·95	...	0·72	13*th*, 29*th*	2	0	0	...	...	0	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	10	0·86	...	0·19	6*th*	0	0	0	...	...	0	...	...	...	...	...	...	...	...	...	...
...	...	...	..	...	16	3·51	...	0·80	23*rd*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	.	...	...	12	2·25	...	0·41	30*th*	1	0	1	...	...	0	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	17	3·35	...	1·24	9*th*	0	0	2	...	...	0	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	11	1·84	...	0·33	6*th*	0	0	2	...	...	1	0	...	...	...	...	...	...	...	...	...
...	...	...	...	..	5	0·76	...	0·30	6*th*	0	0	0	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	9	1·65	...	0·80	30*th*	0	0	1	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	10	2·02	...	0·60	16*th*	0	0	0	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	11	1·77	...	0·47	5*th*	0	0	0	...	...	0	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	16	2·11	...	0·86	2*nd*	0	0	0	...	...	0	0	...	...	...	...	...	...	...	...	...
...	...	...	...	...	8	1·62	...	1·26	3*rd*	1	0	0	...	..	0	...	...	...	...	...	...	...	...	...	...
					141	**25·69**		**1·26**																	
...	...	...	...	...	18	3·80	+1·49	0·84	12*th*	5	0	0	...	...	2	1	5	5	5	13	3	15	10	6	0
...	...	...	...	5·9	13	0·88	−1·10	0·23	6*th*	...	...	...	...	...	...	...	4	4	6	4	0	10	22	6	0
...	...	...	...	...	22	3·66	+1·82	0·70	22*nd*	...	...	...	...	...	...	...	12	1	4	1	2	20	9	13	0
...	...	...	...	6·0	17	2·06	+0·18	0·40	29*th*	2	0	0	2	7	0	0	4	5	16	2	5	17	7	4	0
...	...	...	...	...	13	2·87	+0·98	0·74	6*th*	0	0	1	...	...	0	0	0	4	16	10	8	3	14	7	0
...	...	...	...	...	15	1·55	−0·35	0·30	4*th*	0	0	3	...	...	0	1	0	0	16	2	3	4	24	10	1
...	...	...	...	5·5	6	0·95	−1·64	0·41	3*rd*	0	0	1	...	...	0	0	5	7	17	4	3	6	17	2	1
...	...	...	...	5·3	11	1·16	−2·05	0·40	30*th*	0	0	1	...	...	0	0	0	6	20	7	1	5	13	10	0
...	...	...	...	6·4	13	1·89	−0·95	0·62	13*th*	0	0	0	...	...	0	0	0	5	28	8	2	7	6	4	0
...	...	...	...	...	18	2·76	+0·14	1·10	4*th*	0	0	1	...	...	0	0	4	5	13	7	5	13	13	1	1
...	...	...	...	...	18	2·32	−0·27	0·50	2*nd*	0	0	0	...	...	1	0	0	0	4	2	0	18	20	10	6
..	...	...	...	5·4	12	1·72	−1·06	1·07	3*rd*	3	0	0	0	6	0	0	12	0	0	0	0	14	18	16	2
					178	**25·62**		**1·10**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Colinsburgh—Rev. Robert Dick	147	Jan.	29·506	40·0	34·5	37·3	0·0	51	7th	25	14th
		Feb.	29·884	44·1	35·3	39·7	+1·7	50	25th	28	23rd
		Mar.	29·456	47·1	35·0	41·1	+1·1	56	31st	25	18th
		Apl.	29·626	52·2	38·0	45·1	+0·3	61	22nd	31	13th
		May	29·691	56·7	42·8	49·8	+0·3	68	16th	35	19th
		June	29·800	64·5	47·6	56·1	+0·7	74	15th, 29th	39	12th
		July	29·893	65·6	49·9	57·8	−0·3	74	18th	42	7th
		Aug.	29·865	66·5	49·9	58·2	+0·9	81	3rd	41	7th
		Sept.	29·834	60·4	49·1	54·8	+1·4	68	26th	40	17th
		Oct.	29·639	55·2	46·2	50·7	+3·9	64	19th	32	24th
		Nov.	29·482	49·0	40·9	45·0	+4·5	55	17th	31	8th
		Dec.	29·736	42·4	34·9	38·7	+1·1	52	3rd	23	6th
		Year	**29·701**			**47·9**		**81**		**23**	
Lathallan—Dr. W. H. Bryce.	522	Jan.	29·077	39·4	32·7	36·1	...	50	7th	22	14th
		Feb.	29·459	42·4	33·4	37·9	...	49	12th	27	23rd
		Mar.	29·030	44·6	33·5	39·1	...	51	31st	24	18th
		Apl.	29·222	49·3	36·0	42·7	...	56	22nd, 23rd	30	11th 12th 13th
		May	29·289	52·9	40·9	46·9	...	63	16th	34	16th, 19th 20th
		June	29·403	60·7	46·0	53·4	...	68	29th	39	2nd, 12th
		July	29·489	61·4	48·8	55·1	...	74	2nd	40	7th
		Aug.	29·476	62·6	48·1	55·4	...	75	2nd, 3rd	40	18th, 20th
		Sept.	29·437	57·3	47·1	52·2	...	64	26th	38	17th
		Oct.	29·211	53·2	43·6	48·4	...	62	19th	32	24th
		Nov.	29·066	48·1	38·5	43·3	...	54	17th	30	8th
		Dec.	29·329	42·0	32·9	37·5	...	53	9th	20	6th
		Year	**29·291**			**45·7**		**75**		**20**	
Buchlyvie—Rev. J. A. Macdonald.	125	Jan.	29·498	40·0	32·0	36·0	−1·3	52	7th, 8th	15	26th
		Feb.	29·897	44·1	33·1	38·6	+0·8	50	3rd, 7th	26	21st, 23rd, 24th
		Mar.	29·480	46·5	34·1	40·3	+0·6	57	30th	21	18th
		Apl.	29·634	53·0	35·9	44·5	+0·2	62	6th	26	2nd
		May	29·700	57·4	42·1	49·8	+0·5	73	30th	31	2nd
		June	29·816	64·6	46·5	55·6	+0·2	78	16th	38	4th
		July	29·912	69·1	48·2	58·7	+1·3	81	3rd	37	7th
		Aug.	29·881	67·8	47·5	57·7	+0·7	77	2nd	37	5th
		Sept.	29·841	61·1	45·9	53·5	+0·0	67	9th	38	9th
		Oct.	29·651	55·0	42·2	48·6	+2·3	62	13th	29	10th
		Nov.	29·510	49·0	39·0	44·0	+4·4	54	17th	26	8th
		Dec.	29·787	44·0	33·3	38·7	+1·5	54	8th, 9th	17	6th, 31st
		Year	**29·717**			**47·2**		**81**		**15**	
†Helensburgh—James N. Stirling, Water Trust.	18	Jan.	...	40·8	34·4	37·6	−1·3	51	6th	22	26th
		Feb.	...	44·8	34·4	39·6	+0·9	50	3rd, 27th	25	21st
		Mar.	...	47·9	34·6	41·3	+0·8	58	30th	21	18th
		Apl.	...	52·9	36·6	44·8	−0·4	64	23rd	27	1st
		May	...	58·0	42·1	50·1	0·0	70	30th	34	2nd
		June	...	64·2	48·0	56·1	+0·7	77	30th	41	12th
		July	...	68·1	49·1	58·6	+1·1	77	23rd	43	14th
		Aug.	...	64·5	49·0	56·8	−0·3	71	2nd	43	8th
		Sept.	...	60·6	47·8	54·2	+0·7	65	24th	41	7th
		Oct.	...	54·6	45·3	50·0	+3·4	60	2nd	32	24th
		Nov.	...	49·8	40·1	45·0	+3·8	54	5th, 17th	30	8th, 22nd
		Dec.	...	44·3	36·1	40·2	+1·4	51	3rd	21	31st
		Year				**47·9**		**77**		**21**	

† At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
36·7	1·2	·195	90	5·5	17	3·46	+1·23	0·60	31*st*	5	1	0	10	12	4	3	5	6	8	20	8	6	6	3	0
38·8	1·6	·205	87	6·9	11	0·73	−1·24	0·16	10*th*	0	0	0	1	8	7	2	11	0	12	1	1	14	15	2	0
40·0	1·9	·209	85	5·0	23	3·73	+1·89	1·52	22*nd*	5	1	0	...	...	3	5	4	1	8	1	6	18	23	1	0
45·5	3·0	·239	79	5·4	15	1·89	+0·13	0·42	11*th*	1	1	1	5	7	2	4	9	5	9	8	8	10	5	6	0
49·9	2·9	·287	81	6·0	14	1·92	−0·57	0·42	8*th*	0	0	2	3	13	6	3	2	9	8	13	0	11	16	3	0
54·9	3·4	·339	78	5·4	14	1·57	...	0·55	4*th*	0	0	3	3	7	5	1	3	7	9	6	1	12	15	7	0
56·3	2·7	·377	83	5·1	6	0·92	...	0·29	5*th*	0	0	1	4	10	1	0	7	6	12	7	2	3	11	4	0
57·3	3·1	·380	80	4·8	9	1·60	...	0·67	30*th*	0	0	1	7	5	4	0	13	4	16	5	1	10	9	4	0
53·5	1·9	·356	87	6·5	10	1·82	...	0·67	16*th*	0	0	0	2	12	6	0	5	28	4	8	3	5	7	0	0
50·2	2·5	·300	83	...	15	1·88	...	0·54	4*th*	0	0	1	...	...	3	1	4	9	8	7	7	15	10	2	0
44·2	1·8	·250	86	...	17	1·89	...	0·67	2*nd*	0	0	0	...	...	4	5	5	4	0	2	4	11	27	7	0
38·4	1·6	·200	87	...	12	2·09	...	1·49	3*rd*	2	0	0	...	...	6	0	10	3	0	2	0	7	27	13	0
					163	**23·50**		**1·52**																	
35·6	1·0	·191	91	...	17	2·48	...	0·45	31*st*	8	0	0	...	...	0	0	1	3	5	16	12	14	9	1	1
37·4	1·3	·198	89	...	14	0·66	...	0·15	10*th*	0	0	0	...	...	3	1	3	4	9	6	1	15	16	0	2
37·5	1·5	·195	87	...	21	3·09	...	0·86	22*nd*	5	0	0	...	...	1	3	2	1	4	4	1	24	20	2	4
41·9	1·7	·230	88	...	13	2·59	...	0·73	29*th*	3	0	1	...	...	3	0	3	9	4	7	5	14	4	3	11
46·6	1·9	·273	87	6·5	13	2·96	...	0·83	8*th*	0	1	3	3	12	5	1	0	5	4	17	1	15	6	3	11
52·7	2·9	·322	81	6·2	12	1·56	...	0·55	4*th*	0	0	4	1	7	1	1	0	5	4	8	1	22	8	3	9
54·1	2·4	·351	83	7·6	5	0·71	...	0·24	3*rd*	0	0	1	1	16	2	0	2	9	8	6	3	11	5	3	15
55·3	2·8	·359	82	6·0	9	1·25	...	0·53	30*th*	0	0	1	4	8	1	0	8	5	4	8	0	17	6	3	11
51·9	1·5	·346	90	7·7	10	1·95	...	0·66	16*th*	0	0	0	2	16	2	0	4	15	3	9	2	17	3	2	15
48·2	2·1	·285	86	6·6	16	2·37	...	0·66	4*th*	0	0	0	0	8	0	0	3	11	5	10	10	15	2	0	6
42·8	1·5	·243	88	5·9	18	2·18	...	0·70	2*nd*	0	0	0	2	9	0	1	1	0	2	3	3	29	11	4	9
37·4	1·4	·196	88	5·3	11	1·84	...	1·28	3*rd*	5	0	0	3	8	1	0	6	1	1	0	0	5	22	8	9
					59	**23·64**		**1·28**																	
36·3	1·2	·192	90	7·6	21	5·53	−0·11	1·50	11*th*	8	0	1	1	17	2	3	0	2	16	9	5	12	6	0	12
38·4	1·5	·202	88	7·4	16	3·70	−0·94	0·89	3*rd*	1	0	0	0	14	7	2	0	2	5	0	3	16	10	1	19
40·0	1·9	·209	85	7·5	23	6·82	+3·18	0·81	18*th*	3	4	1	0	11	2	1	2	1	7	3	3	11	24	8	3
44·2	2·8	·230	79	6·9	21	3·52	+0·80	0·59	29*th*	3	2	0	2	12	0	1	1	2	16	5	3	15	8	4	6
48·9	2·3	·291	84	7·8	24	3·21	+0·43	0·54	3*rd*	0	0	4	0	14	2	1	0	1	12	12	0	12	13	8	4
55·3	3·2	·349	80	7·1	20	3·92	+0·65	0·67	9*th*	0	1	2	1	11	1	2	0	3	4	7	2	13	19	9	3
57·8	3·9	·367	77	6·6	8	1·11	−2·03	0·34	13*th*	0	0	1	3	9	1	0	3	4	11	4	1	5	19	11	4
57·8	3·0	·391	82	6·4	12	1·76	−2·94	0·85	21*st*	0	0	0	0	8	4	0	1	4	8	6	0	4	22	12	5
53·2	2·2	·344	85	7·2	13	2·23	−2·05	0·59	13*th*	0	1	1	0	9	3	0	0	1	30	4	7	2	12	0	4
48·9	1·9	·299	87	6·6	22	2·36	−2·26	0·68	13*th*	0	0	0	1	9	1	0	0	1	20	6	0	17	10	2	6
44·2	1·5	·257	89	7·2	25	6·00	+0·99	0·74	19*th*	0	1	0	1	13	2	3	0	0	3	4	2	11	30	5	5
39·1	1·8	·204	85	6·3	19	3·53	−2·42	0·83	25*th*	2	0	0	3	9	3	0	2	1	0	0	0	4	37	5	13
					224	**43·69**		**1·50**																	
37·8	1·2	·204	90	...	20	5·49	+0·57	1·10	11*th*	...	...	...	...	...	...	...	10	6	16	8	0	18	4	0	0
39·9	1·5	·216	88	...	16	4·80	+0·80	1·00	3*rd*	0	0	0	...	...	1	1	0	4	6	0	10	30	4	2	0
42·3	2·5	·218	82	...	25	6·59	+3·10	0·71	18*th*	...	...	...	...	...	...	...	2	2	6	0	2	26	24	0	0
46·8	3·2	·248	78	...	20	4·39	+1·88	0·83	29*th*	1	0	0	...	...	0	0	0	2	8	12	0	30	8	0	0
50·6	2·8	·298	81	...	20	4·72	+1·97	0·95	5*th*	...	...	...	...	...	...	...	0	4	16	0	0	36	6	0	0
56·3	3·8	·349	76	...	19	3·37	+0·57	0·79	9*th*	...	...	...	...	...	...	...	2	0	0	0	6	38	10	0	4
60·1	4·3	·389	74	...	10	2·03	−1·29	0·95	13*th*	0	0	0	...	...	0	0	4	0	0	0	0	38	6	2	12
56·3	2·8	·374	82	...	10	2·29	−1·66	0·80	23*rd*	...	...	...	...	...	...	...	0	0	10	0	4	30	12	2	4
53·7	2·3	·349	85	...	14	2·48	−1·65	0·65	13*th*	...	...	...	...	...	...	...	2	0	0	0	2	28	10	12	6
51·6	2·5	·318	83	...	17	2·48	−2·20	0·59	13*th*	0	0	0	...	...	0	0	0	8	6	0	2	24	16	0	6
44·4	1·5	·259	89	...	26	7·16	+2·41	0·78	18*th*	0	0	0	...	...	0	0	0	2	2	0	2	34	18	2	0
39·7	1·4	·216	88	...	20	4·82	+0·78	0·72	2*nd*	...	...	...	...	...	...	...	0	0	0	0	0	44	10	2	6
					217	**50·62**		**1·10**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
†Dumbarton—William Denny and Brothers.	27	Jan.	29·610	42·5	34·4	38·5	−0·7	52	6*th*, 7*th*	23	15*th*
		Feb.	...	45·3	35·5	40·4	+1·2	51	3*rd*, 7*th*	29	21*st*
		Mch.	29·597	47·6	36·2	41·9	+0·8	58	30*th*	25	18*th*
		Apl.	29·741	52·9	38·7	45·8	−0·1	65	8*th*	30	7*th*
		May	29·807	58·8	43·3	51·1	+0·8	72	30*th*	35	2*nd*
		June	29·937	63·9	50·2	57·1	+0·9	75	16*th*	43	1*st*
		July	30·023	67·0	51·4	59·2	+0·9	75	27*th*. 29*th*	42	8*th*
		Aug.	30·001	67·5	50·5	59·0	+1·2	76	30*th*	42	7*th*, 20*th*
		Sept.	29·947	61·6	48·2	54·9	+0·6	69	1*st*	38	7*th*, 8*th*
		Oct.	29·768	56·7	45·8	51·3	+3·8	62	1*st*, 2*nd*, 13*th*, 14*th*	32	24*th*
		Nov.	29·627	50·7	40·9	45·8	+4·1	56	16*th*, 17*th*	31	8*th*
		Dec.	29·910	46·2	37·1	41·7	+2·4	55	8*th*	25	6*th*
		Year	...			**48·9**		**76**		**23**	
Ardtornish—E. Matthews, for G. Craig Sellar.	40	Jan.	29·550	43·5	34·5	39·0	...	52	7*th*	24	14*th*
		Feb.	29·975	45·8	35·9	40·9	...	52	3*rd*	25	21*st*
		Mch.	29·564	47·6	34·1	40·9	...	57	30*th*	20	18*th*
		Apl.	29·710	52·3	37·9	45·1	...	60	7*th*	28	5*th*
		May	29·789	57·0	42·0	49·5	...	68	30*th*	36	19*th*
		June	29·898	62·7	48·8	55·8	...	75	16*th*, 20*th*	38	13*th*
		July	30·019	65·6	48·7	57·2	...	75	26*th*	38	8*th*
		Aug.	29·981	65·6	47·0	56·3	...	72	1*st*	38	6*th*, 19*th*
		Sept.	29·917	62·5	45·2	53·9	...	71	28*th*, 29*th*	37	7*th*
		Oct.	29·702	56·0	43·0	49·5	...	65	1*st*	31	9*th*
		Nov.	29·553	50·8	40·5	45·7	...	55	17*th*	31	8*th*
		Dec.	29·882	46·3	36·0	41·2	...	55	8*th*	20	30*th*
		Year	**29·712**			**47·9**		**75**		**20**	
†Lochbuie—E. Lovesey, for The Maclaine of Lochbuie.	20	Jan.	...	43·3	35·2	39·3	−1·4	50	5*th*	28	26*th*
		Feb.	...	45·9	35·1	40·5	+0·6	50	8*th*	27	19*th*, 21*st*
		Mch.	...	45·9	34·3	40·1	−1·1	54	30*th*, 31*st*	22	18*th*
		Apl.	...	50·5	38·9	44·7	−0·3	58	5*th*, 6*th*, 9*th*	28	1*st*
		May	...	54·9	43·4	49·2	−0·8	64	13*th*, 30*th*	36	19*th*, 20*th*
		June	...	59·1	48·4	53·8	−1·2	72	17*th*	41	13*th*
		July	...	62·8	49·8	56·3	−0·7	71	23*rd*	40	8*th*
		Aug.	...	61·5	49·1	55·3	−1·4	69	3*rd*	40	10*th*, 11*th*
		Sept.	...	60·4	48·4	54·4	+0·5	68	28*th*	40	7*th*
		Oct.	...	54·9	45·5	50·2	+1·8	62	17*th*	30	24*th*
		Nov.	...	50·0	41·5	45·8	+1·8	53	13*th* 16*th* 17*th*	29	8*th*
		Dec.	...	45·4	37·6	41·5	+0·2	52	8*th*	27	30*th*, 31*st*
		Year				**47·6**		**72**		**22**	
‡Oban—Edwin Bailey, M.D., M.O.H.	20	Jan.	29·558	45·5	36·2	40·9	+0·1	53	6*th*	27	26*th*
		Feb.	29·992	46·1	36·4	41·3	+1·0	50	27*th*	28	19*th*
		Mch.	29·574	45·7	36·1	40·9	−0·4	56	29*th*	25	18*th*
		Apl.	29·638	51·9	38·7	45·3	−0·3	60	10*th*, 26*th*	30	1*st*
		May	29·811	55·0	43·4	49·2	−0·8	69	30*th*	36	2*nd*
		June	29·931	59·1	48·7	53·9	−1·1	71	17*th*	41	13*th*
		July	30·052	61·8	49·4	55·6	−1·3	72	23*rd*	40	8*th*
		Aug.	30·011	61·8	49·3	55·6	−1·4	66	17*th*, 31*st*	42	6*th*, 7*th*, 18*th*
		Sept.	29·926	61·8	48·5	55·2	+1·5	70	28*th*, 29*th*	40	7*th*
		Oct.	29·742	57·2	44·8	51·0	+2·4	64	1*st*	33	24*th*
		Nov.	29·584	51·4	42·5	47·0	+3·2	56	12*th*	35	7*th*, 8*th*, 22*nd*
		Dec.	29·919	46·5	38·1	42·3	+0·7	55	9*th*	23	31*st*
		Year	**29·811**			**48·2**		**72**		**23**	

† At 9 a.m. only. ‡ At 9 a.m. and 6 p.m.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—								Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																		
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																		
38·2	1·7	·197	86	9·1	19	6·08	+0·76	1·24	30*th*	4	2	1	0	25	0	3	4	10	12	14	2	0	0	0	20
39·6	1·8	·208	85	8·7	14	3·65	−0·55	0·70	2*nd*	1	0	0	0	20	2	1	4	14	2	8	0	8	4	2	14
41·8	2·7	·211	80	7·5	23	6·57	+2·96	0·80	18*th*	5	1	0	2	14	0	1	8	6	0	12	6	0	4	26	0
46·0	3·4	·236	77	6·4	17	3·85	+1·19	0·73	15*th*	2	1	0	1	11	0	0	12	2	8	8	8	0	4	14	4
50·7	3·1	·293	80	8·1	21	5·08	+2·36	1·31	5*th*	0	1	0	1	18	0	1	12	6	4	10	0	4	2	8	16
57·3	4·7	·338	72	6·7	14	3·01	+0·31	0·78	9*th*	0	0	0	4	15	0	4	8	10	2	0	2	4	6	8	20
59·1	4·1	·379	75	5·4	8	1·01	−2·15	0·38	6*th*	0	0	0	6	9	0	0	4	8	4	2	0	10	2	8	24
58·9	4·2	·373	75	7·8	8	0·96	−3·07	0·35	21*st*	0	0	0	0	17	0	0	8	6	0	2	2	0	2	14	28
55·0	2·3	·342	79	8·5	11	2·10	−1·98	0·53	23*rd*	0	0	0	0	20	0	0	4	4	20	6	2	0	0	2	22
51·0	3·0	·299	80	9·3	16	2·39	−2·30	0·98	13*th*	0	0	0	0	23	0	1	2	6	28	10	2	0	2	4	8
46·1	2·2	·262	84	9·0	23	6·38	+1·43	0·82	15*th*	0	0	0	0	23	0	1	8	6	2	8	0	2	2	12	20
42·0	2·3	·220	83	8·9	17	2·90	−2·28	0·55	3*rd*	2	0	0	0	22	0	2	8	8	8	2	0	0	0	8	28
					191	**43·98**		**1·31**																		
39·1	1·8	·204	85	7·5	24	7·87	...	1·40	30*th*	5	2	1	1	13	0	5	0	1	7	19	21	2	3	1	8
39·9	1·5	·216	88	7·2	18	6·36	...	1·26	7*th*	2	1	1	0	10	2	1	1	4	1	7	7	6	8	8	14
40·2	2·1	·207	84	6·4	24	9·42	...	1·67	18*th*	9	9	2	1	10	1	3	3	1	5	2	7	10	15	6	13
44·4	2·5	·238	81	6·2	19	6·58	...	0·90	15*th*	2	3	0	5	12	0	1	6	5	2	6	11	9	4	6	11
49·4	2·9	·283	81	6·7	23	5·03	...	0·81	20*th*	0	1	1	2	12	0	1	0	0	2	11	14	9	5	4	17
55·0	3·3	·342	79	7·3	17	4·96	...	0·86	2*nd*	0	2	1	0	13	2	2	2	0	0	4	11	5	8	11	19
56·4	3·2	·364	80	6·2	12	1·11	...	0·38	13*th*	0	0	0	4	9	0	0	6	4	1	0	3	1	5	12	30
56·3	2·8	·374	82	5·4	14	3·30	...	0·86	25*th*	0	0	0	5	8	0	0	3	3	0	1	3	6	1	10	35
53·4	2·2	·347	85	5·0	14	4·07	...	0·91	25*th*	0	0	1	8	7	0	0	6	2	4	17	6	0	1	2	22
49·0	2·0	·298	86	5·8	21	7·34	...	2·21	19*th*	0	0	1	5	10	0	1	4	1	5	9	16	4	7	1	15
45·8	2·0	·264	86	7·7	25	11·70	...	0·88	2*nd*	0	5	2	0	16	0	4	1	0	0	8	10	8	24	2	7
41·3	1·3	·232	90	6·2	24	7·74	...	0·73	25*th*, 26*th*	4	3	0	3	8	0	3	5	4	7	1	0	4	24	5	12
					235	**75·48**		**2·21**																		
40·8	1·4	·225	89	...	24	7·88	...	1·30	30*th*	6	1	1	...	...	0	1	4	12	6	18	4	14	4	0	0
41·3	1·4	·231	89	...	17	6·74	...	1·39	2*nd*	0	1	1	...	...	1	1	6	12	12	0	10	10	2	4	0
41·7	1·7	·228	87	...	22	11·13	...	1·80	8*th*	3	2	1	...	...	0	2	4	4	2	8	18	10	16	0	0
45·3	1·9	·259	86	...	21	6·55	...	0·98	24*th*	1	2	0	...	...	0	0	6	6	6	10	4	16	8	4	0
49·4	1·8	·307	88	...	21	6·52	...	1·43	20*th*	0	1	0	...	...	1	1	2	16	8	2	6	20	6	2	0
54·0	2·6	·344	82	...	20	5·98	...	1·50	9*th*	0	1	1	...	...	0	1	2	2	8	4	22	10	8	4	0
56·8	3·0	·375	81	...	13	1·63	...	0·57	16*th*	0	0	0	...	...	0	0	20	0	4	2	6	16	6	8	0
57·3	2·2	·404	86	...	10	4·36	...	1·05	20*th*	0	0	0	...	...	0	0	8	6	2	2	12	16	8	8	0
55·1	3·3	·343	79	...	15	3·44	...	1·12	11*th*	0	0	1	...	...	0	0	0	38	0	8	6	8	0	0	0
50·7	1·8	·325	88	...	21	6·80	...	1·36	24*th*	0	1	0	...	...	0	0	0	20	8	14	8	6	0	6	0
47·0	1·2	·293	92	6·7	27	13·90	...	1·31	19*th*	0	2	0	0	9	0	3	10	4	2	12	8	18	4	2	0
42·6	1·9	·233	86	6·5	24	10·88	...	1·33	14*th*	4	4	0	1	6	0	1	8	6	0	0	4	16	14	14	0
					235	**85·81**		**1·80**																		
41·2	2·5	·209	81	6·2	25	5·37	...	0·98	30*th*	6	1	0	1	7	0	1	0	5	16	13	5	11	5	5	2
40·8	2·0	·214	84	5·2	18	5·19	...	1·02	2*nd*	2	0	0	6	3	1	0	3	4	2	7	1	14	4	2	19
41·2	2·2	·213	83	...	25	7·25	...	0·91	2*nd*	5	3	3	...	...	0	1	1	4	5	1	3	24	7	12	5
45·5	3·3	·233	76	...	19	4·03	...	0·53	16*th*	1	1	0	...	...	0	0	0	9	7	15	4	10	4	3	8
49·4	3·1	·279	79	..	25	3·67	...	0·72	20*th*	0	1	2	...	...	0	0	1	11	6	7	2	20	4	6	5
54·6	3·3	·337	79	...	17	3·92	..	0·65	9*th*	0	1	1	...	...	0	0	0	5	1	8	0	25	2	18	1
57·0	3·8	·356	76	6·6	10	1·09	...	0·48	13*th*	0	0	0	3	11	0	0	4	13	0	1	0	10	4	29	1
57·4	3·4	·373	79	6·6	11	1·66	...	0·57	21*st*	0	0	0	5	13	0	0	5	7	0	0	1	14	5	21	9
55·7	3·9	·338	76	6·6	13	2·01	..	0·82	11*th*	0	0	1	4	13	0	0	4	7	15	6	1	7	6	2	12
51·9	3·4	·301	78	6·7	16	4·41	...	1·17	13*th*	0	2	1	6	14	0	0	1	3	7	7	7	16	3	5	13
47·4	1·9	·282	87	8·2	26	8·12	...	1·12	20*th*	0	1	1	0	17	0	0	12	0	3	1	3	20	11	6	4
42·6	2·5	·221	82	7·6	22	5·13	...	0·83	3*rd*	4	1	0	2	14	0	0	8	1	3	0	2	5	16	11	16
					227	**51·85**		**1·17**																		

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Poltalloch— D. S. Melville, for Colonel Malcolm.	135	Jan.	29·437	42·2	34·6	38·4	−0·8	50	6th, 7th, 10th	26	26th
		Feb.	29·876	45·1	35·6	40·4	+1·2	50	3rd	26	19th, 21st
		Mch.	29·454	46·0	35·5	40·8	+0·1	55	29th	21	18th
		Apl.	29·605	51·5	37·9	44·7	−0·4	60	5th, 6th	28	1st
		May	29·673	56·5	43·9	50·2	+0·1	65	30th	38	2nd, 19th, 20th
		June	29·812	60·7	49·1	54·9	−1·1	73	16th	42	13th
		July	29·920	63·7	49·4	56·6	−1·2	74	26th	38	8th
		Aug.	29·886	63·6	47·6	55·6	−0·9	70	29th	39	11th
		Sept.	29·812	61·0	46·8	53·9	−0·2	67	6th	38	7th, 18th, 22nd
		Oct.	29·613	54·9	43·2	49·1	+1·6	64	2nd	30	24th
		Nov.	29·484	49·0	41·2	45·1	+2·2	53	16th	31	7th, 8th
		Dec.	29·809	45·8	36·6	41·2	+1·7	58	10th, 11th	20	30th
		Year	**29·698**			**47·6**		**74**		**20**	
Rothesay— D. Penney, Glenburn Hydro.	76	Jan.	29·523	42·6	36·3	39·5	+0·3	51	8th, 9th	28	26th
		Feb.	29·950	45·6	37·0	41·3	+1·7	52	27th	28	21st
		Mch.	29·542	47·8	36·6	42·2	+1·5	57	30th	24	18th
		Apl.	29·683	53·4	38·6	46·0	+0·7	63	8th	30	7th
		May	29·750	57·9	43·7	50·8	+0·9	68	30th	38	19th, 20th
		June	29·883	62·8	48·5	55·7	+0·5	76	16th	43	12th, 13th
		July	29·974	66·5	51·0	58·8	+1·4	78	23rd	42	7th
		Aug.	29·952	65·9	50·5	58·2	+1·5	74	2nd	45	6th 10th 19th
		Sept.	29·886	59·9	48·2	54·1	+0·4	65	24th	42	17th, 22nd
		Oct.	29·708	54·2	45·5	49·9	+2·4	59	3rd	34	23rd, 24th
		Nov.	29·573	49·9	41·5	45·7	+3·1	5	17th	32	8th
		Dec.	29·874	45·4	37·2	41·3	+1·3	6	8th, 9th	25	31st
		Year	**29·775**			**48·6**		**78**		**24**	
‡Greenock— D. Macalister, C.E., Water Trust.	238	Jan.	29·385	41·8	33·5	37·7	−1·0	53	6th, 7th	21	15th
		Feb.	29·781	45·1	34·4	39·8	+1·1	51	3rd	29	21st, 23rd
		Mch.	29·368	46·4	34·1	40·3	+0·1	56	30th	24	18th
		Apl.	29·509	51·8	36·6	44·2	−0·3	61	8th	29	11th
		May	29·575	56·8	41·9	49·4	+0·1	70	30th	36	19th
		June	29·705	62·3	47·7	55·0	0·0	73	16th	41	13th
		July	29·790	65·9	49·8	57·9	+0·5	73	23rd	43	8th
		Aug.	29·762	65·3	49·3	57·3	+0·2	72	2nd	41	8th, 11th
		Sept.	29·705	60·4	47·8	54·1	+0·7	68	24th	42	7th
		Oct.	29·517	54·9	44·3	49·6	+2·7	62	19th	32	24th
		Nov.	29·389	50·2	40·3	45·3	+3·5	55	16th, 17th	34	8th
		Dec.	29·671	45·6	35·5	40·6	+1·2	56	8th	25	31st
		Year	**29·596**			**47·6**		**73**		**21**	
Paisley— The Coats Observatory.	107	Jan.	29·517	42·5	34·9	38·7	−0·2	53	7th	20	14th
		Feb.	29·937	45·7	36·8	41·3	+2·4	54	28th	30	23rd
		Mch.	29·513	48·3	36·7	42·5	+2·2	58	30th	24	18th
		Apl.	29·658	53·7	38·7	46·2	+1·1	67	8th	31	7th
		May	29·728	58·8	43·9	51·4	+0·7	74	30th	36	2nd
		June	29·859	64·8	49·4	57·1	+0·7	77	16th	43	4th, 12th
		July	29·949	68·8	50·9	59·9	+1·2	79	3rd, 27th	43	7th
		Aug.	29·922	67·9	50·2	59·1	+1·1	78	2nd	44	7th, 18th, 20th
		Sept.	29·866	61·5	48·8	55·2	+0·8	71	24th	38	7th
		Oct.	29·667	55·4	45·4	50·4	+2·7	62	13th	34	7th, 10th
		Nov.	29·542	49·8	41·2	45·5	+3·2	55	17th	31	8th
		Dec.	29·835	44·3	36·7	40·5	+1·0	55	9th	23	31st
		Year	**29·749**			**49·0**		**79**		**20**	

‡ At 9 a.m. and 6 p.m.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
38·6	1·4	·207	89	8·5	22	6·39	+1·18	1·35	30*th*	3	1	0	1	24	0	2	2	1	6	19	14	7	8	1	4
39·8	1·7	·211	87	8·1	16	3·51	−0·50	0·56	6*th*	1	0	2	1	17	0	1	4	2	3	9	5	12	7	4	10
40·5	1·6	·219	87	7·2	24	7·61	+3·93	0·99	18*th*	4	7	2	3	14	0	1	4	2	3	4	3	13	14	12	7
44·2	2·1	·244	84	7·0	20	5·17	+2·49	0·67	26*th*	3	1	0	3	15	0	2	2	8	3	3	13	13	7	5	6
48·9	1·9	·299	87	7·4	24	4·88	+2·29	0·64	6*th*	0	1	1	1	16	0	1	2	1	1	14	8	9	10	4	13
54·2	2·2	·358	85	8·0	19	3·22	+0·04	0·80	9*th*	0	1	1	0	16	0	2	3	2	0	6	5	12	16	11	5
56·0	2·7	·373	83	6·9	11	1·70	−2·48	0·61	13*th*	0	0	0	4	17	1	0	8	14	0	0	10	13	7	3	7
56·4	2·4	·385	85	6·5	10	3·03	−1·72	1·37	21*st*	0	0	0	5	11	3	0	9	14	0	0	3	13	14	4	5
53·7	1·9	·360	88	6·7	13	2·94	−2·25	0·78	11*th*	0	0	1	6	17	3	0	2	10	8	11	12	6	3	0	8
49·7	1·7	·308	88	6·2	20	4·06	−1·53	0·71	19*th*	0	0	0	6	13	0	0	1	7	5	11	13	15	5	2	3
45·4	1·5	·269	89	8·7	27	9·02	+3·66	0·79	15*th*, 20*th*	0	0	2	0	22	0	1	3	2	2	2	1	24	17	9	0
41·5	1·4	·232	89	8·2	24	6·96	+1·26	1·02	3*rd*	3	2	1	2	22	0	0	15	3	1	0	2	4	24	7	6
					230	**58·49**		**1·37**																	
38·9	1·9	·200	85	7·5	23	6·81	+1·89	1·14	30*th*	5	2	1	2	18	9	2	2	1	17	13	10	3	10	0	6
40·4	1·8	·214	86	8·0	15	3·27	−0·40	0·81	7*th*	1	0	1	0	16	14	2	1	0	14	5	10	1	15	2	8
40·7	2·5	·204	81	6·5	24	5·43	+2·05	0·99	18*th*	7	5	2	2	12	2	2	1	1	6	1	7	8	26	7	5
44·8	3·2	·228	77	6·2	19	4·45	+1·71	0·72	29*th*	1	1	0	6	12	6	1	2	2	11	2	11	6	11	6	9
48·5	2·7	·277	82	7·4	23	4·02	+1·32	0·63	5*th*	0	0	2	1	18	10	2	5	1	16	2	7	4	10	6	11
54·1	2·9	·338	80	7·7	19	3·37	+0·27	0·66	2*nd*	0	0	1	2	17	3	3	2	0	7	2	3	7	13	15	11
56·6	3·4	·362	78	6·0	12	1·71	−2·18	0·42	6*th*	0	0	0	5	10	0	0	7	3	11	0	1	0	9	14	17
56·8	2·9	·377	81	5·6	14	2·14	−2·61	0·61	21*st*	0	0	0	5	9	3	0	7	3	4	1	1	3	11	5	27
53·3	2·1	·348	85	6·5	14	2·59	−1·93	0·53	13*th*	0	0	1	5	12	4	0	1	3	29	3	4	0	5	0	15
49·6	2·1	·303	86	6·6	21	3·36	−1·41	1·07	13*th*	0	0	0	4	13	3	1	2	1	22	6	14	3	9	2	3
45·8	1·9	·266	86	7·7	28	7·19	−2·34	0·76	15*th*	0	0	2	1	15	4	1	1	1	7	1	8	3	26	10	3
41·8	2·0	·225	85	7·3	21	5·08	+0·24	0·83	27*th*	4	1	1	4	19	3	2	3	0	4	0	2	2	31	11	9
					233	**49·42**		**1·14**																	
37·7	1·0	·207	91	8·5	21	7·42	−0·48	1·79	11*th*	9	0	1	0	18	6	1	0	2	10	28	0	11	10	0	1
39·8	1·2	·221	91	8·3	14	5·10	−1·09	1·10	2*nd*	2	1	0	0	14	4	1	0	4	5	21	0	9	13	3	1
40·7	1·8	·217	86	7·2	23	8·86	+4·13	1·06	18*th*	8	5	2	0	8	3	1	0	2	2	13	0	15	24	6	0
45·1	3·0	·234	78	7·1	20	5·90	+2·44	1·07	29*th*	2	2	0	1	9	2	0	0	6	3	20	0	8	15	8	0
48·9	1·9	·299	87	7·5	21	4·97	+1·74	0·79	5*th*, 8*th*	0	1	2	0	12	3	0	0	3	9	13	0	11	22	3	1
55·2	3·4	·342	79	7·3	20	5·10	+1·66	1·73	9*th*	0	0	0	0	10	0	0	0	6	4	5	0	15	21	8	1
57·1	3·7	·360	77	6·3	9	1·61	−2·27	0·87	13*th*	0	0	0	1	7	0	0	0	9	3	9	0	1	14	26	0
57·7	3·3	·381	79	6·2	9	1·80	−3·66	0·70	21*st*	0	0	0	2	6	2	0	0	4	7	5	0	4	29	12	1
53·6	2·2	·350	85	7·5	11	2·68	−3·10	0·81	13*th*	0	0	1	0	12	3	0	0	10	19	10	0	8	9	1	3
49·7	1·9	·309	88	7·2	23	4·20	−1·96	1·32	13*th*	0	1	1	0	13	0	1	0	6	12	15	0	16	10	3	0
46·4	1·9	·271	87	7·4	26	7·97	+1·67	0·82	15*th*	0	0	0	1	11	0	3	0	3	3	6	0	18	25	5	0
41·4	1·7	·226	88	7·6	21	5·52	−1·96	1·24	2*nd*	4	1	1	0	13	3	0	0	1	3	0	0	5	30	20	3
					218	**61·13**		**1·79**																	
38·3	1·4	·203	88	8·3	21	4·86	+0·13	1·18	30*th*	5	0	0	0	21	8	0	0	3	16	5	13	9	1	1	14
40·7	2·0	·213	85	8·3	15	3·74	+0·13	0·74	3*rd*	0	0	0	0	19	11	0	1	0	6	3	7	14	7	0	18
41·5	2·4	·213	82	7·0	23	5·85	+3·10	0·68	18*th*	2	2	2	0	10	0	0	4	3	6	2	9	21	16	1	0
46·1	3·6	·234	75	6·6	18	3·98	+2·01	0·82	15*th*	3	1	0	2	13	1	0	0	1	13	1	12	15	6	3	9
50·1	2·9	·290	80	7·5	23	3·45	+1·28	0·72	8*th*	0	0	1	0	15	2	0	0	3	20	1	6	13	15	1	3
56·5	3·9	·348	76	7·3	18	3·53	+1·31	0·76	9*th*	0	0	2	1	17	0	1	2	4	0	4	8	11	10	4	17
59·2	4·4	·373	74	6·4	11	1·56	−1·24	0·68	6*th*	0	0	1	3	13	0	0	8	5	6	1	5	6	22	2	7
58·3	3·5	·384	78	6·2	9	1·32	−2·17	0·40	21*st*	0	0	0	6	13	0	0	2	5	5	0	14	11	15	1	9
53·8	2·4	·348	84	7·7	15	2·32	−1·38	0·84	13*th*	0	0	0	3	19	2	0	2	16	8	4	6	4	3	0	17
49·6	1·6	·314	89	7·6	22	2·41	−1·71	0·90	13*th*	0	0	0	1	16	2	0	3	8	12	2	20	3	5	0	9
44·8	1·2	·269	91	8·2	26	6·46	+2·47	0·83	2*nd*	0	1	0	0	17	4	2	0	1	2	5	7	16	18	7	4
40·5	1·0	·231	92	8·2	18	4·43	−0·33	1·03	3*rd*	2	2	0	0	19	5	0	4	0	0	1	1	16	22	9	9
					219	**43·91**		**1·18**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
†Kilmarnock—Agricultural College	90	Jan.	...	42·2	33·9	38·1	−1·3	52	7th	23	14th
		Feb.	...	45·6	35·5	40·6	+1·3	51	7th	26	21st
		Mch.	...	47·6	35·3	41·5	+0·3	55	29th	21	18th
		Apl.	...	52·4	37·5	45·0	−0·2	61	23rd	27	7th
		May	...	57·7	43·1	50·4	+0·2	70	30th	35	2nd, 16th
		June	...	62·2	48·6	55·4	−0·6	76	16th	42	4th, 12th
		July	...	65·8	47·5	56·7	−2·0	74	26th, 29th, 30th	39	8th, 24th
		Aug.	...	65·5	47·6	56·6	−1·1	75	29th	38	7th
		Sept.	...	61·8	45·3	53·6	..	70	28th	31	17th
		Oct.	...	56·0	44·4	50·2	+2·9	62	13th, 19th	27	24th
		Nov.	...	50·5	40·3	45·4	+2·9	54	11th, 16th, 17th	29	7th
		Dec.	...	44·8	35·6	40·2	+1·2	55	8th	20	30th, 31st
		Year	...			**47·8**		**76**		**20**	
†Turnberry—F. Grosser and J. Richards	97	Jan.	29·515	43·7	35·8	39·8	−0·3	52	7th, 8th	24	14th
		Feb.	29·949	46·0	36·7	41·4	+0·9	50	7th, 13th, 25th	29	21st
		Mch.	29·559	47·2	36·7	42·0	+0·8	55	29th	26	20th
		Apl.	29·679	51·6	39·2	45·4	+0·2	58	21st, 23rd	33	1st, 6th, 7th
		May	29·735	56·3	43·8	50·1	+0·9	69	30th	38	7th
		June	29·886	59·7	49·7	54·7	+0·2	73	17th	43	13th
		July	29·981	61·7	49·9	55·8	−1·7	69	26th	44	8th, 24th
		Aug.	29·943	62·7	50·4	56·6	−0·7	68	17th	42	28th
		Sept.	29·860	61·3	48·9	55·1	+0·5	70	28th	40	22nd
		Oct.	29·678	56·2	46·2	51·2	+2·0	61	1st, 2nd, 19th	36	9th
		Nov.	29·586	51·5	42·7	47·1	+2·5	55	27th	31	19th
		Dec.	29·876	45·9	38·9	42·4	−0·2	55	8th	26	31st
		Year	**29·771**			**48·5**		**73**		**24**	
Bowhill—A. Gillespie, C.E.	978	Jan.	28·547	39·9	28·6	34·3	−1·0	48	7th	20	13th
		Feb.	28·984	41·5	31·3	36·4	+0·9	47	7th, 9th	23	19th
		Mch.	28·571	43·1	29·5	36·3	+0·1	53	29th	19	18th
		Apl.	28·726	51·5	30·3	40·9	−0·2	58	24th, 26th	24	12th
		May	28·778	55·5	36·4	46·0	−0·5	67	30th	30	7th
		June	28·928	61·7	42·8	52·3	−0·1	70	16th	38	3rd, 13th
		July	29·012	60·8	43·6	52·2	−1·9	70	26th	37	7th, 8th
		Aug.	28·973	61·2	43·1	52·2	−1·1	70	29th	37	7th
		Sept.	28·910	58·7	42·3	50·5	+0·4	66	28th	36	3rd
		Oct.	...	...	...	..	...	...	...	...	..
		Nov.	...	...	...	...	...	...	...	...	...
		Dec.	...	...	...	...	...	...	...	...	...
		Year	...			...		...		...	
†Colmonell—Andrew Ogg, for W. M'Connell of Knockdolian	150	Jan.	29·460	43·4	34·2	38·8	−0·5	51	6th	21	14th
		Feb.	29·901	46·5	35·2	40·9	+1·4	51	25th	25	17th, 21st
		Mch.	29·518	47·6	35·9	41·8	+0·4	56	29th	21	18th
		Apl.	29·631	52·2	37·6	44·9	−0·6	62	23rd	27	1st
		May	29·677	58·1	42·9	50·5	+0·7	69	30th	35	16th
		June	29·842	61·6	48·9	55·3	−0·1	73	21st	43	4th, 13th
		July	29·929	63·9	48·5	56·2	−1·1	72	26th	39	24th
		Aug.	29·895	65·9	49·3	57·6	+0·2	73	20th	35	8th
		Sept.	29·811	63·3	47·3	55·3	+1·4	71	5th	33	17th
		Oct.	29·624	57·7	44·7	51·2	+3·3	66	1st	27	24th
		Nov.	29·547	51·5	41·3	46·4	+3·3	55	16th, 17th, 27th	30	7th
		Dec.	29·828	45·9	37·8	41·9	+1·7	56	8th	20	31st
		Year	**29·722**			**48·4**		**73**		**20**	

† At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
37·6	1·2	·202	90	7·4	18	3·01	...	0·62	30*th*	6	1	1	6	20	0	3	2	0	12	18	24	0	4	2	0
39·5	1·6	·211	87	8·1	16	1·92	...	0·28	3*rd*	0	2	0	4	19	2	1	0	2	12	10	8	12	8	2	2
41·3	2·2	·215	83	6·8	22	3·72	...	0·42	18*th*	4	1	1	4	15	0	5	2	0	4	4	10	28	8	4	2
45·9	3·0	·244	79	7·8	18	2·35	...	0·42	15*th*	2	0	0	1	19	1	0	0	4	4	6	16	14	8	2	6
51·2	3·2	·297	79	8·1	19	2·81	...	0·46	5*th*	0	0	0	1	22	0	4	0	6	12	4	14	10	14	2	0
56·5	4·1	·343	74	7·9	17	2·65	...	0·54	9*th*	0	0	0	2	18	0	3	0	4	2	2	4	18	18	6	6
58·6	4·4	·364	74	6·6	11	1·48	.	0·63	6*th*	0	0	0	3	15	0	0	6	8	6	0	4	20	6	8	4
58·6	3·5	·388	79	7·3	13	1·52	...	0·46	21*st*	0	0	0	4	18	1	0	0	4	6	2	10	12	12	8	8
55·3	3·1	·351	80	7·5	10	2·42	...	0·67	13*th*	0	0	0	3	18	0	0	0	16	18	12	2	8	0	2	2
50·7	2·6	·305	83	7·5	16	1·91	...	1·01	13*th*	0	0	0	4	22	1	1	0	14	8	4	26	6	0	2	2
45·3	1·8	·261	87	7·9	27	4·88	...	0·50	2*nd*	0	2	0	2	20	0	4	0	6	4	6	14	14	16	0	0
39·9	1·3	·220	90	7·8	20	4·90	...	1·28	3*rd*	1	1	3	5	21	1	1	4	4	8	2	6	12	14	10	2
					207	**33·57**		**1·28**																	
39·7	1·9	·207	84	8·3	15	2·47	− 1·02	0·56	23*rd*	2	2	1	0	20	0	1	0	3	12	22	19	4	2	0	0
40·4	1·9	·213	85	8·3	11	1·04	− 1·84	0·27	3*rd*	0	0	0	1	19	0	2	2	14	2	16	7	12	3	0	0
41·9	2·6	·214	81	7·2	19	2·25	− 0·57	0·49	18*th*	1	5	1	0	12	0	2	1	3	4	6	17	19	9	2	1
45·3	2·2	·252	84	7·8	17	2·29	+ 0·34	0·58	18*th*	0	2	0	0	15	0	1	3	12	1	6	21	10	4	3	0
50·7	3·1	·293	80	8·1	18	2·16	+ 0·04	0·27	6*th*	0	0	0	0	18	0	0	2	12	5	9	18	8	2	6	0
54·6	2·9	·347	81	7·8	13	2·48	+ 0·18	0·50	19*th*	0	0	1	1	17	1	0	4	7	1	5	10	14	14	5	0
55·8	3·0	·363	81	7·0	9	0·78	− 2·06	0·19	21*st*	0	0	0	1	14	0	0	13	9	0	3	13	5	6	9	4
57·4	2·5	·398	84	6·6	10	1·27	− 2·60	0·43	21*st*	0	0	1	1	10	2	0	13	8	2	1	11	7	8	7	5
55·1	2·9	·353	81	6·4	10	2·16	− 1·57	0·65	13*th*	0	0	0	6	12	1	0	7	13	13	10	8	3	3	1	2
51·1	3·0	·300	80	8·2	9	1·87	− 1·99	0·73	13*th*	0	0	1	1	17	0	0	1	16	4	8	17	9	4	3	0
47·2	2·2	·273	85	8·6	23	3·84	+ 0·06	0·49	15*th*	0	3	3	0	20	0	4	2	5	2	5	16	17	10	3	0
42·6	2·3	·225	83	8·7	18	2·84	+ 0·86	0·60	3*rd*	1	3	0	1	22	0	2	9	2	2	8	5	15	13	8	0
					172	**25·45**		**0·73**																	
35·3	0·8	·191	93	7·9	22	4·29	...	0·77	23*rd*	7	1	0	0	19	2	3	0	1	2	26	18	9	1	5	0
36·9	1·1	·198	91	6·6	14	3·49	...	1·08	3*rd*	...	...	...	...	...	...	...	1	0	7	15	11	12	5	5	0
37·3	1·7	·190	86	7·1	25	4·64	...	0·68	18*th*	7	1	0	0	11	0	3	6	0	7	9	8	17	8	7	0
40·8	1·6	·221	88	7·2	18	4·08	...	0·79	17*th*	...	...	...	...	...	...	...	4	1	12	9	15	8	6	5	0
46·6	1·8	·276	88	6·5	21	4·33	...	0·73	8*th*	0	0	0	1	11	0	0	2	2	6	16	16	1	12	7	0
51·3	1·8	·332	88	6·6	21	4·02	...	1·28	9*th*	...	...	...	...	...	...	...	1	1	2	11	12	5	6	22	0
53·0	1·9	·350	87	5·7	14	1·36	...	0·34	6*th*	...	...	...	...	...	...	...	7	1	8	8	2	5	5	26	0
54·1	1·9	·365	86	...	12	1·82	...	0·74	21*st*	...	...	...	...	...	...	...	6	4	8	4	6	6	10	18	0
52·0	2·2	·330	85	6·6	9	1·83	...	0·44	25*th*	...	...	...	...	...	...	...	1	3	22	11	10	6	4	3	0
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
					...	...		...																	
38·7	0·8	·220	94	7·4	20	6·28	+ 1·69	1·20	11*th*	2	0	0	4	17	0	1	2	2	16	18	10	6	6	2	0
39·8	1·0	·225	92	6·9	13	1·87	− 1·76	0·62	7*th*	0	0	0	4	14	2	2	2	4	12	10	4	6	12	0	6
41·3	1·5	·229	88	6·6	21	4·39	+ 1·25	1·01	18*th*	2	2	1	3	14	0	2	0	2	6	4	2	12	24	10	2
45·0	1·8	·257	86	6·5	18	3·97	+ 1·65	0·78	26*th*	0	0	0	5	10	2	0	0	6	8	8	8	10	10	10	0
51·9	2·4	·324	85	6·8	19	3·98	+ 1·46	0·69	21*st*	0	0	0	2	12	0	0	0	2	2	16	4	14	16	8	0
55·3	2·1	·378	86	7·1	17	2·90	+ 0·33	0·57	9*th*	0	1	1	2	16	1	0	2	0	0	2	12	4	30	8	2
56·7	1·6	·412	90	6·6	12	0·97	− 2·21	0·19	21*st*	0	0	0	4	12	2	0	16	8	0	0	2	4	20	10	2
59·0	2·3	·427	86	6·1	11	2·00	− 2·12	0·48	21*st*	0	0	2	5	8	2	0	4	2	6	2	0	0	26	14	8
54·8	1·8	·378	88	6·0	12	3·31	− 0·75	0·75	14*th*	0	0	1	7	13	1	0	2	8	12	10	10	4	4	0	10
50·2	1·6	·322	89	6·6	17	3·16	− 1·83	0·94	13*th*	0	0	0	6	14	0	0	6	2	14	14	6	12	8	0	0
46·4	1·2	·287	91	7·3	27	5·82	+ 0·90	0·65	15*th*	0	1	1	4	17	0	0	0	0	2	10	8	8	22	8	2
41·3	1·1	·236	92	7·5	21	4·71	− 0·19	0·90	3*rd*	3	1	0	5	18	0	1	8	4	8	0	2	2	22	16	0
					208	**43·36**		**1·20**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A. Maximum.	Mean of B. Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Glasgow (Belvidere Hospital)—Alex. Johnston, M.D.	54	Jan.	29·564	42·2	35·2	38·7	−0·3	54	7th	20	14th
		Feb.	29·998	45·6	37·4	41·5	+2·0	51	7th, 25th	28	23rd
		Mch.	29·574	47·7	36·8	42·3	+1·2	56	30th	25	18th
		Apl.	29·708	52·9	38·9	45·9	+0·1	61	8th, 23rd, 24th	30	7th
		May	29·776	58·0	44·3	51·2	+0·8	75	30th	36	2nd
		June	29·910	63·2	49·7	56·5	+0·3	74	4th	43	4th, 12th, 13th
		July	29·999	67·4	51·1	59·3	+0·5	76	3rd, 27th	42	24th
		Aug.	29·962	65·2	50·3	57·8	−0·3	75	2nd	41	20th
		Sept.	29·937	61·9	48·7	55·3	+1·0	71	2nd	38	17th
		Oct.	27·719	56·1	45·7	50·9	+3·7	64	13th, 19th	32	7th
		Nov.	29·598	51·3	41·5	46·4	+4·1	56	7th, 30th	32	8th, 9th
		Dec.	29 890	45·0	36·8	40·9	+1·6	56	9th	21	31st
		Year	**29·803**			**48·9**		**76**		**20**	
Glasgow (The Observatory)—Prof. L. Becker, Ph.D., F.R.S.E.	184	Jan.	29·418	41·9	35·3	38·6	+0·2	52	7th	23	14th
		Feb.	29·837	44·5	37·1	40·8	+1·8	50	7th	31	21st
		Mch.	29·414	46·1	36·6	41·4	+0·9	54	30th	27	18th
		Apl.	29·563	51·5	39·1	45·3	+0·4	61	8th	32	11th
		May	29·630	56·5	44·1	50·3	+0·3	71	30th	38	19th
		June	29·759	61·5	49·7	55·6	−0·2	72	16th	44	12th
		July	29·849	65·3	51·6	58·5	+0·5	74	3rd	44	7th
		Aug.	29·823	64·4	51·0	57·7	+0·6	72	2nd	44	18th, 20th
		Sept.	29·771	59·4	49·4	54·4	+1·2	68	24th	40	7th
		Oct.	29·575	54·4	46·3	50·4	+3·6	62	13th	34	24th
		Nov.	29·446	49·6	42·0	45·8	+3·5	55	17th	33	8th
		Dec.	29·734	44·2	37·1	40·7	+1·9	55	9th	24	31st
		Year	**29·652**			**48·3**		**74**		**23**	
Bothwell—J. T. Wilson, M.D.	150	Jan.	...	41·4	33·2	37·3	−0·9	52	7th	15	14th
		Feb.	...	45·5	35·3	40·4	+2·0	51	11th, 25th	25	17th, 23rd
		Mch.	...	47·5	34·8	41·2	+1·1	56	30th	28	8th
		Apl.	...	52·2	37·2	44·7	−0·1	62	24th	29	5th
		May	...	57·9	42·9	50·4	+0·4	72	30th	35	2nd
		June	..	61·6	48·4	55·0	−0·6	73	16th	42	4th, 12th, 13th
		July	...	65·4	49·7	57·6	−0·6	76	27th	40	24th
		Aug.	...	64·9	49·1	57·0	−0·2	74	2nd	39	18th, 19th
		Sept.	...	60·3	47·0	53·7	+0·0	69	24th	35	7th
		Oct.	...	55·2	43·3	49·3	+2·0	63	13th	28	24th
		Nov.	...	49·7	39·7	44·7	+3·7	54	11th, 17th	30	8th, 10th
		Dec.	...	44·7	34·6	39·7	+1·1	55	8th, 9th	20	31st
		Year				**47·6**		**76**		**15**	
†Hamilton—J. Macaulay for the Duke of Hamilton and Brandon.	140	Jan.	...	42·1	31·5	36·8	...	52	1st, 7th, 8th	14	14th
		Feb.	...	45·6	33·8	39·7	...	52	12th	25	23rd
		Mch.	...	46·8	33·6	40·2	...	54	30th, 31st	22	18th
		Apl.	..	52·2	36·6	44·4	...	62	...	28	7th
		May	...	57·6	41·8	49·7	...	72	30th	34	2nd
		June	...	61·9	47·1	54·5	...	74	17th	40	4th, 13th
		July	...	66·1	47·8	57·0	...	75	28th, 30th	38	8th
		Aug.	...	65·4	47·1	56·3	...	74	17th	37	18th, 19th
		Sept.	...	60·9	44·6	52·6	...	73	28th	33	7th
		Oct.	...	55·8	42·8	49·3	..	62	13th, 19th	27	24th
		Nov.	...	50·1	38·5	44·3	...	55	17th	29	8th, 10th
		Dec.	...	44·8	37·6	41·2	...	56	9th	18	31st
		Year				**47·2**		**75**		**14**	

† At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
38·3	1·8	·196	85	...	19	3·52	−0·08	0·72	30*th*	5	0	0	...	...	0	0	0	3	11	26	3	5	0	2	12
40·7	2·2	·210	83	7·2	15	2·64	−0·17	0·60	3*rd*	1	0	0	3	15	0	0	0	6	9	4	1	12	4	2	18
41·1	2·4	·209	81	5·8	22	4·29	+1·86	0·47	22*nd*	4	5	1	...	...	0	0	1	3	3	8	3	17	14	6	7
44·4	2·6	·236	81	...	18	3·19	+1·31	0·66	15*th*	2	1	0	...	...	0	0	0	3	11	7	3	15	5	1	15
49·4	2·9	·283	81	7·7	24	3·27	+1·02	0·91	4*th*	0	0	2	4	21	0	0	0	7	12	9	3	12	11	0	8
55·4	4·1	·329	75	...	17	3·12	+0·57	0·52	19*th*	0	0	2	...	...	0	0	0	0	8	3	5	15	20	0	9
57·3	5·1	·329	70	...	8	1·13	−1·86	0·47	5*th*	0	0	1	...	...	0	0	2	3	13	0	2	3	22	2	15
57·4	3·8	·363	77	...	6	0·60	−2·88	0·13	21*st*, 27*th*, 30*th*	0	0	0	...	...	0	0	3	4	19	1	4	7	24	0	0
53·6	2·4	·344	83	...	14	2·15	−1·13	0·65	13*th*	0	0	0	...	...	0	0	2	15	12	2	1	2	4	0	22
49·5	2·4	·294	84	6·8	17	1·27	−2·26	0·51	13*th*	0	0	0	3	13	0	0	0	11	14	6	2	17	2	0	10
45·5	1·9	·261	86	...	26	4·46	+0·89	0·75	15*th*	...	...	...	...	...	...	...	1	1	7	2	1	15	19	6	8
41·1	2·0	·216	84	...	17	2·89	−0·98	0·85	3*rd*	...	...	...	...	...	...	...	3	0	3	0	0	16	25	3	12
					203	**32·53**		**0·91**																	
38·0	1·4	·201	81	8·8	20	3·51	−0·32	0·69	30*th*	5	0	1	0	21	0	0	1	0	19	14	9	8	3	1	7
40·2	1·8	·213	86	8·8	14	2·88	−0·26	0·59	3*rd*	1	0	1	0	19	0	0	1	4	15	2	4	13	12	0	5
40·5	2·1	·210	83	7·5	24	3·91	+1·40	0·37	18*th*	4	6	1	1	12	0	0	2	6	2	3	9	15	15	6	4
44·5	2·9	·231	78	7·8	16	2·84	+0·71	0·66	29*th*	2	1	0	0	18	0	0	3	8	7	7	9	9	11	0	6
49·1	2·7	·284	81	8·7	22	3·37	+0·95	0·77	8*th*	0	1	2	0	19	0	0	0	11	15	1	5	11	15	0	4
54·6	3·2	·339	79	7·9	20	3·00	+0·28	0·73	19*th*	0	0	1	0	16	0	0	0	9	5	2	5	14	22	0	3
56·9	3·6	·360	78	7·5	9	1·29	−2·01	0·45	13*th*	0	0	1	0	17	0	0	3	12	3	1	1	6	24	4	8
56·8	3·1	·372	80	7·6	10	1·05	−2·96	0·22	20*th*	0	0	0	1	17	0	0	4	5	12	0	0	10	22	4	5
53·1	2·2	·344	84	8·4	13	2·28	−1·41	0·76	13*th*	0	0	0	0	19	0	0	0	12	23	3	4	4	5	0	9
49·6	2·4	·296	83	7·8	19	1·73	−2·01	0·67	13*th*	0	0	0	1	16	0	0	0	12	16	5	13	10	3	3	9
45·2	1·9	·258	86	8·3	24	5·31	+1·66	0·77	15*th*	0	1	0	0	18	0	6	0	1	9	3	7	11	28	1	0
40·6	1·8	·216	86	8·3	17	3·38	−0·75	0·96	3*rd*	2	1	0	0	19	2	2	2	0	3	0	0	9	34	4	10
					208	**34·55**		**0·96**																	
36·8	1·2	·195	90	...	14	2·65	−0·12	0·52	30*th*	4	0	0	...	...	4	3	1	5	1	27	6	7	6	0	9
39·7	1·6	·212	87	...	13	2·58	+0·46	0·48	3*rd*	0	0	0	...	...	1	0	0	2	6	10	13	11	13	0	1
40·1	1·5	·217	88	...	19	3·84	+1·83	0·68	22*nd*	...	...	...	...	...	...	...	0	2	1	8	3	8	30	10	0
44·6	2·4	·241	84	...	17	2·69	+0·92	0·71	15*th*	2	0	0	...	...	0	0	0	4	4	10	18	10	8	6	0
48·2	2·2	·283	85	...	25	2·66	+0·88	0·44	4*th*	0	0	0	...	...	0	0	0	2	11	12	2	11	15	8	1
55·8	3·7	·345	77	...	16	3·23	+1·32	0·68	19*th*	0	1	0	...	...	0	0	0	0	2	6	6	22	22	2	0
57·0	3·2	·372	80	...	6	0·85	−1·90	0·42	6*th*	0	0	0	...	...	0	0	1	7	12	1	1	2	31	3	4
57·4	3·3	·376	80	..	10	1·35	−1·57	0·41	29*th*	0	0	0	...	...	0	0	5	7	6	2	0	5	23	12	2
51·2	1·7	·334	89	...	10	2·46	−0·01	0·70	13*th*	0	0	0	...	...	1	0	2	2	14	16	8	10	4	4	0
48·8	2·4	·288	83	...	12	1·54	−0·94	0·44	13*th*	0	0	0	...	...	0	0	1	3	20	5	4	16	12	1	0
44·4	2·0	·248	85	...	20	4·61	+2·00	0·80	15*th*	1	0	0	...	...	0	0	0	2	2	2	8	12	30	4	0
39·3	1·6	·209	88	...	15	4·09	+1·21	1·14	3*rd*	1	1	0	...	...	0	0	6	0	0	0	4	2	44	6	0
					177	**32·55**		**1·14**																	
36·4	1·3	·191	89	8·9	17	3·04	...	0·64	30*th*	5	0	0	0	20	2	1	0	2	4	28	0	12	0	10	6
38·9	1·6	·202	86	8·5	12	2·29	...	0·52	3*rd*	1	0	0	0	18	3	0	0	0	2	18	2	12	2	16	4
40·7	2·5	·204	81	7·1	24	4·16	...	0·70	22*nd*	3	0	0	0	13	0	0	2	0	0	10	0	18	2	30	0
45·3	3·7	·223	74	7·9	16	2·60	...	0·70	29*th*	3	0	0	0	12	0	0	2	0	2	24	2	16	2	12	0
50·6	3·4	·285	77	7·9	20	2·85	...	0·47	4*th*	0	0	0	0	16	0	0	0	0	2	22	0	22	0	16	0
56·3	4·3	·336	73	...	17	3·36	...	0·70	19*th*	0	0	0	0	14	0	0	0	0	0	18	0	18	0	24	0
58·1	4·5	·356	73	7·3	6	0·93	...	0·62	6*th*	0	0	0	0	15	0	0	0	0	0	30	0	2	2	28	0
57·6	3·8	·367	78	7·4	9	1·17	...	0·38	21*st*	0	0	0	0	16	0	0	0	2	0	28	0	4	0	24	4
53·0	2·4	·337	84	8·5	10	2·09	...	0·73	13*th*	0	0	0	0	21	1	0	0	0	8	28	0	6	2	10	6
49·4	2·7	·287	82	7·1	15	1·78	...	0·50	13*th*	0	0	0	0	15	1	1	0	2	8	22	0	16	0	12	2
44·4	2·0	·248	85	7·4	22	4·69	...	0·72	2*nd*	0	0	0	0	13	0	0	0	2	0	14	0	16	0	28	0
39·6	1·8	·208	85	7·9	15	3·55	...	1·17	3*rd*	1	0	0	0	17	0	1	4	0	0	0	0	6	0	46	6
					183	**32·51**		**1·17**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
†Dungavel— J. Macaulay, for the Duke of Hamilton and Brandon.	800	Jan.	...	39·4	31·0	35·2	...	49	6th, 7th	21	14th
		Feb.	...	42·9	32·8	37·9	...	49	7th	26	17th
		Mar.	...	43·2	31·8	37·5	...	50	29th, 30th	19	18th
		Apl.	...	48·4	34·4	41·4	...	57	24th	27	7th
		May	...	54·7	39·9	47·3	...	71	30th	32	19th, 20th
		June	...	59·5	45·8	52·7	...	73	16th	38	12th
		July	...	62·2	45·6	53·9	...	73	29th, 30th	37	7th
		Aug.	...	62·7	47·1	54·9	...	70	29th	38	18th
		Sept.	...	58·8	44·9	51·9	...	69	28th	32	17th
		Oct.	...	52·3	41·9	47·1	...	57	2nd, 13th, 19th	28	24th
		Nov.	...	47·5	38·3	42·9	...	53	17th	32	8th, 22nd
		Dec.	...	41·5	33·3	37·4	...	52	8th	21	31st
		Year				**45·0**		**73**		**19**	
†Leadhills— J. M'Farlane, J.P.	1300	Jan.	...	37·7	29·2	33·5	0·0	46	3rd, 7th, 9th	16	14th
		Feb.	...	41·9	31·3	36·6	+2·7	47	8th, 25th	22	19th
		Mar.	...	41·9	29·3	35·6	0·0	51	29th	15	18th
		Apl.	...	47·5	34·6	41·1	+1·2	58	23rd	25	11th
		May	...	54·2	40·8	47·5	+1·9	69	30th	33	20th
		June	...	59·3	44·4	51·9	+0·2	73	16th	40	2nd, 10th, 11th
		July	...	63·0	45·1	54·1	+0·2	75	30th	35	8th
		Aug.	...	64·4	45·7	55·1	+2·4	75	29th	37	18th
		Sept.	...	58·9	41·5	50·2	+1·0	70	28th	33	3rd, 6th
		Oct.	...	50·7	39·5	45·1	+2·4	58	1st, 2nd	24	24th
		Nov.	...	46·0	35·5	40·8	+3·9	51	17th	25	8th, 22nd
		Dec.	...	40·3	30·7	35·5	+1·6	50	8th	17	30th, 31st
		Year				**43·9**		**75**		**15**	
Bangour Village— D. Hendry, for John Keay, M.D.	584	Jan.	28·998	39·5	30·9	35·2	...	50	8th	11	14th
		Feb.	29·390	42·5	33·1	37·8	...	48	3rd, 7th	24	20th, 21st
		Mar.	28·972	44·3	32·9	38·6	...	52	31st	20	18th
		Apl.	29·130	49·5	35·6	42·6	...	62	24th	26	2nd
		May	29·201	53·9	40·7	47·3	...	70	30th	32	20th
		June	29·328	59·7	45·6	52·7	...	70	15th, 16th	39	4th 12th 13th
		July	29·417	63·0	47·8	55·4	...	73	2nd	38	7th
		Aug.	29·394	63·7	46·4	55·1	...	73	16th, 28th	37	7th, 20th
		Sept.	29·350	57·9	44·7	51·3	...	71	24th	32	7th
		Oct.	29·157	53·0	42·1	47·6	...	62	19th	27	24th
		Nov.	29·012	47·9	38·3	43·1	...	53	11th	27	8th
		Dec.	29·293	42·0	31·9	37·0	...	53	8th, 9th	13	6th
		Year	**29·220**			**45·3**		**73**		**11**	
Edinburgh (Blackford)— Professor R. A. Sampson, F.R.S.	441	Jan.	29·169	40·9	33·8	37·4	0·0	52	7th, 8th	21	14th
		Feb.	29·565	44·0	35·9	40·0	+1·3	52	11th	31	23rd
		Mar.	29·142	45·4	35·0	40·2	+0·3	53	31st	25	18th
		Apl.	29·301	49·7	38·6	44·2	+0·7	63	24th	31	11th, 12th
		May	29·375	54·7	43·4	49·1	+1·1	74	30th	36	19th
		June	29·494	61·0	48·4	54·7	+0·7	70	29th	41	12th
		July	29·585	62·5	50·3	56·4	−0·3	75	2nd	42	7th
		Aug.	29·560	64·4	51·5	58·0	+2·1	76	3rd, 16th	46	11th
		Sept.	29·519	58·4	48·9	53·7	+0·9	71	24th	43	17th, 19th
		Oct.	29·326	54·1	45·6	49·9	+3·9	65	19th	34	24th
		Nov.	29·176	49·3	40·9	45·1	+4·0	55	17th	34	9th
		Dec.	29·445	43·9	36·3	40·1	+2·0	57	9th	26	31st
		Year	**29·338**			**47·4**		**7**		**21**	

† At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Cloud. Scale 0–10.	Rain, and other Forms of Precipitation. Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Day of Month.	Weather. Number of Days with— Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	Wind Directions. Number of Observations at 9 A.M. and 9 P.M. N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
35·3	0·9	·189	92	...	20	2·94	...	0·45	23rd	6	0	0	...	...	1	2	0	0	20	24	12	4	2	0	0
36·8	1·2	·195	90	...	14	3·41	...	1·07	3rd	1	1	0	...	...	0	2	0	2	18	12	16	6	2	0	0
37·3	1·2	·199	90	...	25	6·18	...	0·72	22nd	11	3	0	...	...	0	1	2	2	10	6	16	8	18	0	0
41·8	2·0	·225	85	...	21	2·96	...	0·69	15th	4	3	0	...	...	0	1	0	2	20	16	14	0	6	2	0
47·8	2·2	·279	84	...	23	3·53	...	0·78	8th	0	0	0	...	...	0	1	2	0	24	4	10	10	12	0	0
53·0	2·6	·332	82	...	22	3·68	...	1·16	9th	0	0	2	...	...	0	4	0	0	12	0	18	10	20	0	0
54·8	2·7	·354	83	...	8	1·54	...	0·52	6th	0	0	2	...	...	0	0	2	10	10	0	2	14	22	2	0
55·8	2·6	·373	83	...	11	1·38	..	0·58	21st	0	0	0	...	...	0	0	0	4	18	0	6	4	26	4	0
51·2	2·0	·325	86	...	12	2·36	...	0·99	13th	0	0	0	...	...	0	0	0	0	38	8	4	4	4	2	0
47·1	1·7	·283	88	...	19	3·01	...	1·11	13th	1	0	0	...	...	0	1	0	0	24	14	20	4	0	0	0
42·8	1·5	·243	88	...	25	6·54	...	0·77	2nd	2	0	0	...	...	0	4	0	0	8	8	12	22	8	2	0
37·0	0·8	·204	93	...	20	5·90	...	1·25	3rd	5	0	0	...	...	0	2	0	4	6	2	6	14	24	6	0
					220	**43·43**		**1·25**																	
34·1	1·0	·177	89	...	24	7·49	...	1·28	7th	9	1	1	...	...	4	5	2	0	10	8	14	0	0	0	28
34·6	1·3	·175	87	...	11	4·32	...	1·12	3rd	1	0	0	...	...	3	2	0	0	2	2	12	0	0	0	40
34·2	1·5	·168	84	...	27	7·94	...	0·86	28th	13	2	0	...	...	0	4	2	0	0	6	16	10	8	0	20
40·4	2·2	·207	83	...	20	8·07	...	1·59	15th	5	2	0	...	...	0	1	4	2	2	6	4	2	2	2	36
45·4	1·9	·260	87	...	21	6·26	...	1·01	8th	0	3	2	...	...	0	1	2	0	8	0	12	6	0	4	30
51·6	2·5	·318	83	...	19	4·16	...	1·03	24th	0	1	2	...	...	0	4	0	0	0	0	14	0	0	2	44
54·0	3·3	·327	78	...	5	0·87	...	0·41	17th	0	0	0	...	...	0	0	2	0	0	0	0	0	6	4	50
56·2	3·0	·367	81	...	6	1·35	...	0·99	21st	0	1	1	...	...	0	0	4	2	0	0	4	6	6	4	36
50·0	2·1	·307	85	...	7	2·88	...	1·10	13th	0	0	0	...	...	0	0	8	6	4	0	8	0	2	0	32
44·8	1·3	·257	84	...	16	4·34	...	0·84	14th	0	0	1	...	...	3	0	7	1	0	4	18	4	0	0	28
39·9	0·9	·227	93	..	26	7·10	...	0·99	2nd	0	2	0	...	...	0	1	0	0	0	0	24	0	0	0	36
34·7	1·0	·182	91	...	20	3·65	...	1·02	3rd	6	0	0	...	...	0	1	0	0	1	3	12	2	2	0	42
					202	**58·43**		**1·59**																	
35·7	1·9	·175	84	7·0	15	2·12	...	0·38	30th	6	0	0	1	6	3	3	1	8	2	16	2	25	2	6	0
37·3	1·5	·193	87	...	15	1·60	...	0·38	3rd	2	0	0	0	8	5	1	1	9	4	5	0	14	15	8	0
38·0	1·7	·195	85	6·8	25	3·09	...	0·45	22nd	10	0	0	0	6	1	4	3	3	3	4	0	26	16	7	0
41·8	1·9	·227	86	6·4	14	1·81	...	0·48	11th	3	2	0	0	5	1	0	2	5	9	6	1	21	8	8	0
46·3	1·9	·270	87	7·3	13	1·26	...	0·26	3rd	0	1	2	0	10	0	0	0	3	8	18	0	16	9	8	0
52·1	2·1	·334	85	6·7	15	1·88	...	0·33	9th	0	0	1	0	4	2	1	1	7	4	6	0	18	12	12	0
54·0	2·6	·344	82	7·2	7	0·93	...	0·53	6th	0	0	1	0	7	4	0	2	21	6	1	0	9	15	8	0
54·7	2·6	·352	82	7·7	8	0·85	...	0·35	22nd	0	0	0	0	14	2	0	0	15	10	1	0	11	14	11	0
51·4	1·8	·333	88	7·6	13	1·36	...	0·39	13th	0	0	0	1	13	3	0	2	22	10	5	1	8	7	5	0
47·4	1·8	·284	87	6·1	15	1·61	...	0·45	4th	0	0	0	0	4	0	0	0	15	4	7	2	12	15	7	0
42·5	1·2	·246	90	6·6	24	3·27	...	0·49	15th	0	1	0	0	3	2	1	0	6	1	2	0	13	25	13	0
37·1	1·2	·197	89	6·0	14	2·19	...	0·95	3rd	3	0	0	0	5	0	1	4	2	1	0	0	10	26	19	0
					178	**21·97**		**0·95**																	
37·2	1·7	·189	85	6·5	16	2·28	+0·38	0·63	11th	8	1	0	1	9	4	5	1	1	8	15	19	11	6	1	0
39·4	2·2	·199	83	5·7	14	1·26	−0·39	0·27	7th	1	1	0	3	8	6	3	2	4	8	3	9	17	12	0	1
39·6	2·4	·197	81	5·9	23	3·21	+1·74	0·56	22nd, 23rd	8	1	0	1	6	1	9	2	1	1	5	14	25	10	3	1
43·6	2·9	·222	78	6·4	17	1·79	+0·28	0·33	11th	2	0	0	0	10	2	0	2	11	5	5	12	13	11	0	1
47·9	2·6	·271	82	6·6	14	1·18	−0·47	0·24	8th	0	0	2	1	10	5	0	0	11	8	8	6	12	14	2	1
53·8	3·3	·325	78	5·8	13	1·49	−0·42	0·31	19th	0	0	2	1	6	1	0	1	6	5	2	8	10	10	15	3
55·3	3·5	·342	79	8·3	5	0·46	−2·14	0·22	6th	0	0	0	0	10	0	0	9	12	7	2	3	4	16	4	5
56·3	3·3	·361	79	6·4	9	1·44	−1·28	0·73	30th	0	0	1	1	8	2	0	3	10	7	4	0	13	18	4	3
53·0	2·0	·347	86	7·0	14	2·17	0·00	0·99	13th	0	0	0	2	13	5	0	1	15	6	8	12	5	7	2	4
49·5	2·5	·292	83	6·4	15	1·49	−0·98	0·48	4th	0	0	1	1	8	0	1	3	6	10	9	14	13	6	1	0
44·6	1·9	·252	86	6·0	17	1·97	−0·33	0·38	2nd	0	0	0	0	5	1	6	0	1	1	4	3	28	21	1	1
39·7	1·7	·210	86	5·6	12	1·72	−0·52	0·91	3rd	5	0	0	3	7	2	6	1	0	0	1	4	14	35	6	1
					169	**20·46**		**0·99**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
†Edinburgh (University)—Professor T. Hudson Beare, F.R.S.E.	227	Jan.	...	41·6	34·7	38·2	...	53	7th	24	14th
		Feb.	...	45·1	37·0	41·1	...	51	3rd, 12th	31	23rd
		Mar.	...	46·6	36·3	41·5	...	55	31st	26	18th
		Apl.	...	51·4	39·3	45·5	...	65	24th	32	11th, 12th
		May	...	56·2	44·4	50·3	...	72	30th	38	19th
		June	...	62·4	49·4	55·9	...	72	29th	43	12th
		July	...	63·6	51·8	57·7	...	76	2nd	40	7th
		Aug.	...	65·3	51·9	58·6	...	76	2nd, 3rd	43	31st
		Sept.	...	59·6	50·4	55·0	...	73	24th	44	17th
		Oct.	...	55·7	47·1	51·4	...	67	19th	36	24th
		Nov.	...	50·0	41·5	45·8	...	58	17th	32	30th
		Dec.	...	44·1	36·9	40·5	...	53	3rd	25	7th
		Year				**48·5**		**76**		**24**	
†Leith—J. Bolam.	76	Jan.	29·576	41·5	34·2	37·9	−1·0	53	7th	25	14th, 15th
		Feb.	29·962	46·6	36·3	41·5	+1·8	52	3rd	25	23rd
		Mar.	29·540	46·8	36·0	41·4	−0·3	55	31st	27	18th
		Apl.	29·701	51·3	39·1	45·2	0·0	65	24th	32	2nd
		May	29·760	55·7	43·9	49·8	+0·3	73	30th	37	2nd
		June	29·874	61·4	48·7	55·1	−0·7	72	29th	41	13th
		July	29·975	63·6	51·6	57·6	−0·9	75	2nd	45	7th, 9th
		Aug.	29·934	65·5	52·2	58·9	+1·2	78	2nd	45	18th
		Sept.	29·906	59·4	49·6	54·5	+0·2	74	24th	41	17th
		Oct.	29·715	55·1	46·2	50·7	+3·3	66	19th	35	24th
		Nov.	29·572	49·4	41·0	45·2	+2·8	55	16th, 17th	31	8th
		Dec.	29·821	44·1	36·7	40·4	+0·8	55	8th	23	31st
		Year	**29·778**			**48·2**		**78**		**23**	
Dalkeith—J. Whytock, for the Duke of Buccleuch, K.G.	190	Jan.	29·461	42·6	32·5	37·6	+0·3	54	7th	19	18th
		Feb.	29·823	46·2	34·0	40·1	+2·1	53	11th	23	23rd
		Mar.	29·426	47·6	34·6	41·1	+0·5	55	31st	23	18th
		Apl.	29·573	52·6	37·5	45·1	−0·7	65	24th	30	2nd
		May	29·652	57·4	43·0	50·2	+0·8	67	16th 29th 30th	35	3rd
		June	29·771	63·7	47·8	55·8	0·0	74	29th	39	12th, 13th
		July	29·869	66·0	49·0	57·5	−0·5	77	2nd	40	23rd
		Aug.	29·810	65·9	50·0	58·0	+1·0	76	3rd	37	18th
		Sept.	29·770	60·8	47·9	54·4	+1·0	72	28th	38	7th, 17th
		Oct.	29·603	56·3	44·8	50·6	+3·5	65	19th	30	24th
		Nov.	29·465	51·6	39·5	45·6	+4·1	57	17th	31	6th, 8th
		Dec.	29·724	45·2	35·4	40·3	+2·0	56	8th, 9th	20	6th
		Year	**29·662**			**48·0**		**77**		**19**	
Smeaton—R. Souter, for Sir A. Buchan-Hepburn, Bart.	100	Jan.	29·565	40·5	33·0	36·8	−0·9	52	8th	25	14th, 26th
		Feb.	29·958	43·7	34·3	39·0	+0·8	51	4th, 26th	25	23rd
		Mar.	29·515	47·4	34·6	41·0	0·0	53	9th, 26th, 31st	25	18th
		Apl.	29·689	52·3	39·2	45·8	−0·5	64	24th	30	14th
		May	29·752	58·2	43·7	51·0	+0·5	70	30th	35	16th
		June	29·879	65·4	48·4	56·9	+0·2	73	16th, 29th	40	12th, 13th
		July	29·967	68·4	50·2	59·3	−0·1	80	3rd	43	9th
		Aug.	29·922	67·0	50·5	58·8	+0·7	84	3rd	43	18th, 20th
		Sept.	29·891	60·7	48·3	54·5	+0·6	71	24th	40	17th, 19th
		Oct.	29·717	55·2	44·7	50·0	+3·2	62	20th	31	24th
		Nov.	29·559	51·0	39·7	45·4	+4·5	57	18th	29	8th
		Dec.	29·807	43·7	34·7	39·2	+1·0	58	9th	20	6th
		Year	**29·768**			**48·1**		**84**		**20**	

† At 9 a.m. only.

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
38·2	2·0	·192	84	...	14	2·45	...	0·36	30*th*	4	1	0	...	...	5	2	0	4	0	26	4	22	0	2	4
40·8	2·5	·205	80	...	9	1·03	...	0·22	10*th*	1	0	0	...	...	5	1	2	4	6	2	2	24	6	0	10
41·0	3·0	·197	77	...	23	2·80	...	1·08	22*nd*	5	1	0	...	...	1	5	2	0	2	4	4	38	4	4	4
45·8	4·0	·223	73	...	18	2·02	...	0·42	11*th*	2	0	0	...	...	0	0	0	8	2	0	12	12	8	0	18
50·7	4·2	·269	73	...	17	1·46	...	0·28	8*th*	0	0	1	...	...	3	0	0	10	2	10	2	20	6	0	12
56·6	5·1	·321	70	...	13	1·33	...	0·20	5*th*, 27*th*	0	0	2	...	...	0	0	0	2	2	0	2	12	16	4	22
57·6	4·7	·344	73	...	5	0·51	...	0·25	6*th*	0	0	0	...	.	0	0	2	22	2	0	0	10	10	2	14
58·9	5·0	·354	71	...	11	1·36	...	0·80	30*th*	0	0	0	...	..	2	0	2	10	4	2	0	8	18	2	16
54·9	3·2	·344	79	...	14	2·80	...	1·08	13*th*	0	0	0	...	...	1	0	0	16	8	4	2	6	6	2	16
51·1	3·4	·291	77	...	13	1·54	...	0·55	4*th*	0	0	1	...	...	0	0	0	14	2	10	4	26	2	2	2
46·0	2·8	·248	80	...	17	1·92	...	0·30	2*nd*	0	0	0	...	...	1	3	0	0	0	0	2	34	12	12	0
40·9	2·1	·213	84	...	10	1·65	...	0·89	3*rd*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
					164	**20·87**		**1·08**																	
37·5	1·5	·195	87	6·6	17	2·34	+0·35	0·40	11*th*	4	0	0	6	18	3	1	0	0	10	22	6	2	16	2	4
40·0	2·1	·205	83	7·6	16	1·01	−0·76	0·26	10*th*	1	0	0	3	17	6	1	0	2	18	2	2	12	10	2	8
41·7	2·7	·209	80	6·2	26	2·75	+1·09	0·82	22*nd*	4	0	0	5	16	2	0	4	0	4	2	4	16	30	2	0
46·2	3·0	·246	79	7·1	20	2·00	+0·24	0·40	11*th*	3	2	0	4	16	2	0	0	6	14	4	8	14	6	4	4
50·7	3·0	·295	80	7·8	16	1·66	−0·21	0·31	8*th*	0	0	1	2	21	1	0	0	16	10	8	2	12	10	4	0
56·2	3·9	·345	76	6·6	14	1·39	−0·61	0·20	5*th*	0	0	2	3	16	1	1	0	8	12	0	2	10	20	2	6
58·1	3·9	·371	76	8·2	6	0·57	−2·36	0·27	6*th*	0	0	0	1	22	0	0	4	12	22	0	6	2	12	6	4
59·6	4·3	·381	75	6·9	12	1·52	−1·48	0·86	30*th*	0	0	1	1	13	2	0	0	4	18	2	0	6	24	2	6
54·7	2·4	·360	84	8·6	15	2·47	+0·23	0·64	13*th*	0	0	0	2	24	2	0	4	10	20	6	2	2	10	2	4
51·2	3·1	·299	80	8·2	16	1·44	−1·15	0·53	4*th*	0	0	1	6	14	0	0	2	6	16	6	4	16	8	2	2
45·3	2·1	·254	84	6·6	21	2·08	−0·23	0·36	2*nd*	0	0	0	6	14	3	1	0	0	4	6	0	16	30	0	4
40·7	2·1	·211	84	6·2	11	1·62	−0·67	0·83	3*rd*	2	0	0	5	13	2	0	2	2	0	4	0	12	34	6	2
					190	**20·85**		**0·86**																	
37·2	1·2	·198	89	...	15	2·08	...	0·54	11*th*	5	0	0	...	...	1	1	0	6	13	10	6	16	9	2	0
39·0	1·5	·209	88	...	7	1·34	...	0·36	3*rd*	0	0	0	...	...	4	2	0	1	3	1	2	12	36	1	0
39·9	1·7	·212	87	...	18	3·04	...	1·21	22*nd*	3	0	0	...	...	0	1	1	0	5	5	1	8	39	3	0
44·4	2·8	·232	79	..	10	1·38	...	0·26	15*th*, 18*th*	2	0	0	...	...	2	0	0	2	3	9	2	4	35	5	0
49·4	2·7	·287	82	...	8	1·75	...	0·35	8*th*	0	0	1	...	...	1	1	0	0	16	9	0	1	36	0	0
54·4	3·2	·335	79	...	11	1·17	...	0·21	27*th*	0	0	2	...	...	2	1	0	1	3	5	2	8	40	1	0
56·4	3·6	·355	78	...	4	0·61	...	0·39	13*th*	0	0	0	...	...	0	0	0	2	14	7	1	5	33	0	0
56·9	2·3	·395	86	...	6	1·56	...	1·05	30*th*	0	0	0	...	...	3	0	0	4	9	6	1	9	30	3	0
53·4	2·6	·337	83	...	14	2·35	...	1·00	13*th*	0	0	0	...	...	0	0	0	4	6	12	4	11	23	0	0
49·7	2·6	·292	83	...	10	1·36	...	0·36	4*th*	0	0	1	...	...	0	0	0	3	10	5	1	19	22	2	0
45·0	2·1	·251	84	...	17	1·66	...	0·47	2*nd*	0	0	0	...	...	2	2	0	2	4	3	5	10	33	3	0
39·6	1·9	·206	85	...	7	1·86	...	1·10	3*rd*	1	0	0	...	...	1	2	0	2	0	2	2	10	34	12	0
					127	**20·16**		**1·21**																	
36·5	1·6	·186	86	7·4	14	2·17	+0·37	0·50	11*th*	7	0	0	0	15	0	1	0	6	22	2	0	6	26	0	0
38·2	1·2	·206	90	7·5	8	0·58	−0·99	0·23	10*th*	0	0	0	0	14	0	0	0	4	12	6	0	8	26	0	0
39·7	2·1	·203	83	7·4	15	1·64	+0·09	0·75	22*nd*	3	0	0	0	15	0	1	2	4	8	0	2	20	26	0	0
45·2	2·6	·243	81	8·0	10	1·92	+0·41	0·40	13*th*	2	1	1	0	18	0	0	2	10	4	6	2	22	14	0	0
52·0	3·1	·308	79	7·4	11	2·68	+0·92	0·77	7*th*	0	0	1	0	15	0	0	0	4	22	0	0	6	0	30	0
59·4	3·8	·392	78	6·7	12	1·41	−0·46	0·29	4*th*	0	0	1	0	10	0	1	0	6	14	0	0	12	28	0	0
60·3	3·5	·413	80	7·1	5	0·55	−2·52	0·19	5*th*	0	0	0	0	13	0	0	0	6	28	12	6	2	8	0	0
59·6	3·3	·409	80	7·6	6	1·26	−1·69	0·84	30*th*	0	0	2	0	15	0	0	0	16	34	0	0	2	10	0	0
54·4	2·3	·359	85	8·3	12	2·10	−0·19	0·56	13*th*	0	0	0	0	20	0	0	0	22	20	2	0	8	8	0	0
49·2	2·0	·301	86	7·4	9	1·57	−0·91	0·29	7*th*	0	0	1	0	14	0	0	0	10	14	2	8	18	10	0	0
43·4	1·3	·253	90	6·8	11	1·23	−1·15	0·30	2*nd*	0	0	0	0	9	0	1	4	2	0	0	0	14	30	8	2
38·3	1·3	·205	89	5·5	8	1·49	−0·53	0·65	3*rd*	2	0	0	0	7	0	1	16	0	0	0	0	6	26	14	0
					121	**18·60**		**0·84**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Marchmont— J. A. Wood.	500	Jan.	29·142	39·5	31·5	35·5	−1·3	51	7th, 8th	15	14th
		Feb.	29·514	44·7	32·8	38·8	+1·3	52	12th 13th 25th	25	23rd
		Mar.	29·092	45·7	33·1	39·4	+0·5	54	30th, 31st	20	18th
		Apl.	29·248	50·7	36·0	43·4	−0·4	62	24th	28	13th
		May	29·322	55·4	41·0	48·2	+0·1	71	30th	32	16th
		June	29·440	63·1	46·7	54·9	+0·8	72	16th	38	12th
		July	29·517	63·4	48·6	56·0	−0·9	73	2nd	41	9th
		Aug.	29·495	65·6	48·3	57·0	+0·8	79	3rd	42	20th
		Sept.	29·454	60·0	47·1	53·6	+1·4	70	28th	40	7th
		Oct.	29·273	54·6	42·6	48·6	+2·9	65	19th	29	24th
		Nov.	29·126	49·6	38·3	44·0	+4·1	57	17th	28	8th
		Dec.	29·381	43·3	33·6	38·5	+1·9	52	9th	21	6th
		Year	**29·334**			**46·5**		**79**		**15**	
Duns— P. Smith, for F. S. Hay.	500	Jan.	29·121	39·5	31·3	35 4	−1·5	51	7th 8th	18	14th
		Feb.	29·504	43·5	32·6	38·1	+0·3	50	12th	21	22nd
		Mar.	29·081	44·3	32·2	38·3	−0·9	54	3 0th, 31st	20	18th
		Apl.	29·237	50·4	34·7	42·6	−1·5	61	24th	25	12th
		May	29·312	55·2	40·1	47·7	−0·5	70	30th	32	16th
		June	29·433	63·9	45·7	54·8	+0·6	72	16th, 18th	38	2nd
		July	29·507	63·3	48·0	55·7	−1·2	74	2nd	40	7th
		Aug.	29·477	67·0	47·8	57·4	+1·4	81	3rd	42	5th
		Sept.	29·435	61·8	46·6	54·2	+1·9	70	28th	38	8th
		Oct.	29·255	56·0	41·5	48·8	+3·1	64	19th	29	23rd 24th 25th
		Nov.	29·119	49·9	37·1	43·5	+2·6	59	17th	28	8th
		Dec.	29·361	44·0	33·1	38·6	+1·9	52	2nd	19	31st
		Year	**29·320**			**46·3**		**81**		**18**	
West Linton— Rev. J. S. Begg.	805	Jan.	28·772	39·2	30·0	34·6	...	50	7th, 8th	11	14th
		Feb.	29·157	43·0	31·2	37·1	...	53	25th	23	22nd
		Mar.	28·754	44·0	31·1	37·6	...	52	31st	16	18th
		Apl.	28·906	49·8	34·0	41·9	...	62	24th	24	2nd
		May	28·967	55·7	38·8	47·3	...	72	30th	29	2nd
		June	29·101	61·4	44·5	53·0	...	72	16th	35	2nd
		July	29·192	63·8	46·5	55·2	...	73	2nd, 3rd, 29th	38	9th
		Aug.	29·162	64·2	45·4	54·8	...	75	3rd, 16th	37	8th, 11th, 18th
		Sept.	29·120	59·1	44·1	51·6	...	70	28th	28	7th
		Oct.	28·929	53·4	40·6	47·0	...	62	19th	25	24th
		Nov.	...	48·2	36·0	42·1	...	56	27th	24	8th
		Dec.	...	42·0	30·0	36·0	...	54	8th	10	6th, 31st
		Year				**44·9**		**75**		**10**	
The Glen— Alex. Black, for Lord Glenconner.	750	Jan.	28·856	39·5	29·3	34·4	−0·6	50	7th	12	14th
		Feb.	29·218	43·6	31·5	37·6	+1·4	52	26th	24	22nd
		Mar.	28·852	43·7	31·8	37·8	+0·2	52	29th	14	18th
		Apl.	28·992	48·0	35·2	41·6	−0·7	63	23rd	28	2nd
		May	29·049	54·9	39·9	47·4	−0·4	67	26th	30	16th
		June	29·166	63·4	46·1	54·8	+0·4	78	16th	38	4th, 13th
		July	29·261	67·4	47·8	57·6	+1·2	80	26th, 30th	38	8th
		Aug.	29·218	68·3	46·1	57 2	+1·2	80	1st, 16th	38	8th
		Sept.	29·198	61·2	43·0	52·1	+0·4	68	5th, 9th	34	6th
		Oct.	28·980	54·1	41·5	47·8	+2·8	60	1st, 19th, 25th	27	24th
		Nov.	28·826	47·7	37·4	42·6	+3·9	53	16th	27	8th
		Dec.	29·123	43·8	32 6	38·2	+2·4	53	8th	15	31st
		Year	**29·062**			**45·8**		**80**		**12**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
34·7	0·8	·186	93	7·0	17	3·11	+0·57	0·66	12*th*	6	0	0	4	16	0	1	9	2	15	1	13	4	17	1	0
37·4	1·4	·196	88	6·3	16	1·13	−1·20	0·18	10*th*	1	0	0	4	12	0	0	9	1	5	0	1	14	25	1	0
38·9	2·1	·196	84	6·0	24	3·34	+0·94	0·81	22*nd*	4	1	1	6	12	0	2	5	0	7	3	4	7	32	4	0
43·3	2·6	·225	80	6·7	14	2·55	+0·29	0·44	28*th*	4	1	2	2	13	0	1	8	7	5	6	9	14	6	5	0
48·4	2·6	·278	83	7·3	14	2·48	+0·12	0·56	8*th*	0	1	2	2	17	0	0	5	5	20	4	7	4	12	5	0
55·1	4·2	·322	74	6·0	10	2·80	+0·28	0·96	19*th*	0	0	4	3	10	0	1	2	6	15	3	1	10	20	3	0
54·8	3·0	·348	81	7·4	9	0·79	−2·55	0·24	3*rd*	0	0	0	1	15	0	0	12	8	28	0	0	1	13	0	0
56·4	3·6	·355	78	7·2	14	1·56	−2·15	0·61	29*th*	0	0	1	3	18	0	0	4	9	24	2	0	7	16	0	0
53·3	2·0	·351	86	8·4	12	1·82	−1·09	0·42	26*th*	0	0	0	1	22	0	0	9	7	27	1	5	0	11	0	0
48·1	2·0	·286	86	6·4	15	2·09	−1·45	0·52	7*th*	0	0	1	2	12	0	0	12	3	13	11	10	6	7	0	0
43·5	1·9	·242	85	5·6	19	1·95	−1·30	0·28	10*th*	0	0	0	4	8	0	0	1	4	3	5	4	7	29	7	0
38·2	1·6	·199	87	6·8	15	2·45	−0·55	0·66	3*rd*	6	0	0	2	14	0	1	4	0	1	1	2	7	36	11	0
					179	**26·07**		**0·96**																	
35·7	1·1	·190	91	6·5	14	2·71	+0·25	0·36	11*th*	4	0	0	2	10	0	1	0	12	3	12	5	27	2	1	0
38·1	1·4	·202	88	...	11	0·92	−1·33	0·24	21*st*	...	...	...	...	...	...	...	0	12	0	7	1	28	1	7	0
38·5	1·5	·203	87	...	19	3·04	+0·78	0·92	22*nd*	4	1	1	...	...	0	2	0	6	1	3	3	43	0	6	0
42·9	2·0	·234	85	...	12	2·97	+0·79	0·57	11*th*	1	2	2	...	...	0	1	0	6	0	4	3	29	0	18	0
46·8	1·7	·279	88	...	13	2·53	+0·45	0·61	8*th*	0	0	1	...	...	0	0	0	22	1	6	3	24	0	6	0
52·5	2·7	·324	82	...	9	2·75	+0·48	1·00	19*th*	0	0	2	...	...	0	1	0	21	0	11	0	26	0	2	0
53·9	2·5	·346	84	...	8	0·74	−2·32	0·20	5*th*	0	0	0	...	...	0	0	0	30	1	3	0	15	1	12	0
54·1	3·1	·333	79	...	12	1·55	−1·56	0·46	30*th*	0	0	1	...	...	0	0	1	27	0	11	3	13	0	7	0
52·6	1·9	·345	87	...	11	1·73	−1·12	0·42	26*th*	0	0	0	...	...	0	0	1	25	0	17	1	8	0	8	0
48·4	1·7	·298	88	5·3	9	1·73	−1·64	0·48	7*th*	0	0	1	4	5	0	0	1	20	0	18	2	19	0	2	0
43·5	1·6	·248	87	...	16	1·80	−1·19	0·34	10*th*	0	0	0	...	...	0	1	0	6	0	18	1	31	0	4	0
38·8	1·9	·199	85	...	12	1·54	−1·54	0·47	29*th*	6	0	0	...	...	0	1	3	3	0	1	2	47	3	3	0
					146	**24·01**		**1·00**																	
34·5	1·0	·180	90	7·8	18	3·09	...	0·79	11*th*	13	1	0	1	17	0	0	1	3	6	9	12	10	1	3	17
36·6	1·4	·190	88	6·8	15	1·86	...	0·33	3*rd*	4	1	0	2	12	2	0	2	5	2	0	4	20	4	0	19
36·9	1·5	·191	88	7·0	26	3·83	...	0·74	22*nd*	14	3	0	1	11	1	1	1	4	2	3	7	23	12	1	9
41·3	2·1	·217	84	6·7	18	2·78	...	0·61	29*th*	4	2	0	3	12	0	2	3	9	3	1	8	13	4	0	19
46·8	2·1	·270	85	7·0	20	2·38	...	0·45	3*rd*	1	0	4	2	15	1	0	1	7	7	2	7	18	6	2	12
52·6	2·4	·332	83	7·0	18	2·70	...	0·67	5*th*	0	0	3	0	15	0	0	0	3	2	2	6	7	15	5	20
54·4	2·4	·356	84	7·4	12	0·82	...	0·19	6*th*	0	0	1	2	16	3	0	5	8	3	2	1	8	5	1	29
54·5	2·5	·354	83	6·9	15	1·72	...	0·58	21*st*	0	0	1	2	11	2	0	4	9	0	0	2	10	8	0	29
50·7	1·6	·329	89	7·5	16	2·22	...	0·68	13*th*	0	0	0	2	17	7	0	2	14	4	6	4	7	0	0	23
47·1	1·7	·283	88	6·5	20	2·26	...	0·58	7*th*	1	0	1	2	14	0	0	2	13	3	4	13	16	2	1	8
41·8	1·5	·234	88	7·0	26	3·67	...	0·50	15*th*	0	1	0	1	13	0	0	0	0	0	2	2	22	20	2	12
36·4	1·1	·195	91	7·5	16	3·12	...	1·24	3*rd*	3	0	0	5	20	0	...	...	...	...	...	...	...	...	...	...
					220	**30·45**		**1·24**																	
34·8	1·0	·182	91	7·7	16	3·31	...	0·48	30*th*	10	0	0	0	13	0	1	1	0	6	10	15	7	21	2	0
36·7	1·1	·196	90	6·5	14	3·07	...	0·60	7*th*	4	0	0	0	9	0	3	2	3	5	2	4	5	30	5	0
38·2	2·0	·192	84	6·3	23	5·87	...	0·74	19*th*	8	0	0	0	6	0	3	2	0	3	1	6	15	27	8	0
42·3	1·9	·230	86	6·4	15	2·31	...	0·56	18*th*	4	1	0	0	7	0	2	8	4	3	0	10	12	18	5	0
47·9	2·7	·269	81	7·3	16	3·48	...	0·65	13*th*	0	0	3	0	14	0	0	0	2	13	7	8	8	19	5	0
53·6	3·2	·325	78	6·2	12	1·96	...	0·65	9*th*	0	0	1	0	5	0	2	0	0	0	1	7	11	36	5	0
55·8	3·8	·342	76	7·2	5	0·65	...	0·40	6*th*	0	0	0	0	11	0	0	16	3	1	0	2	3	18	19	0
56·0	3·7	·348	77	6·3	11	1·27	...	0·30	21*st*, 23*rd*	0	0	0	0	10	0	0	14	5	0	0	4	6	30	3	0
51·4	3·1	·302	80	6·0	12	2·46	...	0·98	13*th*	0	0	0	0	11	0	0	13	9	6	1	8	5	7	11	0
48·7	2·7	·284	82	7·1	17	4·29	...	1·40	7*th*	0	0	1	0	14	0	0	6	3	15	1	9	2	22	4	0
43·2	2·4	·228	82	6·2	22	4·75	...	1·10	2*nd*	0	1	1	0	8	0	3	1	0	1	0	1	35	10	12	0
39·2	2·1	·199	83	6·5	19	3·97	...	1·70	3*rd*	5	0	0	0	9	0	1	10	0	0	0	4	9	28	11	0
					182	**37·39**		**1·70**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Broomlands— J. Brunton.	205	Jan.	29·458	40·7	33·1	36·9	−0·3	54	7th	19	14th
		Feb.	29·849	44·7	34·6	39·7	+1·6	52	12th, 25th	27	23rd
		Mch.	29·443	46·8	35·6	41·2	+1·5	55	29th, 30th	30	18th
		Apl.	29·577	52·6	37·0	44·8	−0·2	64	22nd 23rd 24th	32	11th
		May	29·648	56·2	41·7	49·0	−0·5	70	30th	33	16th
		June	29·759	62·6	...	...	..	70	4th, 16th	...	...
		July	29·833	62·5	...	...	...	70	2nd	...	...
		Aug.	29·814	65·7	...	...	...	78	28th	...	...
		Sept.	29·783	60·5	...	...	..	72	28th	...	...
		Oct.	29·606	55·1	43·4	49·3	+2·8	65	19th	28	24th
		Nov.	29·457	49·2	40·2	43·7	+3·0	56	17th	30	8th
		Dec.	29·729	...	...	...	...	...	...	...	...
		Year.	**29·663**								
Wolfelee— W. Steedman, for Major Elliot.	537	Jan.	29·087	39·7	30·5	35·1	−0·5	50	7th, 8th	16	14th
		Feb.	29·469	43·7	31·7	37·7	+1·1	52	25th	22	22nd
		Mch.	29·098	45·5	32·4	39·0	+0·5	56	31st	16	18th
		Apl.	29·218	51·7	35·2	43·5	+0·3	65	24th	27	13th
		May	29·282	57·9	39·6	48·8	−0·2	71	30th	28	16th
		June	...	65·2	47·8	56·5	+1·7	76	21st	35	12th
		July	...	64·7	46·9	55·8	−1·1	74	4th, 30th	38	23rd
		Aug.	...	65·4	46·4	55·9	−0·2	78	3rd	36	18th
		Sept.	...	62·6	45·3	54·0	+1·4	71	24th	37	7th, 10th, 17th
		Oct.	...	55·2	40·8	48·0	+2·7	63	19th	26	10th 23rd 24th
		Nov.	...	49·0	37·8	43·4	+3·4	58	17th	27	8th
		Dec.	...	43·3	33·0	38·2	+1·3	52	9th, 10th	10	31st
		Year.	...			**46·3**		**78**		**10**	
Eskdalemuir— The Meteorological Office.	778	Jan.	28·810	39·1	31·4	35·3	...	49	7th	18	14th
		Feb.	29·205	42·4	31·5	37·0	...	49	25th	18	23rd
		Mch.	28·815	43·1	31·4	37·3	...	52	29th	16	18th
		Apl.	...	48·5	34·9	41·7	...	60	23rd	25	2nd
		May	...	54·3	39·6	47·0	...	71	30th	29	16th
		June	...	60·2	44·4	52·3	...	73	16th	33	2nd
		July	29·214	63·0	46·5	54·8	...	74	1st	35	8th
		Aug.	29·192	63·3	46·2	54·8	...	74	3rd	36	8th
		Sept.	29·137	59·3	44·8	52·1	...	69	28th	32	22nd
		Oct.	28·971	52·0	41·0	46·5	...	61	19th	20	23rd, 24th
		Nov.	28·855	47·2	37·2	42·2	...	53	27th	25	8th
		Dec.	29·104	40·9	31·9	36·4	...	51	8th, 9th	13	31st
		Year.	...			**44·8**		**74**		**13**	
Drumlanrig— D. Inglis, for the Duke of Buccleuch, K.G.	191	Jan.	29·476	41·1	31·5	36·3	−1·3	50	7th	6	14th
		Feb.	29·894	45·3	33·3	39·3	+1·3	51	26th	23	17th
		Mch.	29·466	46·8	32·8	39·8	+0·1	57	29th	25	13th, 25th
		Apl.	29·576	51·8	37·1	44·5	+0·5	62	23rd	25	1st
		May	29·662	58·1	41·1	49·6	−0·1	72	30th	30	2nd
		June	29·810	63·3	46·1	54·7	−1·1	77	16th	35	1st, 3rd
		July	29·885	66·9	47·5	57·2	−0·8	78	30th	36	7th, 24th
		Aug.	29·853	67·0	46·9	57·0	+0·2	78	29th	35	20th
		Sept.	29·785	63·4	43·9	53·7	+0·4	72	28th	31	18th
		Oct.	29·621	54·7	42·4	48·6	+1·8	64	19th	21	24th
		Nov.	29·519	50·6	37·6	44·1	+3·1	57	27th	23	22nd
		Dec.	29·774	43·6	33·4	38·5	+0·5	55	9th	13	31st
		Year.	**29·693**			**46·9**		**78**		**6**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount.	Most in a Day. Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
36·9	1·4	·193	89	7·3	13	1·67	−0·31	0·28	5*th*	1	0	0	1	10	2	1	0	0	4	12	4	41	1	0	0
38·5	1·8	·198	86	6·2	7	0·63	−1·14	0·20	10*th*	0	0	0	0	5	2	0	2	0	12	1	0	38	3	0	0
40·8	2·7	·201	79	...	17	2·57	+0·70	0·75	22*nd*	3	0	0	...	...	0	2	1	1	6	1	2	38	13	0	0
44·9	2·7	·238	81	6·8	11	2·45	+0·73	0·49	11*th*	1	0	1	0	7	0	1	0	1	12	2	4	36	2	3	0
49·3	2·5	·291	83	7·0	9	1·85	+0·01	0·38	8*th*	0	0	1	0	11	2	0	2	0	21	8	3	18	9	1	0
55·8	3·7	·345	77	7·0	10	1·87	−0·12	0·44	19*th*	0	0	3	0	10	0	0	1	0	8	3	3	35	8	2	0
55·8	3·0	·363	81	7·4	4	0·50	−2·32	0·14	3*rd*	0	0	0	...	...	1	0	0	8	30	1	3	11	9	0	0
56·8	2·8	·380	82	6·1	10	1·79	−1·09	0·86	29*th*	0	0	1	...	...	0	0	1	10	22	0	0	13	10	4	2
53·8	1·7	·366	88	6·7	12	1·84	−0·58	0·48	13*th*	0	0	0	...	...	5	0	0	0	26	6	8	12	4	0	4
48·9	2·2	·294	85	6·5	12	2·26	−0·50	0·75	7*th*	0	0	1	0	4	1	0	0	0	14	8	5	32	2	0	1
44·0	1·9	·246	85	6·3	11	1·48	−1·06	0·28	10*th*, 20*th*	0	0	0	0	5	4	1	0	0	0	0	4	40	11	2	3
...	...	...	..	...	9	1·50	−0·82	0·59	3*rd*	...	...	...	...	...	...	...	1	4	1	0	1	35	18	2	0
					125	**20·41**		**0·86**																	
35·3	1·1	·185	90	7·9	21	3·19	−0·84	0·53	28*th*	6	0	0	0	19	0	2	0	3	2	4	15	27	7	4	0
37·6	1·4	·198	88	6·8	17	2·19	−0·88	0·53	7*th*	1	0	0	0	9	1	3	2	10	3	1	4	19	14	3	0
38·3	1·8	·196	85	7·4	27	5·12	+2·07	0·74	22*nd*	9	3	1	0	12	0	4	6	2	1	1	4	27	15	6	0
43·0	2·0	·234	84	7·7	19	4·26	+1·82	0·84	15*th*	2	1	0	0	13	0	2	3	8	4	2	6	25	7	5	0
48·2	2·6	·274	82	7·2	18	3·05	+0·57	0·58	8*th*	0	1	3	0	12	0	0	1	9	4	12	2	18	13	3	0
54·0	3·2	·329	79	7·1	16	1·97	−0·31	0·37	9*th*	0	1	4	0	5	0	1	2	5	1	0	1	26	10	15	0
54·0	2·3	·352	84	7·2	11	1·47	−1·62	0·49	6*th*	0	0	1	0	7	0	0	3	24	2	1	2	14	9	7	0
55·7	2·7	·368	83	6·9	14	1·85	−1·56	0·61	29*th*	0	0	3	0	8	0	0	2	10	5	5	0	14	18	8	0
52·5	1·7	·349	89	7·5	13	2·62	−0·45	1·11	13*th*	0	0	0	0	11	0	1	4	22	3	3	6	16	3	3	0
48·1	1·3	·303	91	6·7	19	4·25	+0·28	1·38	7*th*	0	2	3	0	5	0	1	1	15	2	1	2	37	3	1	0
43·2	1·8	·240	86	7·1	25	2·89	−1·15	0·39	19*th*	0	0	0	0	9	1	3	1	0	1	0	1	35	10	12	0
38·2	1·0	·210	92	7·1	16	2·86	−1·41	1·02	3*rd*	6	0	0	1	13	0	4	4	2	0	0	2	27	10	17	0
					216	**35·72**		**1·38**																	
34·8	0·8	·186	92	8·1	21	4·49	...	1·02	30*th*	11	0	0	1	21	2	1	2	1	4	14	14	10	0	1	16
36·3	1·1	·194	91	7·5	15	4·76	...	1·44	3*rd*	2	1	0	0	13	1	3	5	7	3	1	8	16	3	0	13
36·9	1·4	·193	89	8·0	24	7·60	...	0·80	2*nd*, 15*th*	10	4	2	0	19	0	4	4	2	3	2	10	23	9	1	8
41·8	2·2	·221	84	7·7	19	6·51	...	1·42	15*th*	6	4	1	1	18	0	0	1	12	0	7	12	15	6	5	2
46·7	2·1	·270	85	7·9	22	4·14	...	0·62	14*th*	0	0	3	0	17	0	0	2	11	3	6	4	16	7	2	11
52·6	3·1	·316	79	7·7	17	2·97	...	0·97	9*th*	0	1	2	0	16	0	3	2	3	0	1	6	12	12	8	16
54·6	2·9	·347	81	7·2	11	0·99	...	0·32	6*th*	0	0	0	0	5	0	0	8	14	2	1	5	7	5	8	12
54·6	2·9	·347	81	7·0	10	2·35	...	0·73	29*th*	0	0	1	1	15	0	0	9	7	2	0	4	9	5	8	18
51·2	1·9	·328	87	7·8	10	2·50	...	0·83	13*th*	0	0	0	1	15	0	0	6	20	0	8	5	4	0	0	17
46·5	1·7	·277	88	7·3	17	4·46	...	0·85	29*th*	1	1	1	1	17	0	0	8	4	11	3	5	16	13	1	1
42·1	1·4	·238	89	8·0	25	6·73	...	1·09	2*nd*	0	0	1	0	15	1	5	1	3	0	1	9	27	6	3	10
36·4	1·4	·189	88	7·3	20	5·55	...	1·68	3*rd*	5	0	0	2	16	1	6	3	0	0	0	5	15	20	11	8
					211	**53·05**		**1·68**																	
36·5	1·1	·195	91	...	15	5·59	+0·40	1·00	11*th*	5	0	0	...	...	1	2	3	1	9	13	8	9	8	11	0
38·9	1·3	·212	90	...	11	3·71	−0·35	0·99	3*rd*	0	0	0	...	...	0	1	2	4	5	8	1	12	14	10	0
40·0	1·8	·211	86	...	23	6·14	+3·22	0·91	22*nd*	6	1	1	...	...	0	1	2	7	3	15	0	19	5	11	0
44·6	1·7	·256	87	...	16	5·10	+2·61	0·88	15*th*	2	0	0	...	...	0	1	1	7	0	11	6	12	8	15	0
49·7	2·7	·290	82	...	17	5·50	+3·10	0·96	8*th*	0	0	2	...	...	0	2	0	9	11	7	1	15	11	8	0
54·5	...	...	...	...	12	3·12	+0·58	0·58	9*th*	0	0	1	...	...	0	2	0	5	2	2	1	7	22	21	0
57·4	2·6	·395	84	...	5	0·71	−2·66	0·29	21*st*	0	0	0	...	...	0	0	6	8	2	0	0	1	15	30	0
56·6	3·4	·362	78	...	7	1·25	−2·67	0·76	21*st*	0	0	0	...	...	0	0	0	18	13	3	1	5	4	18	0
53·2	2·3	·343	84	...	7	2·27	−1·61	0·66	12*th*	0	0	0	...	...	1	0	6	17	5	7	2	0	12	11	0
48·2	2·2	·283	85	...	15	3·06	−1·50	0·54	29*th*	0	0	1	...	...	0	1	0	7	15	3	9	8	9	11	0
43·7	1·1	·260	91	...	21	6·27	+1·72	0·64	2*nd*	1	0	0	...	...	0	2	1	2	1	6	3	15	22	10	0
37·9	1·0	·209	92	...	16	4·32	−0·41	1·15	3*rd*	2	0	0	...	...	3	5	12	4	7	4	2	8	17	8	0
					165	**47·04**		**1·15**																	

Stations and Observers' Names.	Height of Stations above Sea Level.	Months.	Barometer. Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B	Difference from Average.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.
			Inch.	°	°	°	°	°			
Dumfries— C. C. Easterbrook, M.D., and E. Joss	155	Jan.	29·506	42·2	33·4	37·8	−0·5	49	7th, 8th	17	14th
		Feb.	29·931	44·9	35·3	40·1	+1·0	51	26th, 27th	25	23rd
		Mar.	29·519	46·8	35·4	41·1	0·0	56	29th	24	18th
		Apl.	29·643	51·3	38·3	44·8	−1·2	62	23rd	29	2nd
		May	29·706	57·5	43·0	50·3	−1·1	73	30th	36	16th, 19th
		June	29·847	62·2	48·9	55·6	−1·3	77	16th	41	4th
		July	29·913	65·9	50·3	58·1	−1·0	78	29th	42	8th
		Aug.	29·904	66·1	50·6	58·4	+0·2	78	29th	42	7th, 8th, 20th
		Sept.	29·831	63·0	48·2	55·6	+1·0	73	28th	39	8th
		Oct.	29·659	55·6	44·6	50·1	+2·6	65	19th	28	24th
		Nov.	29·560	50·9	40·9	45·9	+4·0	56	27th	30	22nd
		Dec.	29·836	44·2	35·5	39·9	+1·1	55	9th	20	31st
		Year	**29·738**			**48·1**		**78**		**17**	
Comlongon— W. H. Whellens, for A. H. Johnstone-Douglas.	74	Jan.	29·587	42·5	33·6	38·1	...	50	7th, 8th	22	14th, 26th
		Feb.	30·015	45·4	34·8	40·1	...	50	9th, 24th, 25th	26	23rd
		Mar.	29·614	47·5	34·8	41·2	...	56	29th	22	18th
		Apl.	29·725	52·5	38·2	45·4	...	63	23rd	29	2nd
		May	29·783	58·8	43·1	51·0	...	75	30th	34	16th
		June	29·925	63·9	48·2	56·1	...	80	16th	37	12th
		July	29·990	68·5	47·9	58·2	...	82	27th	39	8th
		Aug.	29·982	67·7	48·5	58·1	...	79	30th	38	7th
		Sept.	29·911	66·1	48·4	57·3	...	75	28th	37	19th
		Oct.	29·750	56·7	42·5	49·6	...	62	2nd, 12th	24	24th
		Nov.	29·649	52·4	39·6	46·0	...	60	27th, 28th	28	22nd
		Dec.	29·927	45·2	33·9	39·6	...	52	2nd 3rd 9th	17	31st
		Year	**29·822**			**48·4**		**82**		**17**	
Cargen— Colonel R. F. Dudgeon.	85	Jan.	29·574	42·3	32·2	37·3	−1·0	51	7th	13	14th
		Feb.	30·005	45·6	34·4	40·0	+0·9	52	26th	24	23rd
		Mar.	29·588	47·5	34·8	41·2	+0·5	56	30th	22	18th
		Apl.	29·714	52·5	38·3	45·4	+0·1	62	23rd	28	2nd
		May	29·771	58·4	42·4	50·4	−0·1	72	30th	34	16th
		June	29·914	63·7	47·9	55·8	−0·4	78	16th	39	12th
		July	29·950	67·8	48·9	58·4	−0·2	78	2nd	39	8th
		Aug.	29·966	68·0	49·0	58·5	+0·8	79	3rd	39	7th, 8th, 26th
		Sept.	29·898	63·6	46·5	55·1	+0·6	73	28th	37	17th
		Oct.	29·729	56·4	44·0	50·2	+2·9	66	19th	25	24th
		Nov.	29·633	51·0	39·9	45·5	+3·7	57	27th	28	22nd
		Dec.	29·903	44·6	35·2	39·9	+1·1	56	9th	19	31st
		Year	**29·804**			**48·1**		**79**		**13**	
Cally— W. Thompson, for Colonel F. Murray Baillie.	120	Jan.	29·534	42·7	34·6	38·7	0·0	50	7th	19	14th
		Feb.	29·974	45·6	36·8	41·2	+2·2	50	26th, 27th	28	21st
		Mar.	...	47·2	36·0	41·6	+0·9	56	30th	24	18th
		Apl.	...	51·1	38·8	45·0	−0·8	59	23rd	28	2nd
		May	...	57·4	41·9	49·7	−0·7	71	26th	33	2nd, 16th
		June	...	62·9	47·8	55·4	−0·3	75	16th	40	4th
		July	...	66·9	48·4	57·7	−0·4	78	1st	40	8th
		Aug.	...	66·1	47·0	56·6	−0·2	80	3rd	38	7th
		Sept.	...	62·7	45·7	54·2	+0·3	70	28th	36	22nd
		Oct.	...	56·3	44·4	50·4	+3·0	63	2nd	25	24th
		Nov.	...	50·5	40·3	45·4	+3·3	55	1st	30	22nd
		Dec.	...	44·3	35·8	40·1	+0·8	52	8th	18	31st
		Year	...			**48·0**		**80**		**18**	

Hygrometer. Mean at 9 A.M. and 9 P.M.				Cloud.	Rain, and other Forms of Precipitation.					Weather. Number of Days with—							Wind Directions. Number of Observations at 9 A.M. and 9 P.M.								
								Most in a Day.																	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Scale 0–10.	Number of Days.	Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm	Clear Sky.	Overcast.	Fog	Gale.	N	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°	°	Inch.					Inch.	Inch.																	
37·3	1·2	·199	90	6·5	22	4·11	+0·61	0·71	11*th*	4	0	0	1	12	0	1	1	5	1	31	7	16	0	1	0
39·6	1·7	·210	86	6·4	15	1·85	−1·13	0·37	7*th*	0	0	0	1	11	2	1	11	6	1	5	7	18	6	2	0
40·3	2·0	·210	84	5·9	23	3·40	+0·86	0·59	22*nd*	3	1	0	2	7	0	1	3	5	0	2	2	32	9	9	0
44·3	2·5	·237	81	5·8	18	4·15	+1·90	1·00	29*th*	2	1	0	3	9	0	1	2	17	0	8	0	21	5	7	0
49·6	2·7	·289	82	6·6	23	4·07	+1·75	0·94	13*th*	0	0	2	0	12	0	0	0	4	7	12	1	22	10	6	0
54·9	3·3	·342	79	6·5	16	2·55	+0·19	0·55	23*rd*	0	0	2	0	8	0	0	1	1	0	10	5	23	5	15	0
56·8	3·3	·367	79	5·7	8	0·57	−2·57	0·30	6*th*	0	0	0	4	10	0	0	3	20	0	3	2	13	5	16	0
57·4	3·4	·373	79	5·8	7	1·16	−2·83	0·61	21*st*	0	0	0	3	6	0	0	4	17	3	5	1	10	8	14	0
54·4	2·6	·351	83	6·1	8	2·30	−1·27	0·85	13*th*	0	0	0	5	10	0	0	2	22	4	12	2	5	5	8	0
49·5	2·4	·294	84	6·4	19	3·08	−0·58	0·54	29*th*	0	0	0	3	10	0	0	0	22	3	6	3	26	0	2	0
45·1	1·9	·256	85	7·0	24	4·14	+0·35	0·70	2*nd*	0	0	0	0	12	0	3	1	4	0	3	3	30	7	12	0
39·4	1·7	·208	87	6·1	16	1·77	−2·42	0·63	26*th*	3	0	0	4	11	0	2	5	4	0	1	0	15	19	18	0
					199	**33·15**		**1·00**																	
38·1	0·9	·211	92	7·9	15	2·61	...	0·46	23*rd*	3	0	0	3	20	0	1	0	6	13	5	4	7	0	0	27
39·9	1·3	·220	90	7·5	12	2·45	...	0·44	3*rd*	0	0	0	0	16	0	2	0	4	6	0	1	18	0	1	26
41·0	1·7	·221	86	6·6	24	4·27	...	0·66	22*nd*	2	3	2	1	12	0	3	0	1	6	3	1	27	2	4	18
45·3	1·9	·259	86	7·0	18	3·94	...	0·90	29*th*	2	0	0	5	17	0	1	1	8	1	2	5	15	2	1	25
50·5	2·2	·312	85	6·8	17	3·52	...	0·66	3*rd*, 13*th*	0	0	7	1	13	0	0	3	4	7	5	1	18	2	2	20
55·6	2·8	·365	82	7·1	16	3·20	...	0·59	2*nd*	0	0	4	2	14	0	1	0	2	0	1	5	19	10	2	21
58·0	2·6	·404	83	7·3	6	0·74	...	0·50	6*th*	0	0	0	1	16	0	0	17	3	0	2	2	3	7	7	21
58·3	3·2	·392	80	6·8	8	1·40	...	0·82	21*st*	0	0	0	3	15	0	0	12	4	6	2	7	14	3	4	10
55·1	2·1	·348	80	6·3	6	2·20	...	0·79	13*th*	0	0	0	3	10	0	0	3	31	4	2	3	5	0	0	12
50·1	1·9	·313	86	6·0	13	3·29	...	1·05	29*th*	0	0	0	4	8	0	0	6	23	3	5	8	9	0	0	8
45·1	1·8	·259	86	6·9	20	4·69	...	0·61	3*rd*, 13*th*	0	0	0	1	4	0	1	2	11	0	3	6	27	1	0	10
39·3	1·2	·217	91	6·6	12	2·36	...	0·81	26*th*	1	0	0	4	11	0	0	9	1	0	0	1	26	2	6	17
					167	**34·67**		**1·05**																	
37·5	0·9	·207	92	...	19	6·19	+1·57	1·00	11*th*	3	0	1	...	...	0	3	0	5	12	18	11	11	2	3	0
40·2	1·1	·226	91	...	14	3·02	−0·78	0·54	7*th*	0	0	0	...	...	6	1	3	8	5	6	6	22	5	1	0
42·0	2·0	·225	85	...	24	5·77	+2·56	1·00	22*nd*	2	2	2	...	...	1	2	2	2	5	1	10	19	17	6	0
46·2	2·3	·261	84	...	19	6·02	+3·56	1·66	15*th*	1	1	2	...	..	0	1	0	12	6	5	17	10	6	4	0
51·6	2·1	·228	86	...	21	4·88	+2·31	1·00	13*th*	0	1	7	...	...	0	1	0	4	11	8	10	16	6	7	0
56·8	2·7	·383	83	5·4	15	3·16	+0·61	0·76	2*nd*	0	0	2	...	...	0	2	4	0	5	4	11	14	14	8	0
59·1	3·1	·406	81	...	8	0·63	−2·52	0·28	6*th*	0	0	0	...	...	0	0	12	10	2	1	4	13	8	12	0
59·0	3·2	·402	81	...	10	1·65	−2·40	0·98	21*st*	0	0	0	...	...	0	0	4	10	5	4	10	15	10	4	0
55·4	2·1	·379	87	...	12	3·00	−0·75	0·86	13*th*	0	0	0	...	...	3	0	5	16	11	6	9	8	2	3	0
50·9	2·0	·323	87	...	22	3·87	−0·57	0·76	13*th*	0	0	0	...	...	1	0	1	16	10	2	12	16	3	2	0
45·8	1·6	·272	89	5·1	24	5·82	+1·47	0·90	2*nd*	0	0	0	...	...	2	2	1	0	2	2	9	22	20	4	0
40·1	1·4	·219	89	...	20	3·37	−1·55	1·05	3*rd*	1	0	0	...	...	5	0	8	0	0	0	2	23	20	9	0
					208	**47·38**		**1·66**																	
38·7	1·5	·206	88	...	18	7·99	+3·15	1·35	15*th*	3	1	0	...	...	1	1	2	10	4	26	0	7	1	12	0
41·0	1·6	·223	87	...	14	2·06	−2·09	0·57	3*rd*	0	0	0	...	...	5	1	1	12	3	11	3	11	0	15	0
41·2	1·9	·219	85	...	20	4·99	+1·28	0·90	22*nd*	5	2	2	...	...	0	2	10	9	4	11	0	6	1	21	0
44·9	1·9	·254	86	...	20	3·77	+0·94	0·60	15*th*	2	2	0	...	...	0	1	1	8	7	15	7	10	0	12	0
50·6	2·7	·301	81	...	20	5·01	+2·09	1·14	5*th*	0	0	2	...	...	0	1	3	4	4	14	6	12	3	16	0
54·8	3·3	·340	79	...	12	2·79	−0·25	0·62	23*rd*	0	0	0	...	...	0	2	2	0	1	20	5	13	0	19	0
57·9	3·7	·374	77	...	11	0·87	−2·70	0·32	6*th*	0	0	0	...	...	0	0	10	1	1	8	9	10	0	23	0
58·0	3·0	·393	81	...	11	1·80	−2·92	0·99	21*st*	0	0	1	...	...	0	0	15	4	1	3	1	15	2	21	0
55·1	2·3	·369	85	...	9	3·21	−1·43	0·88	13*th*	0	0	1	...	...	0	0	6	11	4	12	1	10	4	12	0
50·5	1·6	·327	89	...	15	3·33	−1·47	1·00	13*th*	0	0	0	...	...	0	0	0	12	2	19	0	12	2	15	0
45·9	1·5	·276	90	...	25	5·96	+0·70	0·88	5*th*, 11*th*	0	0	0	...	...	0	2	1	7	2	7	0	11	6	26	0
39·7	1·3	·218	89	...	19	3·76	−1·60	0·70	2*nd*	4	0	0	...	...	0	0	2	13	2	17	0	6	2	20	0
					194	**45·54**		**1·35**																	

Ordnance Survey Office, Southampton, 1914